Name: Paras Singh

Roll No: 461

Division: D3 PRN:

202201030014

## **Assignment 3**

Input:

```
import numpy as np
array1=np.array([[1,2,3],[4,5,6],[7,8,9]])
array1
```

#### Output:

```
array([[1, 2, 3], [4, 5, 6], [7, 8, 9]])
```

### Input:

```
array2=np.array([[11,12,13],[14,15,16],[17,18,19]]) array2
Output:
```

```
array([[11, 12, 13], [14, 15, 16], [17, 18, 19]])
```

# #1 Matrix Operation

Input:

```
#Addition resultarray=array1+array2
print("\nUsing Operator:\n",resultarray)
resultarray=np.add(array1,array2)
print("\nUsing Numpy
Function:\n",resultarray)
```

```
Using Operator:
[[12 14]
[16 18]]
```

```
Using Numpy Function:
[[12 14]
[16 18]]
Input:
```

```
#Subtraction resultarray=array1-array2
print("\nUsing
```

```
Operator:\n", resultarray)
resultarray=np.subtract(array1,array2)
print("\nUsing Numpy Function:\n", resultarray)
Output:
 Using Operator:
Using Numpy Function:
 [[-10 -10]
 [-10 -10]]
Input:
 #Multiplication resultarray=array1*array2
print("\nUsing Operator:\n", resultarray)
resultarray=np.multiply(array1, array2)
print("\nUsing Numpy
Function:\n",resultarray)
Output:
Using Operator:
 [39 56]]
Using Numpy Function:
 [39 56]]
Input:
resultarry=array1/array2 print("\nUsing
Operator:\n",resultarray)
resultarray=np.divide(array1,array2)
print("\nUsing Numpy
Function:\n",resultarray)
Output:
Using Operator:
  [[11 24]
Using Numpy Function:
  [[0.09090909 0.16666667]
  [0.23076923 0.28571429]]
Input:
```

```
#MOD resultarry=array1%array2
print("\nUsing
 Operator:\n",resultarray)
resultarray=np.mod(array1,array2)
print("\nUsing Numpy Function:\n",resultarray)
Output:
Using Operator: [[1 2 3] [4 5 6] [7 8 9]]
Using Numpy Function: [[1 2 3] [4 5 6] [7 8 9]]
Input:
resultarray=np.dot(array1,array2)
print("", resultarray)
Output:
 [[ 90 96 102]
Input:
resultarray=np.transpose(array1)
print(resultarray)
Output:
 [[1 3]
 #2 Horizontal and vertical stacking of Numpy
 Arrays
Input:
 #2.1 Horizontal Stacking
resultarray=np.hstack((array1,array2)
 ) resultarray
Output:
resultarray=np.hstack((array1,array2)) resultarray array([[ 1, 2, 3, 11, 12, 13], [
 4, 5, 6, 14, 15, 16], [7, 8, 9, 17, 18, 19]])
Input:
```

```
#2.2 Vertical Stacking
reaultarray
Output:
array([[ 1, 2, 3], [ 4, 5, 6], [ 7, 8, 9], [11, 12, 13], [14, 15, 16], [17, 18, 19]])
Input:
nparray=np.arange(0,12,1).reshape(3,4)
nparray
Output:
array([[ 0, 1, 2, 3], [ 4, 5, 6, 7], [ 8, 9, 10, 11]])
Input:
nparray=np.linspace(start=0,stop=24,num=12).reshape(3,4)
nparray
Output:
array([[ 0., 2.18181818, 4.36363636, 6.54545455], [ 8.72727273, 10.90909091, 13.09090909,
15.27272727], [ 17.45454545, 19.63636364, 21.81818182, 24. ]]
Input:
nparray=np.empty((3,3),int) nparray
Output:
array([[ 90, 96, 102], [216, 231, 246], [342, 366, 390]])
Input:
#3.4 Emply like some other array
nparray=np.empty_like(array1) nparray
```

Input:

array([[1, 2, 3], [4, 5, 6], [7, 8, 9]])

```
#3.5 Index Matrix
nparray=np.identity(3) nparray
Output:
array([[1., 0., 0.], [0., 1., 0.], [0., 0., 1.]])
```

#4 Arithmetic and statistical operations, Mathmatical operations, bitwise operators

Input:

```
#4.1 Arithmatic operation
array1=np.array([1,2,3,4,5])
array2=np.array([11,12,13,14,15])
print(array1) print(array2)
```

Output:

[1 2 3 4 5] [11 12

13 14 15]

Input:

```
# Addition print(np.add(array1,array2))
# Subtraction
print(np.subtract(array1,array2))
# Multiplication
print(np.multiply(array1,array2))
# Division
print(np.divide(array1,array2))
```

Output:

[12 14 16 18 20]

[-10 -10 -10 -10 -10] [11 24 39 56 75]

 $[0.09090909\ 0.16666667\ 0.23076923\ 0.28571429\ 0.33333333$ 

```
#4.2 Statistical and mathmatical operation
array1=np.array([1,2,3,4,5,9,6,7,8,9,9])
# Standard Deviation print(np.std(array1))
#Minimum
print(np.min(array1))
#Summation print(np.sum(array1))
#Median print(np.median(array1))
#Median print(np.median(array1))
#Mode from scipy import stats print("Most Frequent element=",stats.mode(array1)[0]) print("Number of Occarances=",stats.mode(array1)[1])
# Variance print(np.var(array1))
```

2.7990553306073913

1

63 6.0

5.72727272727275

Most Frequent element= [9]

Number of Occarances= [3]

```
#4.3 Bitwise Operator
array1=np.array([1,2,3],dtype=np.uint8)
array2=np.array([4,5,6])
# AND
resultarray=np.bitwise_and(array1,array2)
print(resultarray)
# OR
resultarray=np.bitwise_or(array1,array2)
print(resultarray)
#LeftShift
resultarray=np.left_shift(array1,2)
print(resultarray) #RightShift
resultarray=np.right_shift(array1,2)
print(resultarray)
```

```
Output:
[0 \ 0 \ 2]
[5 7 7]
[4812][000]
Input:
print(np.binary_repr(10,8))
resultarray=np.left_shift(10,2)
print(resultarray)
print(np.binary_repr(np.left_shift(10,2),8))
Output:
00001010
40
00101000
Input:
#5.1 Copy array1=np.arange(1,10)
print(array1)
newarray=array1.copy()
print(newarray)
array1[0]=100 print(array1)
print(newarray)
Output:
[123456789]
[123456789]
[100 2 3 4 5 6 7 8 9]
[123456789]
Input:
#5.2 View array1=np.arange(1,10)
print(array1)
newarray=array1.view()
print(newarray)
```

```
array1[0]=100 print(array1)
print(newarray)
 Output:
[123456789]
[123456789]
[100 2 3 4 5 6 7 8 9]
[100 2 3 4 5 6 7 8 9]
Input:
 array1=np.array([[1,2,3,12,5,7],[94,5,6,7,89,44],[7,8,9,11,13,14]])
 print(array1)
 Output:
[[1231257]
[94 5 6 7 89 44] [
 7 8 9 11 13 14]]
 Input:
np.sort(array1,axis=0) #Horizontally Sort
Output:
array([[ 1, 2, 3, 7, 5, 7], [ 7, 5, 6, 11, 13, 14], [94, 8, 9, 12, 89, 44]])
 Input:
np.sort(array1,axis=1) # Vertically Sort
 Output:
array([[ 1, 2, 3, 5, 7, 12], [ 5, 6, 7, 44, 89, 94], [ 7, 8, 9, 11, 13, 14] 7]])
```

#7 Searching array1=np.array([1,2,3,12,5,7])

```
np.searchsorted(array1,7,side="left")#Perform Search
 Output:
 3
 Input:
 #8 Counting
 print(np.count_nonzero(array1))#Return total Non Zero element
 print(np.nonzero(array1))#Return Index
print(array1.size) #Total Element
 Output:
 6 (array([0, 1, 2, 3, 4, 5]),) 7
 Input:
array1=np.array(np.arange(1,5).reshape(2,2)) print(array1)
 array2=np.array(np.arange(11,15).reshape(2,2))
print(array2)
 Output:
 [[1 2] [3 4]] [[11 12] [13 14]]
 Input:
nwearray=np.stack([array1,array2],axis=0)
print (newarray)
 Ouput:
 [[[ 1 2] [ 3 4]]
 [[11 12] [13
 14]]]
 Input:
 newarray=np.stack([array1,array2],axis=1)
print(newarray)
```

```
Output:
[[[ 1 2]
[11 12]]
[[ 3 4]
[13 14]]]
Input:
array1=np.arange(1,10).reshape(3,3)
print(array1)
array2=np.arange(21,30).reshape(3,3)
print(array2)
Output:
[[1 2 3] [4 5 6] [7 8 9]] [[21 22 23] [24 25 26] [27 28 29]]
Input:
Output:
array([[ 1, 2, 3], [ 4, 5, 6], [ 7, 8, 9], [21, 22, 23], [24, 25, 26], [27, 28, 29]])
Input:
Output:
array([[ 1, 2, 3, 21, 22, 23], [ 4, 5, 6, 24, 25, 26], [ 7, 8, 9, 27, 28, 29]])
Input:
array1=np.arange(1,10).reshape(3,3)
print(array1)
array2=np.arange(21,30).reshape(3,3)
print(array2)
```

[[1 2 3] [4 5 6] [7 8 9]] [[21 22 23] [24 25 26] [27 28 29]]

## Assignment 3.2

Input:

```
import numpy as np
dl=np.genfromtxt("/content/testmarks1.csv",delimiter=",")
print(d1)
EDS=d1[:,1]
print(type(EDS))
print(max(EDS))
```

#### Output:

```
[[ nan nan nan nan nan]
[801. 43.05 27.79 28.7 27.79] [802.
43.47 28.52 28.98 27.89] [803. 42.24
28.16 28.16 25.63] [804. 39.24 26.16
26.16 26.16]
[805. 40.9 26.03 27.27 25.65] [806. 39.47
26.31 26.31 25.21]
[807. 41.68 25.63 27.79 25.46]
[808. 42.19 27.61 28.13 26.21]
[809. 44.75 28.35 29.83 28.21]
[810. 46.95 28.88 31.3 26.53]]
<class
```

'numpy.ndarray'> Nan

#### Input:

```
import numpy as np
d2=np.genfromtxt("/content/testmarks2.csv",delimiter=","
) print(d2) EDS=d1[:,1] print(type(EDS)) print(max(EDS))
```

```
<class
'numpy.ndarray'> Nan
input:
```

```
import numpy as np
d1=np.genfromtxt("/content/testmarks1.csv",delimiter=",") print(d1)
EDS=d1[1:,1] print(type(EDS))
print(max(EDS))
```

```
import numpy as np
dl=np.genfromtxt("/content/testmarks2.csv",delimiter=",")
print(d2)
EDS=d1[1:,1]
print(type(EDS))
print(max(EDS))
```

## Output:

```
d1=np.genfromtxt("/content/testmarks1.csv",delimiter=","
) print(d1) EDS=d1[1:,1] print(type(EDS))
print(max(EDS)) np.count_nonzero(EDS>40)
```

```
[[ nan nan nan nan nan]
[801. 43.05 27.79 28.7 27.79]
[802. 43.47 28.52 28.98 27.89]
[803. 42.24 28.16 28.16 25.63]
[804. 39.24 26.16 26.16 26.16]
[805. 40.9 26.03 27.27 25.65]
[806. 39.47 26.31 26.31 25.21]
[807. 41.68 25.63 27.79 25.46]
[808. 42.19 27.61 28.13 26.21]
[809. 44.75 28.35 29.83 28.21]
[810. 46.95 28.88 31.3
28.53]]
<class 'numpy.ndarray'>
46.95
```

## Input:

```
d1=np.genfromtxt("/content/testmarks2.csv",delimi
ter=",") print(d2) EDS=d1[1:,1] print(type(EDS))
print(max(EDS))
np.count_nonzero(EDS>40)
```

#### Output:

```
#Addition result=d1+d2
print("\nUsing Operator:\n",result)
resultarray=np.add(d1,d2) print("\nUsing
Numpy Function:\n",result)
```

```
Using Operator:
                                        nanl
[[ nan
[1602.
               56.96 68.36 61.12 44.46]
 [1604.
               56.2 67.44 61.36 45.64]
 [1606.
              52.32 62.78 56.4
 [1608.
               52.32 62.78 57.56 41.86]
                52.2 62.64 56.44 41.64]
 [1610.
 [1612.
 [1616.
               54.88 65.86 57.66 44.16]
               60.7 72.84 62.76 46.2 ]]
```

```
[[ nan nan nan nan nan]
[1602. 56.96 68.36 61.12 44.46] [1604. 56.2
67.44 61.36 45.64]
[1606. 52.32 62.78 56.4 45.06]
[1608. 52.32 62.78 57.56 41.86]
[1610. 52.2 62.64 56.44 41.64]
[1612. 50.9 61.08 55.46 42.1]
[1614. 52.32 62.78 56.02 41.02]
[1616. 54.88 65.86 57.66 44.16]
[1618. 57.26 68.7 62.06 45.36] [1620. 60.7
```

## Input:

```
#Subtraction resul=d1-d2 print("\nUsing
Operator:\n",resul)
resultarray=np.subtract(d1,d2)
print("\nUsing Numpy
Function:\n",result)
```

```
Using Operator:

[[nan nan nan nan nan
[ 0. 0. 0. 0. 0.] [ 0.
0. 0. 0. 0.]

[ 0. 0. 0. 0. 0.]

[ 0. 0. 0. 0. 0.]

[ 0. 0. 0. 0.]

[ 0. 0. 0. 0.]
```

```
#Multiplication resultarray=d1*d2
print("\nUsing Operator:\n",result)
resultarray=np.multiply(d1,d2)
```

print("\nUsing Numpy Function:\n",result)

#### Output:

Using Operator:

```
Using Numpy Function:
```

```
[[ nan nan nan nan nan]
[1602. 56.96 68.36 61.12 44.46] [1604. 56.2
67.44 61.36 45.64]
[1606. 52.32 62.78 56.4 45.06]
[1608. 52.32 62.78 57.56 41.86]
[1610. 52.2 62.64 56.44 41.64] [1612. 50.9
61.08 55.46 42.1] [1614. 52.32 62.78 56.02
41.02]
[1616. 54.88 65.86 57.66 44.16]
[1618. 57.26 68.7 62.06 45.36] [1620. 60.7
```

```
#Division resultarry=d1/d2 print("\nUsing
Operator:\n",result) resultarray=np.divide(d1,d2)
print("\nUsing Numpy Function:\n",result)
```

#### Output:

```
Using Operator:
[[ nan
              56.96 68.36 61.12 44.46]
 [1604.
        56.2 67.44 61.36 45.64] [1606.
             52.32 62.78 57.56 41.86]
 [1608.
              52.2 62.64 56.44 41.64]
 [1616.
 [1618.
Using Numpy Function:
                  67.44 61.36
 [1604.
           56.2
                                  45.64]
 [1606.
                                  45.06]
 [1608.
           52.32 62.78 57.56
                                  41.86]
 [1610.
                  62.64
                         56.44
                                  41.64]
 [1612.
           50.9
                  61.08 55.46
 [1614.
          52.32 62.78 56.02
                          57.66
                                  44.16]
 [1618.
           57.26
                  68.7
                                  45.36]
 [1620.
                          62.76 46.2 ]]
```

#### Input:

```
#MOD resultarry=d1%d2 print("\nUsing
Operator:\n",result)
resultarray=np.mod(d1,d2) print("\nUsing
Numpy Function:\n",result)
```

## Output:

Using Operator:

```
[[ nan nan nan nan nan [1602. 56.96 68.36 61.12 44.46] [1604. 56.2 67.44 61.36 45.64] [1606. 52.32 62.78 56.4 45.06] [1608. 52.32 62.78 57.56 41.86] [1610. 52.2 62.64 56.44 41.64] [1612. 50.9 61.08 55.46 42.1] [1614. 52.32 62.78 56.02 41.02]
```

```
#Dot Product resultarray=np.dot(d1,d2)
print("",resultarray)
```

Output:

## Input:

```
rranspose
resultarray=np.transpose(d1)
```

print(resultarray)

### Output:

```
[[ nan 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. ]

[ nan 28.48 28.1 26.16 26.16 26.1 25.45 26.16 27.44 28.63 30.35]

[ nan 34.18 33.72 31.39 31.39 31.32 30.54 31.39 32.93 34.35 36.42]

[ nan 30.56 30.68 28.2 28.78 28.22 27.73 28.01 28.83 31.03 31.38]

[ nan 22.23 22.82 22.53 20.93 20.82 21.05 20.51 22.08 22.68 23.1 ]]
```

#### Input:

```
#Mean resultd=d1+d2/2
print("\nUsing Operator:\n",resultd)
resultd=np.add(d1,d2) print("\nUsing
NumpyFunction:\n",resultd)
```

```
[1201.5 42.72 4
                          .27
085 42.3
                 39.24 457
 [1204.5]
 [1206.
           39.24
                                          39.15
     31.23
                                 43.17
 [1209.
                  38.17546459.81 414.25.953 31.575]
                        30.765] [1212. 41.16
 33.12 ]
                        47.085
                                42.015
 [1213.5
                 42.9454913925 463524534.02 ]
 1215.
 [1602.
                56.96 68.36 61.12 44.46]
 [1604.
 [1606.
                52.32 62.78 57.56 41.86]
 [1608.
 61.08 55.46 42.1 ] [1614. 52.32 62.78 56.02
 41.02]
                54.88 65.86 57.66 44.16]
 [1616.
 [1618. 57.26 68.7 62.06 45.36] [1620. 60.
Input:
```

#Horizontal Stacking resultarray=np.hstack((d1,d2))
resultarray

```
#2.2 Vertical Stacking
resultarray=np.vstack((d1,d2)) resultarray
```

```
Output: array([[ nan, nan, nan, nan, nan], [801. , 28.48, 34.18,
30.56, 22.23],
 [802., 28.1, 33.72, 30.68, 22.82], [803., 26.16, 31.39, 28.2,
 22.53], [804. , 26.16, 31.39, 28.78, 20.93], [805. , 26.1 , 31.32,
28.22, 20.82], [806. , 25.45, 30.54, 27.73, 21.05], [807. , 26.16,
31.39, 28.01, 20.51], [808. , 27.44, 32.93, 28.83, 22.08], [809.
28.63, 34.35, 31.03, 22.68], [810. , 30.35, 36.42, 31.38, 23.1 ],
nan, nan, nan, nan, nan], [801. , 28.48, 34.18, 30.56, 22.23], [802.
28.1 , 33.72, 30.68, 22.82], [803. , 26.16, 31.39, 28.2 , 22.53], [804.
 26.16, 31.39, 28.78, 20.93], [805., 26.1, 31.32, 28.22, 20.82],
[806. , 25.45, 30.54, 27.73, 21.05], [807. , 26.16, 31.39, 28.01,
20.51], [808. , 27.44, 32.93, 28.83, 22.08], [809. , 28.63, 34.35,
31.03, 22.68], [810. , 30.35, 36.42, 31.38, 23.1 ]])
Input:
#3.1 Range
nparray=np.arange(0,12,1).reshape(3,4
) nparray
Output:
array([[ 0, 1, 2, 3], [ 4, 5, 6, 7], [ 8, 9, 10, 11]])
Input:
nparray=np.linspace(start=0,stop=24,num=12).resh
ape(3,4) nparray
Output:
array([[ 0. , 2.18181818, 4.36363636, 6.54545455], [ 8.72727273,
10.90909091, 13.09090909, 15.27272727], [17.45454545, 19.63636364,
21.81818182, 24, 11)
Input:
nparray=np.empty((3,3),int) nparray
Input:
nparray=np.empty like(d1) nparray
Output:
array([[nan, nan, nan, nan, nan],
  [0., 0., 0., 0., 0.]
  [0., 0., 0., 0., 0.]
  [0., 0., 0., 0., 0.]
  [0., 0., 0., 0., 0.]
```

```
[ 0., 0., 0., 0., 0.],
 [ 0., 0., 0., 0., 0.],
 [ 0., 0., 0., 0., 0.],
 [ 0., 0., 0., 0., 0.],
 [ 0., 0., 0., 0., 0.],
 [ 0., 0., 0., 0., 0.]])
```

```
#3.5 Index Matrix
nparray=np.identity(3) nparray
```

#### Output:

```
array([[1., 0., 0.], [0., 1., 0.], [0., 0., 1.]])
```

## Input:

```
#4.1 Arithmatic operation
array1=np.array([1,2,3,4,5])
array2=np.array([11,12,13,14,15])
) print(d1) print(d2)
```

#### Output:

```
30.56 22.23]
[802.
        28.1 33.72 30.68 22.82]
         26.16 31.39 28.2 22.53]
[804.
[805.
         25.45 30.54 27.73 21.05]
[807.
[802. 28.1 33.72 30.68 22.82]
        26.16 31.39 28.2 22.53]
        26.16 31.39 28.78 20.93]
[804.
[805.
        26.1 31.32 28.22 20.82]
        25.45 30.54 27.73 21.05]
[806.
         26.16 31.39 28.01 20.51]
[807.
         27.44 32.93 28.83 22.08]
[808]
         28.63 34.35 31.03 22.68]
[809.
        30.35 36.42 31.38 23.1 ]]
```

```
# Addition print(np.add(d1,d2)) #
Subtraction
print(np.subtract(d1,d2)) #
Multiplication
print(np.multiply(d1,d2)) #
Division
print(np.divide(d1,d2))
```

```
[1602.
 [1604.
               56.2 67.44 61.36 45.64]
                52.32 62.78 56.4 45.06]
 [1606.
 [1608.
               52.2 62.64 56.44 41.64]
 [1610.
 [1614.
               57.26 68.7 62.06 45.36]
 [1618.
[1620.
                60.7 72.84 62.76 46.2 ]]
[[nan nan nan nan nan]
 [0.0.0.0.0.0]
 [0.0.0.0.0.0]
[[ nan nan nan nan nan]
4.9417290e+02]
[6.4320400e+05
5.2075240e+02]
[6.4480900e+05 6.8434560e+02
5.0760090e+02]
[6.4641600e+05 6.8434560e+02 9.8533210e+02 8.2828<u>840e+02</u>
4.3806490e+02]
[6.4802500e+05 6.8121000e+02 9.8094240e+02 7.9636840e+02
4.3347240e+021
[6.4963600e+05
4.4310250e+02]
[6.5124900e+0
4.2066010e+02]
[6.5286400e+0
4.8752640e+02]
[6.5448100e+0
5.1438240e+02]
[6.5610000e+05 9.2112250e+02 1.3264164e+03 9.8470440e+02
```

```
5.3361000e+02]]
[[nan nan nan nan nan]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. 1. ]
[ 1. 1. 1. 1. ]
[ 1. 1. 1. 1. ]
```

```
# Standard Deviation print(np.std(d1))
#Minimum print(np.min(d1))
#Summation
print(np.sum(d1))
#Median
print(np.median(d1))
#Mean print(np.mean(d1))
#Mode from scipy import stats print("Most Frequent
element=",stats.mode(d1)[0]) print("Number of
Occarances=",stats.mode(d1)[1])
# Variance print(np.var(d1))
```

## Output:

nan nan nan nan nan Most Frequent element= [[801. 39.24 25.63 26.16 25.21]] Number of Occarances= [[1 1 1 1 1]]