Version 3 ▼

Controlling Devices Over the Internet > Introduction to HTML

# **HTML** Hyperlinks

In the previous lesson, we learned how to add images to a web page. In this lesson, we will learn how to add a hyperlink in web pages.

When you see some ads on facebook and you click on it, then it will take you to that specific add page. Ever wonder how these things work? Such things work with the help of hyperlinks. Links are found in nearly all web pages. Links allow users to click their way from page to page. You can click on a link and jump to another webpage. When you move the mouse over a link, the mouse arrow will turn into a little hand.

Note: A link does not have to be text. It can be an image or any other HTML element like buttons etc.

<a href="https://www.boltiot.com/">Visit our Website</a>


The href attribute specifies the destination address (https://www.boltiot.com/ (https://www.boltiot.com/)) of the link.

The link text is the visible part (Visit our Website).

Clicking on the link text will send you to the specified address.

Note: It is not always necessary to put your complete URL as text. You can put small text like 'click here' and on clicking on it you can redirect to your desired destination.

Below is the screenshot of the output.



Visit Our Website

If you want to open the page in the new tab then you have to add one attribute named as 'target'. The target attribute specifies where to open the linked document. Passing the value '\_blank' to target attribute will open the page in new tab of the browser.

<a href="https://www.boltiot.com/" target="\_blank">Visit our Website</a>

The above example will open the linked document in a new tab.

That's it for this lesson. Now its time to test your HTML skills. So next, we have a code challenge related to HTML waiting for you.

PREV

Forum

Type your query here

**SEARCH** 

### Q. What is tage used for?

The tag is for paragraph. It is used for formatting the text in HTML page into a paragraph.

### Q. What is the range of the output values of the ADC on the Bolt module?

The ADC on the Bolt module can generate an output in the range of 0 to 1024.

A value of 0 corresponds to a voltage of 0V on the analog input pin a0.

A value of 1024 corresponds to a voltage of 1V on the analog input pin a0.

# Q. what is <br > tag used for?

The <br/>br> Tag is used to display a new line in the html view.

#### Q. how to make some text clored?

Just use the <style></style> tags to encompass the text you want in a different color and mark the style tag with the color you want.

Example

This text is in white<style text="#0000FF>while this text is in blue</style>

# Q. what is <a> tag used for??

a tag is called anchor tag and anchor tag is used for creating a link.

For example:

<a href="https://www.facebook.com">My Facebook</a>

When you open the above code in chrome, you can only see text **My facebook** and when you click on the text, you will be redirected to https://www.facebook.com

View more

Ask your doubts to the instructor personally if they are not already answered on forum.

Type what you want to ask the instructor



**ASK THE INSTRUCTOR** 

© Copyright 2018 Internshala (http://internshala.com)