

Name:- Parekh Shruti VikramBhai


Div:- A

Roll No:- 32


Sem:- 7

Assignment 1


Question1:




Question: 2




Question 3:




Question 4:




Question 5:




Question 6:



Question 7:



Question 8:



The screenshot shows a VS Code window with a terminal open. The terminal displays the following commands and outputs:

```
PS C:\Users\nensi\OneDrive\Desktop\50_NensiAnilbhaiPatel_701_A1\Q8> node server
PS C:\Users\nensi\OneDrive\Desktop\50_NensiAnilbhaiPatel_701_A1\Q8> npm run server

> q@1.0.0 server
> node server.js

Server is running...
PS C:\Users\nensi\OneDrive\Desktop\50_NensiAnilbhaiPatel_701_A1\Q8> npm run test

> q@1.0.0 test
> node test.js

Testing completed successfully.
PS C:\Users\nensi\OneDrive\Desktop\50_NensiAnilbhaiPatel_701_A1\Q8> npm run greet

> q@1.0.0 greet
> node greet.js

Hello, Welcome to Node.js!
PS C:\Users\nensi\OneDrive\Desktop\50_NensiAnilbhaiPatel_701_A1\Q8> npm run add


> q@1.0.0 add
> node add.js

10 + 20 = 30
PS C:\Users\nensi\OneDrive\Desktop\50_NensiAnilbhaiPatel_701_A1\Q8> npm run info

> q@1.0.0 info
> node info.js

This is a user-defined script.
PS C:\Users\nensi\OneDrive\Desktop\50_NensiAnilbhaiPatel_701_A1\Q8>
```


Question 9:



The screenshot shows a VS Code window with a file explorer on the left and a terminal on the right. The file explorer shows a project structure with files and folders for Q4 through Q10. The terminal displays the following commands and outputs:

```
PS D:\FullStack\NodeJS\Q9> node fsDemo
File created successfully!
File Content: Welcome to Node.js FS Module
Data appended successfully!
File renamed successfully!
File exists.
File Size: 51 bytes
File deleted successfully!
PS D:\FullStack\NodeJS\Q9>
```

Question 10:




The screenshot shows the Visual Studio Code interface. The Explorer pane on the left displays a project structure with folders Q6, Q7, Q8, Q9, Q10, and Q11. The file `fsDemo.js` is selected in the Q9 folder. The Terminal pane on the right shows the output of a Node.js script executed in a PowerShell window. The script, located at `D:\FullStack\NodeJS\Q10\global.js`, prints "Global Objects Demo" and "Command Line Arguments" information. It then displays the message "Argument 1: hello" and "This message is displayed after 2 seconds." The status bar at the bottom indicates the current file is `global.js` at line 30, column 43, with a UTF-8 encoding and CRLF line endings.

```
PS D:\FullStack\NodeJS\Q10> node global
=== Global Objects Demo ===
File Name: D:\FullStack\NodeJS\Q10\global.js
Directory Name: D:\FullStack\NodeJS\Q10

=== Command Line Arguments ===
This message is displayed after 2 seconds.
PS D:\FullStack\NodeJS\Q10> node global hello
=== Global Objects Demo ===
File Name: D:\FullStack\NodeJS\Q10\global.js
Directory Name: D:\FullStack\NodeJS\Q10

=== Command Line Arguments ===
Argument 1: hello
This message is displayed after 2 seconds.
PS D:\FullStack\NodeJS\Q10>
```

Question 11:



Question 12:

