task 11

Enable:

- S3 Cross-Region Replication
- RDS Read Replica
- AMI backup
- Simulate region failure

1. Create bucket → primary bucket in region A

STEP 1: Create S3 Cross-Region Replication

1. Create bucket → secondary bucket in region A
2. Enable versioning on both
3. Go to primary bucket → Management → Replication
4. Create replication rule:
    - Destination → secondary bucket
    - Auto-create IAM role



STEP 2: Setup RDS + Read Replica

1. Create RDS MySQL in Region A
2. Go to DB → Actions → Create Read Replica
3. Select Region B
4. Launch replica



Launch EC2 (Primary Region)

1. Launch EC2 (Amazon Linux or Ubuntu)
2. Add Data script

STEP 4: Create AMI Backup

1. EC2 → Select instance
2. Actions → Image → Create AMI
3. Wait until available

```
    raise errorclass(errno, errval)
pymysql.err.OperationalError: (1049, "Unknown database 'sec-replica-db'")
(venv) ubuntu@ip-172-31-7-136:~$ vim app.py
(venv) ubuntu@ip-172-31-7-136:~$ python app.py
 * Serving Flask app 'app'
 * Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a product
ion WSGI server instead.
 * Running on all addresses (0.0.0.0)
 * Running on http://127.0.0.1:5000
 * Running on http://172.31.7.136:5000
Press CTRL+C to quit
```