task 4

Enable:

- S3 Cross-Region Replication
- RDS Read Replica
- AMI backup
- Simulate region failure

Step 1 create two buckets



my-bucket-mumbai-task4	Asia Pacific (Mumbai) ap-south-1	March 2, 2026, 19:23:08 (UTC+05:30)
my-bucket-singapore-task4	Asia Pacific (Singapore) ap-southeast-1	March 2, 2026, 19:23:44 (UTC+05:30)

step 2 go to

S3 → Bucket → Properties → Versioning → Enable

enable on both buckets

Step 3: Enable Replication

1. Open Source bucket
2. Go to → Management → Replication → Create rule
3. Choose:

   Destination bucket (Singapore)

   Create new IAM role (auto)
4. Save





step 3 Create RDS read replica

first open RDS then go to RDS → databases then select primary DB

click actions then create read replica

- Keep default settings
- Create replica


aws
Search
[Alt+S]
Asia Pacific (Sydney)
yishaan8 (3720-4826-1497)
parija
Aurora and RDS > Databases
Aurora and RDS
Dashboard
Databases
Query editor
Performance insights
Snapshots
Exports in Amazon S3
Automated backups
Reserved instances
Proxies
Subnet groups
Parameter groups
Option groups
Custom engine versions
Creating replica replica-db in Asia Pacific (Sydney)
Your database might take a few minutes to launch.
Databases (2)
Group resources
Modify
Actions
Create database
Filter by databases
DB identifier
Status
Role
Engine
Upgrade rollout order
Region ...
Size
database-1
Modify...
Primary
MySQL Co...
SECOND
ap-southe...
db.m7g.large
replica-db
Creating
Replica
MySQL Co...
SECOND
-
db.m7g.large