task 9

policies and permissions

Create a policy allowing a user to:
View EC2 instances
Start & Stop instances
NOT terminate instances

A policy is an object in AWS that, when associated with an identity or resource, defines their permissions. AWS evaluates these policies when an IAM principal (user or role) makes a request. Permissions in the policies determine whether the request is allowed or denied. Most policies are stored in AWS as JSON documents that are attached to an IAM identity (user, group of users, or role).


Identity and Access Management
Step 1: Select policy type
A Policy is a container for permissions. The different types of policies you can create are an IAM Policy, an S3 Bucket Policy, an SNS Topic Policy, a VPC Endpoint Policy, and an SQS Queue Policy.
Type of Policy
IAM Policy
Step 2: Add statement(s)
A statement is the formal description of a single permission. See a description of elements that you can use in statements.
Effect
Allow
Deny
AWS
All Services ("*")
--Select Service--
Use multiple statements to add permissions for more than one service.
Add conditions (optional)
Add Statement
Statements added (1)
You added the following statements. Click the button below to Generate a policy.
Effect
Action
Resource(s)
Condition(s)
Remove
Allow
ec2:DescribeInstances
ec2:StartInstances
ec2:StopInstances
*
None
Remove
Step 3: Generate policy
A policy is a document (written in the Access Policy Language) that acts as a container for one or more statements.
Generate Policy


Policy JSON Document
Click below to edit. To save the policy, copy the text below to a text editor. Changes made below will not be reflected in the policy generator tool.
{
"Version": "2012-10-17",
"Statement": [
{
"Sid": "Statement1",
"Effect": "Allow",
"Action": [
"ec2:DescribeInstances",
"ec2:StartInstances",
"ec2:StopInstances"
],
"Resource": "*"
}
]
}
1:1 JSON
This AWS Policy Generator is provided for informational purposes only, you are still responsible for your use of Amazon Web Services technologies and ensuring that your use is in compliance with all applicable terms and conditions. This AWS Policy Generator is provided as is without warranty of any kind, whether express, implied, or statutory. This AWS Policy Generator does not modify the applicable terms and conditions governing your use of Amazon Web Services technologies.
Copied
Close
Copy Policy


IAM > Policies > Create policy
Step 1
Specify permissions
Step 2
Review and create
Specify permissions Info
Add permissions by selecting services, actions, resources, and conditions. Build permission statements using the JSON editor.
Policy editor
Visual
JSON
Actions
{
"Version": "2012-10-17",
"Statement": [
{
"Sid": "Statement1",
"Effect": "Allow",
"Action": [
"ec2:DescribeInstances",
"ec2:StartInstances",
"ec2:StopInstances"
],
"Resource": "*"
},
{
"Sid": "Statement2",
"Effect": "Deny",
"Action": [
"ec2:TerminateInstances"
],
"Resource": "*"
}
]
}
Edit statement
Statement1
Remove
Add actions
Choose a service
Search services
Included
EC2
Available
AI Operations
AMP
API Gateway
API Gateway V2
ARC Region switch
ARC Zonal Shift
ASC
Add a resource
Add
Add a condition (optional)
Add
Add new statement
JSON Ln 7, Col 14
5889 of 6144 characters remaining
Security: 0
Errors: 0
Warnings: 0
Suggestions: 0
Check for new access
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


IAM > Users > parija > Add permissions
Step 1
Add permissions
Step 2
Review
Add permissions
Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. Learn more
Permissions options
Add user to group
Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.
Copy permissions
Copy all group memberships, attached managed policies, inline policies, and any existing permissions boundaries from an existing user.
Attach policies directly
Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.
Permissions policies (1/1448)
Filter by Type
my
All types
1 match
Policy name
Type
Attached entities
my-policy-1
Customer managed
0
Cancel
Next


IAM > Users > parija
Identity and Access Management (IAM)
Search IAM
Dashboard
Access Management
User groups
Users
Roles
Policies
Identity providers
Account settings
Root access management
Temporary delegation requests
New
Access reports
Access Analyzer
Resource analysis New
Unused access
Analyzer settings
Credential report
Organization activity
Service control policies
Resource control policies
IAM Identity Center
AWS Organizations
1 policy added
arn:aws:iam::372048261497:user/parija
Created
January 13, 2026, 11:23 (UTC+05:30)
Enabled without MFA
Last console sign-in
Today
AKIAVNH6N6F42TLG3AJD - Active
Used 28 days ago. 28 days old.
Access key 2
Create access key
Permissions
Groups
Tags
Security credentials
Last Accessed
Permissions policies (3)
Permissions are defined by policies attached to the user directly or through groups.
Remove
Add permissions
Filter by Type
Search
All types
Policy name
Type
Attached via
AdministratorAccess
AWS managed - Job function
Directly
IAMUserChangePassword
AWS managed
Directly
my-policy-1
Customer managed
Directly
Permissions boundary (not set)
Generate policy based on CloudTrail events
You can generate a new policy based on the access activity for this user, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy. Learn more
Generate policy
No requests to generate a policy in the past 7 days.


Search
[Alt+S]
Asia Pacific (Sydney)
yishaan8 (3720-4826-1497)
parija
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Failed to terminate (delete) an instance: You are not authorized to perform this operation. User: arn:aws:iam::372048261497:user/parija is not authorized to perform: ec2:TerminateInstances on resource: arn:aws:ec2:ap-southeast-2:372048261497:instance/i-0496956188c372c23 with an explicit deny in an identity-based policy: arn:aws:iam::372048261497:policy/my-policy-1 (my-policy-1). Encoded authorization failure message: wAef-UrlgW2mkJNl9FilCvi_S4_ONJAUeWeeXQkf3AW4BdhhycATKu4qNLRhlJ2qoyognO1x1Sfk6T9dKZr3eug7iOq2nAr4ejdsd-VR963xA0eBk9XvbYzLAAqOg2PdBGA6psGcOYIC1-8a4Hxo0Um8myanvBe34bnmi84J24gAv8gpfNj7jUmmO2vsyGAIHC-KZ1CKp8w7__14_IPwlkJU32OZx2IqtAQx1OFfSQH3V1LvSDNfASO-v_mkYFPN_JPBDU7rVWYUwowGerYXZnqMLeEjtVX1E9aSg54p--zkEGX_NSQN_KYUE3LFyCge6fuT1iSJczRF_oIECO7Qt3xGTqGzD1aOQkzr5iatFvpC7UDKPHYrL0R8D4FXpMkAdBKdo6xNfJTFg1VI9MCnzWpFBSRlDb_ajD7JcpmVJ35_dm2z9GmQLEpKZc-L645UxPV3Hxo1t5fq2Ijtyhf6pEJjkuvAHffJtkAgtRfgKRm4il0y9DlOQ0wJQfQjEKurlA61z34HPmOoPpse2kUmI3IbxeVV7i1showvTvwWOtAaVyu4F6p_fJk57t1sKAxE-QbJ9-WytLghrxLDL-IaGBg5gB1Oxu8EPDjfAIqiXgPxMsrEd28P3IUFU96D4VDA0r_2Ik9dZ_Cyk2_vN32zNg9tBKNxb2OJH0aQlBAVEeAfdsBtQmZbonUHoY-osojv5M1gYLJK8r59kyZ_o-eWwJat26p3BoMJV8ej95VyYNo6YjVqKCqPy5TNdSFl3bxjipEdKXVd9tElJpnDVTJMLCBrYh481ikGFSq01w-frP7hLACWnH3lcjQbIabEUbgifLMWPdpawEoCjrkHC_MF4gRAkS7vpzGMmFkHJPMAnvTZ_dkyxLVAUBWbAYM2lgQexb0tQAx1xjw
Diagnose with Amazon Q
Notifications 3 0 0 0 0
Instances (1/14) Info
Connect
Instance state
Actions
Launch instances
Find Instance by attribute or tag (case-sensitive)
All states
Name
Instance ID
Instance state
Instance type
Status check
Alarm status
Availability Zone
Public IPv4 DNS
i-04f4e2880f4d5a06c
Stopped
t3.micro
You are not authc
An unexpectec
ap-southeast-2a
nginx-webserver
i-0178d2b52e2e38c7f
Public-EC2
i-0b7b2235a61d60703
i-0496956188c372c23
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
Public IPv4 address
Private IPv4 addresses