

# Magento\Framework\Mail\Template\TransportBuilder Magento

Custom Module Directory Structure:

<https://www.wpoven.com/tools/free-smtp-server-for-testing#>

Run upgrade command to register module: **php bin/magento setup:upgrade**

**php bin/magento setup:di:compile**

**php bin/magento setup:static-content:deploy**

Clean Cache: **php bin/magento cache:clean**

Flush All Cache: **php bin/magento cache:flush**

**php bin/magento indexer:reindex**

**php bin/magento cron:run**

**php bin/magento deploy:mode:show**

**php bin/magento deploy:mode:set production**

**php bin/magento deploy:mode:set production -s** : it will skip compile and deploy command.

**composer require paradoxlabs/authnetcim**

**composer require paradoxlabs/authnetcim "^4.5"**

1. registration.php
2. etc
  - a. module.xml
  - b. db\_schema.xml
  - c. acl.xml
  - d. config.xml
  - e. crontab.xml
  - f. cron\_groups.xml
  - g. **di.xml**
  - h. email\_templates.xml
  - i. webapi.xml
  - j. **adminhtml**
    - i. menu.xml
    - ii. **system.xml**
    - iii. routes.xml
  - k. **frontend**
    - i. Routes.xml
  - l. events.xml

3. Controller
  - a. Index
    - i. Index.php
4. Block
  - a. Index.php
5. Observer
  - a. EventTest.php
6. view
  - a. frontend
    - i. layout
      1. custom\_index\_index.xml
    - ii. web
      1. js
        - a. Test.js
      2. css
        - a. Test.css
    - iii. templates
      1. test
        - a. index.phtml
7. Helper
  - a. Data.php
8. Model
  - a. Gallery.php : **Model**
  - b. ResourceModel
    - i. Gallery.php : **Resource Model**
    - ii. Gallery
      1. Collection.php : **collection class**

How to use phtml in Stagic Block and CMS Page ?

How to use static block in phtml ?

```
- // echo $this->getLayout()
```

```
// ->createBlock('Magento\Cms\Block\Block')
```

```
// ->setBlockId('TestBlock-1')
```

```
// ->toHtml();
```

```
<block class="Magento\Cms\Block\Block" name="custom.static.bkock-1">
```

```
    <arguments>
```

```
        <argument name="block_id" xsi:type="string">TestBlock-1</argument>
```

```
    </arguments>
```

```
</block>
```

DATETIME and TIMESTAMP value can include a trailing fractional seconds part in up to microseconds, 6 digit, precision.

- DATETIME can store a wider range of values than TIMESTAMP. While DATETIME can store values from '1000-01-01 00:00:00.000000' to '9999-12-31 23:59:59.999999', TIMESTAMP can store values from '1970-01-01 00:00:01.000000' to '2038-01-19 03:14:07.999999'.
- This limitation of TIMESTAMP is due to the fact that it stores values as the number of seconds elapsed since January 1, 1970, which is known as the Unix epoch.
- DATETIME data types provide flexibility for storing a broader range of date and time values. While TIMESTAMP have a advantage of indexing which will allow to execute your queries faster than DATETIME

```
ALTER TABLE `product` ADD INDEX(`name`);
```

1. Grid
  2. Add / Edit
  3. Delete / Delete All
  4. Add Filter
  5. Add sorting
  6. Show Promotions in home
    - a. Store Configuration:
      1. Kitchen365
        - a. Manage Promotions
          - i. Title: Textbox
          - ii. Description: TextArea
          - iii. start\_date: Textbox : 2024-02-28
          - iv. end\_date: Textbox : 2024-02-23
          - v. Active: Dropdown
      2. Display offer in home page.
  7. Show your custom module's active data in home page, in asc sort order.
- Add phtml in home page cms.
  - Get store configuration in phtml.
    - o `Magento\Framework\App\Config\ScopeConfigInterface`
    - o `$this->_scopeConfig->getValue("section_id/group_id/field_id", \Magento\Store\Model\ScopeInterface::SCOPE_STORE)`

---

## EAV Table Structure:

1. eav\_entity\_type: in this table we have all entity's by default available in magento.

**2. Manage Attributes:**

- a. eav\_attribute : all the attributes of all entity.
- b. catalog\_eav\_attribute
- c. customer\_eav\_attribute
- d. customer\_eav\_attribute\_website
- e. customer\_form\_attribute

**3. Customer Entity:**

- a. customer\_entity
- b. customer\_entity\_datetime
- c. customer\_entity\_decimal
- d. customer\_entity\_int
- e. customer\_entity\_text`
- f. customer\_entity\_varchar

**4. Customer Address Entity:**

- a. customer\_address\_entity
- b. customer\_address\_entity\_datetime
- c. customer\_address\_entity\_decimal
- d. customer\_address\_entity\_int
- e. customer\_address\_entity\_text
- f. customer\_address\_entity\_varchar

**5. Product Entity:**

- a. catalog\_product\_entity
- b. catalog\_product\_entity\_datetime
- c. catalog\_product\_entity\_decimal
- d. catalog\_product\_entity\_int
- e. catalog\_product\_entity\_text
- f. catalog\_product\_entity\_varchar

**6. Category Entity**

- a. catalog\_category\_entity
- b. catalog\_category\_entity\_datetime
- c. catalog\_category\_entity\_decimal
- d. catalog\_category\_entity\_int
- e. catalog\_category\_entity\_text
- f. catalog\_category\_entity\_varchar

**7. Country & Region Tables,**

- a. directory\_country
- b. directory\_country\_region
- c. directory\_country\_region\_name
- d.

**Email:**

<https://console.developers.google.com/apis/dashboard>

```
\Magento\Framework\Mail\Template\TransportBuilder  
$transportBuilder,
```

```
\Magento\Framework\Translate\Inline\StateInterface  
$inlineTranslation
```

```
$templateOptions = array('area' =>  
\Magento\Framework\App\Area::AREA_FRONTEND, 'store' => 1);  
$templateVars = [];  
$this->inlineTranslation->suspend();  
$transport = $this->_transportBuilder->setTemplateIdentifier('hello_template')  
->setTemplateOptions($templateOptions)  
->setTemplateVars($templateVars)  
->setFrom([  
    'name' => 'Test',  
    'email' => 'test@test.com'  
])  
->addTo(['kaushal@kitchen365.com'])  
->getTransport();  
$transport->sendMessage();  
$this->inlineTranslation->resume();
```

```
ps aux | grep nginx
```

1. How to create Admin user using cmd ?

- php bin/magento admin:user:create --admin-user=K --admin-password=admin123 --admin-email=k1@c.com --admin-firstname=K --admin-lastname=C

2. Customer should login once it is approved.
    - a. Create customer attribute: **Is Approved**
  3. Restrict Customer for,
    - a. Place order
    - b. See Price
    - c. See Products.
- **Allow Place Order**
  - **Allow to see Product listing and Product Page**
  - **Allow To see Product Price**

\Magento\Customer\Model\Session \$customerSession

\$this->customerSession->getCustomer()

Is\_approved



\$customer->getIsApproved()

<?xml version="1.0"?>

<config xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
xsi:noNamespaceSchemaLocation="urn:magento:framework:ObjectManager/etc/config.xsd">

<preference for="Magento\Customer\Controller\Account\LoginPost"  
type="Kitchen\Custom\Controller\CustomerLogin" />

</config>



**.php**

**.phtml**

**.js**

**.html**

1. Redirct
  - a. Controller
  - b. Event
  - c. Plugin

1. Company Structure: **Kitchen\_Company**

- a. On signup
  - i. Custom Type: **Create new customer attribute. Static**
    1. Individual: default value
    2. Company
  - ii. If, Company, add all inputs to get address
    1. \Magento\Customer\Model\AddressFactory
    2. setIsDefaultBilling
  - iii. Parent Id: **create new customer attribute type static, default ZERO.**
  - iv. Manage staff
    1. Add Staff
    2. Staff Listing

```

$templateOptions = array('area' => \Magento\Framework\App\Area::AREA_FRONTEND, 'store' => 1);

$templateVars = [];

$this->inlineTranslation->suspend();

// Email template

// Sender

echo "<pre>";print_r($this->scopeConfig->getValue(
    'trans_email/ident_'. $dynamic,
    \Magento\Store\Model\ScopeInterface::SCOPE_STORE,
));die;

$transport = $this->_transportBuilder->setTemplateIdentifier('kitchen_custom_custom_email_template')
    ->setTemplateOptions($templateOptions)
    ->setTemplateVars($templateVars)
    ->setFrom([
        'name' => 'Test',
        'email' => 'test@test.com'
    ])
    ->addTo(['kaushal@kitchen365.com'])
    ->addCc(['kaushal+1@kitchen365.com'])
    ->addBcc(['bipin@kitchen365.com'])
    ->getTransport();

$transport->sendMessage();

$this->inlineTranslation->resume();

```

----

```

$countryCollectionFactory = $objectManager->get('Magento\Directory\Model\ResourceModel\Country\CollectionFactory');

```

```
// Get country collection

$countryCollection = $countryCollectionFactory->create()->loadByStore();

echo "<pre>";

print_r($countryCollection->getData());
```

---

```
\Magento\Directory\Model\Country $country,

$regionCollection = $this->_country->loadByCode("IN")->getRegions();

$regionCollection->loadData()->toOptionArray(false);
```

.php : Class

1. Event

2. Plugin

3. Preference

.phtml

.js

.html

.xml

1. Create custom page.
  - a. Show all products.
  - b. A, B, C...

## How to Create REST API?

etc/ webapi.xml

Interface

Email Template,

**{{var customer.email}}**

**{{var varname}}**

**{{trans "Label"}}**

**{{trans "Welcome to %store\_name." store\_name=\$store.frontend\_name}}**

---

### **Product Detail Page Changes,cra**

<http://magento2.localhost.com/t-shirt.html>

- Create product attribute, Specification : text area with wysiwyg.
- Load specification on click of Details using Ajax.

---

## Reviews

Details

---

You're reviewing:

**T Shirt**

Nickname \*

Summary \*

Review \*

### Install new theme


<https://www.hiddentechies.com/bizkick-responsive-theme-magento-2.html>

<https://demo4techies.com/preview/?template=M2HTBK>

- Find out, how home page is configured.
- 
- Create custom template config path and use in email template: {{template config\_path=""}}

1. Add button on Header to create New Order
  - a. On click, Call **ajax**, check if any active quote is there or not.
    - i. If no quote is active,
      1. Open popup and get shipping type,
        - a. Shipping
        - b. Pickup

c. Dealer Arrange shipping



d.

e. On submit, add validation and create new quote and save shipping\_type.

ii. If Active quote, then open popup. Use modal Popup.

1. Show notes : " You have active quote"

a. Delete Quote and Create New

i. On click, this, inactive current quote.

b. Close



2. Create 3 shipping method.

b. Shipping : shipping price will be percentage of subtotal.

i. If shipping, then we will ask, Residential, Liftgate, and Delivery Appointment, (price configuration for this options)

ii. If residential is checked, then set checked for Liftgate, and Delivery Appointment, and set them readonly.

c. Pickup : shipping price will be ZERO, Admin managable,

i. If pickup, then on checkout shipping step, change label, Pickup Address and Pickup Methods.

d. Dealer Arrange shipping : Per Item shipping price.

2. When order place, copy additnaion info data in order table.

3. Show this information in front order view page and admin order view page

4. Also show in order email.

5. If shipping type is blank or invlaid then redirect customer on cart page and open modal popup to get shipping type.

6. We need this information in order API.

7. Edit Quote popup.

Kitchen/Custom/view/frontend/requirejs-config.js

How to Create Quote?

How to add custom value in window.checkoutConfig?

How to set quote data in order table ?

Etc/fieldset.xml

Etc/events.xml

ObserverClass

- 
1. On Product Page,
    - a. Show your custom table data using view model.
    - b. Create Grid using knockout.
- 

1. Create admin module to manage notifications,
  - a. Title
  - b. Description
  - c. Customer group
  - d. Status
  - e. Created\_at
  - f. Updated\_at
2. Show this notice in frontend, when customer login.
3. Customer should mark notice as read, once its marked read, customer should not get that notice
  - a. Kitchen\_notice\_customer
    - i. Notice\_id
    - ii. Customer\_id

How to get Quote in carrier file