
Magento

HOW TO INSTALL MAGENTO

1->create folder...

ex-mg1

2-> run command...

```
composer create-project --repository-  
url=https://repo.magento.com/ magento/project-community-  
edition .
```

3->Virtual Host Setup

Go to : /etc/apache2/sites-available

ex:-

file name--magento2.conf

```
<VirtualHost *:80>
```

```
    ServerName magento2.localhost.com
```

```
    ServerAdmin webmaster@localhost
```

```
    DocumentRoot /var/www/html/magento2/pub
```

```
    ErrorLog ${APACHE_LOG_DIR}/error.log
```

```
    CustomLog ${APACHE_LOG_DIR}/access.log combined
```

```
    <Directory /var/www/html/magento2>
```

```
        AllowOverride All
```

```
    </Directory>
```

```
</VirtualHost>
```

4->Create test.conf

Go to : /etc/host

(add localhost name)

127.0.0.1 localhost

127.0.1.1 kitchen365-Precision-3570

127.0.0.3 magento2.localhost.com

The following lines are desirable for IPv6 capable hosts

::1 ip6-localhost ip6-loopback

fe00::0 ip6-localnet

ff00::0 ip6-mcastprefix

ff02::1 ip6-allnodes

ff02::2 ip6-allrouters

5->run command

Go to : /etc/apache2/sites-available ----open terminal and run command

i]Enable configuration file:

sudo a2ensite test.conf

ii]restart Apache:

systemctl reload apache2

ex:-

sudo a2ensite ck.conf

systemctl reload apache2

6-> run command

ex:- /var/www/html/magento2

run all-----

(change -> name,firstname,lastname,email,user,password)

bin/magento setup:install \

--base-url=http://mg2.localhost.com \

--db-host=localhost \

--db-name=mg2 \

--db-user=root \

--db-password=toor1 \

--admin-firstname=A \

--admin-lastname=P \

--admin-email=example@gmail.com \

--admin-user=admin \

--admin-password=admin123 \

--language=en_US \

--currency=USD \

--timezone=America/Chicago \

--use-rewrites=1 \

--search-engine=opensearch \

--opensearch-host=localhost \

--opensearch-port=9200 \

--opensearch-index-prefix=magento_local \

--opensearch-timeout=15

copy last terminal success part

[SUCCESS]: Magento Admin URI: /admin_j50gjl9

than run magento2.localhost/admin_j50gjl9

7->run last two command

```
sudo php bin/magento module:disable
```

```
Magento_AdminAdobeImTwoFactorAuth
```

```
sudo php bin/magento module:disable Magento_TwoFactorAuth
```

extra(just for info)

```
bin/magento setup:install \
```

```
--base-url=http://mg2.localhost.com \
```

```
--db-host=localhost \
```

```
--db-name=mg2 \
```

```
--db-user=root \
```

```
--db-password=toor1 \
```

```
--admin-firstname=a \
```

```
--admin-lastname=c \
```

```
--admin-email=a@c.com \
```

```
--admin-user=admin \
```

```
--admin-password=admin123 \
```

```
--language=en_US \
```

```
--currency=USD \
```

```
--timezone=America/Chicago \
```

```
--use-rewrites=1 \
```

```
--search-engine=opensearch \
```

```
--opensearch-host=localhost \
```

```
--opensearch-port=9200 \
```

```
--opensearch-index-prefix=magento_local \
```

```
--opensearch-timeout=15
```

```
sudo php bin/magento module:disable  
Magento_AdminAdobeImTwoFactorAuth  
sudo php bin/magento module:disable Magento_TwoFactorAuth
```

Magento install

- host file – create directory
- create config – url

restart apache

- db , root(url) name ,

9200 – port number

Commands

```
sudo service elasticsearch start  
sudo service elasticsearch restart
```

php version

```
php -v  
php8.1 -->default(for all) use  
php8.2 --> use only require
```

for vendor delete and install

sudo rm -rf vendor/

composer install

chmod 0777 -R var/ generated/ pub/static/
php bin/magento s:d:c

DON'T USE

sudo apt-get update

sudo apt-get autoremove

sudo php bin/magento setup:upgrade

sudo php bin/magento c:c

sudo php bin/magento c:f

sudo chmod -R 777 *

```
sudo chmod -R 777 var/ pub/ generated/
```

```
sudo php bin/magento s:d:c
```

```
sudo php bin/magento indexer:reindex
```

```
sudo php bin/magento i:rei
```

```
sudo php bin/magento indexer:info //indexing key data
```

```
sudo php bin/magento
```

```
sudo php bin/magento setup:upgrade;sudo php bin/magento  
c:c;sudo php bin/magento c:f;sudo chmod -R 777 *
```

```
sudo php bin/magento setup:upgrade;sudo chmod -R 777 *  
sudo php bin/magento setup:upgrade;sudo chmod -R 777 var/ pub/  
generated/
```

```
-----  
-----
```

```
sudo php bin/magento indexer:status
```

```
sudo php bin/magento indexer:reset
```

```
sudo php bin/magento indexer:reset [index_type]
```

```
sudo php bin/magento indexer:reindex
```

```
sudo php bin/magento indexer:reindex [index_type]
```

```
sudo php bin/magento indexer:info
```

```
-----  
-----
```

```
sudo php bin/magento list
```

```
-----  
-----
```

```
for cron
```

```
sudo php bin/magento cron:run
```

```
sudo php bin/magento cron:remove
```

```
sudo php bin/magento cron:install
```

```
-----  
-----
```

```
for queue
```

```
sudo php bin/magento queue:consumers:list
```

```
sudo php bin/magento queue:consumers:restart
```

```
sudo php bin/magento queue:consumers:start
```

language-pack component

bin/magento setup:upgrade

bin/magento setup:static-content:deploy -f

bin/magento cache:flush

for find something in vendor

grep -R " " vendor/magento/

find vendor/ -name webapi.xml

find app/ -name system.xml

for new file

echo 1 > aaa.php

Use this command to check current deployment mode.

```
-> sudo php bin/magento deploy:mode:show
```

How to change mode?

```
-> sudo php bin/magento deploy:mode:set developer
```

```
-----  
-----
```

update software

for wifi

```
sudo apt update  
sudo apt upgrade
```

```
-----  
-----
```

for new Admin create

```
php bin/magento admin:user:create --admin-user=r.c--admin-  
password='rrr@123' --admin-email='rcccc@kitchen365.com' --  
admin-firstname='r'--admin-lastname='c'
```

```
php bin/magento admin:user:create --admin-user=a --admin-  
password=a@123 --admin-email=ap@kitchen365.com --admin-  
firstname=aa --admin-lastname=p
```

Elastic search

Block

- Template (main), context , action require
 - Block file ma template main require
 - Layout ma block add krva
 - Function no use phtml ma thay
 - Admin
- admin/file(abc.php)
 - (\Magento\Backend\Block\Template)
 - Frontend
 - sidhi file(abc.php)
 - (\Magento\Framework\View\Element\Template)

Controller

- context , action require
 - Create a function (save , new page ,delete etc...)
 - Controll all
 - Admin
- admin/file(abc.php)
 - (\Magento\Backend\App\Action)

- Frontend
- sidhi file(abc.php)
- (\Magento\Framework\App\Action\Action)

File OverRide

Type

- Event
- Plugin
- Preference

Preference

- Puri file override thay vendor ni
block , helper

Event

Types

1. frontend
2. admin
3. global

- events.xml & observer/filename
- Magento\Framework\Event\ObserverInterface

- action perform mate event use thay(vendor ma chage krva)
 - puri file over-ride krya krvani jru r nathi magento ni default event use kri ne chages kri shakay....
 - create custom event (for any function/action)
-

Plugin

Types

1. frontend
2. admin
3. global

- Etc/di.xml & Plugin/filename
 - Before , after , around
 - Function (before_construct , around_construct , after_construct)
 - specific function ma action perform mate use thay(vendor ma chage krva)
 - baja module ma bhi chage krva use thay(function)
-

Grid

- Menu.xml , acl.xml ,controller , layout , ui_component , resource_model , di.xml
-

helper

- Code reuse mate (multi time code na lakhvo pade)

Ui component

- Form
 - Admin form (menu custom)
- Grid
- Menu.xml , acl.xml ,controller , layout , ui_component , resource_model , di.xml

Product list

- Show all product
- Admin thi add kray product
- Csv , tsv thi bhi add thay
- product list ma chagese krva mate
- list.phtml mathi file ne override theme and code
- layout.phtml(catalog_category_view.xml) & phtml for code

Product view page

- show one product with detail
- product ma chagese krva mate
- file ne override theme and code

- layout.phtml(catalog_product_view.xml) & phtml for code
- link , attribute , strike on price ,discount etc...

Check out

- three way change in checkout
 1. Checkout_cart_index.xml (cart page)- layout & theme
 2. Event
 3. Plugin
- Js will call shipping and payment page
- Checkout_index_index.xml (checkout page)

Shipping method

- System.xml , config , model/carrier/abc.php
- Custom created Shipping price not grand total must add kravanu
- System.xml , config – configuration must use thay

Payment

- Custom Offline payment method
- Payment.xml(group , method , label)
- System.xml , config , model/carrier/abc.php , js , phtml , event
- Layout (checkout_index_index.php)

Theme

System.xml

- Config mate use thay

Db_schema.xml

- Database

.xml file's

Cron

- Cron/abc.php
- Db_schema.xml
- Crontab.xml(group , job(path) ,schedule)
- particular time schedule mate use thay...
 - Magento\Framework\App\ResourceConnection
 - Magento\Framework\DB\Adapter\AdapterInterface

- Magento\Framework\Stdlib\DateTime\DateTime

Api

- Api/abc.php , model , di.xml(configuration mate) , webapi.xml
 - Put , post , delete , get
-

CMD

sudo service elasticsearch start

sudo service elasticsearch restart

php version

php -v

php8.1 --> default(for all) use

php8.2 --> use only cliqstudio

for vendor delete and install

sudo rm -rf vendor/

composer install

chmod 0777 -R var/ generated/ pub/static/

php bin/magento s:d:c

http://euc.localhost.com/request_quote/account/view/quote_id/67

jyre debug ma badhe yes hoy to tyre url ni pach aa lakhvu atle thase
debug

?templatehints=magento

DON'T USE

sudo apt-get update

sudo apt-get autoremove

sudo php bin/magento setup:upgrade

sudo php bin/magento c:c

sudo php bin/magento c:f

```
sudo chmod -R 777 *
```

```
sudo chmod -R 777 var/ pub/ generated/
```

```
sudo php bin/magento s:d:c
```

```
sudo php bin/magento indexer:reindex
```

```
sudo php bin/magento i:rei
```

```
sudo php bin/magento indexer:info //indexing key data
```

```
sudo php bin/magento
```

```
sudo php bin/magento setup:upgrade;sudo php bin/magento c:c;sudo php  
bin/magento c:f;sudo chmod -R 777 *
```

```
sudo php bin/magento setup:upgrade;sudo chmod -R 777 *
```

```
sudo php bin/magento setup:upgrade;sudo chmod -R 777 var/ pub/  
generated/
```

```
-----  
-----
```

```
--> index ma skip thy tyre use krvu
```

```
sudo php bin/magento indexer:status
```

```
sudo php bin/magento indexer:reset
```

```
sudo php bin/magento indexer:reset [index_type]
```

```
sudo php bin/magento indexer:reindex
```

```
sudo php bin/magento indexer:reindex [index_type]
```

```
sudo php bin/magento indexer:info
```

```
-----  
-----
```

```
sudo php bin/magento list
```

```
-----  
-----
```

```
for cron
```

```
sudo php bin/magento cron:run
```

```
sudo php bin/magento cron:remove
```

```
sudo php bin/magento cron:install
```

```
-----  
-----
```

for queue

```
sudo php bin/magento queue:consumers:list
```

```
sudo php bin/magento queue:consumers:restart
```

```
sudo php bin/magento queue:consumers:start
```

```
-----  
-----
```

language-pack component

bin/magento setup:upgrade

bin/magento setup:static-content:deploy -f

bin/magento cache:flush

for find something in vendor

grep -R " " vendor/magento/

find vendor/ -name webapi.xml

find app/ -name system.xml

for new file

```
echo 1 > aaa.php
```

Use this command to check current deployment mode.

```
-> sudo php bin/magento deploy:mode:show
```

How to change mode?

```
-> sudo php bin/magento deploy:mode:set developer
```

update software

for wifi

```
sudo apt update
```

```
sudo apt upgrade
```

for new Admin create

```
php bin/magento admin:user:create --admin-user=ab --admin-  
password=ab@123 --admin-email=ab.a@k36.com --admin-firstname=a  
--admin-lastname=p
```

FOR new project

STEP 1

sidho database install krva

(sql file install)

1. `mysql -uroot -p`
2. `show databases;`
3. `use databasename`
4. `show tables;`

5. source sqlfilename(abc.sql);

STEP 2

COPY CLONE PATH

STEP 3

CREATE SITE-AVAILABLE

STEP 4

CORE_CONFIG_

STEP 1

sidho database install krva

(sql file install)

1. mysql -uroot -p

2. show databases;

3. use databasename

4. show tables;

5. source sqlfilename(abc.sql);

STEP 2

file - euc-local-1.sql.gz

for set database

downlod ma j cmd open krvu(jya file hoy tya na cmd ma aa run krvu)

1 - zcat iob(press tab(folder nu name))

for install sile

2 - zcat euc-local-1.sql.gz | mysql -uroot -p -h127.0.0.1 euc

Enter password: toor1

zip install any project database

example:-

gz zip .sql file(database)

gunzip < /home/k36/Downloads/staging-2024-05-15.sql.gz | mysql -
h127.0.0.1 -uroot -p (tablename)

password - root1

git Command

git branch

git checkout

git checkout OMS-237 (folder name)

git branch

git status

git diff

app/code/k36/General/view/frontend/templates/customcabinets.phtml

git add

app/code/k36/General/view/frontend/templates/customcabinets.phtml

git status

git commit -m "uat changes"

git pull origin OMS-237

git push origin OMS-237

- find some thing in db table

selct * From sales_order where now id = 1

Git

GIT Introduction:

git branch: will display current branch in green with star and show other branches.

git branch {branchname}: To create new branch.

git checkout {branchname}: To go in particular branch.

git status: show file list of new change done by you.

git add {file_path}: To add file in git, after this command your file will track in git.

git commit -m "{JiraId} - Crud Operation of Product"

git push origin {branchname}: it will push all your code in cloud repo.

git diff {file_path}: to check what code changed in particular file.

Once task done, create Pull request.

GIT Commands:

GIT Command Information:

<https://krishnaiitd.github.io/gitcommands/list-of-git-commands/>

<https://bitbucket.org/k-365/testproject/src/master/>

In var > www > html > testproject > open terminal

a. git branch

- b. `git branch {branchname}`
- c. `git checkout {branchname}`
- d. `git status`
- e. `git add {file_path} -> git add "K365/index.php"`
- f. `git commit -m "your commit message"`
- g. `git push origin {branchName}`
- a. After that paste your git key

how to delete file in git

1. `git rm path/to/your/file`

---ex:- git rm src/example.txt

2. git commit -m "Remove unnecessary file"

---ex:- git commit -m "Remove example.txt as it is no longer needed"

3. git push origin branch-name

---ex:- git push origin main

history

1997 sudo git status

1998 git status

1999 git branch

2000 git checkout production

2001 git checkout app/code/cp/QuickQuote/Block/Index.php

2002 git checkout production

2003 git checkout
app/code/cp/Sms/view/adminhtml/layout/sms_index_index.xml

2004 git checkout app/etc/config.php

2005* git pull orig

2006 git status

2007 git checkout
app/code/cp/Sms/view/adminhtml/ui_component/sms_listing.xml

2008 git status

2009 git checkout production

2010 git branch

2011 git pull origin production

2012 git status

2013 git branch