

EXIT

SURVIVOR-OWNED SAFETY CONTINUITY PLATFORM

Complete Team Brief

EXIT Plan · AegisVault · LIVEGENDER

SDG 5 · SDG 10 · SDG 16

Contents

1 The Problem

2 Product Vision

3 System Structure

PART ONE — EXIT PLAN

4 EXIT Plan: Individual Module

5 EXIT Onboarding Flow

6 “If I Leave Tomorrow” Simulator

7 EXIT Plan Features

PART TWO — AEGISVAULT

8 AegisVault: Evidence and Digital-Safety Module

9 AegisVault Features

10 Suspected Deepfake / Impersonation Workflow

11 AegisVault Technical Design

PART THREE — LIVEGENDER

12 LIVEGENDER: Privacy-Preserving Trend Observatory

13 Why LIVEGENDER Is Needed

14 Data Sources for LIVEGENDER

15 Consent Gateway

- 16 De-identification Pipeline
- 17 Privacy Protections
- 18 LIVEGENDER Dashboard Features
- 19 Controlled Taxonomy of Harm
- 20 Global Rollout Model
- 21 Country-Specific Examples
- 22 Partner Verification Workflow
- 23 SDG Strategy
- 24 Ethical Framework
- 25 What EXIT Must Never Do
- 26 Technology Architecture
- 27 AI and Analytics
- 28 Hackathon MVP Scope
- 29 Demo Flow
- 30 The Pitch

1 The Problem

Violence is not only a moment requiring an SOS button. For many women, the riskiest period is the time when they begin considering safety, independence, separation, reporting, or seeking help.

Leaving — or preparing to leave — can involve:

- Safe housing
- Food and medicines
- Children or dependents
- Documents and identity proof
- Money and independent banking access
- Transport

- Employment and income
- Legal information
- Counselling and medical care
- A trusted contact
- Secure communication
- Cyberstalking, account access, GPS tracking, or shared-device monitoring
- Evidence preservation
- Referral to the correct service

WHO guidance states that when a woman has decided that leaving is the best option, she should make plans and leave for a safe place before informing her partner. — WHO, iris.who.int

Technology-facilitated violence against women and girls is committed, assisted, aggravated, or amplified through digital tools, and can cause physical, sexual, psychological, social, political, or economic harm. — UN Women

UN Women has identified major gaps in reliable, comparable data on technology-facilitated violence, which limits prevention and response planning. — UN Women

2 Product Vision

EXIT is not:

- A generic SOS application
- A crime-reporting substitute
- A police-dispatch tool
- A “danger score” engine
- An abuser-detection system
- A social-media monitoring or surveillance platform
- A public “unsafe places” map
- A platform that tells someone to leave immediately

EXIT is:

- A private, needs-first safety and independence planning tool
- A secure, optional evidence-continuity system
- A consent-driven connection to verified support services
- A privacy-safe aggregate observatory for institutional service planning
- A global platform that operates locally through country-specific, verified service directories and governance partnerships

3 System Structure

EXIT Plan → Optional AegisVault → Explicit Consent Gateway

→ De-identification & Aggregation → LIVEGENDER Observatory

The non-negotiable design rule

Private survivor data ≠ Observatory data

The observatory can never read private plans, evidence files, exact locations, account handles, names, or free-text stories.

Module	Main user	Purpose	Personal data
--------	-----------	---------	---------------

EXIT Plan	Survivor or trusted helper	Build a private, personalized safety / independence plan	Stored locally / encrypted; user controlled
-----------	----------------------------	--	---

AegisVault	Survivor	Preserve selected mock evidence and control sharing	Separate encrypted store
------------	----------	---	--------------------------

Consent Gateway	Survivor	Decide whether minimal aggregate information can be shared	Explicit opt-in required
-----------------	----------	--	--------------------------

LIVEGENDER	Verified NGOs, researchers, public-service coordinators	Observe aggregate trends and improve service readiness	Only de-identified, threshold-protected data
------------	---	--	--

Service Directory	All users	Find relevant, verified support pathways	Resource data, not survivor data
-------------------	-----------	--	----------------------------------

PART ONE

EXIT Plan

4 EXIT Plan: Individual Module

Goal

Help a woman answer:

If I may need to leave or access help, what can I safely prepare — at my own pace?

The user should not need to identify herself, submit proof, contact police, share GPS, or disclose details to access the planner.

Entry options

The home screen asks:

- I am worried about my safety.
- I think someone is controlling me.
- I need to leave.
- I need legal information.
- I need financial independence.
- I need a safe place.
- I am facing online harassment or digital abuse.
- I am helping someone else.
- I need to talk to a support service.
- I am in immediate danger.

For immediate danger, display country-specific emergency options. EXIT does not attempt to replace emergency response.

5 EXIT Onboarding Flow

Step 1 — Device and communication safety

Ask only if it is safe:

- Is it safe to receive notifications?

- Could someone access this phone?
- Could someone access this email?
- Is a device, account, or location sharing shared with another person?
- Would a local-only / no-account session be safer?
- Is it safe to save information on this device?

Options offered

- Quiet mode: no push notifications
- Neutral interface
- Quick exit button
- Local-only demo mode
- User-selected safe contact method
- “Do not save my responses” option

Step 2 — Need categories

The user selects only relevant areas:

- Immediate safety
- Temporary accommodation
- Trusted support
- Children / dependents
- Documents
- Independent money access
- Transport
- Food / medicine / essential supplies
- Legal information
- Medical care
- Counselling
- Employment / income

- Digital account / device safety
- Cyber abuse
- Evidence documentation
- Immigration / disability / language-related support where relevant

Step 3 — Safety readiness snapshot

EXIT never shows “You are 52% safe.” It shows categories instead:

Readiness area	Example status
Safe communication	Needs attention
Trusted contact	Prepared
Essential documents	Partially prepared
Emergency funds	Needs attention
Temporary accommodation	Not yet planned
Child / dependent plan	Needs attention
Transport fallback	Not yet planned
Digital account safety	Needs attention
Evidence continuity	Optional step available

This is a planning snapshot, not a prediction of safety or professional risk assessment. You choose what to do next.

Step 4 — Personalized action plan

A transparent, rules-based engine generates a plan from user-selected needs.

Priority	Suggested private action	Trigger
1	Choose a safe communication method	Phone / email may be monitored
2	Select one trusted person	No support contact selected
3	Make a document-access checklist	Documents unavailable
4	Identify temporary support and accommodation options	No safe place prepared

- | | | |
|----|---|--|
| 5 | Prepare transport alternatives | No transport plan |
| 6 | Review independent financial access options | Limited emergency money |
| 7 | Create child / dependent essentials plan | Dependent is included |
| 8 | Review device / account security | Shared digital access |
| 9 | Preserve selected evidence only if safe | Cyber abuse selected |
| 10 | Consult verified legal or counselling support | User requests legal / counselling help |

Why a rules engine — not “AI advice”

High-stakes safety advice must be explainable. EXIT uses:

- Rules for priority and resource matching
- Carefully curated public guidance
- Optional AI only for rewriting user-approved plan content into simpler language
- User review before saving or sharing any plan

EXIT does not use AI to:

- Predict violence
- Diagnose abuse
- Tell a user to leave now
- Rate an alleged abuser
- Decide whether a user is credible
- Automatically alert police or family

6 “If I Leave Tomorrow” Simulator

This is the project's flagship feature.

The user can anonymously simulate a scenario across:

- Country, state / province, and city or district
- Children / dependents
- Access to independent money

- Access to documents
- Employment / income
- Accommodation options
- Transport availability
- Health or disability needs
- Trusted support network
- Phone / device safety
- Digital account control
- Need for legal, counselling, medical, shelter, or cyber-abuse support

Simulator output

- A 24-hour, 72-hour, and 7-day optional preparation plan
- A readiness snapshot by category
- A personalized service map
- A “what may need attention” list
- A downloadable private checklist
- A user-approved “share with trusted contact” checklist
- Optional AegisVault evidence continuity path

Example: fictional user — Maya

Maya has one child, works part-time, shares a phone account, has no independent emergency fund, and cannot access her original documents. EXIT displays:

- Safe communication: Needs attention
- Trusted person: Prepared
- Financial access: Needs attention
- Documents: Needs attention
- Accommodation: Not planned
- Child essentials: Needs attention

— Digital security: Needs attention

It generates:

1. Choose a safe method to contact one trusted person.
2. Identify safe access options for copies of essential documents.
3. Explore legal-aid and support-service options.
4. Identify emergency transport alternatives.
5. Build a child / dependent essentials checklist.
6. Review account and location-sharing security.
7. Preserve evidence only if doing so is safe.
8. Consider relevant verified support resources.

7 EXIT Plan Features

Safety and independence

- Personal readiness snapshot
- Action plan by urgency and user choice
- 24-hour, 72-hour, and 7-day checklists
- Safe communication planning
- Trusted-contact selection
- Emergency transport fallback planning
- Document-access checklist
- Emergency essentials checklist
- Medication and health-needs checklist
- Child / dependent preparation checklist
- Financial independence planning prompts
- Employment / income resource pathway
- Legal information pathway
- Counselling and mental-health resource pathway

- Medical support pathway
- Shelter / temporary accommodation pathway
- Digital-safety checklist

Accessibility

- Low-data mode
- Mobile-first interface
- Voice-guided mode
- Screen-reader compatibility
- Large text and simplified language
- Icon-led flow for low literacy
- Multiple regional languages
- Local resource terms and culturally appropriate wording
- Helper mode for a trusted friend, NGO worker, or counsellor — without forcing disclosure

Safety controls

- No-notification / quiet mode
- Quick-exit button
- Neutral interface option
- Local-only / no-account session
- No automatic location sharing
- No automatic calls / messages
- No automatic reporting
- Clear emergency-service guidance
- User-triggered delete session
- Auto-delete option for local session data
- Consent confirmation before every share

PART TWO

AegisVault

8 AegisVault: Evidence and Digital-Safety Module

Goal

Help a survivor preserve selected digital material in a user-controlled way, without turning the app into a surveillance tool or claiming legal certification. It supports cases involving:

- Cyberstalking
- Doxxing
- Impersonation
- Account compromise
- Non-consensual intimate-image abuse
- Sextortion
- Deepfake-enabled abuse
- Online harassment
- Technology-assisted coercive control
- Repeated threatening messages
- Digital tracking or account monitoring concerns

Core message

AegisVault offers tamper-evident evidence continuity after a user saves an item. It does not certify evidence, guarantee legal admissibility, or replace professional digital forensics.

9 AegisVault Features

Evidence capsule

The user can optionally store:

- Screenshot
- Photo

- Video
- Voice note
- PDF / document
- Link / URL
- Social handle
- Platform name
- Incident note
- Date range
- Witness / support contact note
- Threat type or abuse category

For the hackathon, use fictional sample data only.

Integrity record

For every uploaded item, create:

- SHA-256 hash
- Upload timestamp
- Internal file ID
- File type
- User-selected incident category
- Metadata warning: some formats may contain location / device data
- “Hash match / mismatch” integrity verification status

Private timeline

The user sees a chronological timeline:

Date	Event	Category	Evidence	Sharing state
14 Aug	Repeated anonymous messages	Cyberstalking	Screenshot	Private
15 Aug	Fake profile created	Impersonation	URL + screenshot	Private
16 Aug	Threatening content	Online harassment	Screenshot	Selected for export

Safe sharing controls

- Keep private
- Share only a brief check-in with trusted contact
- Share selected evidence with a lawyer
- Share selected timeline with an NGO caseworker
- Generate a reviewable export package
- Revoke a link
- Set expiry time
- View access log

No person can access the vault by default.

Report-readiness builder

The system creates a reviewable draft based only on user-selected information:

- Timeline of selected incidents
- User-approved description
- Links / evidence references
- Support request type
- Suggested official or verified support pathway
- Downloadable encrypted package in a real production version

The survivor must review and actively export it.

Digital-safety checklists

- Review shared passwords
- Review recovery email / phone
- Check logged-in devices
- Check location-sharing settings
- Check shared cloud albums
- Check linked banking / payment apps

- Check social-media privacy
- Save important accounts / recovery information only if safe
- Consider whether changing settings could alert a controlling person

Changing passwords, location settings, or shared accounts can sometimes increase risk. Consider doing so only when it is safe and with qualified support if needed.

10 Suspected Deepfake / Impersonation Workflow

AegisVault does not claim automatic, perfect deepfake detection. Instead it provides:

- “Suspected manipulated media” label
- Platform and account-handle capture
- URL capture
- Screenshot capture
- Upload date / time
- Description of harm or threat
- Content-removal / takedown checklist
- Relevant support pathway
- User-approved report-readiness export

This aligns with UN Women's documented concerns about AI amplifying deepfakes, automated hate, sextortion, impersonation, and other forms of technology-facilitated violence. — UN Women Knowledge Hub

11 AegisVault Technical Design

Component	Recommended implementation
-----------	----------------------------

Backend	Java Spring Boot
---------	------------------

Authentication	Local PIN / passkey demo; JWT for authenticated demo roles
----------------	--

File integrity	SHA-256 per evidence object
----------------	-----------------------------

Encryption concept	AES-256-GCM for content; per-user encryption key model
--------------------	--

Key storage	Explain envelope encryption / KMS for real deployment; mock securely for hackathon
-------------	--

Database	PostgreSQL for metadata and consent logs
File storage	Encrypted object storage; MinIO / local mock for demo
Access links	Signed, time-limited token; revocation status
Audit logs	Append-only event log: upload, view, share, revoke, export
Data deletion	User-triggered deletion request and share-link invalidation
Frontend	React + Tailwind or Flutter
Deployment	Docker Compose; local / sandbox environment using fictional data only

PART THREE

LIVEGENDER Observatory

12 LIVEGENDER: Privacy-Preserving Trend Observatory

Goal

Help verified institutions identify broad trends in technology-facilitated violence without exposing survivors or turning personal safety data into surveillance.

It is not a public crime map, a police-prediction engine, a social-media scraping system, or a database of victims or alleged perpetrators.

Institutional users — access only for verified and governed partners

- Women's-support NGOs
- Survivor-support organizations
- University research units
- Public-health and social-service planners
- Government women's-support coordination bodies
- Legal-aid networks
- International humanitarian / service partners where appropriate

Never granted access

- Advertisers

- Employers
- Insurance companies
- Data brokers
- Unverified police users
- Political parties
- Random public users
- Individual social-media accounts
- Anyone seeking to identify survivors or suspects

13 Why LIVEGENDER Is Needed

UN Women notes that data on technology-facilitated violence lacks consistent definitions, standardized methodologies, reliable comparability, and adequate coverage of forms, impacts, perpetrators, and online–offline linkages. — UN Women

This is not a reason to collect all possible data. It is a reason to build a safe methodology that prioritizes survivor rights.

The real contribution

LIVEGENDER creates aggregate, voluntary, de-identified help-seeking trend signals. It does not claim:

- Actual crime prevalence
- Verified crime rates
- Who committed an incident
- Whether a report is true
- Which neighbourhood is unsafe
- What platform or person is responsible
- Any causal link between online and offline harm

It can say:

Among voluntary, de-identified, threshold-protected contributions within this selected area and period, the share of reports tagged ‘impersonation’ increased compared with the preceding period.

14 Data Sources for LIVEGENDER

This is the section your team must explain carefully.

Source A — Voluntary EXIT opt-in signals (primary source)

A person using EXIT may separately choose to contribute:

- Broad harm category
- Broad country
- Broad state / province where appropriate
- City / district only
- Month or week only
- Optional broad age band, only if safe and approved
- Optional accessibility / language preference for service-planning analytics

Never contributed by default.

Source B — Partner NGO aggregate counts

A verified NGO may upload only pre-aggregated statistics such as:

- Monthly number of cyberstalking support requests
- Monthly number of digital-abuse legal referrals
- Monthly number of requests for counselling after image-based abuse
- Geographic coverage at district / city level only

No case files, names, phone numbers, narratives, device IDs, screenshots, or raw incident records.

Source C — Official public administrative data

- National government reporting portals
- National statistical offices
- Public safety and justice reports
- Ministry / department service statistics
- Public legal-aid statistics

- Official helpline aggregate reports
- Publicly available government service directories

UN Women's Global Database on Violence Against Women and Girls covers country-level laws, policies, services, institutional mechanisms, research, and measures, sourced from official data submitted by UN Member States. — data.unwomen.org

Source D — Verified service-directory data

- Government women's ministries
- Official emergency service directories
- National legal-aid bodies
- Verified hospitals and public health systems
- Verified shelters and One Stop Centres where safe to list
- Established NGOs with formal verification
- International organizations and country offices
- Local authorities operating verified support services

Every directory entry needs:

- Source URL or official verification reference
- Last verified date
- Country and administrative region
- Service type
- Language support
- Eligibility
- Accessibility
- Hours
- Phone / web / contact method
- Whether walk-ins are permitted
- Safety note
- Verification owner

- Expiry / review date

Source E — Public research and survey data

- UN Women
- WHO
- UNFPA
- National statistics agencies
- Peer-reviewed research
- Ethical, consented population surveys

WHO publishes global, regional, and national prevalence estimates for intimate partner and non-partner sexual violence. — WHO

Explicitly prohibited data sources

- Scraped private social-media content
- Private chats, DMs, emails, or cloud files
- Phone contacts
- GPS / background location
- Device IDs, IP addresses, ad IDs, browser fingerprints
- CCTV, facial recognition, voice recognition, or emotion recognition
- Public posts automatically assumed to indicate abuse
- Raw police case files
- Shelter addresses that could increase risk
- AegisVault contents
- EXIT private plans
- Any survivor data shared without informed consent

15 Consent Gateway

Before contributing data, show a separate, readable consent screen:

Would you like to anonymously share only a broad category of experience, broad city / district, and week / month to help support organizations understand service needs? Your

safety plan, identity, exact location, evidence, phone number, account information, and private notes will not be shared. You can use EXIT even if you choose no.

Choices offered:

- Keep everything private — default
- Share harm category only
- Share category + country
- Share category + city / district
- Share category + month / week
- Withdraw future contributions
- View contribution receipt

Consent record

Stored fields:

- Consent version
- Fields accepted
- Timestamp
- Withdrawal state
- Purpose
- Data retention period
- Whether aggregation already occurred

UNFPA guidance states that sharing survivor data without informed consent violates GBV principles; identifiable case data should be shared only through a survivor-consented referral, and analytical reporting must use non-identifiable data. — UNFPA Philippines

16 De-identification Pipeline

Opted-in contribution → Remove direct identifiers → Generalize location / time

→ Validate category → Apply threshold rule → Add statistical protection → Aggregate only

Data fields allowed into the observatory

Field	Example	Rule
Harm category	Cyberstalking	Controlled taxonomy only
Broad country	India	Allowed
State / province	West Bengal	Optional; only where thresholds permit
City / district	Kolkata	Broad area only
Time bucket	Aug 2026 / Week 32	Never exact timestamp
Optional age group	18–24	Only broad bands and only if ethical / safe
Service need	Legal aid / counselling	Optional broad category
Contribution source	EXIT / Partner / Official aggregate	Provenance tag

Fields never allowed

- Name
- Phone number
- Email
- Address
- Exact GPS
- Photograph
- Video
- Audio
- Screenshot
- Free-text narrative
- Social-media handle
- Account link
- Device identifier
- IP address
- Evidence hash
- User ID

- Trusted contact
- Shelter location
- Employer, school, hostel, workplace, or university name
- Alleged perpetrator information

17 Privacy Protections

Minimum threshold

$k \geq 10$

If fewer than 10 independent de-identified contributions exist, show:

Insufficient data to display safely.

Geography reduction

Use: country, state / province, city / district, larger service region.

Never use: exact address, ward, street, building, campus, office, workplace, shelter, route, home area.

Time reduction

- Monthly data for public-facing research summaries
- Weekly data only in restricted dashboards with strict thresholds
- Never day / hour / minute-level trends

Differential privacy

In a future production system, add carefully calibrated statistical noise:

Published aggregate = True protected count + Controlled random noise

This prevents reverse-engineering whether one specific person contributed. For a hackathon, simulate this and explain it honestly — do not falsely claim production-grade differential privacy unless properly implemented and reviewed.

Suppression and merging

If a category has low volume:

- Suppress it
- Merge it into a broader category
- Merge small areas into a larger region
- Merge time windows into a month / quarter

Retention

- Keep identifiable EXIT data only as long as the user chooses or the product's minimum service function requires
- Make vault retention user-controlled
- Keep raw opted-in pre-aggregation signals for a limited policy-defined period
- Maintain aggregate statistics where safe and legally justified
- Clearly show deletion / retention policy

18 LIVEGENDER Dashboard Features

Trend dashboard

- Trends by country, state / province, city / district
- Week / month / quarter selection
- Controlled harm categories
- Change compared with prior period
- Confidence / quality label
- Minimum-threshold / suppression status
- Data-source provenance
- “Synthetic data” label in prototype

Emerging-pattern alerts

Within voluntary, de-identified, threshold-protected signals for Kolkata this month, reports tagged ‘suspected impersonation’ increased compared with the previous period. Review cyber-support, counselling, and legal-referral capacity.

The system does not say:

- “Crime is up.”

- “Kolkata is unsafe.”
- “A perpetrator network has been detected.”
- “Women in this area are in danger.”

Service-capacity planning

- Demand by service category
- Legal-aid referral demand
- Counselling support demand
- Cyber-support needs
- Accessibility / language needs
- Broad geographic coverage gaps
- Waiting-list pressure where partners supply aggregate data
- Resource verification freshness
- Data quality / coverage limitations

Data-quality panel — shown on every dashboard

- Data source
- Time range
- Geographic precision
- Number of qualifying contributions
- Suppression policy
- Whether data is synthetic / demo
- Whether counts are official, partner aggregate, or voluntary user signals
- Known bias and under-reporting warning
- Last updated date
- Confidence / coverage label

19 Controlled Taxonomy of Harm

Category	Definition in the platform
----------	----------------------------

Cyberstalking Repeated unwanted digital contact, monitoring, tracking, or surveillance

Doxxing Sharing someone's personal information without consent

Impersonation Pretending to be someone online to harm, deceive, threaten, or intimidate

Image-based abuse Sharing or threatening to share intimate material without consent

Suspected AI-manipulated abuse Possible deepfake / altered media used to harm or intimidate

Sextortion Threats to release sexual / intimate material to demand money, images, or actions

Online harassment Repeated targeted abusive, threatening, humiliating, or hostile content

Account coercion Forced password sharing, account control, recovery-method control, or digital monitoring

Coordinated digital attack Multiple accounts / people participating in targeted abuse

Digital financial coercion Technology-enabled restriction, surveillance, or manipulation of financial access

Location tracking abuse Misuse of apps, accounts, devices, trackers, or shared services to monitor someone

Child / dependent-related digital coercion Digital threats or monitoring used to control contact with children / dependents

20 Global Rollout Model

The vision can be global, but no app can “know every small detail of every small area.” A stronger and more credible claim:

EXIT is designed as a global platform with locally verified, continuously maintained support infrastructure and privacy-safe regional trend intelligence.

Global core, local deployment

Layer Global standard Local adaptation

Safety principles Survivor-centred, consent-first, privacy-by-design Country law and local safeguarding protocols

Taxonomy Core TF-VAWG categories Local legal definitions and languages

EXIT Planner Common needs-based planning engine Local resources, documents, benefits, transport, legal routes

AegisVault Same security and consent model Local legal / evidence guidance reviewed by experts

Service map Common data schema and verification process Country / state / city services and emergency pathways

LIVEGENDER Aggregate privacy model Local governance, thresholds, data-access rules

Accessibility Core low-data and voice-first support Regional languages, scripts, cultural context

Governance Global ethical policy Local NGO / legal / health advisory board

Country launch sequence

1. Select a pilot country / city.
2. Partner with local survivor-support NGOs.
3. Validate safety language with trauma-informed professionals.
4. Build verified service directory.
5. Add national emergency, legal-aid, shelter, health, and counselling pathways.
6. Establish data-governance board.
7. Run security and privacy review.
8. Launch limited pilot with voluntary, non-identifying test scenarios.
9. Measure usefulness and harm risks.
10. Scale only after local validation.

Resource-source hierarchy

1. Official government source.
2. UN agency or public health authority.

3. National legal-aid authority.
4. Accredited hospital / public service.
5. Established NGO with verified contact and safeguarding process.
6. Human-reviewed local partner directory.
7. User suggestion queue — never auto-published.

21 Country-Specific Examples

India pilot

- Emergency response: 112
- Women Helpline: 181
- National Commission for Women helpline: 14490
- One Stop Centres / Sakhi support
- NALSA legal-aid system
- National Cyber Crime Reporting Portal
- State women's commissions
- Government and verified NGO counselling / referral services

Mission Shakti is India's government framework for women's safety, security, and empowerment; its One Stop Centres provide integrated medical, legal, temporary shelter, police, and psycho-social support. NALSA lists legal-aid routes through District, State, and Taluk Legal Services Authorities. — missionshakti.wcd.gov.in

European Union

- Emergency number: 112
- EU-wide violence-against-women helpline number: 116 016, implemented through national services where available
- National legal, health, shelter, and counselling systems
- Local GDPR and data-protection compliance review

The EU has established 116 016 as a common helpline number for victims of violence against women, while 112 is the EU's single emergency number. — European Commission

Other countries

The same onboarding and safety architecture applies, but India or EU services are never hard-coded as global defaults. Each country needs:

- Verified emergency pathway
- Verified women's-support helpline
- Verified legal-aid route
- Medical / counselling / shelter referral protocols
- Domestic-violence and cybercrime legal context
- Local language and accessibility review
- Local NGO / health / legal expert validation

22 Partner Verification Workflow

Each resource listing must have:

- Organization name
- Legal / official status
- Service type
- Country and administrative area
- Contact method
- Hours and language
- Accessibility information
- Whether the service supports walk-ins
- Eligibility criteria
- Cost / free status
- Official source link / reference
- Last verified date
- Next review date
- Reviewer or partner responsible

- Safety warning if contact could expose a user
- Escalation process if listing becomes inaccurate

Verification levels

Level Meaning

Level 1 Official government / public authority source

Level 2 UN / recognized international organization source

Level 3 Formal NGO partner, manually verified

Level 4 Community-suggested resource pending review

Disabled Outdated, unverifiable, unsafe, or inactive resource

Only Levels 1–3 appear to users. Level 4 stays in an internal review queue.

23 SDG Strategy

SDG 5 — Gender Equality

Relevant focus: ending violence and discrimination against women and girls, increasing autonomy and access to support.

EXIT contribution:

- Survivor-controlled safety and independence planning
- Digital-abuse response support
- Trusted-support and legal-referral pathways
- Autonomy over data, evidence, and reporting
- No forced disclosure or automatic escalation

Metrics:

- Number of plans initiated
- Number of user-selected support paths
- Number of completed readiness steps
- Number of optional, consent-based evidence exports

- Language / accessibility reach

SDG 10 — Reduced Inequalities

Relevant focus: removing barriers created by income, disability, language, geography, legal knowledge, and digital access.

EXIT contribution:

- Low-data mode
- Multi-language support
- Voice and icon-led flows
- Screen-reader compatibility
- Legal-aid and free-service routes
- Resource matching for women with dependents, disability needs, limited documentation, or financial barriers
- Country / local adaptation rather than one-size-fits-all workflows

Metrics:

- Completion rate in low-data mode
- Usage by language
- Accessibility-mode usage
- Percentage of plans with free / legal-aid / resource routing
- Service-directory coverage by region and language

SDG 16 — Peace, Justice and Strong Institutions

Relevant focus: accessible, accountable, inclusive institutions and pathways to justice.

EXIT contribution:

- Consent-based access to legal and support services
- Tamper-evident evidence continuity
- Auditable share / revoke / export workflow
- Verified-resource directory
- LIVEGENDER aggregate service-demand insights

- No surveillance, profiling, or unaccountable automated decision-making

Metrics:

- Time from chosen need to correct referral
- Share / export actions with explicit recorded consent
- Resource verification freshness
- Number of safe aggregate alerts generated
- Percentage of dashboard values suppressed correctly when below privacy threshold

Main SDG statement

EXIT advances SDG 5, SDG 10, and SDG 16 by enabling survivor-owned pathways to safety and independence, reducing access barriers, and strengthening trusted support institutions through privacy-preserving service intelligence.

24 Ethical Framework

All design must follow:

- Do no harm
- Survivor-centred design
- Informed, voluntary, revocable consent
- Privacy by design
- Data minimization
- Purpose limitation
- Safety, confidentiality, integrity, and availability
- Accessibility and non-discrimination
- Transparency and explainability
- Accountability and auditability
- Human oversight for high-stakes actions
- Independent local expert review before real deployment

These principles align with published TFGBV and GBV technology guidance emphasizing safety-by-design, data minimization, purpose limitation, security, accountability, informed consent, survivor-centred practice, and non-discrimination. — UNFPA Philippines

25 What EXIT Must Never Do

- Never automatically report to police
- Never share location without explicit user action
- Never notify a partner, family member, employer, or contact automatically
- Never expose a shelter address if that increases risk
- Never force account creation
- Never force evidence collection
- Never tell a woman “leave now.”
- Never assess whether an alleged abuser is dangerous
- Never predict an assault
- Never decide that a report is true or false
- Never scrape social-media posts for surveillance
- Never scrape private messages
- Never use facial recognition, emotion recognition, voice recognition, or location tracking
- Never publish a map saying an area is unsafe
- Never show a small-area count that could expose a person
- Never sell data, run advertising, or profile users
- Never promise legal admissibility, successful takedown, police response, shelter availability, or guaranteed safety
- Never use real survivor evidence in a hackathon demo

26 Technology Architecture

Frontend

- React + TypeScript + Tailwind CSS, or Flutter for mobile
- Progressive Web App for low-data access
- Accessibility-first component library
- Internationalization support: English, Hindi, Bengali first; expandable globally
- Local storage only for safe demo mode
- Quick-exit UI

Backend

- Java Spring Boot
- REST APIs
- Spring Security
- JWT / session handling for demo role access
- Role-based access control
- Consent service
- Resource-directory service
- Planning rules engine
- Evidence metadata service
- Observatory aggregation service
- Audit-log service

Databases and stores

Store	Content	Access
EXIT private store	User planning preferences and private plan	User only
AegisVault store	Encrypted selected evidence and metadata	User + explicitly
Consent store	Consent version, selected fields, withdrawal status	User /
Service directory	Verified support-resource records	Read-only to users, edit by verified
	admins	

Observatory aggregate store De-identified, thresholded aggregate signals
Restricted institutional dashboard

Audit-log store Security events, sharing, revocation, exports Limited compliance
/ admin access

Security concepts

- TLS in transit
- AES-GCM encryption at rest for sensitive content
- SHA-256 integrity hash for vault evidence
- Short-lived access links
- Revocable consent
- Separate encryption keys per user / content set in a future production design
- Key-management service in production
- Rate limits and abuse prevention
- Device / session expiry
- Role-based permissions
- Append-only audit logs
- Security review and penetration testing before deployment
- Separate development, demo, and production environments

Honest hackathon statement

The prototype demonstrates security architecture and selected controls with fictional data. A production deployment requires independent security audit, survivor-organization co-design, legal review, local safeguarding protocols, and ongoing threat modelling.

27 AI and Analytics

Safe AI uses

- Convert user-approved plan selections into clear, simple-language summaries
- Classify fictional demo text into controlled categories
- Suggest relevant service categories, not personal decisions

- Detect aggregate trend changes after privacy protection
- Flag resource listings due for verification
- Translate curated content with human review
- Detect duplicate resource entries in the directory

AI restrictions

- No AI diagnosis of abuse
- No risk prediction
- No perpetrator profiling
- No survivor credibility scoring
- No automated police notification
- No deepfake “certainty” claims
- No automated legal advice
- No individual-level trend scoring
- No recommendations based on scraped social-media content

Trend method

For category c, area a, and time period t:

$$\text{TrendChange}(c, a, t) = \frac{[\text{ProtectedCount}(c, a, t) - \text{ProtectedCount}(c, a, t-1)]}{\max(1, \text{ProtectedCount}(c, a, t-1))}$$

Display only after threshold and privacy protections are satisfied.

28 Hackathon MVP Scope

Do not attempt global production coverage during the hackathon. Build a polished India-first prototype, with global architecture shown clearly.

Must build

1. EXIT needs-first onboarding.

2. Quiet / no-notification mode.
3. “If I leave tomorrow” simulator.
4. Readiness snapshot.
5. Explainable personalized plan.
6. India pilot resource map with seeded, verified-style mock / official data.
7. AegisVault: fake screenshot upload, SHA-256 hash, timeline.
8. Consent gateway.
9. De-identification pipeline.
10. $k \geq 10$ suppression rule.
11. LIVEGENDER NGO dashboard using synthetic data.
12. SDG impact dashboard.
13. Safety / ethics page.
14. Role-based demo login: survivor, NGO worker, directory admin.

Nice-to-have

- English / Hindi / Bengali
- Voice-guided planner
- Local PWA offline cache
- Time-limited share links
- QR-free resource verification interface
- Data-provenance panels
- Differential-privacy simulation
- Accessibility modes
- Docker deployment
- PDF export of a private plan using fictional data only

29 Demo Flow

Use fictional persona Maya and synthetic data.

1. Maya opens EXIT and selects: “I need to leave.”
2. She selects: “My phone may be monitored,” so EXIT enables quiet mode.
3. She chooses: one child, no independent funds, documents not accessible, one trusted friend, and need for legal information.
4. EXIT generates a readiness snapshot and a 72-hour private plan.
5. The map filters relevant categories: legal support, medical support, One Stop Centre, counselling, and temporary support.
6. Maya optionally adds a fake threatening screenshot to AegisVault.
7. AegisVault computes a SHA-256 hash and stores the mock evidence in a private timeline.
8. Maya chooses “share category + broad district + month only.”
9. The consent gateway strips all private fields.
10. LIVEGENDER dashboard shows synthetic, threshold-protected aggregate signals.
11. An NGO worker sees “increased demand for cyberstalking support,” not Maya's identity or case.
12. The final slide states: “Maya's plan, evidence, identity, location, and private choices never entered LIVEGENDER.”

30 The Pitch

Opening

Most women's safety apps start when someone presses SOS. But many women need support before that moment — when they are trying to safely prepare for independence while managing money, documents, children, housing, evidence, technology, and trust.

Solution

EXIT is a survivor-owned safety continuity platform. EXIT Plan converts fragmented needs into a private action path. AegisVault protects optional digital evidence and user-controlled sharing. LIVEGENDER converts only voluntary, de-identified signals into privacy-preserving insights that help support services prepare.

Closing

EXIT protects the individual without turning her into data. LIVEGENDER helps institutions see the pattern without exposing the person.

EXIT

UN ALIGNMENT SPECIFICATION

Mapping EXIT Plan, AegisVault, and LIVEGENDER
to UN goals, principles, and evidence gaps
SDG 5 · SDG 10 · SDG 16

Contents

- 1 UN Problem Alignment
- 2 SDG 5 Alignment — Gender Equality
- 3 SDG 10 Alignment — Reduced Inequalities
- 4 SDG 16 Alignment — Peace, Justice and Strong Institutions
- 5 UN Women Data Alignment
- 6 UNFPA Ethical-Tech Alignment
- 7 Privacy and Human-Rights Alignment
- 8 UN-Aligned Global Operating Model
- 9 Global SDG Metrics
- 10 Exact Alignment Statement
- 11 Non-Negotiable Safeguards

This document maps EXIT Plan, AegisVault, and LIVEGENDER to United Nations goals, principles, and evidence gaps. It gives the team a defensible answer to a question every reviewer will ask:

Why is this needed, how is it aligned with the UN, and how will you avoid harming survivors?

Project mission

Build a survivor-owned digital pathway that helps women safely prepare for support and independence, preserve optional evidence, and — only through explicit, privacy-protected consent — help institutions understand emerging service needs.

UN Women notes that technology-facilitated violence against women is growing while reliable, comparable data remains inadequate for designing and monitoring targeted policies and programmes. — UN Women

1 UN Problem Alignment

The global gap

Technology-facilitated violence against women and girls (TF-VAWG) covers violence that is committed, assisted, aggravated, or amplified through ICTs and digital tools, resulting in or likely to result in physical, sexual, psychological, social, political, or economic harm.

Examples relevant to EXIT include:

- Cyberstalking and repeated unwanted contact
- Doxxing
- Impersonation
- Image-based abuse
- Sextortion
- Threats and coordinated online harassment
- Account compromise and digital coercive control
- Location-tracking abuse
- Suspected AI-manipulated or deepfake-enabled abuse

UN Women identifies persistent gaps in knowledge of the scale, forms, intersectional impacts, and links between online and offline violence, and highlights methodological, ethical, and sociopolitical issues in collecting data about this violence. — UN Women

EXIT's response

UN-identified challenge	EXIT response
-------------------------	---------------

Survivors may need support before an emergency or formal report EXIT Plan provides private, needs-first safety and independence planning

Digital abuse may create evidence loss, account compromise, or unsafe documentation
AegisVault provides optional, survivor-controlled evidence continuity

Support services are fragmented EXIT matches needs to verified local service pathways

Data is limited and not standardized LIVEGENDER uses a controlled taxonomy and aggregate, consent-based trend signals

Data collection can create privacy and re-identification risk Consent-first data minimization, separate databases, suppression thresholds, and restricted access

Digital harm can spill into physical, financial, psychological, or social harm EXIT combines safety, housing, finance, documents, dependents, legal, health, counselling, and digital-security planning

SDG 5: Gender Equality

2 SDG 5 Alignment

The official SDG 5 goal is to achieve gender equality and empower all women and girls. EXIT most directly supports Targets 5.1, 5.2, 5.a, 5.b, and 5.c.

SDG 5 target	Official intent	EXIT alignment	Feature proof
--------------	-----------------	----------------	---------------

5.1	End all forms of discrimination against women and girls	Makes support pathways easier to access for women facing digital, economic, social, or disability-related barriers	Low-data, language, accessibility, and financial-support routing
-----	---	--	--

5.2	Eliminate all forms of violence against women and girls in public and private spheres	Directly supports women facing domestic, coercive, online, sexual, psychological, or economic abuse	EXIT Plan, AegisVault, verified support routing
-----	---	---	---

5.a	Equal rights to economic resources and financial services	Helps identify barriers to independent money, documents, employment, benefits, and legal support	Financial-readiness and independence section
-----	---	--	--

5.b	Use enabling technology to promote women's empowerment	Uses privacy-first ICT as a tool for agency — not surveillance	Mobile-first planning, safe communication preferences, optional evidence control
-----	--	--	--

- 5.c Strengthen policies and enforceable legislation for equality and empowerment
Gives verified institutions privacy-safe evidence of service demand and access gaps
LIVEGENDER restricted observatory and directory governance

SDG 5.2 — your central SDG claim

Target 5.2 explicitly calls for eliminating violence against women and girls in public and private spheres. EXIT responds to the practical reality that many women cannot safely or immediately report, leave, disclose, or call emergency services.

EXIT Plan helps a user privately prepare for:

- Safety
- Temporary accommodation
- Documents
- Financial access
- Transport
- Dependents
- Medical or counselling support
- Legal information
- Digital security
- Trusted contacts

AegisVault supports the digital forms of abuse that can intensify or enable violence, without forcing a survivor to store evidence or make a report.

LIVEGENDER helps service institutions identify changing aggregate demand for cyber-support, legal aid, counselling, and other resources.

SDG 5 impact indicators

These are prototype/product indicators — not official UN prevalence indicators:

- Number of users who create a private safety / independence plan
- Number of users selecting a verified service pathway
- Percentage of plans using a low-data, language, or accessibility mode
- Number of user-selected financial-independence readiness steps

- Number of optional, consent-approved AegisVault exports
- Number of aggregate service-demand trends safely generated

Do not claim that these indicators prove a reduction in gender-based violence. They show access, readiness, and system-response capability.

SDG 10: Reduced Inequalities

3 SDG 10 Alignment

The project's SDG 10 contribution is ensuring that access to safety planning, support information, and justice pathways is not limited by income, language, disability, literacy, location, device type, or internet quality.

EXIT's inequality barriers

Barrier How EXIT reduces it

Low income Routes users to free legal aid, public services, verified NGO support, and low-cost resources where available

Low connectivity Progressive web app, low-data mode, offline-safe guidance cache

Low literacy Icon-led flow, plain language, voice-guided option

Language Local language and script support

Disability Screen-reader support, high-contrast interface, large-text mode, keyboard navigation

Rural or remote location Broad service routing, phone / online support alternatives, travel / transport planning prompts

Limited documentation Document-access checklist and legal / identity-support pathways

Economic dependence Financial-readiness checklist, income / employment / benefit support pathways

Digital exclusion No requirement to understand legal jargon, evidence methods, or complex apps

Marginalization / discrimination Need-based design, not identity-based eligibility scoring; local partner review

SDG 10 design principle

No woman should need money, legal knowledge, fluent English, a high-end phone, constant internet, or a public disclosure to begin planning for safety.

SDG 10 metrics

- Plan completion rate in low-data mode
- Plan completion rate by language
- Use of voice, simplified, large-text, or screen-reader modes
- Percentage of resource pathways identifying no-cost / free support
- Resource-directory coverage by rural / urban region
- Percentage of users who can complete the planning flow without creating an account
- Availability of at least one verified support pathway per supported region

These metrics show accessibility and inclusion, not changes in national inequality levels.

SDG 16: Peace, Justice and Strong Institutions

4 SDG 16 Alignment

EXIT supports Targets 16.1, 16.3, 16.6, 16.7, 16.10, and 16.b.

SDG 16 target Official intent EXIT alignment

16.1 Reduce all forms of violence Supports earlier, safer access to prevention and response services

16.3 Promote rule of law and equal access to justice Helps users navigate legal-aid and formal support pathways, while preserving consent

16.6 Develop effective, accountable, transparent institutions Provides verified resources, consent logs, audit trails, and service-demand insights

16.7 Ensure responsive, inclusive, participatory decision-making Survivor choices determine all planning and data-sharing actions

16.10 Public access to information and protection of fundamental freedoms Gives understandable access to rights, service pathways, and data-use explanations

16.b Promote non-discriminatory laws and policies Uses accessible, non-discriminatory design and exposes aggregate service gaps without profiling people

SDG 16.3 — equal access to justice

EXIT does not file police reports or provide legal advice. It lowers barriers to informed, survivor-controlled access to justice mechanisms:

- Verified legal-aid routing
- Plain-language explanation of possible support options
- Private, user-reviewed incident timeline
- Optional evidence continuity
- Consent-based evidence export
- Access and sharing audit logs
- Referrals to qualified local legal and support organizations

This directly aligns with the SDG 16.3 principle of access to justice. The official target includes the proportion of violence survivors who report victimization to competent authorities or recognized dispute-resolution mechanisms. EXIT can help make that pathway more understandable and less fragmented, but must never pressure reporting. — sdgs.un.org

SDG 16.6 — accountable institutions

LIVEGENDER helps institutions improve response readiness while preserving privacy. It provides:

- Data-source provenance
- Clear time / geographic limitations
- Consent records
- Minimum group threshold rule
- Audit logs

- Resource-directory verification dates
- Restricted role-based access
- Aggregated service-demand information
- Transparent data-quality labels

SDG 16.7 — participatory decision-making

The survivor controls:

- Whether to use the app anonymously
- Whether to save a plan
- Whether to store evidence
- Whether to share evidence
- Which evidence to export
- Who can receive it
- Whether to contribute anonymized trend data
- Which fields may be shared
- Whether to withdraw future contributions

This turns a survivor from a passive “case” into the decision-maker.

5 UN Women Data Alignment

UN Women says accurate, reliable, and comparable TF-VAWG data is lacking, partly because there is no universally agreed definition and measurement approach. — UN Women

LIVEGENDER's contribution

LIVEGENDER does not claim to solve global measurement completely. It proposes a cautious, ethical prototype methodology:

1. Use a transparent controlled taxonomy.
2. Collect only voluntarily contributed, user-approved minimum data.
3. Strip identifiers.

4. Generalize location and time.
5. Suppress small groups.
6. Add privacy protection before publication.
7. Show data provenance and limitations.
8. Restrict dashboards to governed institutional users.
9. Use trends to improve support capacity, not target people.

Controlled taxonomy

Category Why it is included

Cyberstalking Repeated unwanted monitoring / contact is a common digital abuse form

Doxxing Personal information is exposed without consent

Impersonation False identity / profile used to deceive or harm

Image-based abuse Intimate content shared or threatened without consent

Suspected AI-manipulated abuse Deepfake / altered media may be used to harm or intimidate

Sextortion Threats involving intimate material to demand money / images / actions

Online harassment Repeated targeted abusive or threatening communication

Account coercion Forced account access / control, password surveillance, recovery takeover

Location-tracking abuse Misuse of devices / accounts / apps to monitor someone

Coordinated digital attacks Multiple accounts or people target one person

What LIVEGENDER measures

It measures only:

Voluntary, de-identified, threshold-protected help-seeking signals.

It does not measure:

- True prevalence of violence
- Police-verified cases
- Crime rates

- Perpetrator behavior
- Unsafe areas
- Individual risk
- Whether reports are true / false
- Causal online / offline connections

This honest limitation is essential because UN Women explicitly notes important gaps in data and knowledge about manifestations, impacts, and links between forms of TF-VAWG.

— UN Women

6 UNFPA Ethical-Tech Alignment

UNFPA's safe and ethical technology guidance exists because technology can assist GBV programming but can also generate new privacy, security, and safety risks. — UNFPA

Core UNFPA-aligned principles

Principle EXIT implementation

Survivor-centred User chooses needs, plan steps, evidence, sharing, and service pathway

Do no harm No forced reporting, no danger prediction, no police automation

Informed consent Separate readable consent before any sharing

Privacy by design Minimal data, encryption architecture, database separation

Confidentiality No public case information; strict access controls

Data minimization Collect only fields required for selected functions

Purpose limitation Private planning data never becomes observatory data without opt-in

Safety first Quiet mode, quick exit, no-notification preference

Non-discrimination Accessibility, language support, low-data design

Accountability Audit logs, resource verification dates, role-based access

Human oversight No autonomous high-stakes decisions; qualified referrals only

Transparency Explain what is collected, shared, retained, and not guaranteed

UNFPA materials stress that sharing survivor data without informed consent violates GBV principles, and that identifiable information should only be shared in the context of consented referrals. — UNFPA Philippines

7 Privacy and Human-Rights Alignment

Consent model

The default must always be:

Keep everything private.

The user can separately choose:

- Share nothing
- Share anonymous category only
- Share category and broad country
- Share category and city / district
- Share category and month / week
- Share an evidence packet only with a named, user-approved recipient
- Withdraw future contributions

Data isolation

Data set	Contains	Cannot be accessed by
----------	----------	-----------------------

EXIT private plan	Readiness items, personal action plan	LIVEGENDER, public users, advertisers
-------------------	---------------------------------------	---------------------------------------

AegisVault	Selected evidence and timeline	LIVEGENDER, other users, public dashboard
------------	--------------------------------	---

Consent ledger	What the user agreed to share	Unverified partners
----------------	-------------------------------	---------------------

LIVEGENDER aggregate store	De-identified category, broad geography, broad time	Anyone seeking case-level identity
----------------------------	---	------------------------------------

Resource directory	Verified service details	Cannot reveal survivor data
--------------------	--------------------------	-----------------------------

Privacy threshold

Use:

$k \geq 10$

Do not display any locality / category / time total unless at least 10 sufficiently independent, anonymous contributions are represented. If the count is below this threshold:

Insufficient data to display safely.

Geographic and temporal limits

Allowed: country; state / province, where safe; city / district; month or week.

Forbidden: GPS coordinates; street / ward / building; workplace, hostel, school, college, or shelter; exact date / time; travel route; trusted meeting point.

Differential privacy concept

For future deployment:

Protected displayed count = True aggregate count + Controlled statistical noise

This protects against someone inferring whether one specific survivor contributed. In a hackathon, present it as a simulated privacy mechanism, not production-grade differential privacy.

8 UN-Aligned Global Operating Model

EXIT can be designed globally, but it must never pretend that a single company can safely know every local condition worldwide. Use this statement:

EXIT is a global platform with a common survivor-safety standard and a locally verified support-infrastructure layer.

Global standard

- Common privacy / safety architecture
- Common controlled TF-VAWG taxonomy
- Common consent and audit model
- Minimum security baseline

- Global accessibility principles
- Standard data schema
- Strict no-surveillance policy
- No advertising / data monetization
- Independent ethics and safeguarding review

Local adaptation

- Local emergency pathways
- Local legal-aid and justice pathways
- Verified health, shelter, counselling, and NGO services
- Language / script support
- Disability-access review
- Country-specific legal and data-protection review
- Local survivor-support and safeguarding partner
- Local resource-directory verification
- Local governance board
- Appropriate display / suppression thresholds

Official and credible resource sources

- Government women's ministries and emergency services
- National legal-aid authorities
- Public health systems
- UN Women, UNFPA, WHO country offices
- National human-rights institutions
- Verified NGOs and survivor-support organizations
- Official government directories

UN Women's Global Database on Violence Against Women and Girls provides country-level information on governmental measures, laws, budgets, institutional mechanisms, and services. — data.unwomen.org

9 Global SDG Metrics

These are project impact metrics, not official replacements for UN SDG indicators.

SDG	Project metric	What it demonstrates
SDG 5	Private plans initiated	Access to survivor-centred planning
SDG 5	User-selected support pathways	Ability to reach help without forced reporting
SDG 5	Completed financial / document readiness actions	Support for independence and agency
SDG 10	Completion rate in low-data mode	Digital inclusion
SDG 10	Use by language / accessibility mode	Inclusive access
SDG 10	Verified free-service route coverage	Reduced financial barriers
SDG 16	Consent-logged evidence shares / exports	Accountable access pathway
SDG 16	Correct resource-routing time	Effective support navigation
SDG 16	Verified resource-directory freshness	Institutional accountability
SDG 16	Threshold-protected aggregate alerts	Privacy-safe institutional readiness

10 Exact Alignment Statement

Use this in the PPT, abstract, or documentation:

EXIT operationalizes SDG 5.2 and SDG 5.b by using survivor-centred technology to support women facing violence, including technology-facilitated abuse. It advances SDG 10 through low-data, multilingual, accessible, and financially inclusive routes to support. It advances SDG 16.3, 16.6, 16.7, and 16.10 through consent-based justice navigation, verified resource information, accountable data governance, and survivor-controlled participation. LIVEGENDER responds to UN Women's documented TF-VAWG measurement gap through voluntary, de-identified, threshold-protected aggregate service signals — not surveillance or crime prediction. — aligned with UN Women

11 Non-Negotiable Safeguards

The project must state these clearly:

- EXIT does not replace emergency, police, medical, legal, counselling, or shelter services
- EXIT does not diagnose violence or assess a person's credibility
- EXIT does not score danger or predict future violence
- EXIT never automatically contacts police, family, employers, or partners
- EXIT never automatically shares a location, plan, or evidence
- EXIT does not guarantee that a device is hidden from a sophisticated abuser
- AegisVault does not guarantee court admissibility or forensic certification
- LIVEGENDER never receives private plan data, evidence files, raw narratives, GPS, device IDs, or personal identifiers
- LIVEGENDER is not a public crime map and must not label places “unsafe.”
- All hackathon demonstrations use synthetic data and fictional personas only
- Real deployment requires co-design with survivor groups, legal experts, counsellors, local NGOs, cybersecurity experts, and independent privacy / security review

This makes EXIT both ambitious and credible: it aligns with UN goals while respecting the core survivor-safety principles that must govern any technology in this area.

****Project: EXIT — Survivor-Owned Safety Continuity Platform****

EXIT is not a normal SOS app. It helps women who may be facing physical, emotional, financial, or digital abuse to privately prepare for safety and independence—without forcing them to call police, report abuse, share location, or leave immediately.

1. EXIT Plan

This is the main section of the app.

A woman selects what she needs help with:

- I am worried about my safety
- Someone is controlling me
- I need to leave
- I need legal help
- I need financial independence
- I need a safe place
- I am facing online harassment
- I am helping someone else

Then the app creates a private **“If I leave tomorrow”** plan.

It checks practical readiness areas:

- Safe communication
- Trusted contact
- Documents
- Emergency money
- Temporary accommodation
- Transport
- Children/dependents
- Legal and medical support
- Digital account/device safety

Instead of a harmful “danger score,” it shows a readiness snapshot like:

- Documents: Needs attention
- Trusted contact: Prepared
- Money access: Needs attention
- Safe place: Not planned
- Digital security: Needs attention

Then it gives a personalized 24-hour, 72-hour, and 7-day checklist.

****Main point:**** EXIT helps a woman plan safely at her own pace. It never tells her “leave now” or automatically calls police.

2. AegisVault

AegisVault is the optional secure evidence and digital-safety section.

It is useful for cyberstalking, sextortion, fake accounts, deepfake abuse, threatening messages, impersonation, doxxing, account hacking, or location tracking.

A user can save:

- Fake/real screenshots in a real future version
- Message links
- Incident notes

- Videos/documents
- Account handles
- Dates and timeline details

For every uploaded file, the system creates a **SHA-256 hash**. This helps show whether a file was changed after it was saved.

It also provides:

- Private incident timeline
- Secure evidence storage
- Expiring sharing link
- Revoke access option
- Share selected evidence with a lawyer, NGO, trusted person, or counsellor
- User-reviewed report/evidence summary
- Digital safety checklist for passwords, logged-in devices, recovery email, shared albums, location sharing, and social-media privacy

Main point: AegisVault gives the user control over her evidence. Nothing is shared unless she explicitly chooses it.

3. LIVEGENDER

LIVEGENDER is a separate dashboard only for verified NGOs, researchers, legal-aid groups, and government/service coordinators.

It helps them understand broad trends in **TF-VAWG**:

> **Technology-Facilitated Violence Against Women and Girls**

Examples include cyberstalking, doxxing, impersonation, sextortion, online harassment, image-based abuse, deepfake abuse, and account coercion.

A user can optionally choose to contribute only anonymous data such as:

- Abuse category: cyberstalking / impersonation / sextortion
- Broad city/district
- Month or week
- Broad support need: legal aid / counselling / cyber support

It never receives:

- Name
- Phone number
- Exact location
- Screenshots
- Evidence
- Private plan
- Social-media account
- Device information
- Personal story

- GPS location

The dashboard may show something like:

> “In Kolkata, voluntary anonymous reports of impersonation increased this month. Review cyber-support, counselling, and legal-referral capacity.”

It does ****not**** say “Kolkata is unsafe” or “crime has increased.” It only shows anonymous help-seeking trends.

****Main point:**** LIVEGENDER helps institutions improve support services without exposing women’s personal information.

Privacy rule

\[

\text{Private EXIT Plan and AegisVault data} \neq \text{LIVEGENDER data}

\]

A woman’s plan, evidence, identity, location, and private details never go into LIVEGENDER unless she separately gives clear consent for a very limited anonymous contribution.

Data is shown only when at least:

\[

k \geq 10

\]

anonymous contributions exist, so no individual can be identified.

SDG alignment

- **SDG 5 – Gender Equality:** Helps women facing violence, abuse, and digital coercion access safety and support.
- **SDG 10 – Reduced Inequalities:** Low-data, multilingual, voice-friendly, accessible design helps women with language, disability, money, literacy, or internet barriers.
- **SDG 16 – Peace, Justice & Strong Institutions:** Provides verified support routes, consent-based evidence sharing, legal-aid navigation, audit logs, and privacy-safe institutional insights.

One-line pitch

> **EXIT helps women privately prepare for safety and independence, AegisVault protects their optional digital evidence, and LIVEGENDER helps institutions understand emerging violence patterns without exposing survivors.**

This is a strong, coherent concept. ### Short executive summary **EXIT** is a survivor-owned safety continuity platform that helps women privately plan for safety and independence before, during, or after abuse-related crises. It combines: - **EXIT Plan** — a private, needs-first safety and independence planner - **AegisVault** — optional, user-controlled evidence continuity for digital abuse - **LIVEGENDER** — a privacy-preserving aggregate observatory for NGOs and institutions The core principle is: > **Private survivor data never becomes observatory data unless the survivor explicitly opts in, and even then only in highly minimized, de-identified form.** ### What makes it different - Not an SOS app - Not a police-reporting tool - Not a surveillance system - Not a danger-score engine - Not a public unsafe-places map Instead, it is: - **survivor-centred** - **consent-first** - **privacy-by-design** - **locally adaptable** - **institutionally useful without exposing individuals** ### The 3-part architecture 1. **EXIT Plan** Helps the user answer: *“If I need to leave tomorrow, what should I prepare?”* Covers communication safety, documents, money, transport, housing, children, legal help, medical care, and digital safety. 2. **AegisVault** Lets the user store selected evidence privately, with integrity checks and controlled sharing. 3. **LIVEGENDER** Shows only threshold-protected, de-identified trends to verified partners so they can improve services and planning. ### Strongest pitch line > **EXIT protects the person; AegisVault protects the evidence; LIVEGENDER protects the system’s ability to respond — without exposing survivors.** ### If you want, I can now turn this into one of the following: 1. a **1-minute pitch** 2. a **10-slide pitch deck outline** 3. a **hackathon demo script** 4. a **product requirements document** 5. a **formal abstract / executive summary** 6. a **system architecture diagram in text form** If you'd like, I can start with a **clean 1-page pitch summary** next.

Absolutely — here’s a ****single master prompt**** you can use with Fable5 for your hackathon project, plus a ****shorter version**** if you want something more compact.

Master Prompt for Fable5

****Prompt:****

You are an expert ****research analyst, technical documentation writer, product manager, hackathon mentor, and survey-design assistant****.

I am working on a hackathon project called ****EXIT**** — a ****survivor-owned safety continuity platform**** with three parts:

1. ****EXIT Plan**** — a private, needs-first safety and independence planning tool
2. ****AegisVault**** — an optional encrypted evidence-continuity and digital-safety module
3. ****LIVEGENDER**** — a privacy-preserving aggregate observatory for verified NGOs and institutions

The project is for women who may be facing physical, emotional, financial, legal, or digital abuse.

It is ****not**** an SOS app, not a police tool, not a surveillance platform, and not a danger-prediction system.

****Your task**

Help me produce ****research, technical documentation, project documentation, hackathon guidance, and survey-data support**** for this project.

****Main goals**

Please help me with the following:

1) Research

Provide deep, evidence-based research on:

- the problem space
- survivor needs
- technology-facilitated violence against women and girls
- gaps in current safety/support systems
- existing tools and competitors
- legal, ethical, and privacy considerations
- NGO / institutional service needs
- data governance best practices

Use credible sources such as:

- UN Women
- UNFPA
- WHO
- official government sources
- peer-reviewed research
- reputable NGOs
- privacy/security standards

Clearly separate:

- facts
- assumptions
- risks
- recommendations

If a claim is uncertain, say so.

2) Technical documentation

Create technical documentation for the platform, including:

- system architecture
- module breakdown
- data flow
- consent flow
- storage separation between private plan, evidence vault, and aggregate observatory
- security model
- privacy protections
- encryption and access control
- audit logging
- de-identification and threshold suppression
- role-based access for survivor / NGO worker / admin
- MVP architecture for hackathon implementation

Please include:

- frontend stack
- backend stack
- database design
- API structure
- core entities
- deployment suggestions
- what can be mocked vs what should be real for a hackathon

Do ****not**** suggest surveillance features, scraping private messages, AI danger prediction, or automatic reporting.

3) Project documentation

Write clear product documentation for:

- problem statement
- product vision
- user personas
- feature set
- feature prioritization
- user journeys
- acceptance criteria
- risk register
- non-goals
- safety and ethics principles
- roadmap
- demo flow
- pitch summary

I want documentation that is usable for:

- judges
- mentors
- engineers
- designers

- potential partners

Please make it concise, structured, and professional.

4) Hackathon guidance

Act as a hackathon coach and help me with:

- the best MVP scope for limited time
- what to build first
- what to leave out
- suggested team roles
- 24-hour / 48-hour / 72-hour execution plan
- demo strategy
- pitch preparation
- likely judge questions
- how to explain the project safely and clearly
- how to position the innovation and social impact

I need advice optimized for winning a hackathon **without overbuilding**.

5) Survey data support

Help me design and use survey data for this project.

Please provide:

- survey objectives
- target respondent groups
- survey questions
- answer choices
- consent wording
- ethical safeguards
- sampling guidance
- how to analyze responses
- how to summarize survey findings
- how to turn survey results into product decisions

If needed, also help me create:

- a Google Form / Typeform structure
- a short interview script
- a results summary template
- a synthetic sample dataset for demo purposes only

Important:

- Do not recommend collecting unsafe personal data
- Do not ask for exact location, phone numbers, evidence files, or private stories unless clearly justified and consented
- For hackathon demos, use fictional or synthetic data only

Safety and ethics rules

Follow these constraints strictly:

- No surveillance
- No scraping private messages or social media
- No facial recognition, voice recognition, or emotion recognition
- No perpetrator profiling
- No danger scoring
- No automatic police reporting
- No automatic sharing of location
- No public unsafe-places map
- No use of real survivor data in hackathon demos
- Default to privacy, consent, and harm reduction

If a feature could create risk, flag it clearly and suggest a safer alternative.

Output format

Please structure your response into these sections:

A. Executive summary

- What the project is
- Why it matters
- Best hackathon framing

B. Research brief

- problem analysis
- user needs
- ecosystem gaps
- competitor scan
- key evidence and sources

C. Technical documentation

- architecture overview
- modules
- data model
- APIs
- security/privacy design
- MVP implementation plan

D. Project documentation

- goals
- scope
- non-goals
- user personas
- key features
- user flows
- acceptance criteria
- risks

E. Hackathon guidance

- MVP build plan

- team roles
- timeline
- demo flow
- pitch outline
- judge-facing explanation

F. Survey toolkit

- survey goals
- questions
- consent statement
- analysis framework
- sample data template
- insights-to-product mapping

G. Final recommendation

- what to build now
- what to defer
- what to avoid
- what would make the project strongest in a hackathon

Style requirements

- Be concise but detailed enough to use directly
- Use tables where helpful
- Use plain language

- Be practical and implementation-oriented
- Avoid vague advice
- Cite sources where possible
- Be trauma-informed and survivor-centred in tone

Project summary to use

EXIT is a survivor-owned safety continuity platform with:

- a private safety planner
- an optional encrypted evidence vault
- a privacy-preserving institutional trend dashboard

The project protects individual privacy while helping users and support institutions navigate safety, evidence, and service access.

Shorter Version

If you want something shorter for Fable5, use this:

****Prompt:****

You are an expert in research, technical documentation, product strategy, hackathon mentoring, and survey design. I am building a hackathon project called ****EXIT****, a survivor-owned safety continuity platform with three modules:

- **EXIT Plan** — private safety and independence planning
- **AegisVault** — optional encrypted evidence continuity
- **LIVEGENDER** — privacy-preserving aggregate trend observatory for verified NGOs and institutions

Please help me produce:

1. **Research**

- validate the problem
- identify user needs
- compare existing solutions
- analyze legal, ethical, and privacy issues
- use credible sources only

2. **Technical documentation**

- architecture
- modules
- data flow
- consent flow
- security/privacy model
- APIs and data model
- MVP implementation guidance

3. **Project documentation**

- product vision

- goals
- user journeys
- feature list
- acceptance criteria
- risks
- roadmap
- demo flow

4. **Hackathon guidance**

- best MVP scope
- what to build first
- what to leave out
- team roles
- 48–72 hour execution plan
- pitch and judge strategy

5. **Survey data**

- survey questions
- consent wording
- analysis plan
- sample template
- synthetic demo data if needed

Constraints:

- No surveillance
- No scraping private messages/social media

- No danger prediction or perpetrator profiling
- No automatic police reporting
- No real survivor data in demos
- Use privacy-first, consent-driven, survivor-centred design

Output in a structured format with:

- executive summary
- research brief
- technical documentation
- project documentation
- hackathon guidance
- survey toolkit
- final recommendations

If you want, I can also make this into:

1. a **super-short one paragraph prompt**,
2. a **Fable5 prompt optimized for research only**, or
3. a **hackathon MVP prompt** focused on building the demo fast.

This is a well-organized prompt — clear scope, sensible constraints, and a good output structure. A couple of things worth flagging:

What's working well:

- The safety/ethics constraints are explicit and repeated (good — that reduces drift risk in a long response)
- Separating "facts / assumptions / risks / recommendations" in the research section is a smart trauma-informed touch
- The MVP scoping ask (what to build vs. defer) is exactly the kind of question a hackathon team should be asking upfront

A few things I'd tighten if you're going to actually use this:

- It's asking for *seven* substantial deliverables (research, technical docs, product docs, hackathon guidance, survey toolkit, plus exec summary and final recs) in one shot. Any model — including Fable5 — will likely compress each section more than you want just to fit them all in. If you have a hard deadline, running this in 2–3 separate passes (e.g., research + tech docs first, then product docs + hackathon guidance, then survey toolkit) will get you more depth per section.
- The survey section asks for a "synthetic sample dataset for demo purposes" — worth being explicit that this must be clearly labeled synthetic wherever it appears downstream (slides, dashboard, judge Q&A), so nobody mistakes it for real user data.
- Consider adding one line asking it to flag anywhere it's uncertain about current UN/WHO stats rather than stating them as fact, since exact figures shift and older training data can be off.

Want me to:

1. Tighten this into a version split across 2–3 sequential prompts (better depth per section), or
2. Just answer my earlier question and pick one of those six deliverables (pitch, deck, demo script, etc.) so I produce it directly right now?

Absolutely — here's a ****single master prompt**** you can use with Fable5 for your hackathon project, plus a ****shorter version**** if you want something more compact.

Master Prompt for Fable5

Prompt:

You are an expert **research analyst, technical documentation writer, product manager, hackathon mentor, and survey-design assistant**.

I am working on a hackathon project called **EXIT** — a **survivor-owned safety continuity platform** with three parts:

1. **EXIT Plan** — a private, needs-first safety and independence planning tool
2. **AegisVault** — an optional encrypted evidence-continuity and digital-safety module
3. **LIVEGENDER** — a privacy-preserving aggregate observatory for verified NGOs and institutions

The project is for women who may be facing physical, emotional, financial, legal, or digital abuse.

It is **not** an SOS app, not a police tool, not a surveillance platform, and not a danger-prediction system.

Your task

Help me produce **research, technical documentation, project documentation, hackathon guidance, and survey-data support** for this project.

Main goals

Please help me with the following:

1) Research

Provide deep, evidence-based research on:

- the problem space
- survivor needs
- technology-facilitated violence against women and girls
- gaps in current safety/support systems
- existing tools and competitors
- legal, ethical, and privacy considerations
- NGO / institutional service needs
- data governance best practices

Use credible sources such as:

- UN Women
- UNFPA
- WHO
- official government sources
- peer-reviewed research
- reputable NGOs
- privacy/security standards

Clearly separate:

- facts
- assumptions
- risks
- recommendations

If a claim is uncertain, say so.

2) Technical documentation

Create technical documentation for the platform, including:

- system architecture
- module breakdown
- data flow
- consent flow
- storage separation between private plan, evidence vault, and aggregate observatory
- security model
- privacy protections
- encryption and access control
- audit logging
- de-identification and threshold suppression
- role-based access for survivor / NGO worker / admin
- MVP architecture for hackathon implementation

Please include:

- frontend stack
- backend stack
- database design
- API structure
- core entities

- deployment suggestions
- what can be mocked vs what should be real for a hackathon

Do ****not**** suggest surveillance features, scraping private messages, AI danger prediction, or automatic reporting.

3) Project documentation

Write clear product documentation for:

- problem statement
- product vision
- user personas
- feature set
- feature prioritization
- user journeys
- acceptance criteria
- risk register
- non-goals
- safety and ethics principles
- roadmap
- demo flow
- pitch summary

I want documentation that is usable for:

- judges

- mentors
- engineers
- designers
- potential partners

Please make it concise, structured, and professional.

4) Hackathon guidance

Act as a hackathon coach and help me with:

- the best MVP scope for limited time
- what to build first
- what to leave out
- suggested team roles
- 24-hour / 48-hour / 72-hour execution plan
- demo strategy
- pitch preparation
- likely judge questions
- how to explain the project safely and clearly
- how to position the innovation and social impact

I need advice optimized for winning a hackathon **without overbuilding**.

5) Survey data support

Help me design and use survey data for this project.

Please provide:

- survey objectives
- target respondent groups
- survey questions
- answer choices
- consent wording
- ethical safeguards
- sampling guidance
- how to analyze responses
- how to summarize survey findings
- how to turn survey results into product decisions

If needed, also help me create:

- a Google Form / Typeform structure
- a short interview script
- a results summary template
- a synthetic sample dataset for demo purposes only

Important:

- Do not recommend collecting unsafe personal data
- Do not ask for exact location, phone numbers, evidence files, or private stories unless clearly justified and consented
- For hackathon demos, use fictional or synthetic data only

Safety and ethics rules

Follow these constraints strictly:

- No surveillance
- No scraping private messages or social media
- No facial recognition, voice recognition, or emotion recognition
- No perpetrator profiling
- No danger scoring
- No automatic police reporting
- No automatic sharing of location
- No public unsafe-places map
- No use of real survivor data in hackathon demos
- Default to privacy, consent, and harm reduction

If a feature could create risk, flag it clearly and suggest a safer alternative.

Output format

Please structure your response into these sections:

A. Executive summary

- What the project is
- Why it matters

- Best hackathon framing

B. Research brief

- problem analysis
- user needs
- ecosystem gaps
- competitor scan
- key evidence and sources

C. Technical documentation

- architecture overview
- modules
- data model
- APIs
- security/privacy design
- MVP implementation plan

D. Project documentation

- goals
- scope
- non-goals
- user personas
- key features
- user flows
- acceptance criteria
- risks

E. Hackathon guidance

- MVP build plan
- team roles
- timeline
- demo flow
- pitch outline
- judge-facing explanation

F. Survey toolkit

- survey goals
- questions
- consent statement
- analysis framework
- sample data template
- insights-to-product mapping

G. Final recommendation

- what to build now
- what to defer
- what to avoid
- what would make the project strongest in a hackathon

Style requirements

- Be concise but detailed enough to use directly
- Use tables where helpful
- Use plain language
- Be practical and implementation-oriented
- Avoid vague advice
- Cite sources where possible
- Be trauma-informed and survivor-centred in tone

Project summary to use

EXIT is a survivor-owned safety continuity platform with:

- a private safety planner
- an optional encrypted evidence vault
- a privacy-preserving institutional trend dashboard

The project protects individual privacy while helping users and support institutions navigate safety, evidence, and service access.

Shorter Version

If you want something shorter for Fable5, use this:

****Prompt:****

You are an expert in research, technical documentation, product strategy, hackathon mentoring, and survey design. I am building a hackathon project called **EXIT**, a survivor-owned safety continuity platform with three modules:

- **EXIT Plan** — private safety and independence planning
- **AegisVault** — optional encrypted evidence continuity
- **LIVEGENDER** — privacy-preserving aggregate trend observatory for verified NGOs and institutions

Please help me produce:

1. **Research**

- validate the problem
- identify user needs
- compare existing solutions
- analyze legal, ethical, and privacy issues
- use credible sources only

2. **Technical documentation**

- architecture
- modules
- data flow
- consent flow
- security/privacy model
- APIs and data model
- MVP implementation guidance

3. **Project documentation**

- product vision
- goals
- user journeys
- feature list
- acceptance criteria
- risks
- roadmap
- demo flow

4. **Hackathon guidance**

- best MVP scope
- what to build first
- what to leave out
- team roles
- 48–72 hour execution plan
- pitch and judge strategy

5. **Survey data**

- survey questions
- consent wording
- analysis plan
- sample template
- synthetic demo data if needed

Constraints:

- No surveillance
- No scraping private messages/social media
- No danger prediction or perpetrator profiling
- No automatic police reporting
- No real survivor data in demos
- Use privacy-first, consent-driven, survivor-centred design

Output in a structured format with:

- executive summary
- research brief
- technical documentation
- project documentation
- hackathon guidance
- survey toolkit
- final recommendations

If you want, I can also make this into:

1. a ****super-short one paragraph prompt****,
2. a ****Fable5 prompt optimized for research only****, or
3. a ****hackathon MVP prompt**** focused on building the demo fast.

It looks like the same document came through again with no new text attached — possibly a paste or send hiccup. I've already reviewed this prompt in my last message, so no need to go over it twice.

Since I haven't heard back on my question: would you like me to actually **write out the prompt as 2–3 sequential passes** (better depth per section), or should I just go ahead and **produce one of the six EXIT deliverables directly** (pitch, deck outline, demo script, PRD, abstract, or architecture diagram) using the master prompt's structure as my guide?

If you'd rather not choose, I'll default to the second option and start with the **10-slide pitch deck outline** — that's usually the most immediately useful artifact for a hackathon team, and I can layer the others on after. Just say the word, or tell me which one you actually want.

Here's the 10-slide outline — assuming a ~5-minute pitch slot (standard for most hackathons; say the word if yours is shorter and I'll trim it to 3 by cutting slides 6 and 8).

Slide 1 — Title *On slide:* EXIT wordmark, calm palette (steer away from red/alarm tones — this is a safety tool, not an emergency siren). Tagline: "Safety doesn't start with an SOS button. It starts with a plan." Subtext: EXIT Plan · AegisVault · LIVEGENDER. *Say:* "The most dangerous part of leaving an abusive relationship isn't the emergency — it's everything that has to happen before it." Then name the team/project.

Slide 2 — The Problem *On slide:* Checklist visual of what "leaving" actually requires — housing, documents, money, dependents, transport, evidence, digital safety — half-checked, to show how much preparation is invisible to most tools. *Say:* Cite the WHO guidance point: survivors are advised to plan and secure a safe place *before* informing a partner. That planning window is where support is thinnest.

Slide 3 — Why Now *On slide:* Two-column contrast — "SOS apps" (reactive, single moment, alerts police/contacts) vs. "EXIT" (proactive, ongoing, private by default). *Say:* Existing tools are built for the 911 call. Nobody's built for the weeks or months before it —

and UN Women has flagged the resulting data gap on technology-facilitated violence as a real barrier to service planning.

Slide 4 — Solution: Three-Part Architecture *On slide:* Flow diagram in text: EXIT Plan → optional AegisVault → Explicit Consent Gate → De-identification → LIVEGENDER. Large centered rule: **"Private survivor data ≠ observatory data."** *Say:* Introduce the three modules in one breath, then land on the rule that governs everything downstream — this is your strongest single sentence, use it here and again in the close.

Slide 5 — EXIT Plan (flagship) *On slide:* Mini readiness-snapshot mockup (3–4 rows: Safe communication / Trusted contact / Documents / Accommodation, each "Needs attention" or "Prepared"). Small badge: "Rules-based, not AI-predictive." *Say:* Walk through Maya in one sentence, then explain why a transparent rules engine — not an AI risk score — is the right call for high-stakes advice.

Slide 6 — AegisVault *On slide:* Evidence capsule icons (screenshot / note / link / hash) with a SHA-256 timestamp example. Sharing controls shown as toggles: revoke · expire · share with lawyer. *Say:* Frame it as evidence *continuity*, not surveillance — nothing leaves the vault without an explicit action, and be upfront it's not forensic certification.

Slide 7 — LIVEGENDER *On slide:* Consent gateway mockup → the $k \geq 10$ threshold rule spelled out → one example output line (the Kolkata impersonation-trend sentence from your brief). *Say:* Verified NGOs and researchers only — never police without verification, never advertisers, never employers. It shows patterns, never people.

Slide 8 — Privacy & Ethics by Design *On slide:* Condensed "never" list — never auto-reports to police, never auto-shares location, never predicts violence or scores danger, never uses facial/voice recognition, never publishes an "unsafe area" map. *Say:* Answer the hardest judge question before it's asked.

Slide 9 — Impact / SDG Alignment *On slide:* Three-column mini table — SDG 5 / SDG 10 / SDG 16, one concrete metric each (e.g., plans initiated / low-data completion rate / threshold-protected alerts generated). *Say:* Ground it in measurable access and readiness metrics — not unprovable claims about reducing violence rates.

Slide 10 — Demo + Ask + Close *On slide:* "Live demo: Maya's 72-hour plan" → your ask (placeholder — fill in: mentorship, a pilot NGO connection, prize track, continued funding) → closing line. *Say:* Close with: *"EXIT protects the person. AegisVault protects the evidence. LIVEGENDER protects the system's ability to respond — without exposing survivors."*

Want me to write out full word-for-word speaker notes next, or turn this into the actual slide visuals? Let me know which direction you want to take next — full speaker script, the actual slide visuals, or one of the other deliverables from the original list (demo script, PRD, etc.).

Prompt for Manus — EXIT Project Documentation Package

Copy everything below into Manus.

ROLE AND OBJECTIVE

Act as a senior product strategist, technical architect (with deep expertise in privacy-preserving distributed systems), and hackathon-pitch consultant. I am building **EXIT**, a survivor-owned safety-continuity platform, for a hackathon submission aligned with **UN SDG 5 (Gender Equality), SDG 10 (Reduced Inequalities), and SDG 16 (Peace, Justice and Strong Institutions)**. The judging panel is highly technical and will scrutinize architecture claims — nothing generic or hand-wavy. I need a complete, judge-ready documentation package: a dedicated, specific document for every module and every architectural concern, not one merged catch-all doc.

Do not shorten or skip sections for brevity. Produce full, detailed, standalone documents. Ask me clarifying questions only if something below is genuinely ambiguous — otherwise make reasonable, clearly-labeled assumptions and proceed.

PROJECT CONTEXT (ground truth — do not contradict this)

****Mission:**** Build a survivor-owned digital pathway that helps women safely prepare for support and independence, preserve optional evidence, and — only through explicit, privacy-protected consent — help institutions understand emerging service needs.

****What EXIT is NOT:**** a generic SOS app, a crime-reporting substitute, a police-dispatch tool, a "danger score" engine, an abuser-detection system, a surveillance platform, a public "unsafe places" map, or a tool that tells someone to leave immediately.

****What EXIT IS:**** a private, needs-first safety and independence planning tool; a secure, optional evidence-continuity system; a consent-driven connection to verified support services; a privacy-safe aggregate observatory for institutional service planning; a global platform operating locally through verified, country-specific service directories.

System structure (non-negotiable data flow)

` EXIT Plan → Optional AegisVault → Explicit Consent Gateway → De-identification & Aggregation → LIVEGENDER Observatory `

****Core design rule: Private survivor data ≠ Observatory data.**** The observatory can never read private plans, evidence files, exact locations, account handles, names, or free-text stories.

Module 1 — EXIT Plan (individual module)

- No account, GPS, or disclosure required to use it.
- Onboarding: device/communication safety check → need-category selection (safety, housing, documents, money, transport, children, legal, medical, counselling, digital/cyber

abuse, etc.) → readiness snapshot (categorical status like "Needs attention" / "Prepared" — **never a numeric "safety score"**) → personalized action plan.

- Flagship feature: **"If I Leave Tomorrow" simulator** — anonymous scenario simulation producing a 24-hour/72-hour/7-day preparation plan, readiness snapshot, personalized service map, and downloadable checklist.

- Plan generation uses a **transparent, explainable rules engine**, not predictive AI. AI is only used, optionally, to rewrite user-approved content into simpler language — never to predict violence, diagnose abuse, rate an alleged abuser, or decide credibility.

- Safety controls: quiet/no-notification mode, quick-exit button, neutral interface, local-only/no-account session, no automatic location sharing, no automatic reporting.

- Accessibility: low-data mode, offline-safe PWA, voice-guided mode, screen-reader support, icon-led flow, multi-language (India pilot: English/Hindi/Bengali).

Module 2 — AegisVault (evidence & digital-safety module)

- Optional, user-controlled evidence capsule (screenshot, photo, video, voice note, PDF, link, incident note, date range) for cases like cyberstalking, doxxing, impersonation, sextortion, non-consensual imagery, suspected deepfakes, coercive control.

- Every item gets a SHA-256 hash, timestamp, and integrity status — tamper-evident, **not legally certified or forensic-grade**, and this limitation must be stated explicitly everywhere.

- Private chronological timeline; sharing is fully user-controlled (keep private / share with lawyer / share with NGO caseworker / generate export / revoke link / set expiry / view access log). No one accesses the vault by default.

- Suspected deepfake/impersonation workflow: label as "suspected," never claim automatic certainty.

- Digital-safety checklists (passwords, recovery info, device sessions, location sharing) with an explicit warning that changing settings can sometimes increase risk to the survivor.

Module 3 — LIVEGENDER (privacy-preserving trend observatory)

- Access restricted to verified institutional partners only (NGOs, researchers, public-health/social-service planners, legal-aid networks, government coordination bodies).

Never: advertisers, employers, insurers, data brokers, unverified police, political parties, general public.

- Measures only "voluntary, de-identified, threshold-protected help-seeking signals" — explicitly does NOT measure true prevalence, crime rates, perpetrator behavior, unsafe areas, individual risk, or online/offline causal links.
- Data sources: (A) voluntary EXIT opt-in signals, (B) verified NGO pre-aggregated counts, (C) official public administrative data, (D) verified service-directory data, (E) public research/survey data (UN Women, WHO, UNFPA). Explicitly prohibited sources: scraped social media, private messages, GPS/device IDs, facial/voice/emotion recognition, raw police files, AegisVault contents, EXIT private plans.
- Consent Gateway: default is "keep everything private"; granular opt-in choices (category only / + country / + city-district / + month-week); consent record stores version, fields accepted, timestamp, withdrawal state.
- De-identification pipeline: strip identifiers → generalize location/time → validate against a controlled taxonomy → apply $k \geq 10$ suppression threshold → add simulated differential-privacy noise → aggregate-only output. Below threshold: display "Insufficient data to display safely."
- Controlled taxonomy of harm categories: cyberstalking, doxxing, impersonation, image-based abuse, suspected AI-manipulated/deepfake abuse, sextortion, online harassment, account coercion, location-tracking abuse, coordinated digital attacks.

Non-negotiable safeguards ("What EXIT Must Never Do")

Never automatically report to police; never share location without explicit user action; never notify a partner/family/employer automatically; never expose a shelter address if it increases risk; never force account creation or evidence collection; never tell a woman "leave now"; never assess an alleged abuser's dangerousness; never predict assault; never decide a report is true/false; never scrape social media or private messages; never use facial/emotion/voice recognition or location tracking; never publish an "unsafe area" map; never show a small-area count that could expose a person; never sell data, advertise, or profile users; never promise legal admissibility, takedown success, police response, or guaranteed safety; hackathon demo uses **only synthetic data and fictional personas** (e.g., "Maya").

SDG alignment (use exact targets, don't invent new ones)

- **SDG 5**: Targets 5.1, 5.2 (central claim), 5.a, 5.b, 5.c
- **SDG 10**: general reduced-inequalities framing (low-data/language/disability/rural access)
- **SDG 16**: Targets 16.1, 16.3, 16.6, 16.7, 16.10, 16.b

Official alignment statement to reuse verbatim in docs/pitch:

> "EXIT operationalizes SDG 5.2 and SDG 5.b by using survivor-centred technology to support women facing violence, including technology-facilitated abuse. It advances SDG 10 through low-data, multilingual, accessible, and financially inclusive routes to support. It advances SDG 16.3, 16.6, 16.7, and 16.10 through consent-based justice navigation, verified resource information, accountable data governance, and survivor-controlled participation. LIVEGENDER responds to UN Women's documented TF-VAWG measurement gap through voluntary, de-identified, threshold-protected aggregate service signals — not surveillance or crime prediction."

Hackathon scope

India-first pilot (with global architecture visibly designed in), demoed via a scripted flow with fictional persona "Maya," role-based demo logins (survivor / NGO worker / directory admin). Must-build MVP list: needs-first onboarding, quiet mode, "If I Leave Tomorrow" simulator, readiness snapshot, explainable plan, India resource map (seeded/mock verified-style data), AegisVault (fake upload + hash + timeline), consent gateway, de-identification pipeline, $k \geq 10$ suppression, LIVEGENDER NGO dashboard (synthetic data), SDG impact dashboard, safety/ethics page, role-based demo login.

REQUIRED DATABASE / SYSTEM ARCHITECTURE — FEDERATED DATA MESH (non-negotiable design direction)

We have already decided on the architecture family: a ****federated data mesh of sovereign, independently-secured nodes**** — explicitly NOT a peer-to-peer/blockchain-replicated mesh (replication and immutability work against a survivor's right to delete her data, which is a hard requirement). Detail this out fully rather than proposing an alternative. The design must include:

1. ****Module-segregated nodes**** — EXIT Plan, AegisVault, Consent Gateway, Service Directory, LIVEGENDER Aggregate, and Audit Log each live in physically/logically separate data stores, each with its ****own independent encryption domain/key hierarchy****, such that compromising one node's keys does not expose any other node's data.
2. ****Country/region sovereignty nodes**** — each jurisdiction/pilot region runs its own instance of the EXIT Plan and AegisVault stores so personal data never leaves that jurisdiction (this is the mechanism that actually satisfies international data-protection law, e.g. GDPR-style regimes, not just a diagram claim). Define what data is region-local vs. what (if anything) is global.
3. ****No central identity graph**** — there is no server-side table anywhere that links a person's EXIT Plan ID → AegisVault ID → LIVEGENDER contribution ID. Any such linkage exists only transiently, client-side, under the user's own control. Specify exactly how per-module opaque identifiers are generated and why they cannot be joined server-side.
4. ****One-directional aggregation "airlock"**** — the only path from local/regional nodes into the global LIVEGENDER layer is a gateway service that enforces de-identification, generalization, and the $k \geq 10$ suppression threshold, and which cannot be queried backward from LIVEGENDER into source nodes. Specify this as a data-diode-style one-way flow, not a bidirectional sync.
5. ****Hash-chained, append-only audit log**** — the audit trail (upload/view/share/revoke/export events — never personal content) uses a tamper-evident hash chain. Explain clearly why this is applied to the audit log only and never to personal/evidence data (which must remain deletable).
6. ****Right-to-delete mechanics**** — explain concretely how a full user deletion request propagates and is verified across a federated (non-replicated) architecture, and why this would be extremely difficult or impossible under a true blockchain/P2P mesh — use this as a deliberate, defensible design contrast.

7. ****Threat model tie-in**** — explicitly model what an attacker gains from compromising (a) a single regional node, (b) the aggregation gateway, (c) the audit log, and show that no single compromise reconstructs an identifiable survivor profile.

Produce this as its own dedicated document (see deliverable list below), including a node/data-flow diagram (mermaid syntax), and reference it consistently from the TRDs and Security doc rather than re-explaining it inline.

WHAT I NEED YOU TO PRODUCE — SPECIFIC, PERSONALIZED DOCUMENT PER ITEM

Generate every item below as its own separate, complete, clearly-titled document. Do not merge modules into one generic doc — each module needs its own PRD and its own TRD section, written specifically to that module's users, risks, and data.

****Product documents****

1. ****Master PRD**** — cross-module vision, target personas, end-to-end user journey map across all three modules, MVP vs. stretch-goal feature matrix, success metrics per SDG target, top risks.
2. ****EXIT Plan — Module PRD**** — user stories, onboarding flow spec, "If I Leave Tomorrow" simulator spec (inputs/outputs/edge cases), rules-engine logic table (need → triggered action → priority), accessibility requirements, explicit UI rules (no numeric safety score, categorical status only).
3. ****AegisVault — Module PRD**** — user stories, evidence capsule spec, integrity-record spec, sharing/revocation workflow, suspected-deepfake workflow, report-readiness builder spec, all limitation disclaimers that must appear in-product.
4. ****LIVEGENDER — Module PRD**** — institutional user stories, dashboard feature spec, taxonomy table, what the dashboard can and cannot claim (explicit "does not measure" list), verification-partner onboarding flow.

5. ****Consent Gateway & Service Directory — Module PRD**** — consent screen copy and states, consent record schema (product-level, not DB-level), partner-verification levels (1–4 + disabled), resource-listing required fields.

****Technical documents****

6. ****Master TRD / System Architecture Overview**** — high-level architecture diagram (mermaid), module-to-module interface summary, tech-stack-agnostic component list, deployment topology for hackathon demo vs. real pilot.

7. ****Federated Data Mesh & Database Architecture Specification**** — the full write-up of the architecture defined above, including the node/data-flow diagram, per-node schema summaries, key-management approach, and the right-to-delete mechanics.

8. ****EXIT Plan — Technical Design Doc**** — local/regional data model, offline/PWA sync approach, rules-engine implementation notes.

9. ****AegisVault — Technical Design Doc**** — encryption approach (content vs. metadata), hashing/integrity verification flow, signed time-limited access links, revocation mechanics.

10. ****LIVEGENDER — Technical Design Doc**** — de-identification pipeline implementation (step-by-step transform), $k \geq 10$ suppression enforcement point, simulated differential-privacy noise mechanism, dashboard query restrictions.

11. ****API Specification**** — key endpoints per module (method, path, purpose, auth requirement, request/response shape at a conceptual level — no need for full OpenAPI YAML unless useful), explicitly noting which endpoints must never exist (e.g., no endpoint that joins across nodes).

12. ****Security & Threat Model**** — access control matrix, encryption-in-transit/at-rest summary, the three-scenario compromise analysis from the architecture spec, abuse-prevention/rate-limiting notes, pen-test and audit plan for real deployment.

****Ethics, impact, and governance documents****

13. ****Ethical & Safety Framework**** — survivor-centred design principles, consent model, data minimization/purpose limitation statement, AI-use policy (explicit permitted vs. prohibited list), safeguarding review process.

14. ****SDG Alignment & Impact Report**** — target-by-target mapping table (target → official intent → EXIT feature → project-level indicator, explicitly labeled as prototype indicators, not official UN statistics), and the exact alignment statement formatted for reuse.

15. ****Data Governance & Privacy Policy (prototype version)**** — what's collected per module, what's never collected, retention rules, consent withdrawal handling, plain-language explanation of the mesh architecture's privacy guarantee for a lay judge audience.

****Hackathon delivery documents****

16. ****Demo Script / Judge Walkthrough**** — timed (4–6 min) beat-by-beat script following "Maya" through all three modules, ending on the closing line: "EXIT protects the individual without turning her into data. LIVEGENDER helps institutions see the pattern without exposing the person." Include anticipated tough judge questions (especially "why should we trust this architecture," "how is this different from an SOS app," "what happens if a node is compromised") with prepared answers.

17. ****Pitch Deck Outline**** — 10–12 slides, headline + 2–3 bullets each (problem, solution, three modules, architecture credibility slide, SDG alignment, ethical differentiators, roadmap beyond hackathon, ask/close).

18. ****Risk Register**** — technical, ethical/reputational, and hackathon-specific risks, each with mitigation.

TONE AND CONSTRAINTS FOR ALL DOCUMENTS

- Write as a credible, fundable social-impact tech product being evaluated by a highly technical panel — not a hackathon toy. Stay honest about hackathon-stage limitations (synthetic data, simulated differential privacy, no real partner integrations yet, single-region demo standing in for the multi-region architecture). Judges reward honesty about maturity level far more than overclaiming.

- Every place a safety/ethical claim is made, pair it with the corresponding safeguard from the "must never do" list.

- Every place an architecture claim is made, tie it back to the Federated Data Mesh spec rather than re-deriving it differently in each doc — consistency across documents will itself be scrutinized.
- Do not invent new UN target numbers, statistics, or quotes beyond what's provided above — if you need a supporting stat, mark it clearly as "[VERIFY / CITE]" rather than fabricating one.
- Keep the specific tech stack (languages/frameworks) open/flexible — I will finalize that separately. Focus technical docs on architecture, data flow, and guarantees, not framework choice.
- Format everything in clean Markdown with headers, tables, and mermaid diagrams where useful, so it can be dropped straight into Notion, Google Docs, or a deck.

Once all documents are produced, also give me a one-paragraph "judge-facing elevator pitch" (under 90 seconds spoken) I can memorize, and a separate 3-sentence answer specifically for "why is your database architecture safer than a normal centralized backend," since this is likely to be asked directly.

This is a noticeably tighter, more technically rigorous prompt than the Fable5 one — a few things stand out, and one thing worth flagging before it goes anywhere.

What's working well

- The "ground truth" block up front is smart. It stops a long agent run from quietly re-deriving definitions differently in document #14 than in document #3 — consistency drift is the real failure mode across 18 documents, not lack of detail.
- One document per module/concern instead of a merged catch-all is exactly right. It's what actually gets you full depth per topic instead of everything getting compressed to fit.

- The Federated Data Mesh section is the strongest part of the whole package: segregated encryption domains per node, opaque non-joinable per-module IDs, a one-way aggregation "airlock," a hash-chained audit log applied only to events (never content), and the explicit contrast against blockchain/P2P on the right-to-delete point. That's specific and falsifiable enough to survive a technical judge trying to poke holes in it — unusual for a hackathon doc.
- The [VERIFY / CITE] instruction instead of letting the model invent stats is a good guardrail, and one the Fable5 prompt was missing.

Worth flagging 18 full, "do not shorten" standalone documents is a lot for any single response — realistically it either gets built across several passes, or some docs quietly get compressed anyway despite the instruction. If you want the whole package actually built out (not just sent to Manus), this is close to the textbook case for Claude's Cowork — extended, many-file work is what it's designed to run end-to-end rather than in one chat turn.

You are an expert **research analyst, technical documentation writer, product manager, hackathon mentor, and survey-design assistant**.

I am working on a hackathon project called **EXIT** — a **survivor-owned safety continuity platform** with three parts:

1. **EXIT Plan** — a private, needs-first safety and independence planning tool
2. **AegisVault** — an optional encrypted evidence-continuity and digital-safety module
3. **LIVEGENDER** — a privacy-preserving aggregate observatory for verified NGOs and institutions

The project is for women who may be facing physical, emotional, financial, legal, or digital abuse.

It is **not** an SOS app, not a police tool, not a surveillance platform, and not a danger-prediction system.

Your task

Help me produce **research, technical documentation, project documentation, hackathon guidance, and survey-data support** for this project.

Main goals

Please help me with the following:

1) Research

Provide deep, evidence-based research on:

- the problem space
- survivor needs
- technology-facilitated violence against women and girls
- gaps in current safety/support systems
- existing tools and competitors
- legal, ethical, and privacy considerations
- NGO / institutional service needs
- data governance best practices

Use credible sources such as:

- UN Women
- UNFPA

- WHO
- official government sources
- peer-reviewed research
- reputable NGOs
- privacy/security standards

Clearly separate:

- facts
- assumptions
- risks
- recommendations

If a claim is uncertain, say so.

2) Technical documentation

Create technical documentation for the platform, including:

- system architecture
- module breakdown
- data flow
- consent flow
- storage separation between private plan, evidence vault, and aggregate observatory
- security model
- privacy protections
- encryption and access control

- audit logging
- de-identification and threshold suppression
- role-based access for survivor / NGO worker / admin
- MVP architecture for hackathon implementation

Please include:

- frontend stack
- backend stack
- database design
- API structure
- core entities
- deployment suggestions
- what can be mocked vs what should be real for a hackathon

Do ****not**** suggest surveillance features, scraping private messages, AI danger prediction, or automatic reporting.

3) Project documentation

Write clear product documentation for:

- problem statement
- product vision
- user personas
- feature set
- feature prioritization

- user journeys
- acceptance criteria
- risk register
- non-goals
- safety and ethics principles
- roadmap
- demo flow
- pitch summary

I want documentation that is usable for:

- judges
- mentors
- engineers
- designers
- potential partners

Please make it concise, structured, and professional.

4) Hackathon guidance

Act as a hackathon coach and help me with:

- the best MVP scope for limited time
- what to build first
- what to leave out
- suggested team roles

- 24-hour / 48-hour / 72-hour execution plan
- demo strategy
- pitch preparation
- likely judge questions
- how to explain the project safely and clearly
- how to position the innovation and social impact

I need advice optimized for winning a hackathon **without overbuilding**.

5) Survey data support

Help me design and use survey data for this project.

Please provide:

- survey objectives
- target respondent groups
- survey questions
- answer choices
- consent wording
- ethical safeguards
- sampling guidance
- how to analyze responses
- how to summarize survey findings
- how to turn survey results into product decisions

If needed, also help me create:

- a Google Form / Typeform structure
- a short interview script
- a results summary template
- a synthetic sample dataset for demo purposes only

Important:

- Do not recommend collecting unsafe personal data
- Do not ask for exact location, phone numbers, evidence files, or private stories unless clearly justified and consented
- For hackathon demos, use fictional or synthetic data only

Safety and ethics rules

Follow these constraints strictly:

- No surveillance
- No scraping private messages or social media
- No facial recognition, voice recognition, or emotion recognition
- No perpetrator profiling
- No danger scoring
- No automatic police reporting
- No automatic sharing of location
- No public unsafe-places map
- No use of real survivor data in hackathon demos
- Default to privacy, consent, and harm reduction

If a feature could create risk, flag it clearly and suggest a safer alternative.

Output format

Please structure your response into these sections:

A. Executive summary

- What the project is
- Why it matters
- Best hackathon framing

B. Research brief

- problem analysis
- user needs
- ecosystem gaps
- competitor scan
- key evidence and sources

C. Technical documentation

- architecture overview
- modules
- data model
- APIs
- security/privacy design

- MVP implementation plan

D. Project documentation

- goals
- scope
- non-goals
- user personas
- key features
- user flows
- acceptance criteria
- risks

E. Hackathon guidance

- MVP build plan
- team roles
- timeline
- demo flow
- pitch outline
- judge-facing explanation

F. Survey toolkit

- survey goals
- questions
- consent statement
- analysis framework
- sample data template

- insights-to-product mapping

G. Final recommendation

- what to build now
- what to defer
- what to avoid
- what would make the project strongest in a hackathon

Style requirements

- Be concise but detailed enough to use directly
- Use tables where helpful
- Use plain language
- Be practical and implementation-oriented
- Avoid vague advice
- Cite sources where possible
- Be trauma-informed and survivor-centred in tone

Project summary to use

EXIT is a survivor-owned safety continuity platform with:

- a private safety planner
- an optional encrypted evidence vault
- a privacy-preserving institutional trend dashboard

The project protects individual privacy while helping users and support institutions navigate safety, evidence, and service access.

Shorter Version

If you want something shorter for Fable5, use this:

****Prompt:****

You are an expert in research, technical documentation, product strategy, hackathon mentoring, and survey design. I am building a hackathon project called ****EXIT****, a survivor-owned safety continuity platform with three modules:

- ****EXIT Plan**** — private safety and independence planning
- ****AegisVault**** — optional encrypted evidence continuity
- ****LIVEGENDER**** — privacy-preserving aggregate trend observatory for verified NGOs and institutions

Please help me produce:

1. ****Research****

- validate the problem
- identify user needs
- compare existing solutions

- analyze legal, ethical, and privacy issues
- use credible sources only

2. **Technical documentation**

- architecture
- modules
- data flow
- consent flow
- security/privacy model
- APIs and data model
- MVP implementation guidance

3. **Project documentation**

- product vision
- goals
- user journeys
- feature list
- acceptance criteria
- risks
- roadmap
- demo flow

4. **Hackathon guidance**

- best MVP scope
- what to build first
- what to leave out

- team roles
- 48–72 hour execution plan
- pitch and judge strategy

5. ****Survey data****

- survey questions
- consent wording
- analysis plan
- sample template
- synthetic demo data if needed

Constraints:

- No surveillance
- No scraping private messages/social media
- No danger prediction or perpetrator profiling
- No automatic police reporting
- No real survivor data in demos
- Use privacy-first, consent-driven, survivor-centred design

Output in a structured format with:

- executive summary
- research brief
- technical documentation
- project documentation
- hackathon guidance
- survey toolkit

- final recommendations

Built out the full A–G brief, grounded in fresh research rather than just the existing materials. The headline finding worth leading your pitch with: WHO's newest estimates put the number of women subjected to intimate partner or non-partner sexual violence at roughly 840 million — almost one in three women worldwide — with progress on reducing intimate partner violence essentially stalled over the past two decades. Combined with a competitor scan that found no existing tool covering the pre-crisis planning phase, that's your strongest opening line. A few things in there are genuinely new, not just reformatted from what you'd already written: the competitor scan (Section B4 — myPlan, Aspire, SafeTrek, Bright Sky, NNEDV, MyAus, none of which combine planning + evidence + institutional trends the way EXIT does), the acceptance criteria (D5), team roles and a 72-hour timeline (E2–E3), and the survey toolkit with an explicit recommendation to survey NGO caseworkers rather than attempt to survey survivors directly on a hackathon timeline (F1).

I can convert this to a polished Word doc if you want something to hand to judges or partners directly — and the earlier question about the 18-document Manus/Cowork package is still open whenever you want to pick it back up.