

TimeSide

An open web audio processing framework

Guillaume Pellerin¹, Thomas Fillon^{1,2}, Paul Brossier¹,

¹Parisson, Paris, France

²LAM, Institut Jean Le Rond d'Alembert, UPMC Univ. Paris 06, UMR CNRS 7190



SoundSoftware Workshop - 8/07/2014
 soundsoftware.ac.uk
Sustainable Software for Audio and Music Research

Table of contents

- 1 The Telemeta Project
 - Goals
 - CREM's platform
 - Technologies & Key features
 - Architecture
- 2 Goals
- 3 Use cases
 - General
 - The DIADEMS project
- 4 Architecture
 - Engine
 - Processors
 - Analyzer Result
- 5 Demos
- 6 ToDo lists
- 7 Lessons

The Telemeta Project



<http://telemeta.org/>

Main goals

- **Archive**, **preserve** and **manage** large audio database and related metadata
- **Play** audio data and **read** metadata **synchronously**
- **Process** audio data **on demand** through a **modular architecture** (no pre-processing needed)
- **Index** and **share** audio data through a **collaborative** web app
- **Link** audio data to various **ontologies**, external **services** and related **multimedia files**
- **Manage** users, share and access rules, copyrights easily through time

History of the project

- **2006**: Define objectives = *open source web audio collaborative platform*
- **2007**: First partner: french Center for Research in Ethnomusicology (CREM)
- **2011**: Release of **Telemeta 1.0** and deployment of the "*Sound archives of the CNRS - Musée de l'Homme*" <http://archives.crem-cnrs.fr>
- **2013 - 2014**: Provide audio processing capabilities through the DIADEMS project

The Telemeta Project



<http://telemeta.org/>

Main goals

- **Archive**, **preserve** and **manage** large audio database and related metadata
- **Play** audio data and **read** metadata **synchronously**
- **Process** audio data **on demand** through a **modular architecture** (no pre-processing needed)
- **Index** and **share** audio data through a **collaborative** web app
- **Link** audio data to various **ontologies**, external **services** and related **multimedia files**
- **Manage** users, share and access rules, copyrights easily through time

History of the project

- **2006**: Define objectives = *open source web audio collaborative platform*
- **2007**: First partner: french Center for Research in Ethnomusicology (CREM)
- **2011**: Release of **Telemeta 1.0** and deployment of the “*Sound archives of the CNRS - Musée de l’Homme*” <http://archives.crem-cnrs.fr>
- **2013 - 2014**: Provide audio processing capabilities through the DIADEMS project

CREM's platform

 Recherche

Bienvenue, Guillaume Pellerin | Profil | Aide | Déconnexion

[Bureau](#) [Archives](#) [Géo-Navigateur](#) [Recherche avancée](#) [Utilisateurs](#) [Admin](#)

Archives sonores du CNRS - Musée de l'Homme

Le fonds d'archives sonores du CNRS - Musée de l'Homme rassemble des enregistrements inédits et publiés de musique et de traditions orales du monde entier, de 1900 à nos jours. Constitué de supports variés (cylindres, 78 tours, disques vinyles, cassettes, supports numériques), ce fonds se positionne parmi les plus importants d'Europe en terme de qualité, de quantité et de diversité.

Pour une présentation historique du fonds, voir [le site du CREM](#).



Contenu

Géré par le [Centre de Recherche en Ethnomusicologie \(CREM\)](#) cette base de données répertorie :

- ✓ Plus de 30 000 documents inédits, dont les 2/3 sont sonorisés, répartie dans plus de 1 000 collections, représentant près de 4 000 heures d'enregistrements de terrain non publiés.
- ✓ Plus de 13 000 enregistrements édités, dont 3 000 sonorisés, dans plus de 4 600 collections, pour environ 3 700 heures (incluant plus de 5 000 disques dont beaucoup sont très rares).
- ✓ 199 pays sont représentés à travers plus de 1 200 groupes ethniques ou sociaux, donnant à entendre une large palette d'expressions musicales et

chantées, de langues et de dialectes.

Certains enregistrements sont consultables avec un code d'accès. Pour l'obtenir écrivez à [crem.lesc\(at\)mae.u-paris10.fr](mailto:crem.lesc(at)mae.u-paris10.fr) en expliquant les motifs de votre demande. Le fonds d'archives est également consultable sur les postes dédiés disponibles au [CREM](#), à la [Bibliothèque Enc de Dampierre](#), à la [Médiathèque du Musée du Quai Branly](#) et à la [Bibliothèque du Muséum National d'Histoire Naturelle](#).

Organisation du catalogue

Le catalogue est organisé en 4 niveaux : Fonds, Corpus, Collection et Items. Le niveau principal de description est la Collection. Chacune regroupe un ensemble cohérent de fichiers audio (items) correspondant le plus souvent à des enregistrements collectés au cours d'une même mission de recherche ou à un disque publié. Certaines collections sont elles-mêmes regroupées en corpus et en fonds associés à des collecteurs.

Le nombre d'enregistrements mis en ligne sur la plateforme est en constante augmentation. Les fiches descriptives sont renseignées de manière collaborative par les usagers de la plateforme : chercheurs, étudiants, documentalistes.

Le CREM accueille toutes les collaborations visant à enrichir et valoriser ce précieux patrimoine. Ecrivez-nous à [crem.lesc\(at\)mae.u-paris10.fr](mailto:crem.lesc(at)mae.u-paris10.fr).

Sélection musicale

Danse des Mekrakororé - Indiens kayapo-Kubenkränkeñ (Face B_02)

Brazil, Amérique du Sud, Amérique



Géo-Navigateur




Dernières modifications

13 juin [Rituel Géléédé et masques](#) item [a.julien](#)

 Item : LAMENTATIONS ET CHANTS D'AMOUR* :03-08

 Edit  Copy  Add to playlist

 Previous  Next



Title	LAMENTATIONS ET CHANTS D'AMOUR*
Collector	
Collection	CNRSMH_I_1976_011
Recording date	Jan. 1, 1900 - Dec. 31, 1900
Last modification	July 7, 2011, 12:51 p.m. (j.simennot)

Geographic and cultural informations

Location	Algérie, Afrique septentrionale, Afrique
Location details	Stépe, Hauts Plateaux
Cultural area	OULED NAYAL
Language	arabe
Population / social group	Arabe
Ethnographic context	

Musical informations



Analysis

Markers

1

00:00:06.29

Lamentation



 

author: j.simennot

2

00:00:44.63

chant d'imposition du



adressé au marié.
Traduction: L'imposition de ton henné est ma plus

author: j.simennot

3

00:01:15.04

Ayay

Chant non mesuré

author: j.simennot

Telemeta - Technologies & Key features


Technologies → 100% Open Source!

- GNU / Linux : applications, libraries and kernel
- **Python** (cool and smart object oriented language with web and scientific libraries), [Django](#) (python web framework), [GStreamer](#) (multimedia framework)
- MySQL, PostgreSQL, etc : relational databases
- [TimeSide](#) : open web audio processing framework

Key features

- **Pure HTML5** web user interface including dynamical forms and smart workflows
- **On the fly** audio analyzing, transcoding and metadata embedding in various formats
- **Social editing** with **semantic ontologies**, smart workflows, realtime tools, human or automatic **annotations and segmentations**
- **User management** with individual desk, playlists, profiles and access rights
- **High level search engine** (geolocation, instruments, ethnic groups, etc...)
- **Data providers** : DublinCore, OAI-PMH, RSS, XML, JSON and other
- **Multi-language** support (now english and french)

Telemeta - Architecture



TimeSide - Goals

Server side - TimeSide Engine

- **Do** asynchronous and fast audio processing with Python,
- **Decode** audio frames from ANY format into numpy arrays,
- **Analyze** audio content with state-of-the-art audio feature extraction libraries (Aubio, Yaafe, Vamp (experimental),
- **Organize**, serialize and save analysis metadata through various formats,
- **Draw** various fancy waveforms, spectrograms and other cool graphers,
- **Transcode** audio data in various media formats and stream them through web apps,

Client side - TimeSide UI

- **Playback** and **interact** on demand through a smart high-level HTML5 extensible player,
- **Index**, **tag** and **organize semantic metadata**
(see **Telemeta** which embeds TimeSide).



Use cases

Usages

- Analyze and annotate large music audio datasets with a robust and flexible framework (plugin style architecture)
- Export audio data and metadata with experts to make them collaborate for processing and annotating
- Build large statistical campaigns and visualizations from metadata and sounds
- Scale audio data through the web
- Give a smart audio engine to your python application

Domains

- Musicology, Anthropology, Museology
- Computer science, Web development
- Biology, Ecology

Use cases

Usages

- Analyze and annotate large music audio datasets with a robust and flexible framework (plugin style architecture)
- Export audio data and metadata with experts to make them collaborate for processing and annotating
- Build large statistical campaigns and visualizations from metadata and sounds
- Scale audio data through the web
- Give a smart audio engine to your python application

Domains

- Musicology, Anthropology, Museology
- Computer science, Web development
- Biology, Ecology

The DIADEMS project

- DIADEMS = Description, Indexation and Access to Sound and Ethno-Musicological Documents
- Granted by ANR : french national research agency (ANR-12-CORD-0022)
- 3 years, 8 partners, 850 k€
- Apply and test MIR algorithms on large scale ethnomusicological data
- Define some high level interfaces to find new ways of explorations in large and complex music collections
- New modes of collaboration between human science and computer science laboratories and researchers
- Define the vocabulary describing musical events in the usecase of ethnomusicology vs. signal processing
- <http://www.irit.fr/recherches/SAMOVA/DIADEMS/fr/welcome/>
- <http://diadems.telemeta.org>

DIADEMS - Partners


● Partners :

- IRIT (université Paul Sabatier, Toulouse 3)
- LIMSI (universités Pierre et Marie Curie (UPMC, Paris 6) et Paris-Sud)
- LAM (institut Jean Le Rond d'Alembert, UPMC)
- LABRI (université de Bordeaux)
- CREM (université Paris Ouest Nanterre La Défense)
- LESC (université Paris Ouest Nanterre La Défense)
- Museum d'Histoire Naturelle de Paris
- Parisson


● Sponsors:



TimeSide - Architecture



TimeSide - Engine



```
pipe = (decoder | analyzer1 | analyzer2 | encoder)
```

Process Pipe

- On-the-fly audio processing by simultaneous processors (decoder, encoders, analyzers, graphers)
- Use of *Gstreamer* for audio decoding and encoding

Processors (plugins)

Decoders

- FileDecoder
- ArrayDecoder
- LiveDecoder

Encoders

- VorbisEncoder
- WavEncoder
- Mp3Encoder
- FlacEncoder
- AacEncoder
- WebMEncoder
- OpusEncoder
- AudioSink

Processors (plugins)

Decoders

- FileDecoder
- ArrayDecoder
- LiveDecoder

Encoders

- VorbisEncoder
- WavEncoder
- Mp3Encoder
- FlacEncoder
- AacEncoder
- WebMEncoder
- OpusEncoder
- AudioSink

Analyzers

- AubioTemporal
- AubioPitch
- AubioMfcc
- AubioMelEnergy
- AubioSpecdesc
- Yaafe
- Spectrogram
- Waveform
- VampSimpleHost
- IRITSpeechEntropy
- IRITSpeech4Hz
- OnsetDetectionFunction
- LimsiSad

Graphers

- Waveform
- WaveformCentroid
- WaveformTransparent
- WaveformContourBlack
- WaveformContourWhite
- SpectrogramLog
- SpectrogramLinear
- Display.aubio_pitch.pitch
- Display.odf
- Display.waveform_analyzer
- Display.irit_speech_4hz.segments

Analyzer Result

Result types:
time mode x data mode

- Data modes:
 - Label
 - Value
- Time modes:
 - Global
 - Event
 - Segment
 - Framewise

Result Container

- ID Metadata
- Audio Metadata
- Parameters
- Data object
 - Label
 - Label Metadata (label, label_id, ...)
 - Value
 - Time
 - Duration
 - Frame Metadata (sample_rate, blocksize, stepsize)

Export

- Serialization: HDF5, JSON, YAML, XML
- Display: *Ad hoc* rendering methods (depending on time and data modes)

Analyzer Result

Result types:
time mode x data mode

- Data modes:
 - Label
 - Value
- Time modes:
 - Global
 - Event
 - Segment
 - Framewise

Result Container

- ID Metadata
- Audio Metadata
- Parameters
- Data object
 - Label
 - Label Metadata (label, label_id, ...)
 - Value
 - Time
 - Duration
 - Frame Metadata (sample rate, blocksize, stepsize)

Export

- Serialization: HDF5, JSON, YAML, XML
- Display: *Ad hoc* rendering methods (depending on time and data modes)

Analyzer Result

Result types:
time mode x data mode

- Data modes:
 - **Label**
 - Value
- Time modes:
 - Global
 - **Event**
 - Segment
 - Framewise

Result Container

- ID Metadata
- Audio Metadata
- Parameters
- Data object
 - Label
 - Label Metadata (label, label_id, ...)
 - Value
 - Time
 - Duration
 - Frame Metadata (sample rate, blocksize, stepsize)

Export

- Serialization: HDF5, JSON, YAML, XML
- Display: *Ad hoc* rendering methods (depending on time and data modes)

Analyzer Result

Result types:
time mode x data mode

- Data modes:
 - Label
 - Value
- Time modes:
 - Global
 - Event
 - Segment
 - Framewise

Result Container

- ID Metadata
- Audio Metadata
- Parameters
- Data object
 - Label
 - Label Metadata (label, label_id, ...)
 - Value
 - Time
 - Duration
 - Frame Metadata (sample rate, blocksize, stepsize)

Export

- Serialization: HDF5, JSON, YAML, XML
- Display: *Ad hoc* rendering methods (depending on time and data modes)

Analyzer Result

Result types:
time mode x data mode

- Data modes:
 - Label
 - Value
- Time modes:
 - Global
 - Event
 - Segment
 - Framewise

Result Container

- ID Metadata
- Audio Metadata
- Parameters
- Data object
 - Label
 - Label Metadata (label, label_id, ...)
 - Value
 - Time
 - Duration
 - Frame Metadata (sample rate, blocksize, stepsize)

Export

- Serialization: HDF5, JSON, YAML, XML
- Display: *Ad hoc* rendering methods (depending on time and data modes)

Analyzer Result

Result types:
time mode x data mode

- Data modes:
 - Label
 - Value
- Time modes:
 - Global
 - Event
 - Segment
 - Framewise

Result Container

- ID Metadata
- Audio Metadata
- Parameters
- Data object
 - Label
 - Label Metadata (label, label_id, ...)
 - Value
 - Time
 - Duration
 - Frame Metadata (sample rate, blocksize, stepsize)

Export

- Serialization: HDF5, JSON, YAML, XML
- Display: *Ad hoc* rendering methods (depending on time and data modes)

Analyzer Result

Result types:
time mode x data mode

- Data modes:
 - Label
 - Value
- Time modes:
 - Global
 - Event
 - Segment
 - Framewise

Result Container

- ID Metadata
- Audio Metadata
- Parameters
- Data object
 - Label
 - Label Metadata (label, label_id, ...)
 - Value
 - Time
 - Duration
 - Frame Metadata (sample rate, blocksize, stepsize)

Export

- Serialization: HDF5, JSON, YAML, XML
- Display: *Ad hoc* rendering methods (depending on time and data modes)

Analyzer Result

Result types:
time mode x data mode

- Data modes:
 - Label
 - Value
- Time modes:
 - Global
 - Event
 - Segment
 - Framewise

Result Container

- ID Metadata
- Audio Metadata
- Parameters
- Data object
 - Label
 - Label Metadata (label, label_id, ...)
 - Value
 - Time
 - Duration
 - Frame Metadata (sample rate, blocksize, stepsize)

Export

- Serialization: HDF5, JSON, YAML, XML
- Display: *Ad hoc* rendering methods (depending on time and data modes)

Analyzer Result

Result types:
time mode x data mode

- Data modes:
 - Label
 - Value
- Time modes:
 - Global
 - Event
 - Segment
 - Framewise

Result Container

- ID Metadata
- Audio Metadata
- Parameters
- Data object
 - Label
 - Label Metadata (label, label_id, ...)
 - Value
 - Time
 - Duration
 - Frame Metadata (sample rate, blocksize, stepsize)

Export

- Serialization: HDF5, JSON, YAML, XML
- Display: *Ad hoc* rendering methods (depending on time and data modes)

Analyzer Result

Result types:
time mode x data mode

- Data modes:
 - Label
 - Value
- Time modes:
 - Global
 - Event
 - Segment
 - Framewise


Result Container

- ID Metadata
- Audio Metadata
- Parameters
- Data object
 - Label
 - Label Metadata (label, label_id, ...)
 - Value
 - Time
 - Duration
 - Frame Metadata (sample rate, blocksize, stepsize)

Export

- Serialization: HDF5, JSON, YAML, XML
- Display: *Ad hoc* rendering methods (depending on time and data modes)

Analyzer result examples



http://diadems.telemeta.org/archives/items/CNRSMH_I_2013_201_001_01/

Analyzer result examples



http://diadems.telemeta.org/archives/items/CNRSMH_I_2000_008_001_04/

Links

- [Official documentation](#)
- [Notebooks](#)
- [Online example 1](#)
- [Online Example 2](#)
- [DIADEMS datasets](#)

ToDo lists

Telemeta

- Upgrade against the web framework (Django 1.7) and geolocation services
- Easier resource right access management and playlists sharing
- More documentation!

TimeSide

- Tiny web server based on Django (done)
- Process task manager (done)
- Add more audio & acoustic analysis tools for automatic analysis
- Add more automatic segmentation and classification tools to support various semantic ontologies (cf. thesaurus)
- Enhanced UI
 - Better Web Audio API support (now using SoundManager2)
 - Provide import capabilities and feedback loop between manual and automatic annotations
 - Fancy displays of automatic analysis results (zoomable + synchronized with audio)
 - Add a UI to control and tune the analysis parameters

ToDo lists

Telemeta

- Upgrade against the web framework (Django 1.7) and geolocation services
- Easier resource right access management and playlists sharing
- More documentation!

TimeSide

- Tiny web server based on Django (done)
- Process task manager (done)
- Add more audio & acoustic analysis tools for automatic analysis
- Add more automatic segmentation and classification tools to support various semantic ontologies (cf. thesaurus)
- Enhanced UI
 - Better Web Audio API support (now using SoundManager2)
 - Provide import capabilities and feedback loop between manual and automatic annotations
 - Fancy displays of automatic analysis results (zoomable + synchronized with audio)
 - Add a UI to control and tune the analysis parameters

Lessons learned from a 7 years old project

- **Simplicity** is better than complexity (**KISS** principle)
- **Modularity** is only accessible with a flexible language (thanks Python!)
- **Models** and **objects** are more important than technologies
- A good **workflow** is defined by the users themselves through **feedback** and constant **revisions**
- **Prototyping** and **unit testing** are some crucial parts of the development process
- A good platform relies on **standards**, not on formats
- The **Open Source** ecosystem provides some tremendous possibilities to develop, deploy and scale a platform project

The End

Thank you!

We are looking for new collaborations in various use cases...
Let's keep in touch!

Links

- github.com/yomguy/TimeSide
- github.com/Parisson/Telemeta-doc
- telemeta.org
- [@telemeta](https://twitter.com/telemeta)

Contact me

- guillaume@parisson.com
- [@yomguy](https://twitter.com/yomguy)
- github.com/yomguy/
- [+GuillaumePellerin](https://www.linkedin.com/company/telemeta/)
- fr.linkedin.com/in/guillaumepellerin

Web Audio Conference Announcement

WAC

1st Web Audio Conference

January 26-27, 2015 - IRCAM & Mozilla Paris, France

<http://wac.ircam.fr/>

WAC is the first international conference on web audio technologies and applications.

The conference welcomes web R&D developers, audio processing scientists, application designers and people involved in web standards.

The conference addresses research, development, design, and standards concerned with emerging audio-related web technologies such as Web Audio API, Web RTC, Web Sockets, and Javascript.

Deadline for submission: October 10, 2014