

Development of a Linked Open Vocabulary for a Feedback Survey

A Thesis

Submitted to the Faculty of Graduate Studies and Research

In Partial Fulfillment of the Requirements

For the Degree of

Master of Science

in Computer Science

University of Regina

By

Parita Dipakkumar Amin

Regina, Saskatchewan

August, 2022

© Copyright 2022: Parita Amin

Abstract

The World Wide Web (WWW), as defined by the World Wide Web Consortium (W3C), is “the universe of network-accessible information, the embodiment of human knowledge”¹. With development over the years, the global web of linked documents has become the global web of linked data, which is popularly known as the Semantic Web.

The Semantic Web is now an established topic of research but there remain many unanswered questions. Linked Open Data (LOD), as the highest standard for linked data, is a worthy goal for researchers and data providers who seek to contribute to the development of the Semantic Web. Data that are linked and open facilitate discovery and reuse. Likewise, vocabularies used to describe the semantic relationships amongst data that are linked and open facilitate discovery and reuse. Yet, it is not always a straightforward matter to take data that may be somehow accessible on a webpage written in Hyper Text Markup Language (HTML) and publish it as LOD. Many complimentary technologies are used in handling LOD on the web, particularly the Resource Description Framework (RDF), the Web Ontology Language (OWL), and the Simple Protocol and RDF Query Language (SPARQL).

last
para-
graph
news
some
atten-
tion —
presently
com-
mented
out

¹<https://www.w3.org/WWW/>

Acknowledgements

I would like to take an opportunity to thank all the people who have supported me during my research period in some or the other way.

I would like to express my soulful gratitude to my supervisor Dr. Daryl H. Hepting for his valuable time, guidance, suggestions and comments throughout the course of the research. He was always open to all my questions and queries related to my research work as well as while writing this thesis. He provided me with the space required to make this study as my own work, at the same time he made sure that I am leading on the right path by giving constant feedback and suggestions whenever I was lost or stuck. I would also like to thank the Department of Computer Science and Faculty of Graduate Studies and Research for their academic as well as administrative support as and when required.

Lastly, I am grateful to my parents for always being there for me regardless of the distance and time-difference between the two different parts of the world. This would have been next to impossible for me if not for them. I would like to specially thank my brother Shivam for being the family here and for encouraging and motivating me during the times I was low. My special thanks to all my friends for all their support.

Post-Defense Acknowledgements

Table of Contents

Abstract	i
Acknowledgments	ii
Post-Defense Acknowledgments	iii
List of Figures	vi
List of Tables	viii
List of Abbreviations	ix
1 Introduction	1
1.1 Motivation	2
1.2 Contribution	4
1.3 Organization	4
2 Related Work	5
2.1 The Web	5
2.1.1 Semantic Web	5
2.1.2 The Semantic Web Stack	6
2.2 Linked Open Data	7
2.2.1 Linked Data	8
2.2.2 Linked (Open) Data	10
2.3 Resource Description Framework	10
2.3.1 Uniform Resource Identifier	19
2.4 Linked Data Life Cycle	20
2.5 Ontology in Web Semantics	21
2.6 OWL Ontologies	22
2.6.1 Components of OWL Ontologies	22
2.6.2 OWL Ontology Inconsistencies and Reasoner	25
2.6.3 Data Validation	26
2.7 Conversion of Data from CSV to RDF	27
2.8 Ontology Editors	28

2.9	Applications of Linked Open Data	29
2.9.1	Wikidata	29
2.9.2	DBpedia	33
3	Methodology	37
3.1	Workflow	37
4	Proof of Concept	38
4.1	Development Tool for the Creation of New OWL Vocabularies	38
4.2	Protégé	39
4.2.1	Usability of Protégé	40
4.3	Procedure to Model the Survey Ontology in OWL Using Protégé Tools	43
4.3.1	Classes and Class Hierarchy	43
4.3.2	Object Properties and Object Property Hierarchy	50
4.3.3	Data Properties and Data Property Hierarchy	53
4.3.4	Individuals	56
4.3.5	Using SHACL for Data Validation	57
4.4	From Spreadsheets to Linked Open Data	59
4.5	Visualization Tools for OWL Ontology	59
4.5.1	OntoGraf	59
4.5.2	WebVOWL	61
5	Conclusion and Future Work	63
5.1	Conclusion	63
5.2	Future Work	64
A	Sample CSV Data	65
B	Expression of CSV Data in LOD (Turtle)	72
C	OWL Vocabulary for Feedback Survey	107
	References	120

List of Figures

2.1	The Web to Semantic Web, according to Aghaei et al. [1]	6
2.2	Semantic Web Stack	7
2.3	An Illustration of Code in an RDF/XML Document	12
2.4	An Example of an RDF Triple	12
2.5	Graphical Representation of an RDF	12
2.6	Graphical Representation of an RDFS for a Comparatively Complex Illustration, after McBride [35]	14
2.7	English Statement for an Example of Actual RDF	15
2.8	RDF Triple for English Statement in Figure 2.7, after RDF Primer [34]	15
2.9	RDF Graph for English Statement in Figure 2.7, after RDF Primer [34]	16
2.10	RDF Graph for Two Relative Statements, after RDF Primer [34]	16
2.11	Graphical Representation of RDF with Details of the Respondent of the Survey, after RDF Primer [34]	17
2.12	RDF Representation in Figure 2.11 without a URI (blank node) for Address Entity, after RDF Primer [34]	18
2.13	Syntax Diagram of a Generic URI, after Berners-Lee et al. [12]	21
2.14	Components of an Example of URL, after Berners-Lee et al. [12]	21
2.15	Representation of Individuals in OWL	23
2.16	Representation of Properties in OWL	24
2.17	Representation of OWL Classes Consisting of Individuals and Properties	25
2.18	Details of University of Regina, Regina, SK on Wikidata	31
2.19	Wikidata Entry (RDF/XML) for University of Regina, Regina, SK	33
2.20	Description of University of Regina, Regina, SK on DBpedia	35
2.21	DBpedia Data Architecture	36
4.1	Five Es of Usability	40
4.2	The Student Feedback Form, from Hepting [29]	44
4.3	Protégé Home-screen for a New Project with an Ontology Name and an IRI	45
4.4	Class Hierarchy of Thing, Domain_Entity, Independent_Entity, and Value	46
4.5	Tools Menu to Create Class Hierarchy	46
4.6	“Enter hierarchy” Pop-up Window	47
4.7	Pop-up Window to Create Disjoint Sibling Classes	48
4.8	Class Hierarchy in Survey Ontology	49

4.9	Tools Menu to Create Object Property Hierarchy	51
4.10	Object Properties for Classes “Lady” and “Parita”	52
4.11	Domain and Range Classes for “hasName” and “isNameOf”	53
4.12	Object Property Hierarchies, Domain and Range for Classes	54
4.13	Tools Menu to Create Data Property Hierarchy	55
4.14	Data Property Hierarchies, Domain and Range for Classes	56
4.15	Class Hierarchy for the Final Version of Survey Ontology	57
4.16	Data Validation using SHACL Editor	58
4.17	SHACL Constraint Violations	59
4.18	OntoGraf for Survey Ontology	60
4.19	WebVOWL for Survey Ontology	62

List of Tables

2.1	Commonly used Classes and Properties of RDFS	13
2.2	RDF Notations for Figure 2.10, after RDF Primer [34]	16
2.3	Definitions Used for Characterizing URI, by Berners-Lee et al. [11] . . .	20
2.4	Stages in Linked Data Life Cycle, after Ngomo et al. [36]	21
2.5	Statement Properties and Property IDs for the University of Regina on Wikidata	32
2.6	Identifier Properties and Property IDs for University of Regina on Wikidata	32
4.1	Degrees of Agreement for Likert-scale Questions	50
4.2	Object Properties and Their Domain and Range	53
4.3	Object Properties with Their Parent Nodes and Inverse Properties . . .	54
4.4	Data Properties and Their Domain and Range	56

List of Abbreviations

API	Application Programming Interface p. 28
CERN	Conseil Européen pour la Recherche Nucléaire p. 1
CSV	Comma Separated Value p. 27
DL	Description Logics p. 25
ER	Entity Relationship p. 10
GIF	Graphics Interchange Format p. 60
GREL	Google Refine Expression Language p. 27
GUI	Graphical User Interface p. 27
HTML	Hyper Text Markup Language p. i
HTTP	Hyper Text Transfer Protocol p. 2
HTTPS	Hypertext Transfer Protocol Secure p. 2
IDE	Integrated Development Environment p. 25
IRI	Internationalized Resource Identifier p. 43
ISO	International Organization for Standardization p. 40
JPEG	Joint Photographic Experts Group p. 60
JSON	JavaScript Object Notation p. 61
LOD	Linked Open Data p. i
N3	Notation3 p. 12
OBDA	Ontology-Based Data Access p. 26
OWL	Web Ontology Language p. i
PNG	Portable Network Graphics p. 60
RDF	Resource Description Framework p. i
RDFS	Resource Description Framework Schema p. 13
SHACL	SHApes Constraint Language p. 26
SPARQL	Simple Protocol and RDF Query Language p. i
SVG	Scalable Vector Graphics p. 61
SWT	Semantic Web Technologies p. 26
Turtle	Terse RDF Triple Language p. 12
URI	Uniform Resource Identifier p. 2
URL	Uniform Resource Locator p. 19
VOWL	Visual Web Ontology Language p. 61
W3C	World Wide Web Consortium p. i
WWW	World Wide Web p. i
XML	eXtensible Markup Language p. 6

Chapter 1

Introduction

Tim Berners-Lee is the father of the WWW. He wrote *Information Management: A Proposal*¹ in 1989 and 1990 to present the need for a “global hypertext system” at the Conseil Européen pour la Recherche Nucléaire (CERN). In his conclusion to that document, he wrote:

“we should work toward a universal linked information system, in which generality and portability are more important than fancy graphics techniques and complex extra facilities. The aim would be to allow a place to be found for any information or reference which one felt was important and a way of finding it afterward. The result should be sufficiently attractive to use, that is, the information contained would grow past a critical threshold so that the usefulness of the scheme would, in turn, encourage its increased use.”

In the more than 30 years that have followed that initial proposal, a great deal of progress towards Berners-Lee’s vision has been realized. The original “web of documents” is becoming the “web of data” or the “semantic web”. Is this next web sufficiently attractive to use? This thesis will examine this question in the context of an example.

¹<https://www.w3.org/History/1989/proposal.html>, dated March 1989, May 1990

1.1 Motivation

In his teaching practise, my supervisor collects feedback from students in his classes each semester and makes the responses available on his website². Typically, student responses were collected on paper and then entered manually into computer-readable form. Data collection since the start of the COVID-19 pandemic has changed.

Although it is valuable to have this data available on the web, it is not published as LOD. The motivation for the research presented here was to examine the process by which existing data can be published as LOD and to consider whether that process is “sufficiently attractive to use”.

The published linked (structured) data which is available on the web can be efficiently retrieved and reused as, according to Ngomo et al. [36], linked data is “a set of best practices for publishing and connecting structured data on the web”. After the introduction of the semantic web and the four principles of linked data for publishing and connecting structured datasets on the web by Berners-Lee, the web of documents has been gradually moving towards the development of the web of data. With time, these principles have been accepted and considered as the standard to publish structured data on the semantic web [14, 16, 17, 28]. The four principles of linked data by Berners-Lee [8] are as follows:

- Use Uniform Resource Identifier (URI) as names for things
- Use Hyper Text Transfer Protocol (HTTP)³ URIs to look up those names
- Provide useful information, using the standards (RDF⁴, SPARQL)
- Include links to other URIs to discover more things

²<http://www2.cs.uregina.ca/hepting/teaching/evaluation.html>

³Both HTTP and Hypertext Transfer Protocol Secure (HTTPS)

⁴includes all the standards belonging to RDF family

After the development of Linked Data for the semantic web, Berners-Lee also contributed to web engineering by introducing a 5-star rating⁵ system for the rating of linked data implementations. In this system, using the linked data principles, the publishers of the data on the web link their data to the existing linked data to provide reference and make it available for lookup. The data on the web, according to the 5-star system, is accepted to be 5-star data if the data:

- is structured (machine-readable)
- has open-license for access
- is described and linked to other data using URIs

A query⁶ is used to retrieve information from a database that consists of multiple tables.

According to the W3C recommendation, a semantic (web) query depicts the techniques and protocols that are “used to retrieve information from the web of data” using computer programs. Web (semantic) queries use the semantics and the constitution of data on the web to perform data retrieval operations. Various semantic web technologies have been developed for data retrieval on the web. SPARQL is one of the semantic web technologies used for web queries, where it gathers all the data from different domains and treats all those datasets as local.

⁵https://www.w3.org/2011/gld/wiki/5_Star_Linked_Data

⁶<https://en.wikipedia.org/wiki/SPARQL>

1.2 Contribution

1.3 Organization

Following this introduction, the rest of the thesis is organized as follows. Chapter 2... Chapter 3... Chapter 4... Finally, Chapter 5 presents some conclusions and opportunities for future work.

Chapter 2

Related Work

This Chapter provides the theoretical and conceptual information that is the foundation for this thesis, focusing on the semantic web and linked open data from the perspectives of technology and usability.

2.1 The Web

The idea of the Web, as described by Berners-Lee [10], came from the positive experience of a small “home-brew” personal hypertext system. The web was first designed by Berners-Lee in 1989¹ while working at the CERN.

2.1.1 Semantic Web

The web pages for the semantic web can be written using HTML and RDF as it is the web of data, contrary to the web of documents, where the web pages were written using HTML and the links were described using hyperlinks. In the web of data, arbitrary things can be expressed using links to represent the relationship between two entities, as shown in Figure 2.1.

The latest generation of web that is still at its research and development stage is Web

¹<https://www.w3.org/History/1989/proposal.html>




Figure 2.1: The Web to Semantic Web, according to Aghaei et al. [1]

4.0 which is supposed to be read-write-execute with the property of concurrency [19]. This version of the web is intended to work with artificial intelligence to give users an exceptional quality of experience. While describing how Web 4.0 would be, Berners-Lee [13] stated “if HTML and the Web made all the online documents look like one huge book, RDF, schema, and inference languages will make all the data in the world look like one huge database”.

2.1.2 The Semantic Web Stack

The Semantic Web Stack ² is also known as Semantic Web Cake or Semantic Web Layer Cake. The stack represents the architecture of semantic web. Figure 2.2³ shows how semantic web principles are implemented in the layers of technologies.

The layers in the stack consist of different technologies. Going from the lowest level to the top level, the technologies are Unicode and URI; eXtensible Markup Language (XML), NS and xmlschema; RDF and rdfschema; Ontology vocabulary; Logic; Proof;

²https://en.wikipedia.org/wiki/Semantic_Web_Stack

³<https://www.w3.org/2001/12/semweb-fin/w3csw>




Figure 2.2: Semantic Web Stack

and Trust. Digital signatures are used as security at different levels. The layers belong to three different groups, namely, self-descriptive document, data and rules.

2.2 Linked Open Data

According to Berners-Lee et al. [1], “Semantic web is not limited to publication of data on the web; it is about making links to connect related data.” The concept of Linked Open Data⁴ is an amalgamation of two technologies, Linked Data and Open Data. GraphDB⁵ by Ontotext, an RDF database, is an example of LOD. GraphDB promotes knowledge-discovery and efficient data-driven analytics by linking large datasets from distinct sources to Open Data.

⁴<https://www.ontotext.com/knowledgehub/fundamentals/linked-data-linked-open-data/>

⁵<https://www.ontotext.com/knowledgehub/fundamentals/linked-data-linked-open-data/>

2.2.1 Linked Data

The relationships shared among the data from different sources on the web are equally important as the access to the data for efficient working of the semantic web. The technique used to manage these datasets and their relationships is referred to as Linked Data. In other words, Linked Data⁶ can be termed as a set of various techniques of publishing structured data on the web. The W3C standards and various semantic web technologies handle the distribution and engagement of the structured data across the web to aggregate the data available on the web into one huge database [13].

In 2006, Berners-Lee [15] framed four basic rules (mentioned in section 1.1) to publish and connect the structured datasets across the web. This set of rules was termed as Linked Data principles. A brief description of these principles is as follows:

1. Use URIs as names for things:

The web identifiers, the (URIs) should be used to give unique names to all the entities (or things) on the web. URI of an entity can be used to understand that the entity in this dataset is the same as the other entity in a disparate dataset.

2. Use HTTP⁷ URIs to look up for those names:

The HTTP/HTTPS protocols allow easy retrieval of resources. Hence, along with URIs, either of the protocols can be used to search things (entities) easily. This promotes the publication of data on the web and its addition to the global data space.

3. Provide useful information, using the standards (RDF⁸, SPARQL) to look up for a URI:

⁶<https://www.w3.org/wiki/LinkedData>

⁷Both HTTP and HTTPS

⁸includes all the standards belonging to RDF family

When an entity is searched using the URI associated with it, it is beneficial to use standards like RDF and SPARQL to query the datasets. RDF is a framework used for graphical representation of publication and distribution of data on the web, as described in detail in section 2.3. On the contrary, SPARQL is a query language used for retrieval and manipulation of data (in RDF format) on the web. It also helps with the information on relationships related to the data being searched.

4. Include links to other URIs to discover more thing:

In the semantic web, links between two entity defines the relationship using the basic entity-relationship model. Using links for URIs of the entities promotes interconnection of the data and search of things on the web. Connecting new data to already existing entities increases the reuse and interlinking within the domain and creates a computer-understandable network.

Publishing data on the web as per linked data principles can benefit the data providers by allowing them to use one global space to add all their data. An RDF data model and URIs are used by the linked data to name the things (entities). The linked datasets publish and locate the class-object data which in turn is accessed using the HTTP/HTTPS and maintains the connection among them [5].

A wide network of structured data, from a variety of domains, on the web has been formed obeying the principles of linked data by Berners-Lee. This has resulted in the formation of a huge database of structured linked data on the web which has further led to the concept of the LOD Cloud. The LOD cloud is a set of publicly [9] accessible/available linked datasets.

2.2.2 Linked (Open) Data

According to a handbook⁹ by the Open Knowledge Foundation, “Open Data is data that can be freely used, re-used and redistributed by anyone - subject only, at most, to the requirement to attribute and share-alike”. To make open data available to everyone on the web, the data don’t need to be interlinked. Important features of open data are:

- Availability and access: the data should be available on the web. The users should be able to access the data easily by downloading them over the internet. It should be easy to access and modify the data.
- Re-use and redistribution: the data on the web must have permissions to re-use and redistribute in combination to other datasets.
- Universal participation: the data should be available to use, re-use, and redistribute for all the users without any discrimination to an individual or a group.

2.3 Resource Description Framework

The RDF, initially designed as a metadata data model, is a computer-understandable specification written in a particular format. According to a proposal by W3C¹⁰, RDF plays an important role in their “Semantic Web Vision”. RDF describes an entity (or resources) and the relationships among them on the web using basic data models like the Entity Relationship (ER) model.

RDF is a W3C¹¹ specification for describing resources on the web. RDF uses “properties” and “property values” to describe the resource which is identified by web identifiers called URI (section 2.3.1). There are three types of objects in RDF, namely, resources,

⁹<https://opendatahandbook.org/guide/en/what-is-open-data/>

¹⁰<https://www.w3.org/TR/PR-rdf-syntax/Overview.html>

¹¹https://www.w3schools.com/xml/xml_rdf.asp

properties, and statements. Each data object in a dataset on the web is considered a resource and is named using a URI with an optional ID. To search for the resources on the web, the resources must be named using the HTTP/HTTPS URIs. The W3C has defined the “rdf:type” property to represent the “object of one or more classes” [21]. Resources are described by their characteristics, called “property”. The object of RDF that is used to combine a resource with a property of its value is a “statement”. A statement, in general terms, can be seen as building blocks of a statement in English, which are a subject, an object, and a predicate. An object in a statement can be either a property value, a resource, or a literal. RDF, according to Swick and Lassila [6], can be represented in three ways:

1. Using XML: an RDF/XML document
2. As triples: subject-predicate-object form
3. In graphical form

Figure 2.3 shows an example of an RDF/XML¹² document. The resource being described is “https://www.semanticweb.org/pda324/ontologies/survey” and “Survey Details” is the property value. The document consists of various XML tags enclosed between the angular brackets (“<” and “>”). An RDF/XML document starts and ends with <rdf : RDF> and </rdf : RDF> respectively. <rdf : Description> consists of the elements that are responsible for the creation of the statement. Description tag holds an identification for the resource.

Figure 2.4 shows an example of an RDF as a triple. An RDF triple, generally, follows subject-predicate-object format. For the illustration in the figure, the subject is “https://www.semanticweb.org/pda324/ontologies/survey”, predicate is “includes” and the object is “Survey Details”.

¹²RDF written using XML

```

<rdf : RDF>
  <rdf:Description rdf:about="https://www.semanticweb.org/pda324/ontologies/survey">
    <s:istypeof>Survey Details</s:istypeof>
  </rdf:Description>
</rdf : RDF>

```

Figure 2.3: An Illustration of Code in an RDF/XML Document

Subject : <https://www.semanticweb.org/pda324/ontologies/survey>
Predicate : includes
Object : Survey Details

Figure 2.4: An Example of an RDF Triple

Figure 2.5 show an RDF in graphical format. Resource is indicated using an oval shape and a rectangle is used to represent a property value. A connector (an arrow) is used to represent a property to show that property (predicate) connects the resource (subject) with the value (object).




Figure 2.5: Graphical Representation of an RDF

The subject and object of the triples of RDF act as nodes in the graph. In addition to RDF/XML documentation, the RDF data model has a variety of serialization formats such as N-triples, which is a line base format where an RDF triple is used to represent each line [7]; Terse RDF Triple Language (Turtle); Notation3 (N3), which is a subset of

Turtle and N-Quads, which is an extension of N-Triples (line based) and adds a graph label to each line that allows multiple graph encoding [20].

Class/Property	Description
<code>rdfs:Resource</code>	All things described by RDF are called resources
<code>rdfs:Class</code>	The class of resources that are RDF classes
<code>rdf:Property</code>	The class of RDF properties. It is an instance of <code>rdfs:Class</code>
<code>rdfs:Literal</code>	The class of literal values like integers and strings
<code>rdfs:Datatype</code>	The class of datatypes. All the objects of this class correspond to the RDF model of datatype
<code>rdf:HTML</code>	The class of HTML literal values and subclass of <code>rdfs:Literal</code>
<code>rdfs:range</code>	An instance of <code>rdf:Property</code> that is used to state that the values of a property are instances of one or more classes
<code>rdfs:domain</code>	An instance of <code>rdf:Property</code> that is used to state that any resource that has a given property is an instance of one or more classes.
<code>rdf:type</code>	An instance of <code>rdf:Property</code> that is used to state that a resource is an instance of a class
<code>rdfs:subClassOf</code>	An instance of <code>rdf:Property</code> that is used to state that all the instances of one class are instances of another
<code>rdfs:label</code>	an instance of <code>rdf:Property</code> that may be used to provide a human-readable version of a resource's name
<code>rdfs:subPropertyOf</code>	An instance of <code>rdf:Property</code> that is used to state that all resources related by one property are also related by another

Table 2.1: Commonly used Classes and Properties of RDFS

Resource Description Framework Schema (RDFS), according to McBride [35], was introduced by the W3C as a technique to define resource types and property names. The data publishers can use RDFS to define various vocabularies in an RDF model. Some of the commonly used RDFS classes and properties¹³ along with their description are listed in Table 2.1 [35].

Figure 2.6 shows a graph for the representation of RDFS for a comparatively complex and abstract example based on RDF Primer [34]. The graph has been drawn for the following statement:

¹³<https://www.w3.org/TR/rdf-schema/>

Romeo and Juliet is written by William Shakespeare.

Figure 2.6 is the graphical representation of an RDF with schema as well as data. In the graph, the `rdf:type` of “Romeo and Juliet” is “Play” which in turn is an `rdf:subClassOf` “Literature”. Also, the `rdf:type` of “William Shakespeare” is “Person” which, further, is an `rdfs:range` of “is written by” of `rdfs:domain` “Literature”.




Figure 2.6: Graphical Representation of an RDFS for a Comparatively Complex Illustration, after McBride [35]

The actual RDF looks quite different from the previous example (Figures 2.3, 2.4, 2.5 and 2.6). For the representation of an actual RDF, consider Figure 2.7 for the corresponding English statement. “<http://www.semanticweb.org/survey.html>” is a subject URI with respondent and Robert James having URIs as “<http://xyz.org/1/respondent>” and “<http://www.semanticweb.org/responseID/1234>” respectively. The example represents a survey system which has responses as well as respondents and related details as a part of the environment.

**http://www.semanticweb.org/survey.html has a respondent
whose value is Robert James**

Figure 2.7: English Statement for an Example of Actual RDF

In the form of RDF triple, the statement in Figure 2.7 can be represented as shown in Figure 2.8. URI is assigned to the subject survey.html and to the object which is the response with responseID 1234 which corresponds to the property value Robert James. A URI is also assigned to the predicate (respondent).

SUBJECT - http://www.semanticweb.org/survey.html
PREDICATE - http://xyz.org/1/respondent
OBJECT - http://www.semanticweb.org/responseID/1234

Figure 2.8: RDF Triple for English Statement in Figure 2.7, after RDF Primer [34]

Figure 2.9 shows a graphical representation of the RDF triple in Figure 2.8. The subject and the object are two entities and the predicate being the third entity acts as a connector between them. Considering an entity-relationship data model, the predicate can be treated as a relationship shared by the subject and the object. There can be more details added to the system, that is, more statements can be added which are in relation to the one in Figure 2.7. Suppose the new statement added is:

http://www.semanticweb.org/survey.html has a date with value Sept. 08, 2020

and the URI for the date is “http://www.semanticweb.org/respDetails/date”.

The new graph would be as shown in Figure 2.10 where as the set of statements in Table 2.2 shows the RDF triple notation for Figure 2.10. The first notation represents the entities, survey.html (subject) and Robert James (object), along with respondent




Figure 2.9: RDF Graph for English Statement in Figure 2.7, after RDF Primer [34]

(predicate) as the relation between them, using the URIs. The second notation is for the date, where instead of the URI, the value of the property, Sept. 08, 2020, is used. Here, survey.html is the subject and Sept. 08, 2020 is the object with date acting as the predicate.




Figure 2.10: RDF Graph for Two Relative Statements, after RDF Primer [34]

<code><http://www.semanticweb.org/survey.html></code>	<code><http://xyz.org/1/respondent></code>
<code><http://www.semanticweb.org/responseID/1234></code>	<code>.</code>
<code><http://www.semanticweb.org/respDetails/date></code>	<code>"Sept. 08, 2020"</code>
	<code>.</code>

Table 2.2: RDF Notations for Figure 2.10, after RDF Primer [34]

Consider a more complex system, where the details of respondent are collected. Sup-

pose, one of the details is name and the other is address of the respondent. Figure 2.11 shows a graphical representation of this RDF system.




Figure 2.11: Graphical Representation of RDF with Details of the Respondent of the Survey, after RDF Primer [34]

For name, the respondent is subject and Robert James acts as object whereas respName is the predicate. The URI for respName is “<http://www.semanticweb.org/respDetails/name>” and the value, Robert James, is the object. On the other hand, respondent (subject) is connected to address (object) node, with URI “<http://www.semanticweb.org/addressID/1234>”, through respAddress (predicate) with URI “<http://www.semanticweb.org/respDetails/address>”. Further, the address node has multiple child nodes, namely, street, city, state and postal code. The address (subject) URI is connected to the values of four different object values, 49 University Drive (street), Regina (city), Saskatchewan (state) and S4S 5N2 (postalCode) where the URIs for the predicates are “<http://www.semanticweb.org/respDetails/street>”, “<http://www.semanticweb.org/respDetails/city>”, “<http://www.semanticweb.org/respDetails/state>” and “<http://www.semanticweb.org/respDetails/postalCode>” respectively. Instead of using an unnecessary

URI for the address entity, a blank node can be used to denote the entity, as shown in Figure 2.12. As the relationships of the node with other nodes give sufficient details without hindering the flow of the data tree, the node does not require a URIreference¹⁴.




Figure 2.12: RDF Representation in Figure 2.11 without a URI (blank node) for Address Entity, after RDF Primer [34]

In 2004, W3C recommended intended goals that are to be achieved whenever an RDF is to be designed. According to the W3CRecommendation¹⁵, the design should “have a simple data model; formal semantics and provable inference; should use an extensible URI-based vocabulary and an XML-based syntax; should support the use of XML schema datatypes; and should allow any one to make statements about any resource”.

¹⁴<https://lists.w3.org/Archives/Public/uri/2007Jul/0027.html>

¹⁵<https://www.w3.org/TR/rdf-concepts/>

2.3.1 Uniform Resource Identifier

An abstract (a logical) or a physical resource on the web is identified by a unique set of ASCII characters which is referred to as a URI¹⁶. According to Berners-Lee et al. [12] in RFC 3986, the unique string, on the web, follows a set of guidelines and security considerations while defining a syntax for the generic URI and determining a process for URI references' resolution. As mentioned by W3C, for the operating systems on URIs, some specific “protocols are defined depending on the UriScheme¹⁷”. A system can perform multiple operations like “access”, “update”, “replace” and “find attributes” on the identified resources. In RFC 2396, Berners-Lee et al. [11] characterized URI using three definitions, as shown in Table 2.3.

2.3.1.1 Syntax of a URI

According to Berners-Lee et al. [12], the generic syntax of a URI comprises five components in a hierarchical sequence which are as follows:

$$\text{URI} = \text{scheme:} [//\text{authority}] \text{ path } [?\text{query}] [\#\text{fragment}]$$

where the authority component consists of three more components which are:

$$\text{authority} = [\text{userinfo}@] \text{ host } [:\text{port}]$$

A syntax diagram can be modelled to represent the components of Generic Syntax¹⁸ of URI along with their hierarchy as shown in Figure 2.13.

Consider the following Uniform Resource Locator (URL). Figure 2.14 shows its components.

<https://parita@www.semanticweb.org:695/ontology/?tag=survey&order=newest#top>

¹⁶<https://www.w3.org/wiki/URI>

¹⁷<https://www.w3.org/2001/tag/doc/SchemeProtocols.html>

¹⁸<https://www.w3.org/Addressing/URL/uri-spec.html>

Term	Definition
Uniform	There are various benefits of achieving uniformity, like, it facilitates different procedures to access resources in the same environment using different types of resource identifiers; new types of resource identifiers can be introduced without modifying the actual usage of the existing identifiers; common syntactic conventions can be interpreted uniformly for a variety of resource identifiers on the semantic web; and the new applications or protocols can utilize the already existing large and widely-used resource identifiers as the identifiers can be reused in different contexts.
Resource	Anything on the web that can be uniquely identified is referred to as a resource. Some day-to-day examples of a resource are a computerized file or folder, weather-broadcasting service, an image, and a set of other resources. Some resources like books in a library, an animal, a human being, and a corporation are a set of resources that cannot be retrieved over the network. A resource is the “conceptual mapping” [11] to a set of entities independent of the corresponding entities at a particular time. Hence, if the conceptual mapping isn’t changed, a resource can remain constant irrespective of the changes in its content.
Identifier	An object which is used as a reference to a thing with unique identity on the web is termed as an identifier. In URI, a string of ASCII characters restricted by a specific syntax is object.

Table 2.3: Definitions Used for Characterizing URI, by Berners-Lee et al. [11]

2.4 Linked Data Life Cycle

The Linked Data Life Cycle includes multiple stages as described by Ngomo et al. [36] which are listed in Table 2.4. Each stage of this life cycle is independent yet linked to one another. So, it is not mandatory to go through all the stages sequentially to publish the data on the web. It is necessary to use a procedure that follows the life cycle to ensure the quality of data to be published as linked data. The first stage, generally, is data extraction along with conversion of the extracted data (in forms other than RDF) into RDF. Once the data is in RDF form, any or all of the other stages listed in Table 2.4 can be performed.




Figure 2.13: Syntax Diagram of a Generic URI, after Berners-Lee et al. [12]




Figure 2.14: Components of an Example of URL, after Berners-Lee et al. [12]

Stage	Description
Extraction	Extraction and conversion of unstructured and semi-structured data into RDF
Storage & Querying	Storing the RDF data in a format that supports data querying efficiently
Authoring	Allowing the users to create new data or to access and modify the existing data
Linking	Creating links the data belonging to various domains and users based on their entities
Enrichment	Data enrichment for efficient query support using various top-tier structures
Quality Analysis	Managing data using different strategies to ensure good quality of available data on the web
Browsing & Exploration	Making the structured data available on the web for the users to browse and explore effectively

Table 2.4: Stages in Linked Data Life Cycle, after Ngomo et al. [36]

2.5 Ontology in Web Semantics

Ontology is a branch of information science that encloses representation, nomenclature, and definition of various properties, categories, and relationships shared among

the entities¹⁹ that support any number of domains the user is interested in. In other words, Ontology is a form of defining a set of concepts for representing the subject properties and the relationships shared among them. According to Tom Gruber [26], ontology is “an explicit specification of a conceptualization”, where conceptualization is “an abstract, simplified view of the world (includes objects, concepts and other entities that are assumed to exist in some area of interest and the relationships that hold among them) that we wish to represent for some purpose”. In web semantics, an ontology is used to define the semantics of the resources briefly and methodically. The ontologies have been used to “specify the physical as well as conceptual characteristics of resources, in the form of metadata schema on the semantic web, for a fixed set of users” [31].

2.6 OWL Ontologies

W3C developed a standard ontology language called OWL²⁰ to define and describe concepts for ontology using different facilities and operations like intersection, union and negation. It is based on a logical model due to which a reasoner²¹ can be used to check the mutual consistency among the statements and definitions in the ontology. The reasoner is also responsible for the identification of a suitable concept for particular definitions [30].

2.6.1 Components of OWL Ontologies

An OWL ontology consists of a set of components that define and describe the concepts collectively. The basic components of any OWL ontology, Individuals, Properties

¹⁹includes all types of data, concepts and entities

²⁰<http://www.w3.org/TR/owl-guide/>

²¹maintains hierarchy accurately

and Classes, are briefly explained in this section.

2.6.1.1 Individuals

According to Horridge et al. [30], “Individuals represent objects in the domain in which we are interested”. Individuals are the objects of classes. Figure 2.15 shows the representation of different individuals in various domains. The triangles are used here to denote the individuals in free space.



Figure 2.15: Representation of Individuals in OWL

2.6.1.2 Properties

The Binary Relationships²² between the individuals (things) are called properties. For instance, the individuals “Max” and “Kieron” from Figure 2.15 are linked to each other by the property “hasSibling”. Each property can have its inverse. For instance, “hasSibling” can have an inverse property “isSiblingOf”. The properties can be symmetric or transitive. It is possible to have functional properties where the properties can be restricted to having only one value.

Figure 2.16 shows representation of properties between the individuals “Max” and “India”, and “Max” and “hasSibling”. The relation between “Max” and “India” is

²²links shared by two individuals

“livesIn”. The arrow between two individuals in the figure denotes the property (relationship) between them.




Figure 2.16: Representation of Properties in OWL

2.6.1.3 Classes

In OWL, the sets consisting of individuals are called OWL classes. Mathematical (formal) descriptions are used to describe the OWL classes. These descriptions include accurate statements on the requirements for the class membership. For instance, the class “Country” consists of all the individuals that are countries in the Domain of Discourse²³. Inheritance in OWL classes (Class Hierarchy) may exist with the classes having subclasses and/or super-classes which is technically termed as taxonomy. “Sub-classes specialise (‘are subsumed by’) their super-classes” [30]. For instance, consider the classes “Lady” and “Human”, where “Lady” is a subclass of “Human”. This implies the following statements:

- All ladies are humans
- All members of class “Lady” are members of class “Human”
- Being a “Lady” implies that individual is “Human”

²³can contain one or more classes

- “Lady” is subsumed by “Human”

Figure 2.17 shows the representation of the classes for the individuals and properties that are shown in Figure 2.16.




Figure 2.17: Representation of OWL Classes Consisting of Individuals and Properties

2.6.2 OWL Ontology Inconsistencies and Reasoner

A Reasoner²⁴ is used in Protégé to address and solve the inconsistencies. The current version of the Protégé Integrated Development Environment (IDE) offers support for some built-in semantic reasoners which are listed below:

- ELK 0.4.3²⁵ : A Java-based fast reasoner for lightweight OWL2 EL which is available under Apache License 2.0
- FaCT++ 1.6.5²⁶ : A Tableaux-based reasoner for expressive OWL Description Logics (DL) which is implemented using C++

²⁴https://en.wikipedia.org/wiki/Semantic_reasoner

²⁵<https://www.w3.org/2001/sw/wiki/ELK>

²⁶<https://www.w3.org/2001/sw/wiki/Fact>

- Hermit 1.4.3.456²⁷ : A Java-based reasoner, written using OWL, that can be used to determine consistency of the ontology as well as for the identification of relationships among the classes of the ontology
- Mastro DL-Lite²⁸ : An Ontology-Based Data Access (OBDA) management system in which the DL-Lite family of languages for lightweight DL are used for ontology specifications
- Ontop 4.1.0²⁹ : A reasoner which uses SPARQL for querying datasets as Virtual RDF Graphs
- Pellet and Pellet (incremental)³⁰ : A Java-based OWL2 reasoner for the optimization of nominals, conjunctive query answering, and incremental reasoning

2.6.3 Data Validation

Dr. Hepting collects the feedback responses and manually stores them in spreadsheets. It is important to validate the stored data so that the data only consist of acceptable values. According to Ekaputra and Xiashuo [22], “One of the challenges of adopting Semantic Web Technologies (SWT) for enterprise data integration is to provide the means to define and validate structural constraints over RDF graphs.” To address this challenge, they developed SHACL4P, a protégé plugin. SHACL4P is used for defining and validating SHAPes Constraint Language (SHACL), which is a W3C standard for the validation of contents of an RDF-style graph database³¹. SHACL uses “shapes” to describe constraints.

²⁷<https://www.w3.org/2001/sw/wiki/Hermit>

²⁸https://protegewiki.stanford.edu/wiki/Mastro_DL-Lite_Reasoner

²⁹<https://www.w3.org/2001/sw/wiki/Ontop>

³⁰<https://www.w3.org/2001/sw/wiki/Pellet>

³¹<https://www.w3.org/TR/shacl/>

2.7 Conversion of Data from CSV to RDF

The preferred format of the data published on the semantic web is RDF format. Many data scientists use tables and spreadsheets to store and publish data using Comma Separated Value (CSV) files over RDF format as conversion of data to RDF is comparatively difficult. The data used by Dr. Hepting has been stored in tabular format (Sample CSV data consisting of all responses is available in Appendix A). To convert tabular data into RDF (Appendix B consists of RDF code for the CSV data in Appendix A), W3C³² recommends the following open source tools [23],

- OpenRefine:

OpenRefine³³, an RDF extension of Google Refine, is a powerful java-based set of tools that work with messy data using Google Refine Expression Language (GREL)³⁴. It allows the users to extract, transform, export, and convert CSV, Excel, spreadsheets and other tabular data into RDF where a Graphical User Interface (GUI) is used to define schema mapping.

- RDF123:

RDF123³⁵ is a java application and servlet for the conversion of CSV and spreadsheets to RDF which uses arbitrary graphs to define schema mapping. According to Han et. al [27], it uses a graphical RDF123 template to allow users to convert the data from spreadsheets to RDF.

- csv2rdf4lod:

csv2rdf4lod³⁶ is a tool that is used for the conversion of tabular data into struc-

³²<https://www.w3.org/wiki/ConverterToRdf>

³³<https://openrefine.org>

³⁴<https://libjohn.github.io/openrefine/grel.html>

³⁵<https://ebiquity.umbc.edu/resource/html/id/237/RDF123-java-application-v1-0>

³⁶<https://github.com/timrdf/csv2rdf4lod-automation/wiki>

tured and linked RDF using specifications that are based on declarative RDF enhancement parameters. It forms default namespaces for URIs and provides VoID and original metadata for the conversion using identifiers for source organization, dataset and version.

- **XLWrap:**

XLWrap³⁷ is a graphical template based application that allows execution of various SPARQL queries [32]. The spreadsheets are wrapped to arbitrary RDF graphs which allows:

- Streamed processing of tabular data like Excel, OpenDocument and CSV
- Loading Local/HTTP
- Expressions that include calculator operations for Excel and OpenDocument, and Custom functions
- Use of Application Programming Interface (API) and SPARQL endpoint

- **Tarql:**

Tarql³⁸ operates as a command-line application for the conversion of CSV to RDF using a user-defined mapping that is written in SPARQL standard 1.1.

2.8 Ontology Editors

Ontology editors are used by publishers to create new ontologies when the existing vocabulary is not suitable for their purpose. W3C³⁹ has recommended a list of ontology editors that can be used to edit, manage, organize and visualize ontology. The list

³⁷<https://xlwrap.sourceforge.io>

³⁸<https://tarql.github.io>

³⁹https://www.w3.org/wiki/Ontology_editors

of editors includes Protégé, NeOn Toolkit, SWOOP, Neologism, TopBraid Composer, Vitro, Knoodl, Anzo for Excel, OWLGrEd, Fluent Editor, Semantic Turkey, VocBench. The page does not include valid links to the editors' websites. Protégé is the most popular ontology editor among researchers. There exists negligible information about most of the editors in the list which has driven the decision of the use of Protégé for ontology development and OntoGraf and WebVOWL for visualization which are discussed in detail in chapter 4.

2.9 Applications of Linked Open Data

A variety of projects and websites, that use linked open data, have been developed. Wikidata and DBpedia are two major projects of linked open data that present structured data on the semantic web. This section consists of a brief description of both applications.

2.9.1 Wikidata

According to a report by Krotzsch and Vrandečić [39], Wikidata was introduced to the world of information engineering in 2012 by Wikimedia. Wikidata can be defined as “the community-created knowledge base of Wikipedia and the central data management platform for Wikipedia and most of its Sister Projects⁴⁰”, according to Erxleben et al. [24]. Wikidata was established for the collection and integration of data on the semantic web with Wikipedia. Wikidata is a free open-source tool that handles a large amount of structured data and maintains pages that store the data. Each entity on Wikidata represents the subject of a triple with a dedicated page. The properties of Wikidata are similar to that of RDF where the individuals and classes are indicated

⁴⁰Wikipedia, Wikivoyage, Wiktionary, Wikisource, and others

using items. As Wikidata is an open-source tool, the data on a page of the Wikidata is easily available for the users to access as well as edit.

For instance, the University of Regina, a university in the city of Regina (SK, Canada), has an item page allotted for it. Figure 2.18 shows the Wikidata item page of the University of Regina (<https://www.wikidata.org/wiki/Q3104287>).

Wikidata uses a method of automatically assigning unique identifiers to the entities, which are used as the labels of the item pages instead of the actual names of the entities. These identifiers are a string starting with a capital Q followed by a sequence of digits. The identifiers are assigned irrespective of the language as the Wikidata website supports multiple languages. For the University of Regina, the label used is “Q3104287”. The item page on Wikidata consists of multiple sections:

- label: The name of the subject that is treated as an entity. For the instance in Figure 2.18, the label is “University of Regina” along with the unique identifier “Q3104287”.
- description: This section consists of general introductory details about the subject. For the University of Regina, the description on wikidata is “university in Saskatchewan, Canada”.
- statements: This section consists of a list of subsections called “property”. The properties along with their property IDs for the University of Regina are listed in Table 2.5.
- identifiers: This section consists of various IDs belonging to the subject. For the University of Regina, the set of properties used for identifiers and their IDs are listed in Table 2.6.

The URI for an entity on Wikidata is “<https://www.wikidata.org/wiki/<id>>”, where `<id>` stands for the unique identifier. For the University of Regina, the `<id>` is the

University of Regina (Q3104287)

university in Saskatchewan, Canada [edit](#)
Regina College | Regina Campus of the University of Saskatchewan

[- In more languages](#)
[Configure](#)

Language	Label	Description	Also known as
English	University of Regina	university in Saskatchewan, Canada	Regina College Regina Campus of the Universit...
Canadian English	No label defined	No description defined	
French	université de Regina	No description defined	Université de Régina Universite de Regina Université de regina
Italian	No label defined	No description defined	

[All entered languages](#)

Statements

instance of	university edit	
	- 0 references	+ add reference

image	University of Regina Library viewed from the Oval.jpg edit	
	3,222 × 2,250; 662 KB	
	- 0 references	+ add reference

inception	1911 edit	
	- 1 reference	
	imported from Wikimedia project French Wikipedia	

Figure 2.18: Details of University of Regina, Regina, SK on Wikidata

Statement Property	Property ID
instance of	P31
image	P18
inception	P571
country	P17
located in the administrative territorial entity	P131
coordinate location	P625
subsidiary	P355
official website	P856
commons category	P373
topic's main category	P910
category for employees of the organization	P4195
category for alumni of educational institution	P3876
API endpoint	P6269
social media followers	P8687

Table 2.5: Statement Properties and Property IDs for the University of Regina on Wikidata

Identifier Property	Property ID
VIAF ID	P214
ISNI	P213
GND ID	P227
Library of Congress authority ID	P244
WorldCat Identities	P7859
ARWU university ID	P5242
Crossref funder ID	P3153
Facebook ID	P2013
Freebase ID	P646
Google Maps Customer ID	P3749
GRID ID	P2427
HAL structure ID	P6773
LittleSis organization ID	P3393
Microsoft Academic ID	P6366
Ringgold ID	P3500
ROR ID	P6782
Times Higher Education World University ID	P5586
Twitter username	P2002
U-Multirank university ID	P5600

Table 2.6: Identifier Properties and Property IDs for University of Regina on Wikidata

label identifier—Q3104287. Figure 2.19 shows the RDF/XML description of the University of Regina on Wikidata.

```
<?xml version="1.0" encoding="utf-8" ?>
  <rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema#"
    xmlns:ontolex="http://www.w3.org/ns/lemon/ontolex#"
    xmlns:wdt="http://www.wikidata.org/prop/direct/"
    xmlns:wdrn="http://www.wikidata.org/prop/direct-normalized/">
    <rdf:Description rdf:about="https://www.wikidata.org/wiki/Special:EntityData/Q3104287">
      <rdf:type rdf:resource="http://schema.org/Dataset"/>
      <schema:about rdf:resource="http://www.wikidata.org/entity/Q3104287"/>
      <cc:license rdf:resource="http://creativecommons.org/publicdomain/zero/1.0/">
      <rdf:Description rdf:about="https://en.wikipedia.org/wiki/University_of_Regina">
        <rdf:type rdf:resource="http://schema.org/Article"/>
        <schema:about rdf:resource="http://www.wikidata.org/entity/Q3104287"/>
        <schema:inLanguage>en</schema:inLanguage>
        <schema:isPartOf rdf:resource="https://en.wikipedia.org/">
        <schema:name xml:lang="en">University of Regina</schema:name>
        <schema:description xml:lang="en">university in Saskatchewan,
        Canada</schema:description>
        <wdt:P18
          rdf:resource="http://commons.wikimedia.org/wiki/Special:FilePath/University%20
            of%20Regina%20Library%20viewed%20from%20the%20Oval.jpg"/>
        </rdf:Description>
      </rdf:Description>
    </rdf:RDF>
```

Figure 2.19: Wikidata Entry (RDF/XML) for University of Regina, Regina, SK

2.9.2 DBpedia

Jimmy Wales and Larry Sanger, in 2001, created the largest general reference work on the internet consisting of articles⁴¹ in over 280 languages, the Wikipedia⁴², which acts as a source of data for many web projects like DBpedia⁴³, one of the major linked open data projects. The main aim behind the development of DBpedia is the conversion

⁴¹include data comprising of templates, images, videos, categorizations, and links to other articles (pages) in multiple languages

⁴²https://en.wikipedia.org/wiki/Main_Page

⁴³<https://wiki.dbpedia.org/>

of unstructured data on Wikipedia into structured datasets. DBpedia enables querying the Wikipedia data as well as the generation of links among the structured datasets, resulting in the establishment of a massive web of data.

Initially, the template of the page is discovered using a Template Extraction Algorithm⁴⁴ which results in the identification of the structure of the template using various Pattern Matching Techniques⁴⁵. Once the appropriate template is selected, the template data is parsed using a suitable algorithm and transformed into RDF triples. MediaWiki⁴⁶ links are identified and assigned specific URIs. On the other hand, the common units of data are recognized and assigned appropriate datatypes whereas RDF lists are created for the object lists. According to Auer et al. [4], DBpedia in 2007 was a platform that delivered information on “more than 1.95 million ‘things’ that includes at least 80,000 persons, 70,000 places, 35,000 music albums, 12,000 films”.

The DBpedia semantic web services are handled using the GNU Free Documentation License terms and policies. The data on DBpedia is easily accessible in different ways like accessing the datasets as linked data; using SPARQL queries for data extraction and accessibility; and in the form of a downloadable RDF snippets [18]. Figure 2.20 shows DBpedia entry for the “University of Regina, Regina, SK”. Like Wikidata, DBpedia also has a label, a description section and a set of important property-value pairs that give information related to the entity that has been described.

Figure 2.21 shows the data architecture of DBpedia. An open-link software, Virtuoso Universal Server⁴⁷, is a data virtualization tool used to host and publish RDF datasets on DBpedia, which can be easily accessed using SPARQL endpoint. The HTML or RDF representation of the DBpedia resources is enabled by the data architecture using

⁴⁴like Principle Components Analysis, Linear Discriminant Analysis, Logically Linear Embedding

⁴⁵<https://www.dummies.com/programming/big-data/data-science/how-pattern-matching-works-in-data-science>

⁴⁶<https://www.mediawiki.org/wiki/MediaWiki>

⁴⁷https://dbpedia.org/page/Virtuoso_Universal_Server

 Browse using - Formats - Faceted Browser Sparql Endpoint	
About: University of Regina An Entity of Type : جامعة عامة, from Named Graph : http://dbpedia.org, within Data Space : dbpedia.org	
جامعة ريجينا هي جامعة عامة في كندا، تأسست عام 1911. تقع في مدن ريجينا، ساسكاتون، سويفت كورنت	
Property	Value
dbo:abstract	The University of Regina is a public research university located in Regina, Saskatchewan, Canada. Founded in 1911 as a private denominational high school of the Methodist Church of Canada, it began an association with the University of Saskatchewan as a junior college in 1925, and was disaffiliated by the Church and fully ceded to the University in 1934; in 1961 it attained degree-granting status as the Regina Campus of the University of Saskatchewan. It became an autonomous university in 1974. The University of Regina has an enrollment of over 15,000 full and part-time students. The university's student newspaper, The Carillon, is a member of CUP. The University of Regina is well-reputed for having a focus on experiential learning and offers internships, professional placements and practicums in addition to cooperative education placements in 41 programs. This experiential learning and career-preparation focus was further highlighted when, in 2009 the University of Regina launched the UR Guarantee Program, a unique program guaranteeing participating students a successful career launch after graduation by supplementing education with experience to achieve specific educational, career and life goals. Partnership agreements with provincial crown corporations, government departments and private corporations have helped the University of Regina both place students in work experience opportunities and help gain employment post-study. (en)
dbo:affiliation	dbr:University_of_the_Arctic dbr:Canadian_Association_of_Research_Libraries dbr:Canadian_Bureau_for_International_Education dbr:Canadian_University_Society_for_Intercollegiate_Debate dbr:International_Association_of_Universities dbr:L'Association_des_universités_de_la_francophonie_canadienne dbr:Canadian_University_Press dbr:Association_of_Universities_and_Colleges_of_Canada
dbo:athletics	dbr:U_Sports
dbo:city	dbr:Regina,_Saskatchewan
dbo:endowment	9.75E7
dbo:formerName	- Regina College (1911–1961) (en) - Regina Campus of theUniversity of Saskatchewan(1961–1974) (en)
dbo:motto	As one who serves
dbo:numberOfPostgraduateStudents	2027 (xsd:integer)
dbo:numberOfStudents	16501 (xsd:integer)

Figure 2.20: Description of University of Regina, Regina, SK on DBpedia

HTTP that supports the standard HTTP GET method calls from the web clients.




Figure 2.21: DBpedia Data Architecture

Chapter 3

Methodology

This chapter focuses on the methodology involved in describing and publishing linked open data. Chapter 4 presents proof of concept of this methodology.

3.1 Workflow

Chapter 4

Proof of Concept

4.1 Development Tool for the Creation of New OWL Vocabularies

In data science, for a fresh and developing branch like ontology engineering, it is difficult to find enough knowledge that can be reused. The field is still growing with research and development in progress as well as a lot still required to be explored in the future. As a result of this, linked open vocabularies are limited currently, and hence, the data publishers will have to create a vocabulary in case they do not find the required vocabulary from the already existing vocabularies.

There are editors available today that help the publishers to create their own linked open vocabularies. Alatrish at the University of Belgrad [2], in 2013, compared the most used ontology editors, namely, Apollo, OntoStudio, Protégé, Swoop, and TopBraid Composer. The editors were compared based on the following features:

- General description: developers' details, and accessibility on the internet (open source or software licensed)
- Software architecture and tools evaluation: semantic web architecture, support for plug-ins, backup management, and ontology storage

- Interoperability: interoperability with other ontology tools, support and translation for other languages
- Knowledge representation: Knowledge Representation (KR) paradigm of knowledge model, axiom language, and methodological support
- Inference services: built-in inference engine, other attached inference engines, and constraint/consistency checking
- Usability: graphical taxonomy, graphical views, zooms, collaborative working, and ontology libraries

After studying the details and comparison among the most used editors based on the above features by Alatrish [2], protégé has been used for the development of the instrument to support this research and thesis work.

4.2 Protégé

Stanford University developed a free, open-source ontology development platform, Protégé¹, that offers a set of substantial tools² to build ontologies for knowledge-based applications and to implement various “knowledge-modeling structures and actions that support the creation, visualization and manipulation of ontologies in various representation formats” [2]. Protégé offers customization options to build knowledge models and to add data.

¹<https://protege.stanford.edu>

²along with various plug-ins and Java-based API

4.2.1 Usability of Protégé

The International Organization for Standardization (ISO) standard 9241³ defines usability as “the extent to which a product can be used by specified users to achieve specified goals with effectiveness, efficiency, and satisfaction in a specified context of use”. In usability engineering, Jacob Neilson [37] suggested five qualities of a usable product: “learnability, efficiency, memorability, errors (low rate, easy to recover), and satisfaction”. These were the original five dimensions of usability which were then retermed as all five words starting with “E” by Quesenbery [38], and they became popular as the five Es of usability [38]. The new terms are as shown in Figure 4.1.




Figure 4.1: Five Es of Usability

- Effective: The task is completed accurately

³<https://www.iso.org/standard/63500.html>

The user must be able to complete the desired task accurately using the design. If the user is unable to complete the task, irrespective of the time spent and efforts made to complete the task, the design is said to have failed to reach meet the design's goals. To measure effectiveness in a design, it is necessary to know users' perspectives of success and accuracy.

- Efficient: The task is completed quickly

The user must be able to complete the task easily. The interface should be designed to allow the users to complete the desired tasks with the least complexity and within the minimum possible time. If a simple task takes more than the required time for completion, the design is not feasible and would be said to not meet the goals.

- Engaging: The look and feel of the design is interactive and engaging

The look and feel of the interface must be interactive so that the user finds it interesting and continues using it. The user of the interface should be able to connect with the presentation and the organization of the components of the interface and hence should be satisfied by using the design to complete the desired task.

- Error-tolerant: Error prevention and data recovery in case any error is committed

The interface should be able to easily handle errors. This means in case the user commits mistakes, the interface should be helpful enough to not lose the work done by the user along with providing the error correction options.

- Easy to learn: The interface should be easy to learn

The user should get the feeling of familiarity and adaption while using the interface. The names of the components and tools in the design must be appropriate

so that the user can understand their purpose from the name itself. For instance, in a banking application, using the keyword “balance owed” to denote the debit amount might confuse the user by not giving a clear idea about who owes the money, that is, whether the customer owes the amount to the bank or vice versa.

The five dimensions of usability can be considered while designing as well as for evaluation. While designing, the engineers consider the five dimensions as goals to be achieved whereas while testing and evaluation, they are considered as the requirements necessary for the designed model. The five dimensions of usability were used to assess the usability of protégé and the report of the evaluation is as follows:

- **Effective:** Protégé is an effective design as it allows the users to build ontologies and use other tools precisely. The users can complete the desired tasks accurately using the set of facilities available.
- **Efficient:** It is easy and straightforward to describe the vocabularies and build ontologies. All the desired tasks in protégé can be completed quickly (without wasting much time) as it is easy to look for the facilities using the menus and tools available. Hence, protégé is an efficient ontology builder.
- **Engaging:** The tools and menus in protégé are interactive which leads to a better experience for the user. Also, the layout and the components are attractive and decent for the user to use this ontology builder whenever necessary. Overall, protégé gives an engaging and satisfactory user experience.
- **Error-tolerant:** Protégé provides options for modifications, additions, and deletions of classes, objects, and properties, which allow the users to correct the errors that were committed. Also, the deleted classes can be recovered using “Undo” from the edit menu resulting in proving protégé as an error-tolerant design.

- Easy to learn: Protégé is easy to learn as it has a familiar look and commonly used names for the tools and menus making it easy for the users to adapt and know them nicely. Also, the “Help” document along with a list of some frequently asked questions is available which helps the users in the correct direction whenever they are lost.

4.3 Procedure to Model the Survey Ontology in OWL

Using Protégé Tools

This section focuses on a step-wise methodology that has been followed to create new OWL vocabularies for a survey using protégé. Figure 4.2 shows the student feedback form for which the new vocabularies are described. Protégé is available for use as a web application. Protégé can also be downloaded⁴ to use as a desktop application for ontology construction and visualization.

To commence with the process of building the survey ontology, a new project needs to be created with a unique Internationalized Resource Identifier (IRI)⁵ and the ontology version. Figure 4.3 shows the protégé home-screen with a new project created and an IRI with the name and version of ontology.

4.3.1 Classes and Class Hierarchy

The next step is to create classes and build the hierarchy for the class nodes. Each entity in protégé is directly or indirectly a child node of the “Thing” class. Also, each object has a name-value pair, which generally are the nodes of the “Domain_Entity” class, an inherited class of Thing. Initially, four classes, “Thing”, “Domain_Entity”,

⁴<https://protege.stanford.edu/products.php#desktop-protege>

⁵<https://www.w3.org/2011/rdf-wg/wiki/IRIs/RDFConceptsProposal>

Student Feedback Form

(adapted from <http://cft.vanderbilt.edu/teaching-guides/reflecting/student-feedback/#inclass>)

Course: _____ **Instructor:** Daryl Hepting **Date:** _____

1 = Never; 5 = Always

- | | | | | | | |
|---|---|---|---|---|---|---|
| 1 | The instructor is well-prepared for class. | 1 | 2 | 3 | 4 | 5 |
| 2 | The instructor clearly communicates his expectations for student preparation and participation. | 1 | 2 | 3 | 4 | 5 |
| 3 | The instructor uses class time effectively. | 1 | 2 | 3 | 4 | 5 |
| 4 | The instructor has clear expectations for assigned work. | 1 | 2 | 3 | 4 | 5 |
| 5 | The instructor encourages student participation. | 1 | 2 | 3 | 4 | 5 |
| 6 | The instructor clearly answers questions. | 1 | 2 | 3 | 4 | 5 |
| 7 | The instructor treats students with respect. | 1 | 2 | 3 | 4 | 5 |
| 8 | The instructor effectively directs and stimulates discussion. | 1 | 2 | 3 | 4 | 5 |
| 9 | The instructor effectively encourages students to ask questions and give answers. | 1 | 2 | 3 | 4 | 5 |

What do you like best about this course?

What would you like to change about this course?

What do you think the instructor's greatest strengths are?

Figure 4.2: The Student Feedback Form, from Hepting [29]




Figure 4.3: Protégé Home-screen for a New Project with an Ontology Name and an IRI

“Independent_Entity”, and “Value” are created using class hierarchy, as shown in Figure 4.4. To create a class hierarchy for the classes that represent entities in the survey, there are three steps to be followed:

1. Select “owl:Thing” in the Class Hierarchy View of the Classes tab from the Windows menu followed by selecting “Create class hierarchy...” from the Tools menu, as shown in Figure 4.5 to open a “Enter hierarchy” pop-up window which allows the users to add classes to the ontology.
2. Enter the class names in the pop-up window starting from the left. For the child nodes, leave some spaces before writing the class name. Each horizontal line consists of one class name, as shown in Figure 4.6.
3. On clicking “Continue” on the pop-up window in Figure 4.6, it opens up a new pop-up window. Here, it is important to state whether one wants the sibling classes to be disjoint or not. The checkbox needs to be checked accordingly.




Figure 4.4: Class Hierarchy of Thing, Domain_Entity, Independent_Entity, and Value




Figure 4.5: Tools Menu to Create Class Hierarchy




Figure 4.6: “Enter hierarchy” Pop-up Window

Usually, it is recommended to create disjoint sibling classes which can be changed later as necessary, as shown in Figure 4.7.

Once the classes are added, the next step is to describe the classes. Descriptions of classes like “Equivalent to”, “SubClass Of”, “Instances”, “Disjoint With” and so on can be added using the Description view of the Class tab (shown in Figure 4.4). Each class can be described individually by selecting a particular class and adding details to the description view.

All the classes can be created and described using the above steps. In the end, the class hierarchy for the survey ontology would be as shown in Figure 4.8. The survey can have “Respondent”, “Response Date”, “Type of Survey”, “Survey Questions”, and “Survey Answers”, which are considered for this ontology as well. Here, the type of survey used is “feedback survey”. The survey questions and survey answers would further have classes corresponding to various forms of question-answer. Generally, feedback




Figure 4.7: Pop-up Window to Create Disjoint Sibling Classes

surveys consist of two types of questions, namely, “Likert Questions” and “Open-ended Questions”. The type of questions might differ depending on the designer of the survey, some of which, as stated on the *SurveyMonkey*⁶ website, are listed below.

- Multiple Choice Questions
- Rating Scale Questions
- Likert Scale Questions
- Matrix Questions
- Dropdown Questions
- Open-ended Questions
- Demographic Questions
- Ranking Questions
- Image Choice Questions
- Click Map Questions
- File Upload Questions
- Slider Questions
- Benchmarkable Questions

⁶<https://www.surveymonkey.com/mp/survey-question-types/>




Figure 4.8: Class Hierarchy in Survey Ontology

For this research, the feedback survey that has been considered has Likert and Open-ended questions. The classes described for the questions and answers are “LikertScaleQuestions”, and “OpenEndedQuestions” as sub-classes of “SurveyQuestions”, and “LikertScaleAnswers”, and “OpenEndedAnswers” as sub-classes of “SurveyAnswers”.

For all the survey questions, there would be a question and an answer, where both of them would be considered as distinct classes. Likert questions are the questions for which the answers are from the preset list of answers. For the Likert questions, the questions can be either of type “Never-Always-4” or “Never-Always-5” or “Never-Always-7” or “Never-Always-*”, of which Never-Always-5 has been used by Hepting [29]. In a Never-Always-5 type of survey, 5 degrees of agreement are used as shown in Table 4.1. In addition to these degrees, this ontology also considers the instances where the question wouldn’t be answered. In this case, the field corresponding to the answer is left blank. On the other hand, Open-ended questions have unpredictable answers and hence there cannot be any degree of measurement for Open-ended questions.

Number	Agreement
1	Never
2	[Rarely]
3	[Sometimes]
4	[Often]
5	Always

Table 4.1: Degrees of Agreement for Likert-scale Questions

4.3.2 Object Properties and Object Property Hierarchy

The next step in building the ontology, after describing the classes, is describing the “Object Properties”. Object properties are used to link the entities (classes in protégé). The “owl:topObjectProperty” is the root node of the object properties’ hierarchy. The hierarchy for object properties can be built by selecting a property in the Object Prop-

erty Hierarchy view of the Object Property Views tab and then going to the tools menu as shown in Figure 4.9. The remaining steps are similar to the ones that are followed for building class hierarchy (Figure 4.5, 4.6, and 4.7).




Figure 4.9: Tools Menu to Create Object Property Hierarchy

Also, the description view of object properties hierarchy allows the user to describe the object properties. The details that can be added or modified using the description view are “Equivalent To”, “SubProperty Of”, “Inverse Of”, “Domains (intersection)”, “Ranges (intersection)”, “Disjoint With”, and “SuperProperty Of (Chain)”.

The names of the object properties usually start with an “is” or a “has”. For instance, consider two classes: “Lady” (class 1) and “Parita” (class 2). To describe the link between class 1 (Lady) and class 2 (Parita) such that class 1 has value class 2 and class 2 is value of class 1, the properties “hasName” and “isNameOf” would be used respectively, as shown in Figure 4.10.




Figure 4.10: Object Properties for Classes “Lady” and “Parita”

Each object property might have a corresponding inverse property. For the above instance, it can be said that:

Lady hasName Parita **is equivalent to** Parita isNameOf Lady

Here, “hasName” is inverse of “isNameOf” and “isNameOf” is inverse of “hasName”. Apart from inverse, domain and range⁷ are two other important parts of description of object properties. According to Horridge et al. [30], in OWL, “domain and range are not constraints to be checked. They are axioms which are used by the reasoner to make inferences”. As shown in Figure 4.11, “Lady” acts as the “Domain” and “Parita” acts as the “Range” for “hasName” whereas for “isNameOf”, “Parita” is the “Domain” and “Lady” is the “Range”.

Using the above method of naming and building object properties, some of the primary object properties are described for the survey ontology as shown in Figure 4.12 where as Table 4.2 shows the list of the object properties along with their domain and range classes. Table 4.3 consists of the parent nodes and inverse properties of the object properties. The three parent nodes involved in object property hierarchy are “owl:TopObjectProperty”, “hasContent”, and “isContentOf”. Protégé has a built-in

⁷<http://protegeproject.github.io/protege/views/object-property-description/>




Figure 4.11: Domain and Range Classes for “hasName” and “isNameOf”

“Reasoner” that allows the users to determine inconsistencies of a class as well as to discover implicit information.

Object Property	Domain	Range
hasSurveyQuestion	Survey	SurveyQuestions
hasSurveyAnswer	Survey	SurveyAnswers
hasRespondedOn	Respondent	ResponseDate
respondedToSurvey	Respondent	Survey
isTypeOf	FeedbackSurvey	Survey
hasOEAnswer_Change	OpenEndedQuestions	OpenEndedAnswers
hasOEAnswer_LikeBest	OpenEndedQuestions	OpenEndedAnswers
hasOEAnswer_Strengths	OpenEndedQuestions	OpenEndedAnswers
hasLikertScaleAnswer	LikertScaleQuestions	LikertScale5

Table 4.2: Object Properties and Their Domain and Range

4.3.3 Data Properties and Data Property Hierarchy

Furthermore, the “Data Properties” can also be described for ontology. “An ontology data property provides a relation to attach an entity instance to some literal datatype




Figure 4.12: Object Property Hierarchies, Domain and Range for Classes

Object Property	Parent Node	Inverse Property
hasContent	owl:TopObjectProperty	isContentOf
isContentOf	owl:TopObjectProperty	hasContent
hasType	owl:TopObjectProperty	isTypeOf
isTypeOf	owl:TopObjectProperty	hasType
hasLikertScaleAnswer	owl:TopObjectProperty	
hasOEAnswer_Change	owl:TopObjectProperty	
hasOEAnswer_LikeBest	owl:TopObjectProperty	
hasOEAnswer_Strengths	owl:TopObjectProperty	
hasRespondedOn	owl:TopObjectProperty	
respondedByRespondent	owl:TopObjectProperty	respondedToSurvey
respondedToSurvey	owl:TopObjectProperty	respondedByRespondent
hasSurveyQuestion	hasContent	isSurveyQuestionOf
hasSurveyAnswer	hasContent	isSurveyAnswerOf
isSurveyQuestionOf	isContentOf	hasSurveyQuestion
isSurveyAnswerOf	isContentOf	hasSurveyAnswer

Table 4.3: Object Properties with Their Parent Nodes and Inverse Properties

value (an RDF number, string or data for example) that is a measure or estimate of what that data property is about.”⁸

In protégé, the “owl:topDataProperty” is the root node of the data properties’ hierarchy. The data property hierarchy can be built by selecting a property in the Data Property Hierarchy view of the Data Property Views tab and then going to the tools menu as shown in Figure 4.13. The remaining steps are similar to the ones that are followed for building class and object property hierarchy (Figure 4.5, 4.6, and 4.7).




Figure 4.13: Tools Menu to Create Data Property Hierarchy

Data properties can be described using the description view of data properties of hierarchy which included details like “Equivalent To”, “SubProperty Of”, “Domains (intersection)”, “Ranges”, and “Disjoint With”. Figure 4.14 shows the data proper-

⁸<https://ddooley.github.io/docs/data-properties/>

ties described for the survey ontology. The parent node of all the data properties is “owl:topDataProperty” and the domain and range for all the data properties are listed in Table 4.4.




Figure 4.14: Data Property Hierarchies, Domain and Range for Classes

Data Property	Domain	Range
hasLikertAns_is_well-prepared_for_class	Respondent	xsd:positiveInteger
hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation	Respondent	xsd:positiveInteger
hasLikertAns_uses_class_time_effectively	Respondent	xsd:positiveInteger
hasLikertAns_has_clear_expectations_for_assigned_work	Respondent	xsd:positiveInteger
hasLikertAns_encourages_student_participation	Respondent	xsd:positiveInteger
hasLikertAns_clearly_answers_questions	Respondent	xsd:positiveInteger
hasLikertAns_treats_students_with_respect	Respondent	xsd:positiveInteger
hasLikertAns_effectively_directs_and_stimulates_discussion	Respondent	xsd:positiveInteger
hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers	Respondent	xsd:positiveInteger
hasOEAnswer_Change	Respondent	xsd:string
hasOEAnswer_LikeBest	Respondent	xsd:string
hasOEAnswer_Strengths	Respondent	xsd:string

Table 4.4: Data Properties and Their Domain and Range

4.3.4 Individuals

An instance of a class in protégé is termed as an “Individual”.

After describing the classes, object properties, data properties, and individuals, the next step is to determine and fix the errors and inconsistencies in the ontology using a Reasoner. The final class hierarchy of the OWL ontology in protégé, after using the HermiT 1.4.3.456 reasoner, would be as shown in Figure 4.15.




Figure 4.15: Class Hierarchy for the Final Version of Survey Ontology

The grey (all classes) and blue (“Survey” entity) back arrows in front of the yellow solid dot, which indicates class, show parent/child relationship other than that of Sub-ClassOf. This feature can be enabled and disabled by selecting “Display relationship in class hierarchy” option from the “View” menu of protégé. Figure 4.15 shows the relation indicated by the blue back arrow.

4.3.5 Using SHACL for Data Validation

SHACL4P is a protégé plugin for SHACL, which uses “shapes” to describe constraints. SHACL can be used to validate the manually entered data which are stored

in spreadsheets. For feedback survey, the likert answers can only have values 1, 2, 3, 4, 5, or No Answer (blank cell). To restrict the values of data properties corresponding to likert questions in Figure 4.14, SHACL4P has been used. Protégé offers a view for SHACL editor as well as SHACL constraint violations. For successful working of SHACL4P, a reasoner should be enabled. The SHACL editor provides three buttons, namely, “Open”, “Save”, and “Validate”. After opening the shapes file (Open button), changes can be made and saved (Save button). Whereas the Validate button allows users to validate the data. Figure 4.16 shows a sample “SurveyShapes.txt” file opened in SHACL editor of protégé.

```

SHACL editor:
Open Save Validate

@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
@prefix sh: <http://www.w3.org/ns/shacl#> .
@prefix xsd: <http://www.w3.org/2001/XMLSchema#> .
@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
@prefix survey: <https://parita-amin.github.io/survey.owl#> .
@prefix owl: <http://www.w3.org/2002/07/owl#> .

survey:RespondentShape
  a sh:NodeShape ;
  sh:targetClass survey:Respondent ; # Applies to all Respondents

  sh:property [
    sh:path survey:hasLikertAns_clearly_answers_questions ; # constrains the values of survey:hasLikertAns_clearly_answers_questions
    sh:datatype xsd:positiveInteger ;
    sh:minInclusive 1 ;
    sh:maxInclusive 5 ;
    sh:severity sh:Warning ;
  ] ;

sh:closed false ;
sh:ignoredProperties ( rdf:type owl:topDataProperty owl:topObjectProperty ) ;

##### add SHACL vocabulary #####

```

Figure 4.16: Data Validation using SHACL Editor

On clicking the Validate button, the summary of violated constraints is displayed on the SHACL constraint violations view in protégé. It contains the details like “Severity”, “SourceShape”, “Message”, “FocusNode”, “Path”, and “Value” as shown in Figure 4.17.

SHACL constraint violations: 1593					
Severity	SourceShape	Message	FocusNode	Path	Value
http://www.w3.org/ns/shacl#Warning	bb5a1ac8f...	Cannot compare with 1	http://127.0.0.1:5984/survey/ow#hasLikertAns_clearly_answers_questions	https://parita-amin.github.io/survey/ow#hasLikertAns_clearly_answers_questions	1
http://www.w3.org/ns/shacl#Warning	bb5a1ac8f...	Cannot compare with 5	http://127.0.0.1:5984/survey/ow#hasLikertAns_clearly_answers_questions	https://parita-amin.github.io/survey/ow#hasLikertAns_clearly_answers_questions	1
http://www.w3.org/ns/shacl#Warning	bb5a1ac8f...	Value must be a valid literal of type positiveInteger	http://127.0.0.1:5984/survey/ow#hasLikertAns_clearly_answers_questions	https://parita-amin.github.io/survey/ow#hasLikertAns_clearly_answers_questions	1
http://www.w3.org/ns/shacl#Warning	22f8124d...	Cannot compare with 1	http://127.0.0.1:5984/survey/ow#hasLikertAns_clearly_communicates_his...	https://parita-amin.github.io/survey/ow#hasLikertAns_clearly_communicates_his...	1
http://www.w3.org/ns/shacl#Warning	22f8124d...	Cannot compare with 5	http://127.0.0.1:5984/survey/ow#hasLikertAns_clearly_communicates_his...	https://parita-amin.github.io/survey/ow#hasLikertAns_clearly_communicates_his...	1
http://www.w3.org/ns/shacl#Warning	22f8124d...	Value must be a valid literal of type positiveInteger	http://127.0.0.1:5984/survey/ow#hasLikertAns_clearly_communicates_his...	https://parita-amin.github.io/survey/ow#hasLikertAns_clearly_communicates_his...	1
http://www.w3.org/ns/shacl#Warning	c1818e90...	Cannot compare with 1	http://127.0.0.1:5984/survey/ow#hasLikertAns_effectively_directs_and_sti...	https://parita-amin.github.io/survey/ow#hasLikertAns_effectively_directs_and_sti...	1
http://www.w3.org/ns/shacl#Warning	c1818e90...	Cannot compare with 5	http://127.0.0.1:5984/survey/ow#hasLikertAns_effectively_directs_and_sti...	https://parita-amin.github.io/survey/ow#hasLikertAns_effectively_directs_and_sti...	1
http://www.w3.org/ns/shacl#Warning	c1818e90...	Value must be a valid literal of type positiveInteger	http://127.0.0.1:5984/survey/ow#hasLikertAns_effectively_directs_and_sti...	https://parita-amin.github.io/survey/ow#hasLikertAns_effectively_directs_and_sti...	1
http://www.w3.org/ns/shacl#Warning	92359815...	Cannot compare with 1	http://127.0.0.1:5984/survey/ow#hasLikertAns_effectively_encourages_stu...	https://parita-amin.github.io/survey/ow#hasLikertAns_effectively_encourages_stu...	1
http://www.w3.org/ns/shacl#Warning	92359815...	Cannot compare with 5	http://127.0.0.1:5984/survey/ow#hasLikertAns_effectively_encourages_stu...	https://parita-amin.github.io/survey/ow#hasLikertAns_effectively_encourages_stu...	1
http://www.w3.org/ns/shacl#Warning	92359815...	Value must be a valid literal of type positiveInteger	http://127.0.0.1:5984/survey/ow#hasLikertAns_effectively_encourages_stu...	https://parita-amin.github.io/survey/ow#hasLikertAns_effectively_encourages_stu...	1
http://www.w3.org/ns/shacl#Warning	127be816...	Cannot compare with 1	http://127.0.0.1:5984/survey/ow#hasLikertAns_encourages_student_partic...	https://parita-amin.github.io/survey/ow#hasLikertAns_encourages_student_partic...	3
http://www.w3.org/ns/shacl#Warning	127be816...	Cannot compare with 5	http://127.0.0.1:5984/survey/ow#hasLikertAns_encourages_student_partic...	https://parita-amin.github.io/survey/ow#hasLikertAns_encourages_student_partic...	3
http://www.w3.org/ns/shacl#Warning	127be816...	Value must be a valid literal of type positiveInteger	http://127.0.0.1:5984/survey/ow#hasLikertAns_encourages_student_partic...	https://parita-amin.github.io/survey/ow#hasLikertAns_encourages_student_partic...	3
http://www.w3.org/ns/shacl#Warning	088f2ba8...	Cannot compare with 1	http://127.0.0.1:5984/survey/ow#hasLikertAns_has_clear_expectations_fo...	https://parita-amin.github.io/survey/ow#hasLikertAns_has_clear_expectations_fo...	1
http://www.w3.org/ns/shacl#Warning	088f2ba8...	Cannot compare with 5	http://127.0.0.1:5984/survey/ow#hasLikertAns_has_clear_expectations_fo...	https://parita-amin.github.io/survey/ow#hasLikertAns_has_clear_expectations_fo...	1
http://www.w3.org/ns/shacl#Warning	088f2ba8...	Value must be a valid literal of type positiveInteger	http://127.0.0.1:5984/survey/ow#hasLikertAns_has_clear_expectations_fo...	https://parita-amin.github.io/survey/ow#hasLikertAns_has_clear_expectations_fo...	1
http://www.w3.org/ns/shacl#Warning	51c5d0d3...	Cannot compare with 1	http://127.0.0.1:5984/survey/ow#hasLikertAns_is_well-prepared_for_class	https://parita-amin.github.io/survey/ow#hasLikertAns_is_well-prepared_for_class	2
http://www.w3.org/ns/shacl#Warning	51c5d0d3...	Cannot compare with 5	http://127.0.0.1:5984/survey/ow#hasLikertAns_is_well-prepared_for_class	https://parita-amin.github.io/survey/ow#hasLikertAns_is_well-prepared_for_class	2
http://www.w3.org/ns/shacl#Warning	51c5d0d3...	Value must be a valid literal of type positiveInteger	http://127.0.0.1:5984/survey/ow#hasLikertAns_is_well-prepared_for_class	https://parita-amin.github.io/survey/ow#hasLikertAns_is_well-prepared_for_class	2

Figure 4.17: SHACL Constraint Violations

4.4 From Spreadsheets to Linked Open Data

4.5 Visualization Tools for OWL Ontology

The next step is visualization of the built OWL ontology using various visualization tools. Protégé supports plug-ins for some visualization tools like OntoGraf and OWLViz whereas tools like WebVOWL, RelFinder and OWLGrEd are available for use as web-based tools. This section focuses on the two tools, OntoGraf and WebVOWL, used for the visualization of the survey ontology in this research.

4.5.1 OntoGraf

Falconer [25] introduced OntoGraf as a protégé plug-in for the visualization of the OWL ontologies. This tool helps the users to represent the ontologies, built using protégé, by repetitively allowing and restricting the desired classes. OntoGraf offers various graph layout options for visualization like Grid Layout⁹, Spring Layout, and Tree Layout¹⁰. Antoniazzi and Viola [3] stated that the “individuals of a class can be visualized in its tooltip, but this is uncomfortable when dealing with a high number of assertional statements”. The graphs generated using OntoGraf can be exported as image

⁹classes are arranged in a grid alphabetically

¹⁰both horizontal and vertical

files of various formats such as Portable Network Graphics (PNG), Joint Photographic Experts Group (JPEG), Graphics Interchange Format (GIF) and as a dot file¹¹.

Figure 4.18 shows the graph generated using OntoGraf for the survey ontology. To start with the graph formation, the classes “Thing”, “Domain_entity”, “Independent_entity” and “Value” were selected followed by expansion of “Independent_entity” and “Value” classes by double-clicking them. This expansion adds all the classes that are connected to the classes. The classes connected includes both the subclasses as well as the ones linked through the object properties. Solid blue lines are used to denote the relationships between the classes and their subclasses whereas dashed lines are used to represent the object properties.




Figure 4.18: OntoGraf for Survey Ontology

¹¹a Microsoft Word Template with the details of default settings

4.5.2 WebVOWL

WebVOWL [33], the Web-based Visual Web Ontology Language (VOWL), one of the variety of forms in which the VOWL visualization tool is available, represents the “ontologies graphically using a force-directed graph layout” [3]. VOWL follows some ground rules for the representation of OWL ontologies which are:

1. Circles are used to denote classes. Also, different types are assigned different colors. For instance, OWL classes are denoted using “light blue circles”.
2. Black solid lines are used to represent OWL object and datatype properties. The object properties use light blue labels where as the datatype properties are labelled in green.
3. The relationships between the classes and their subclasses are represented using dashed lines.

Figure 4.19 shows the graphical representation of the survey ontology using WebVOWL. The figure focuses on only some of the class-subclass relationships and some of the object properties. The metadata and the statistics of the node (circle) or the edge (line) can be retrieved by clicked on them. The entities (classes) and their relationships (object and datatype properties) can be presented or restricted using filters. The VOWL graph can be exported as an Scalable Vector Graphics (SVG) image file or a JavaScript Object Notation (JSON) code file.




Figure 4.19: WebVOWL for Survey Ontology

Chapter 5

Conclusion and Future Work

This Chapter focuses on the prime offerings of this research work where one of the sections includes the conclusions drawn from the work done and the other discusses future work that can be done to succeed in this research.

5.1 Conclusion

This thesis work describes a new attempt on developing a linked open data instrument for feedback surveys. It focuses on the issues encountered and the user experience of various tools and references used for the modelling of the instrument and for data visualization. The thesis revolves around some fundamental topics like Semantic Web, Linked Open Data, RDF, and OWL ontologies. It also describes how and why Protégé has been used over other ontology development tools to describe survey vocabularies. The thesis can be considered as a guide for the researchers who are interested in exploring this lesser known aspect of semantic web.

The thesis includes a detailed background study on the fundamental topics, the usability of Protégé, and discussion on some tools for linked open data visualizations. Chapter ?? describes the steps involved in building the survey ontology using Protégé, various parts and facilities offered by Protégé, and the visual representation of the

ontology toward the end.

5.2 Future Work

This thesis also offers a number of future development options like building a real-time linked open data application for feedback surveys that follows the linked data life cycle. Web Scraping (or Web Extraction) is a method of extracting desired data from the resources on the WWW into a separate file for data retrieval and data analysis. Data Extraction is one of the steps in the linked data life cycle that can be explored in future research to facilitate use of data that has already been published to the web with HTML tables.

Versioning of the survey ontology is a topic of interest. The ontology vocabularies (available in Appendix C) can be reused for appropriate applications but they may need to be updated over time. Hence, ontology versioning and version management of the survey instrument for this feedback survey, as well as for other types of surveys is an aspect of this research that can be explored.

Developing a data entry form for the feedback survey instrument that can be defined, in part, directly from the survey ontology would facilitate recording of survey responses collected offline.

Appendix A

Sample CSV Data

- 1 Submitted on:,Q01_Rate instructor->1. The instructor is well-prepared for class ,Q01_Rate instructor->2. The instructor clearly communicates his expectations for student preparation and participation ,Q01_Rate instructor->3. The instructor uses class time effectively ,Q01_Rate instructor->4. The instructor has clear expectations for assigned work ,Q01_Rate instructor->5. The instructor encourages student participation ,Q01_Rate instructor->6. The instructor clearly answers questions ,Q01_Rate instructor->7. The instructor treats students with respect ,Q01_Rate instructor->8. The instructor effectively directs and stimulates discussion ,Q01_Rate instructor->9. The instructor effectively encourages students to ask questions and give answers, Q02_Like best ,Q03_Change, Q04_Strengths
- 2 08/MAR/2022,2,1,1,1,3,1,4,1,1,literally not a thing,"the professor, the grading scheme",??
- 3 03/MAR/2022,4,5,2,5,5,5,5,4,4,I like how quick the teacher is to answer any question about a assignment or a project and clarify any detail. "I feel like if we had some more information about debate topics we would be able to debate more effectively.",The teacher always answers questions about assignments and projects when ever he is asked about them so I always feel prepared for the next assignment.
- 4 07/MAR/2022,4,4,4,4,4,4,4,4,4,,,
- 5 11/MAR/2022,3,4,3,2,5,3,5,4,5,,I am confused on what the topics of this course even are. Every class it's students asking questions about the assignments and projects and then we have about 15 minutes at the end of every class to try and have a discussion.",Having open communication with the students. No one is afraid to turn their microphones on and talk or share an opinion. It is a very welcoming environment."
- 6 03/MAR/2022,5,5,4,5,5,5,5,5,5,"The course effectively encourages me to ask questions and give answers. I like the class discussions on current topics in the world, helps me keep myself aware of what is happening in the world.",This class is different from all the other classes I have taken. The discussions are open-ended and sometimes I feel I am not sure how well I am doing in this class or what I am learning. I would like to see more concrete implementation for

- achieving the desired learning outcomes. I do not what would be there on the final exam and what should I need to do to pass the final exam .,Dr. Daryl Hepting is a great mentor with a lot of knowledge and experience teaching this course. He is always well-prepared for the class and communicates his expectations for students clearly. His teaching style encourages student participation. He is very respectful of his students and always willing to go above and beyond for helping his students. I would definitely take another class with Dr. Hepting.
- 7 11/MAR/2022,2,2,1,2,5,3,5,4,5,The discussion section of each lecture.,The clarity on what is expected of us on assignments.,discussions
- 8 09/MAR/2022,1,1,1,2,3,1,3,2,2,,,
- 9 11/MAR/2022,3,3,3,3,3,3,3,3,3,The content,Nothing,His communication skills
- 10 11/MAR/2022,3,3,4,4,5,4,5,5,5,,,
- 11 07/MAR/2022,5,5,5,5,5,5,5,5,5,The teacher's lessons are very informative , and then you need to reply every day so that people can discuss the content of the daily lessons.",NO,NO
- 12 03/MAR/2022,5,4,4,5,4,5,5,4,5,I enjoy how the instructor is very knowledgeable and always available when questions need to be answered. ÃÃ, "Not much honestly , I don't see a need to change something that works.", His knowledge.ÃÃ
- 13 11/MAR/2022,3,3,1,3,3,3,4,2,2,N/A,I'd like more focus and discussion on the course material and more focus overall. Too much time is spent talking about assignment submissions and not enough about topics relating to the course material.Discussions more suited for office hours routinely dominate class time and obstruct relevant discussion., N/A
- 14 04/MAR/2022,4,4,4,5,5,3,5,5,5,The discussionsÃÃ, Nothing I can think of, Creative
- 15 05/MAR/2022,3,3,3,4,3,2,5,3,3,I like the say we are able to give about assignment due dates.,I would probably change how to teach things having more of a concrete definition of different topics.,Greatest strengths are being able to communicate with students about assignment topics as well as the freedom he is able to give students in his class.
- 16 07/MAR/2022,5,5,5,5,5,5,5,5,5,,,
- 17 11/MAR/2022,4,4,4,5,5,5,5,5,4,,,
- 18 07/MAR/2022,5,5,4,5,5,5,5,5,4,This course is best to study with Dr Hepting as he includes most of the stuff practical based.,I don't think there are any changed requirements., "Knowledge, Teaching skills ."
- 19 07/MAR/2022,4,5,4,5,5,5,5,5,5,I really like how the professor encourages open student discussionÃÃ on current world events and topics related to the course. TheÃÃ lively exchange of ideas during the class makes for the majority of the course content and it is an innovative way of learning and encouraging student participation.,The only thingÃÃ I would like to change about this course would be to have the course content a little bit more organized and fast-paced and focused on the final exam since it is 25% of our final grade and also explain what would the final exam entail.,The instructor's greatest strengths are:ÃÃ- Encourage student participation and make every student feel

- welcomed to join any on-going discussion.— Engaging students by related current world events to our course content— Patience and enthusiasm during the class—Clarity about assignments
- 20 07/MAR/2022,3,5,4,4,5,5,5,5,5,I like the wide variety of topics discussed ,I wish that the expectations for assignments were explained more thoroughly further in advance rather than a week before—,Interacting with students and encouraging discussion
- 21 10/MAR/2022,3,4,3,4,5,3,5,5,5,The class discussions and his understanding of the student's being confused,"To have a more structured lesson plan and teaching, we don't always have textbook readings and we don't do any note-taking in class, so I'm a little lost on what will be on the exam. we tend to go in circles a little bit.",relating content to the real world and making us see and compare it, not to made-up examples, but things we interact with daily."
- 22 06/MAR/2022,4,4,3,3,4,4,5,4,4,I like the course material and that discussion is encouraged.,I would like to talk more about stuff we are told to watch or read before class in actual class time.,Very kind and willing to answer questions.
- 23 03/MAR/2022,4,5,5,5,5,5,5,5,5,The best thing I like about this course is that I hear my peers' points of view and I can build my aspect upon their points of view.,,
- 24 07/MAR/2022,4,4,3,3,5,4,5,5,5,The interesting discussions about online activity and information.—,More clearly laid out assignment details and expectations; Sometimes feels like there's a lot of dead space in class where time could be used more effectively.—,The ability to foster and encourage interesting in class discussion.—
- 25 03/MAR/2022,4,2,2,5,5,5,5,3,5,"The writing part, I am not good at it, this course is a chance for me to practice my writing skills.The topic we discussed is very interesting tho.",I would like to get rid of the response to meeting part. It's just frustrating that we have to do it every lecture,"His preparation skills. I believe that Dr Hepting knew his weakness, so he created so many tools, so many notes that the students can use. And for a "geek" like me, they are amazing!"
- 26 10/MAR/2022,4,4,4,4,5,4,5,5,5,The professor is very considerate of the students. He always encourages lively discussions.,Nothing so far., Instructor is very considerate of students. Does not give work during holidays or immediately after. Gives students time and second chances. —
- 27 09/MAR/2022,5,5,5,5,5,5,5,5,5,"Professor Hepting I guess, he is well prepared and has answers to our questions promptly.—",Nothing from my point of view.—,Not going to a different topic unless things are clear for all the students.
- 28 10/MAR/2022,5,5,5,5,5,5,5,5,5,,,
- 29 07/MAR/2022,4,4,3,4,5,4,5,5,5,,,
- 30 09/MAR/2022,2,3,2,3,4,3,5,3,4,everything seems relatively easy.,i wish there was better organization and better use of class time.,he has good topics to talk about.
- 31 03/MAR/2022,4,4,4,4,5,4,4,4,5,The fact that most of the topics are relevant to today's world and not outdated.,Better ways of communication during class for all our classmates so breakout rooms go more smoothly.,His compassion towards the students and understanding

- our own struggles as well.
- 32 10/MAR/2022,5,5,5,5,5,5,5,5,5,5,It's interesting and non complicated course which is based on our daily lives. The main thing is that it does not require mental attention and it's a free learning and fun course.,Nothing ! It's all good and perfect., "He is soft spoken, always keeps patience, answers questions and explains things thoroughly."
- 33 10/MAR/2022,5,5,5,5,5,5,5,5,5,5,The topics which are covered in this course .,Nothing in particular.,The greatest strength of the instructor of this course is that he ready to help even if you ask question in middle of discussion he is ready to answer. Also to make students more interactive he arranges class discussion as well which also with the participation.,
- 34 11/MAR/2022,5,5,5,5,5,5,5,5,5,5,The best part is how the instructor teaches and explains the stuff,nothing,Explaining the course
- 35 03/MAR/2022,4,3,4,5,5,4,5,4,5,5,The thing i like most about this course is it very based on research and that is what is making me research more about the topics discussed. Since then i have started to research more and more about the class,Lecture's are little boring and need some entertainment. He is a great teacher but students need some motivation thats is what is missing and a big smile is missing of professor,He is really good with the topics and knows everything he teaches he helps us with some research strategies thats what is the greatest strength.
- 36 26500,03/MAR/2022,3,4,3,4,5,5,5,5,4,I like the idea of the course the best. The idea of weighing risks vs rewards of giving companies your information., "I'd change how the course is presented. Whether or not it is a teaching style preference, I tend to prefer classes that have a bit more structure to them, and less group activities as I prefer to rely solely on myself for my grade."
- 37 03/MAR/2022,4,5,3,4,5,4,5,5,5,5,The topics discussed and the way assignments are delivered., "Less group work, especially for a class delivered remotely.",The instructor is a very smart individual who is very passionate about the topics.
- 38 07/MAR/2022,3,2,3,2,3,2,4,3,3,"My classmates and I continuously communicate with each other to help understand what's happening, ask questions about homework, and such. The topics can be quite interesting and with each discussion, I learn something new.",Nothing, He is knowledgeable and well updated with tech news.
- 39 06/MAR/2022,5,5,5,5,5,5,5,5,5,5,The fact that our professor encourages more class participation by effective methods like group projects and always relate topics with current affairs is the best part of this course to me., "Honestly, getting up early is hard probably would like to change the class timing by a hour maybe",Our instructors greatest strength his ability to relate the topic with current affairs.
- 40 03/MAR/2022,3,4,2,4,5,4,5,4,4,I really like the content of this course. It is very interesting and changes my perspective of technology,I would like to see more content in class. I feel we don't really get anything done in class till the end.,The instructor's greatest strengths are that he is very knowledgeable and genuinely cares for his students.

- 41 03/MAR/2022,4,1,5,5,5,5,5,5,5,Professor give equal opportunity to every student in the class and explain every single detail of our works we need to submit. Even present some examples of our submission to make it even more clear.,I dont like how we are supposed to work in different groups for each assessment which makes it confusing and unfair for the student with no connections or friends at all., Professor is a good listener and believes in team work.
- 42 11/MAR/2022,2,3,2,2,4,2,5,3,5,"As this course is running remotely as well as in-person which is the only one best thing I have found. Also, The way the professor treats us with very polite behavior.", "To be honest, I didn't find anything best yet, because we didn't get proper knowledge in this class as we have given the name of a textbook but in class, we didn't get any information regarding our course. Every day I have found that Professor is busy changing the due dates and editing on URCourses.ÂOne of my friends suggested CS280 and also told me that I will gain more knowledge as well as I will really enjoy this course. But, somehow I'm feeling completely opposite. I'm completely disappointed with this course.Hope I'll get at least some knowledge of this course and suggest others for this course.",I have found that the professor is more knowledgeable but his teaching style does not fit particularly in my mind.
- 43 11/MAR/2022,5,5,5,5,5,5,5,5,5,The delivery of the course is excellent,"I would like to change the group studies portion to individual, so we don't have to be dependent on others.",The explanation skills and most importantly the period of giving time to students.
- 44 09/MAR/2022,4,4,4,4,4,4,4,4,4,,,
- 45 08/MAR/2022,4,5,4,4,5,4,5,5,4,Flexible assignment due dates. Different projects with a different perspective can make a lot of difference in group projects.ÂNothing.,The way he conducts the class and how he organizeshis website like detailed assignment requirements and the syllabus also how and when the assignment and exams are due.Â
- 46 04/MAR/2022,3,4,3,4,4,3,4,3,4,"I like that we can tie in class material with current events, because I think talking about relevant news is more interesting than just reading a textbook.", "I would like to change how much down time there is in class, I think we spend too much time in between topics or discussions, and if we didn't do that I think everyone would be able to learn a lot more.", "I think that the professor's greatest strengths are his knowledge on the subject matter being taught, whatever we talk about he for the most part has a good idea on the concepts, but he can sometime struggle to explain it better for other students who didn't understand."
- 47 08/MAR/2022,5,5,1,5,5,5,5,4,5,I like how Dr. Hepting encourages conversation in class and encourages student participation.,While I like the idea of learning about risks and rewards in computer science it seems like we never actually learn anything in class. Instead we just go over what's expected on assignments and answer and re-answer the same questions. I wish we could actually learn something new for a change.,Listening to students and accommodating are needs.
- 48 04/MAR/2022,3,4,4,3,4,4,4,4,4,The in class discussions are interestingÂ, I wish it was more constructed and had notes or readings for us to do,

49 04/MAR/2022,5,5,5,5,5,5,5,5,5,,
50 04/MAR/2022,5,4,5,5,5,5,4,4,5,,big writing assignments.,the ability to teach.
51 10/MAR/2022,4,4,4,4,4,4,4,4,4,The topics are really interesting.,More assignments.,Content knowledge and experience.
52 09/MAR/2022,4,5,3,5,5,5,5,5,5,The discussion on various topics; gaining new insight and ideas from my peersVery low-intensityÃLots of critical thinking and researchI also really like the post-lecture feedback from each student regarding that day's topic. It's interesting to see other people's posts because I can learn new ideas from them.,I'd like to spend more time exploring topics and learning new ideas than just administration stuff. I think it's only like this because of online learning and Covid, though, so I understand if there's a lot of difficulties we have to work through. I just wish it wasn't so often. It'll probably get better once everything is in person.Ã", "Really engages class discussion. It's nice because you get to hear other viewsProvides some really good resources (all of which are free!). The Ted talks, articles, and book are pretty relevant and insightful. I appreciate that everything is gathered together in the website because I might miss something.I also appreciate the class notes summary that students post. I can look at them in case I miss a class."
53 10/MAR/2022,4,5,4,4,4,5,5,4,5,Taking this course I got to know many things like how information is important and what is privacy and so on ... So it is an interesting class I guess...Ã,I think there is nothing that needs to be changed except giving lot of assignments..Ã, I think Dr Daryl Hepting has good nature and he is friendly with everyone and so I think this is his greatest strength...Ã
54 04/MAR/2022,3,2,3,5,5,4,5,4,3,I like how there's no coding in this computer science course.,I would make the expectations and how to approach and succeed in this course clear at the beginning of the course.,The instructor greatest strength is his ability to start a discussion among students
55 11/MAR/2022,3,4,3,4,4,4,5,4,5,"I enjoy the discussions the most honestly, hearing everyone's opinions on web safety topics (tracking, articles and truth) is probably one of my favorite things about this course.", "If we could be more on topic in most lectures, that'd be great. We spend so much time talking about assignments that the actual lectures and discussions feel few and far between compared to the course admin days.", "The website used for documentation about meeting documentation (transcripts, responses) and assignments is very nice, and I'm glad effort has gone into making it a good website.While stuttering a lot makes it a bit hard to understand what he's saying, it's not like it makes what he's saying any less interesting. I usually end up thinking about the discussion topics or the lecture topic far after the class because they're that interesting."
56 04/MAR/2022,,,,,,,variety of topics,more clarity,
57 05/MAR/2022,5,5,4,5,5,5,5,5,5,"The freedom to speak what you think and believe in. The freedom and encouragement of expressing your thoughts and opinions about various topics. I like the professor. Dr Daryl always keeps his calm. I have never seen him angry; I like his

Appendix B

Expression of CSV Data in LOD (Turtle)

```
1 @prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
2 @prefix owl: <http://www.w3.org/2002/07/owl#> .
3 @prefix survey: <https://parita-amin.github.io/survey.owl> .
4 @prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .
5 @prefix foaf: <http://xmlns.com/foaf/0.1/> .
6
7 <http://127.0.0.1:3333/0> a <https://parita-amin.github.io/survey.owl#
  Respondent>;
8 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
  prepared_for_class> "2";
9 <https://parita-amin.github.io/survey.owl#
  hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
  _participation> "1";
10 <https://parita-amin.github.io/survey.owl#
  hasLikertAns_uses_class_time_effectively> "1";
11 <https://parita-amin.github.io/survey.owl#
  hasLikertAns_has_clear_expectations_for_assigned_work> "1";
12 <https://parita-amin.github.io/survey.owl#
  hasLikertAns_encourages_student_participation> "3";
13 <https://parita-amin.github.io/survey.owl#
  hasLikertAns_clearly_answers_questions> "1";
14 <https://parita-amin.github.io/survey.owl#
  hasLikertAns_treats_students_with_respect> "4";
15 <https://parita-amin.github.io/survey.owl#
  hasLikertAns_effectively_directs_and_stimulates_discussion> "1";
16 <https://parita-amin.github.io/survey.owl#
  hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
  > "1";
17 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "
  literally not a thingÂ";
18 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "the
  professor , the grading schemeÂ";
19 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "?? " .
```

```

20 <http://127.0.0.1:3333/1> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "5";
21 a <https://parita-amin.github.io/survey.owl#Respondent>;
22 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "4";
23 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "2";
24 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
25 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
26 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
27 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
28 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
29 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "4";
30 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I like
    how quick the teacher is to answer any question about a assignment or
    a project and clarify any detail.ÃÃ";
31 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I feel
    like if we had some more information about debate topics we would be
    able to debate more effectively.Ã";
32 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The
    teacher always answers questions about assignments and projects when
    ever he is asked about them so I always feel prepared for the next
    assignment." .
33 <http://127.0.0.1:3333/2> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_is_well-prepared_for_class> "4";
34 a <https://parita-amin.github.io/survey.owl#Respondent>;
35 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "4";
36 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "4";
37 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "4";
38 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "4";
39 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "4";
40 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "4";
41 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
42 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers

```

```

    > "4" .
43 <http://127.0.0.1:3333/3> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
44 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "3";
45 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "4";
46 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "3";
47 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "2";
48 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
49 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "3";
50 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
51 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
52 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
53 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I am
    confused on what the topics of this course even are. Every class it's
    students asking questions about the assignments and projects and then
    we have about 15 minutes at the end of every class to try and have a
    discussion.Ää";
54 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "Having
    open communication with the students. No one is afraid to turn their
    microphones on and talk or share an opinion. It is a very welcoming
    environment.Ää" .
55 <http://127.0.0.1:3333/4> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
56 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "5";
57 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "5";
58 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "4";
59 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
60 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
61 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
62 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
63 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";

```

```

64 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
65 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    course effectively encourages me to ask questions and give answers. I
    like the class discussions on current topics in the world, helps me
    keep myself aware of what is happening in the world.Ã";
66 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "This class
    is different from all the other classes I have taken. The discussions
    are open-ended and sometimes I feel I am not sure how well I am doing
    in this class or what I am learning. I would like to see more
    concrete implementation for achieving the desired learning outcomes. I
    do not what would be there on the final exam and what should I need
    to do to pass the final exam.";
67 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "Dr.
    Daryl Hepting is a great mentor with a lot of knowledge and experience
    teaching this course. He is always well-prepared for the class and
    communicates his expectations for students clearly. His teaching style
    encourages student participation. He is very respectful of his
    students and always willing to go above and beyond for helping his
    students. I would definitely take another class with Dr. Hepting." .
68 <http://127.0.0.1:3333/5> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_is_well-prepared_for_class> "2";
69 a <https://parita-amin.github.io/survey.owl#Respondent>;
70 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "2";
71 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "1";
72 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "2";
73 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
74 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "3";
75 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
76 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
77 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
78 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    discussion section of each lecture.";
79 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "The
    clarity on what is expected of us on assignments.";
80 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "
    discussions" .
81 <http://127.0.0.1:3333/6> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
82 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-

```

```

    prepared_for_class> "1";
83 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "1";
84 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "1";
85 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "2";
86 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "1";
87 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "3";
88 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "3";
89 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "2";
90 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "2" .
91 <http://127.0.0.1:3333/7> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
92 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "3";
93 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "3";
94 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "3";
95 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "3";
96 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "3";
97 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "3";
98 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "3";
99 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "3";
100 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "3";
101 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    content";
102 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Nothing";
103 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "His
    communication skills" .
104 <http://127.0.0.1:3333/8> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
105 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "3";
106 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and

```

```

    _participation> "3";
107 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "4";
108 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "4";
109 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
110 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "4";
111 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
112 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
113 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5" .
114 <http://127.0.0.1:3333/9> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
115 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "5";
116 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "5";
117 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "5";
118 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
119 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
120 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
121 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
122 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
123 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
124 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    teacher's lessons are very informative, and then you need to reply
    every day so that people can discuss the content of the daily lessons.
    ";
125 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "NO";
126 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "NO" .
127 <http://127.0.0.1:3333/10> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_is_well-prepared_for_class> "5";
128 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "4";
129 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "4";
130 <https://parita-amin.github.io/survey.owl#

```

```

    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
131 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "4";
132 a <https://parita-amin.github.io/survey.owl#Respondent>;
133 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
134 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
135 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
136 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
137 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I enjoy
    how the instructor is very knowledgeable and always available when
    questions need to be answered.Â&Â&";
138 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Not much
    honestly, I don't see a need to change something that works.";
139 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "His
    knowledge.Â&" .
140 <http://127.0.0.1:3333/11> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "3";
141 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "3";
142 a <https://parita-amin.github.io/survey.owl#Respondent>;
143 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "3";
144 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "3";
145 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "1";
146 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "3";
147 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "4";
148 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "2";
149 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "2";
150 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "N/A";
151 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I'd like
    more focus and discussion on the course material and more focus
    overall. Too much time is spent talking about assignment submissions
    and not enough about topics relating to the course material.
    Discussions more suited for office hours routinely dominate class time
    and obstruct relevant discussion.";
152 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "N/A" .
153 <http://127.0.0.1:3333/12> a <https://parita-amin.github.io/survey.owl#
    Respondent>;

```



```

154 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "4";
155 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "4";
156 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "4";
157 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
158 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
159 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "3";
160 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
161 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
162 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
163 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    discussionsÃ";
164 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Nothing I
    can think of";
165 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "
    Creative" .
166 <http://127.0.0.1:3333/13> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
167 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "3";
168 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "3";
169 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "3";
170 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "4";
171 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "3";
172 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "2";
173 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
174 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "3";
175 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "3";
176 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I like
    the say we are able to give about assignment due dates.";
177 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I would

```

probably change how to teach things having more of a concrete definition of different topics.";

178 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "Greatest strengths are being able to communicate with students about assignment topics as well as the freedom he is able to give students in his class." .

179 <http://127.0.0.1:3333/14> a <https://parita-amin.github.io/survey.owl#Respondent>;

180 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "5";

181 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "5";

182 <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "5";

183 <https://parita-amin.github.io/survey.owl#hasLikertAns_has_clear_expectations_for_assigned_work> "5";

184 <https://parita-amin.github.io/survey.owl#hasLikertAns_encourages_student_participation> "5";

185 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_answers_questions> "5";

186 <https://parita-amin.github.io/survey.owl#hasLikertAns_treats_students_with_respect> "5";

187 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_directs_and_stimulates_discussion> "5";

188 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers> "5" .

189 <http://127.0.0.1:3333/15> a <https://parita-amin.github.io/survey.owl#Respondent>;

190 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "4";

191 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "4";

192 <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "4";

193 <https://parita-amin.github.io/survey.owl#hasLikertAns_has_clear_expectations_for_assigned_work> "5";

194 <https://parita-amin.github.io/survey.owl#hasLikertAns_encourages_student_participation> "5";

195 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_answers_questions> "5";

196 <https://parita-amin.github.io/survey.owl#hasLikertAns_treats_students_with_respect> "5";

197 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_directs_and_stimulates_discussion> "5";

198 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers> "4" .

199 <http://127.0.0.1:3333/16> <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_directs_and_stimulates_discussion> "5";

```

200 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
201 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
202 a <https://parita-amin.github.io/survey.owl#Respondent>;
203 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "5";
204 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "5";
205 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "4";
206 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
207 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
208 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "4";
209 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "This
    course is best to study with Dr Hepting as he includes most of the
    stuff practical based.";
210 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I don't
    think there are any changed requirements.";
211 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "
    Knowledge, Teaching skills." .
212 <http://127.0.0.1:3333/17> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
213 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "4";
214 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "5";
215 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "4";
216 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
217 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
218 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
219 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
220 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
221 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
222 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I really
    like how the professor encourages open student discussion on
    current world events and topics related to the course. The lively

```

exchange of ideas during the class makes for the majority of the course content and it is an innovative way of learning and encouraging student participation.";

223 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "The only thing I would like to change about this course would be to have the course content a little bit more organized and fast-paced and focused on the final exam since it is 25% of our final grade and also explain what would the final exam entail.";

224 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The instructor's greatest strengths are:– Encourage student participation and make every student feel welcomed to join any on-going discussion.– Engaging students by related current world events to our course content– Patience and enthusiasm during the class– Clarity about assignments" .

225 <http://127.0.0.1:3333/18> <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "3";

226 a <https://parita-amin.github.io/survey.owl#Respondent>;

227 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "5";

228 <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "4";

229 <https://parita-amin.github.io/survey.owl#hasLikertAns_has_clear_expectations_for_assigned_work> "4";

230 <https://parita-amin.github.io/survey.owl#hasLikertAns_encourages_student_participation> "5";

231 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_answers_questions> "5";

232 <https://parita-amin.github.io/survey.owl#hasLikertAns_treats_students_with_respect> "5";

233 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_directs_and_stimulates_discussion> "5";

234 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers> "5";

235 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I like the wide variety of topics discussed";

236 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I wish that the expectations for assignments were explained more thoroughly further in advance rather than a week before";

237 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "Interacting with students and encouraging discussion" .

238 <http://127.0.0.1:3333/19> a <https://parita-amin.github.io/survey.owl#Respondent>;

239 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "3";

240 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "4";

241 <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "3";

```

242 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "4";
243 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
244 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "3";
245 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
246 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
247 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
248 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    class discussions and his understanding of the student's being
    confused";
249 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "To have a
    more structured lesson plan and teaching, we don't always have
    textbook readings and we don't do any note-taking in class, so I'm a
    little lost on what will be on the exam. we tend to go in circles a
    little bit.";
250 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "
    relating content to the real world and making us see and compare it,
    not to made-up examples, but things we interact with daily." .
251 <http://127.0.0.1:3333/20> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
252 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "4";
253 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "4";
254 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "3";
255 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "3";
256 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "4";
257 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "4";
258 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
259 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
260 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "4";
261 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I like
    the course material and that discussion is encouraged.";
262 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I would
    like to talk more about stuff we are told to watch or read before
    class in actual class time.";
263 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "Very

```

kind and willing to answer questions." .

264 <http://127.0.0.1:3333/21> <https://parita-amin.github.io/survey.owl#
hasLikertAns_is_well-prepared_for_class> "4";

265 <https://parita-amin.github.io/survey.owl#
hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
_participation> "5";

266 a <https://parita-amin.github.io/survey.owl#Respondent>;

267 <https://parita-amin.github.io/survey.owl#
hasLikertAns_uses_class_time_effectively> "5";

268 <https://parita-amin.github.io/survey.owl#
hasLikertAns_has_clear_expectations_for_assigned_work> "5";

269 <https://parita-amin.github.io/survey.owl#
hasLikertAns_encourages_student_participation> "5";

270 <https://parita-amin.github.io/survey.owl#
hasLikertAns_clearly_answers_questions> "5";

271 <https://parita-amin.github.io/survey.owl#
hasLikertAns_treats_students_with_respect> "5";

272 <https://parita-amin.github.io/survey.owl#
hasLikertAns_effectively_directs_and_stimulates_discussion> "5";

273 <https://parita-amin.github.io/survey.owl#
hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
> "5";

274 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The best
thing I like about this course is that I hear my peers' points of
view and I can build my aspect upon their points of view." .

275 <http://127.0.0.1:3333/22> a <https://parita-amin.github.io/survey.owl#
Respondent>;

276 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
prepared_for_class> "4";

277 <https://parita-amin.github.io/survey.owl#
hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
_participation> "4";

278 <https://parita-amin.github.io/survey.owl#
hasLikertAns_uses_class_time_effectively> "3";

279 <https://parita-amin.github.io/survey.owl#
hasLikertAns_has_clear_expectations_for_assigned_work> "3";

280 <https://parita-amin.github.io/survey.owl#
hasLikertAns_encourages_student_participation> "5";

281 <https://parita-amin.github.io/survey.owl#
hasLikertAns_clearly_answers_questions> "4";

282 <https://parita-amin.github.io/survey.owl#
hasLikertAns_treats_students_with_respect> "5";

283 <https://parita-amin.github.io/survey.owl#
hasLikertAns_effectively_directs_and_stimulates_discussion> "5";

284 <https://parita-amin.github.io/survey.owl#
hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
> "5";

285 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
interesting discussions about online activity and information.Â"

286 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "More
clearly laid out assignment details and expectations; Sometimes feels

like there's a lot of dead space in class where time could be used more effectively.Ä";

287 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The ability to foster and encourage interesting in class discussion.Ä";

288 <http://127.0.0.1:3333/23> a <https://parita-amin.github.io/survey.owl#Respondent>;

289 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "4";

290 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "2";

291 <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "2";

292 <https://parita-amin.github.io/survey.owl#hasLikertAns_has_clear_expectations_for_assigned_work> "5";

293 <https://parita-amin.github.io/survey.owl#hasLikertAns_encourages_student_participation> "5";

294 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_answers_questions> "5";

295 <https://parita-amin.github.io/survey.owl#hasLikertAns_treats_students_with_respect> "5";

296 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_directs_and_stimulates_discussion> "3";

297 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers> "5";

298 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The writing part, I am not good at it, this course is a chance for me to practice my writing skills.The topic we discussed is very interesting tho.";

299 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I would like to get rid of the response to meeting part. It's just frustrating that we have to do it every lecture";

300 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "His preparation skills. I believe that Dr Hepting knew his weakness, so he created so many tools, so many notes that the students can use. And for a \"geek\" like me, they are amazing!"

301 <http://127.0.0.1:3333/24> a <https://parita-amin.github.io/survey.owl#Respondent>;

302 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "4";

303 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "4";

304 <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "4";

305 <https://parita-amin.github.io/survey.owl#hasLikertAns_has_clear_expectations_for_assigned_work> "4";

306 <https://parita-amin.github.io/survey.owl#hasLikertAns_encourages_student_participation> "5";

307 <https://parita-amin.github.io/survey.owl#

```

    hasLikertAns_clearly_answers_questions> "4";
308 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
309 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
310 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
311 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    professor is very considerate of the students. He always encourages
    lively discussions.";
312 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Nothing so
    far.";
313 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "
    Instructor is very considerate of students. Does not give work during
    holidays or immediately after. Gives students time and second chances.
    Ã" .
314 <http://127.0.0.1:3333/25> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "5";
315 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "5";
316 a <https://parita-amin.github.io/survey.owl#Respondent>;
317 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "5";
318 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
319 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
320 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
321 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
322 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
323 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
324 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "
    Professor Hepting I guess, he is well prepared and has answers to our
    questions promptly.Ã";
325 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Nothing
    from my point of view.Ã";
326 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "Not
    going to a different topic unless things are clear for all the
    students." .
327 <http://127.0.0.1:3333/26> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
328 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "5";
329 <https://parita-amin.github.io/survey.owl#

```



```

        hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
        _participation> "5";
330 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_uses_class_time_effectively> "5";
331 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_has_clear_expectations_for_assigned_work> "5";
332 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_encourages_student_participation> "5";
333 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_clearly_answers_questions> "5";
334 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_treats_students_with_respect> "5";
335 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
336 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
        > "5" .
337 <http://127.0.0.1:3333/27> <https://parita-amin.github.io/survey.owl#
        hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
        > "5";
338 a <https://parita-amin.github.io/survey.owl#Respondent>;
339 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
        prepared_for_class> "4";
340 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
        _participation> "4";
341 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_uses_class_time_effectively> "3";
342 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_encourages_student_participation> "5";
343 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_clearly_answers_questions> "4";
344 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_treats_students_with_respect> "5";
345 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
346 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_has_clear_expectations_for_assigned_work> "4" .
347 <http://127.0.0.1:3333/28> <https://parita-amin.github.io/survey.owl#
        hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
        _participation> "3";
348 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_uses_class_time_effectively> "2";
349 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_has_clear_expectations_for_assigned_work> "3";
350 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_encourages_student_participation> "4";
351 a <https://parita-amin.github.io/survey.owl#Respondent>;
352 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
        prepared_for_class> "2";
353 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_clearly_answers_questions> "3";

```

```

354 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
355 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "3";
356 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "4";
357 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "
    everything seems relatively easy.";
358 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "i wish
    there was better organization and better use of class time.";
359 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "he has
    good topics to talk about." .
360 <http://127.0.0.1:3333/29> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "4";
361 a <https://parita-amin.github.io/survey.owl#Respondent>;
362 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "4";
363 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "4";
364 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "4";
365 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
366 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "4";
367 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "4";
368 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
369 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
370 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The fact
    that most of the topics are relevant to today's world and not
    outdated.";
371 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Better
    ways of communication during class for all our classmates so breakout
    rooms go more smoothly.";
372 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "His
    compassion towards the students and understanding our own struggles as
    well." .
373 <http://127.0.0.1:3333/30> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
374 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "5";
375 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "5";
376 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "5";

```

```

377 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
378 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
379 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
380 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
381 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
382 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
383 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "It's
    interesting and non complicated course which is based on our daily
    lives. The main thing is that it does not require mental attention and
    it's a free learning and fun course.";
384 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Nothing !
    It's all good and perfect.";
385 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "He is
    soft spoken, always keeps patience, answers questions and explains
    things thoroughly." .
386 <http://127.0.0.1:3333/31> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_is_well-prepared_for_class> "5";
387 a <https://parita-amin.github.io/survey.owl#Respondent>;
388 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "5";
389 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "5";
390 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
391 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
392 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
393 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
394 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
395 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
396 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    topics which are covered in this course.â";
397 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Nothing in
    particular.â";
398 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The
    greatest strength of the instructor of this course is that he ready to
    help even if you ask question in middle of discussion he is ready to
    answer. Also to make students more interactive he arranges class

```

discussion as well which also with the participation.ÃÃ" .

```

399 <http://127.0.0.1:3333/32> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
400 a <https://parita-amin.github.io/survey.owl#Respondent>;
401 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "5";
402 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "5";
403 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "5";
404 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
405 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
406 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
407 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
408 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
409 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The best
    part is how the instructor teaches and explains the stuff";
410 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "nothing";
411 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "
    Explaining the course" .
412 <http://127.0.0.1:3333/33> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "3";
413 a <https://parita-amin.github.io/survey.owl#Respondent>;
414 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "4";
415 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "4";
416 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
417 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
418 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "4";
419 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
420 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
421 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
422 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    thing i like most about this course is it very based on research and
    that is what is making me research more about the topics discussed.
    Since then i have started to research more and more about the class";

```

423 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "
 Lecture's are little boring and need some entertainment. He is a
 great teacher but students need some motivation that is what is
 missing and a big smile is missing of professor";

424 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "He is
 really good with the topics and knows everything he teaches he helps
 us with some research strategies that is what is the greatest strength."

425 <http://127.0.0.1:3333/34> a <https://parita-amin.github.io/survey.owl#
 Respondent>;

426 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
 prepared_for_class> "3";

427 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
 participation> "4";

428 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_uses_class_time_effectively> "3";

429 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_has_clear_expectations_for_assigned_work> "4";

430 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_encourages_student_participation> "5";

431 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_clearly_answers_questions> "5";

432 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_treats_students_with_respect> "5";

433 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_effectively_directs_and_stimulates_discussion> "5";

434 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
 > "4";

435 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I like
 the idea of the course the best. The idea of weighing risks vs rewards
 of giving companies your information.";

436 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I'd change
 how the course is presented. Whether or not it is a teaching style
 preference, I tend to prefer classes that have a bit more structure to
 them, and less group activities as I prefer to rely solely on myself
 for my grade.";

437 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "I think
 the instructor's greatest strength is his personal interest in the
 class. He seems to care deeply about the subject, enough to let it
 bleed into the class work, lectures, etc." .

438 <http://127.0.0.1:3333/35> a <https://parita-amin.github.io/survey.owl#
 Respondent>;

439 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
 prepared_for_class> "4";

440 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
 participation> "5";

441 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_uses_class_time_effectively> "3";

```

442 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "4";
443 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
444 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "4";
445 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
446 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
447 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
448 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    topics discussed and the way assignments are delivered.";
449 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Less group
    work, especially for a class delivered remotely.";
450 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The
    instructor is a very smart individual who is very passionate about the
    topics." .
451 <http://127.0.0.1:3333/36> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "4";
452 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "3";
453 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Nothing";
454 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "3";
455 a <https://parita-amin.github.io/survey.owl#Respondent>;
456 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "3";
457 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "2";
458 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "3";
459 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "My
    classmates and I continuously communicate with each other to help
    understand what's happening, ask questions about homework, and such.
    The topics can be quite interesting and with each discussion, I learn
    something new.";
460 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "2";
461 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "3";
462 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "2";
463 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "He is
    knowledgable and well updated with tech news." .
464 <http://127.0.0.1:3333/37> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
465 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-

```

```

    prepared_for_class> "5";
466 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
        _participation> "5";
467 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "5";
468 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
469 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
470 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
471 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
472 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
473 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
        > "5";
474 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The fact
    that our professor encourages more class participation by effective
    methods like group projects and always relate topics with current
    affairs is the best part of this course to me.";
475 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Honestly,
    getting up early is hard probably would like to change the class
    timing by a hour maybe";
476 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "Our
    instructors greatest strength his ability to relate the topic with
    current affairs." .
477 <http://127.0.0.1:3333/38> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_is_well-prepared_for_class> "3";
478 a <https://parita-amin.github.io/survey.owl#Respondent>;
479 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
        _participation> "4";
480 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "2";
481 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "4";
482 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
483 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "4";
484 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
485 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
486 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
        > "4";
487 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I really
    like the content of this course. It is very interesting and changes

```

```

my perspective of technology";
488 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I would
    like to see more content in class. I feel we don't really get anything
    done in class till the end.";
489 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The
    instructor's greatest strengths are that he is very knowledgeable and
    genuinely cares for his students." .
490 <http://127.0.0.1:3333/39> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "1";
491 a <https://parita-amin.github.io/survey.owl#Respondent>;
492 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "4";
493 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "5";
494 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
495 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
496 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
497 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
498 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
499 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
500 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "
    Professor give equal opportunity to every student in the class and
    explain every single detail of our works we need to submit. Even
    present some examples of our submission to make it even more clear.";
501 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I dont
    like how we are supposed to work in different groups for each
    assessment which makes it confusing and unfair for the student with no
    connections or friends at all.";
502 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "
    Professor is a good listener and believes in team work." .
503 <http://127.0.0.1:3333/40> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
504 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "2";
505 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "3";
506 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "2";
507 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "2";
508 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "4";
509 <https://parita-amin.github.io/survey.owl#

```



```

    hasLikertAns_clearly_answers_questions> "2";
510 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
511 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "3";
512 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
513 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "As this
    course is running remotely as well as in-person which is the only one
    best thing I have found. Also, The way the professor treats us with
    very polite behavior.";
514 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "To be
    honest, I didn't find anything best yet, because we didn't get proper
    knowledge in this class as we have given the name of a textbook but in
    class, we didn't get any information regarding our course. Every day
    I have found that Professor is busy changing the due dates and editing
    on URCourses.ÂOne of my friends suggested CS280 and also told me
    that I will gain more knowledge as well as I will really enjoy this
    course. But, somehow I'm feeling completely opposite. I'm completely
    disappointed with this course.Hope I'll get at least some knowledge of
    this course and suggest others for this course.";
515 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "I have
    found that the professor is more knowledgeable but his teaching style
    does not fit particularly in my mind." .
516 <http://127.0.0.1:3333/41> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_is_well-prepared_for_class> "5";
517 a <https://parita-amin.github.io/survey.owl#Respondent>;
518 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "5";
519 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "5";
520 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "5";
521 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "5";
522 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
523 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
524 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
525 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
526 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
    delivery of the course is excellent";
527 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I would
    like to change the group studies portion to individual, so we don't
    have to be dependent on others.";

```

528 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The
 explanation skills and most importantly the period of giving time to
 students." .
 529 <http://127.0.0.1:3333/42> a <https://parita-amin.github.io/survey.owl#
 Respondent>;
 530 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
 prepared_for_class> "4";
 531 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
 _participation> "4";
 532 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_uses_class_time_effectively> "4";
 533 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_clearly_answers_questions> "4";
 534 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_has_clear_expectations_for_assigned_work> "4";
 535 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_encourages_student_participation> "4";
 536 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_treats_students_with_respect> "4";
 537 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
 538 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
 > "4" .
 539 <http://127.0.0.1:3333/43> a <https://parita-amin.github.io/survey.owl#
 Respondent>;
 540 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
 prepared_for_class> "4";
 541 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
 _participation> "5";
 542 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_uses_class_time_effectively> "4";
 543 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_has_clear_expectations_for_assigned_work> "4";
 544 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_encourages_student_participation> "5";
 545 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_clearly_answers_questions> "4";
 546 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_treats_students_with_respect> "5";
 547 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
 548 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
 > "4";
 549 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "Flexible
 assignment due dates. Different projects with a different perspective
 can make a lot of difference in group projects.Â€";
 550 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "Nothing.";

551 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The way
 he conducts the class and how he organizes his website like detailed
 assignment requirements and the syllabus also how and when the
 assignment and exams are due.Ã" .

552 <http://127.0.0.1:3333/44> <https://parita-amin.github.io/survey.owl#
 hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
 _participation> "4";

553 a <https://parita-amin.github.io/survey.owl#Respondent>;

554 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
 prepared_for_class> "3";

555 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_uses_class_time_effectively> "3";

556 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_has_clear_expectations_for_assigned_work> "4";

557 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_encourages_student_participation> "4";

558 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_clearly_answers_questions> "3";

559 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_treats_students_with_respect> "4";

560 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_effectively_directs_and_stimulates_discussion> "3";

561 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
 > "4";

562 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I like
 that we can tie in class material with current events, because I think
 talking about relevant news is more interesting than just reading a
 textbook.";

563 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I would
 like to change how much down time there is in class, I think we spend
 too much time in between topics or discussions, and if we didn't do
 that I think everyone would be able to learn a lot more.";

564 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "I think
 that the professor's greatest strengths are his knowledge on the
 subject matter being taught, whatever we talk about he for the most
 part has a good idea on the concepts, but he can sometime struggle to
 explain it better for other students who didn't understand." .

565 <http://127.0.0.1:3333/45> a <https://parita-amin.github.io/survey.owl#
 Respondent>;

566 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
 prepared_for_class> "5";

567 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
 _participation> "5";

568 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_uses_class_time_effectively> "1";

569 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_has_clear_expectations_for_assigned_work> "5";

570 <https://parita-amin.github.io/survey.owl#
 hasLikertAns_encourages_student_participation> "5";

```

571 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "5";
572 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
573 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
574 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
575 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I like
    how Dr. Hepting encourages conversation in class and encourages
    student participation.";
576 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "While I
    like the idea of learning about risks and rewards in computer
    science it seems like we never actually learn anything in class.
    Instead we just go over what's expected on assignments and answer
    and re-answer the same questions. I wish we could actually learn
    something new for a change.";
577 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "
    Listening to students and accommodating are needs." .
578 <http://127.0.0.1:3333/46> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "3";
579 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "4";
580 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "4";
581 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "4";
582 a <https://parita-amin.github.io/survey.owl#Respondent>;
583 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "3";
584 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
585 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "4";
586 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "4";
587 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "4";
588 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The in
    class discussions are interesting";
589 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I wish it
    was more constructed and had notes or readings for us to do" .
590 <http://127.0.0.1:3333/47> a <https://parita-amin.github.io/survey.owl#
    Respondent>;
591 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "5";
592 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and

```

```

        _participation> "5";
593 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_uses_class_time_effectively> "5";
594 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_has_clear_expectations_for_assigned_work> "5";
595 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_encourages_student_participation> "5";
596 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_clearly_answers_questions> "5";
597 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_treats_students_with_respect> "5";
598 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
599 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
      > "5" .
600 <http://127.0.0.1:3333/48> a <https://parita-amin.github.io/survey.owl#
      Respondent>;
601 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
      prepared_for_class> "5";
602 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
      _participation> "4";
603 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_uses_class_time_effectively> "5";
604 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_has_clear_expectations_for_assigned_work> "5";
605 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_encourages_student_participation> "5";
606 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_clearly_answers_questions> "5";
607 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_treats_students_with_respect> "4";
608 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
609 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
      > "5";
610 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "big
      writing assignments.";
611 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "the
      ability to teach." .
612 <http://127.0.0.1:3333/49> a <https://parita-amin.github.io/survey.owl#
      Respondent>;
613 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
      prepared_for_class> "4";
614 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
      _participation> "4";
615 <https://parita-amin.github.io/survey.owl#
      hasLikertAns_uses_class_time_effectively> "4";
616 <https://parita-amin.github.io/survey.owl#

```

```

        hasLikertAns_has_clear_expectations_for_assigned_work> "4";
617 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_encourages_student_participation> "4";
618 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_clearly_answers_questions> "4";
619 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_treats_students_with_respect> "4";
620 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
621 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
        > "4";
622 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The
        topics are really interesting.";
623 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "More
        assignments.";
624 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "Content
        knowledge and experience." .
625 <http://127.0.0.1:3333/50> a <https://parita-amin.github.io/survey.owl#
        Respondent>;
626 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
        prepared_for_class> "4";
627 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "Really
        engages class discussion. It's nice because you get to hear other
        viewsProvides some really good resources (all of which are free!). The
        Ted talks, articles, and book are pretty relevant and insightful. I
        appreciate that everything is gathered together in the website because
        I might miss something.I also appreciate the class notes summary that
        students post. I can look at them in case I miss a class.";
628 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
        _participation> "5";
629 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_uses_class_time_effectively> "3";
630 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_has_clear_expectations_for_assigned_work> "5";
631 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_encourages_student_participation> "5";
632 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_clearly_answers_questions> "5";
633 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_treats_students_with_respect> "5";
634 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_effectively_directs_and_stimulates_discussion> "5";
635 <https://parita-amin.github.io/survey.owl#
        hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
        > "5";
636 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I'd like
        to spend more time exploring topics and learning new ideas than just
        administration stuff. I think it's only like this because of online
        learning and Covid, though, so I understand if there's a lot of
        difficulties we have to work through. I just wish it wasn't so often.

```

It'll probably get better once everything is in person.Ä";

637 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The discussion on various topics; gaining new insight and ideas from my peersVery low-intensityÄ";Lots of critical thinking and researchI also really like the post-lecture feedback from each student regarding that day's topic. It's interesting to see other people's posts because I can learn new ideas from them." .

638 <http://127.0.0.1:3333/51> <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "4";

639 a <https://parita-amin.github.io/survey.owl#Respondent>;

640 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "5";

641 <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "4";

642 <https://parita-amin.github.io/survey.owl#hasLikertAns_has_clear_expectations_for_assigned_work> "4";

643 <https://parita-amin.github.io/survey.owl#hasLikertAns_encourages_student_participation> "4";

644 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_answers_questions> "5";

645 <https://parita-amin.github.io/survey.owl#hasLikertAns_treats_students_with_respect> "5";

646 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_directs_and_stimulates_discussion> "4";

647 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers> "5";

648 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "Taking this course I got to know many things like how information is important and what is privacy and so on... So it is an interesting class I guess...Ä";

649 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I think there is nothing that needs to be changed except giving lot of assignments..Ä";

650 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "I think Dr Daryl Hepting has good nature and he is friendly with everyone and so I think this is his greatest strength...Ä" .

651 <http://127.0.0.1:3333/52> a <https://parita-amin.github.io/survey.owl#Respondent>;

652 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "3";

653 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "2";

654 <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "3";

655 <https://parita-amin.github.io/survey.owl#hasLikertAns_has_clear_expectations_for_assigned_work> "5";

656 <https://parita-amin.github.io/survey.owl#hasLikertAns_encourages_student_participation> "5";

```

657 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "4";
658 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
659 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
660 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "3";
661 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I like
    how there's no coding in this computer science course.";
662 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "I would
    make the expectations and how to approach and succeed in this course
    clear at the beginning of the course.";
663 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The
    instructor greatest strength is his ability to start a discussion
    among students" .
664 <http://127.0.0.1:3333/53> <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
    _participation> "4";
665 a <https://parita-amin.github.io/survey.owl#Respondent>;
666 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
    prepared_for_class> "3";
667 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_uses_class_time_effectively> "3";
668 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_has_clear_expectations_for_assigned_work> "4";
669 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_encourages_student_participation> "4";
670 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_clearly_answers_questions> "4";
671 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_treats_students_with_respect> "5";
672 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_directs_and_stimulates_discussion> "4";
673 <https://parita-amin.github.io/survey.owl#
    hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
    > "5";
674 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "I enjoy
    the discussions the most honestly, hearing everyone's opinions on web
    safety topics (tracking, articles and truth) is probably one of my
    favorite things about this course.";
675 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "If we
    could be more on topic in most lectures, that'd be great. We spend so
    much time talking about assignments that the actual lectures and
    discussions feel few and far between compared to the course admin days
    .";
676 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The
    website used for documentation about meeting documentation (
    transcripts, responses) and assignments is very nice, and I'm glad
    effort has gone into making it a good website. While stuttering a lot
    makes it a bit hard to understand what he's saying, it's not like it

```


makes what he's saying any less interesting. I usually end up thinking about the discussion topics or the lecture topic far after the class because they're that interesting." .

677 <http://127.0.0.1:3333/54> a <https://parita-amin.github.io/survey.owl#Respondent>;

678 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "-999";

679 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "-999";

680 <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "-999";

681 <https://parita-amin.github.io/survey.owl#hasLikertAns_has_clear_expectations_for_assigned_work> "-999";

682 <https://parita-amin.github.io/survey.owl#hasLikertAns_encourages_student_participation> "-999";

683 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_answers_questions> "-999";

684 <https://parita-amin.github.io/survey.owl#hasLikertAns_treats_students_with_respect> "-999";

685 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_directs_and_stimulates_discussion> "-999";

686 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers> "-999";

687 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "variety of topics";

688 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "more clarity" .

689 <http://127.0.0.1:3333/55> a <https://parita-amin.github.io/survey.owl#Respondent>;

690 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "5";

691 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "5";

692 <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "4";

693 <https://parita-amin.github.io/survey.owl#hasLikertAns_has_clear_expectations_for_assigned_work> "5";

694 <https://parita-amin.github.io/survey.owl#hasLikertAns_encourages_student_participation> "5";

695 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_answers_questions> "5";

696 <https://parita-amin.github.io/survey.owl#hasLikertAns_treats_students_with_respect> "5";

697 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_directs_and_stimulates_discussion> "5";

698 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers> "5";

699 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "The

freedom to speak what you think and believe in. The freedom and encouragement of expressing your thoughts and opinions about various topics. I like the professor. Dr Daryl always keeps his calm. I have never seen him angry; I like his patience. He listens to the students, for example when we asked for extending the deadlines for blog entry assignment, he listened to us and extended it.Ä";

700 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "This course is good. The only thing is sometimes Dr Daryl don't reply to emails.";

701 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "His calm, patience, knowledge, enthusiasm about participation.Ä";

702 <http://127.0.0.1:3333/56> <https://parita-amin.github.io/survey.owl#hasLikertAns_uses_class_time_effectively> "5";

703 a <https://parita-amin.github.io/survey.owl#Respondent>;

704 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-prepared_for_class> "5";

705 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and_participation> "4";

706 <https://parita-amin.github.io/survey.owl#hasLikertAns_has_clear_expectations_for_assigned_work> "5";

707 <https://parita-amin.github.io/survey.owl#hasLikertAns_encourages_student_participation> "5";

708 <https://parita-amin.github.io/survey.owl#hasLikertAns_clearly_answers_questions> "5";

709 <https://parita-amin.github.io/survey.owl#hasLikertAns_treats_students_with_respect> "5";

710 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_directs_and_stimulates_discussion> "4";

711 <https://parita-amin.github.io/survey.owl#hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers> "5";

712 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "We get to know about a lot of things from this course. That, in this information society there are both risks and rewards. It depends on us how we use this. Using the internet and other software with full knowledge is quite important to earn maximum rewards. But, if we don't use it securely then it can be harmful to us and can disturb our private life. The professor is awesome as he enforces more participation from students and listens to their points and views carefully and corrects them where ever possible. Thanks for this wonderful course and a great professor. :)";

713 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "If I want to change something in this course would be the appropriate syllabus for the final exam. And the other thing would be that I would be glad if this course would be in person because, for me, offline learning is more efficient than online learning. :)";

714 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "The instructor's greater strength is that he does not only speak and teach, he also expects students to come up and discuss with him their views and he listens to us very carefully and always comes up with a better

idea to make us understand more properly. Other than that he is a great tutor and I love attending his class. Thank you, professor. :)"

715 <http://127.0.0.1:3333/57> a <https://parita-amin.github.io/survey.owl#
Respondent>;

716 <https://parita-amin.github.io/survey.owl#
hasLikertAns_effectively_directs_and_stimulates_discussion> "3";

717 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
prepared_for_class> "3";

718 <https://parita-amin.github.io/survey.owl#
hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
_participation> "3";

719 <https://parita-amin.github.io/survey.owl#
hasLikertAns_uses_class_time_effectively> "3";

720 <https://parita-amin.github.io/survey.owl#
hasLikertAns_has_clear_expectations_for_assigned_work> "3";

721 <https://parita-amin.github.io/survey.owl#
hasLikertAns_encourages_student_participation> "3";

722 <https://parita-amin.github.io/survey.owl#
hasLikertAns_clearly_answers_questions> "2";

723 <https://parita-amin.github.io/survey.owl#
hasLikertAns_treats_students_with_respect> "5";

724 <https://parita-amin.github.io/survey.owl#
hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
> "4" .

725 <http://127.0.0.1:3333/58> a <https://parita-amin.github.io/survey.owl#
Respondent>;

726 <https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
prepared_for_class> "3";

727 <https://parita-amin.github.io/survey.owl#
hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
_participation> "1";

728 <https://parita-amin.github.io/survey.owl#
hasLikertAns_uses_class_time_effectively> "1";

729 <https://parita-amin.github.io/survey.owl#
hasLikertAns_has_clear_expectations_for_assigned_work> "3";

730 <https://parita-amin.github.io/survey.owl#
hasLikertAns_encourages_student_participation> "4";

731 <https://parita-amin.github.io/survey.owl#
hasLikertAns_clearly_answers_questions> "2";

732 <https://parita-amin.github.io/survey.owl#
hasLikertAns_treats_students_with_respect> "5";

733 <https://parita-amin.github.io/survey.owl#
hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
> "3";

734 <https://parita-amin.github.io/survey.owl#
hasLikertAns_effectively_directs_and_stimulates_discussion> "3";

735 <https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest> "It
opened my eyes to the act of analyzing algorithms to ensure they are
ethical.";

736 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Change> "1.

I'd like a roadmap to final exam prep ¶ With the final coming up it is important to have a clear understanding of how we should be preparing for it. ¶ Would it be fair to say that the majority of the test will be on the textbook? ¶ Because as of right now I would be able to answer none of the practice exam questions because we haven't covered the relevant events ¶ which has me concerned that the final ¶ which I have to pass to pass the class ¶ may be the same since practice exams are supposed to help you practice for the final. 2. ¶ Pacing/speaking skills/preparation could improve ¶ I was surprised when I joined this class. ¶ Your speech was very slow and you seemed to be struggling to communicate. ¶ Since that day, every day you have gotten slightly better at speaking. ¶ I just wanted to acknowledge that this is a thing and many people were concerned about it. ¶ Several people I know dropped your class because of it both this year and previous years. ¶ I'm not sure what was causing this, but I thought you ought to know. ¶ I will also add that today your speech seemed totally normal and you were prepared and had good pacing." ;

737 <https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths> "You listen to people's feedback during class and seem to actually care about people. ¶ That goes a long way." .

Appendix C

OWL Vocabulary for Feedback Survey

```
1 <?xml version="1.0"?>
2 <rdf:RDF xmlns="http://www.semanticweb.org/pda324/ontologies/untitled-
   ontology-153#"
3   xml:base="http://www.semanticweb.org/pda324/ontologies/untitled-
   ontology-153"
4   xmlns:owl="http://www.w3.org/2002/07/owl#"
5   xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
6   xmlns:xml="http://www.w3.org/XML/1998/namespace"
7   xmlns:xsd="http://www.w3.org/2001/XMLSchema#"
8   xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
9   xmlns:survey="https://parita-amin.github.io/survey.owl#">
10  <owl:Ontology rdf:about="https://parita-amin.github.io/survey.owl">
11    <owl:versionIRI rdf:resource="https://parita-amin.github.io/
   survey.owl/1.0"/>
12  </owl:Ontology>
13
14  <!--
15  //////////////////////////////////////
16  //  Object Properties
17  //////////////////////////////////////
18  -->
19
20  <!-- https://parita-amin.github.io/survey.owl#hasContent -->
21
22  <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
   owl#hasContent">
23    <owl:inverseOf rdf:resource="https://parita-amin.github.io/survey
   .owl#isContentOf"/>
24  </owl:ObjectProperty>
25
26  <!-- https://parita-amin.github.io/survey.owl#hasLikertScaleAnswer --
   >
27
28  <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
   owl#hasLikertScaleAnswer">
29    <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
```

```

30 owl#LikertScaleQuestions"/>
    <rdfs:range rdf:resource="https://parita-amin.github.io/survey.
owl#LikertScale5"/>
31 </owl:ObjectProperty>
32
33 <!-- https://parita-amin.github.io/survey.owl#hasOEAnswer_Change -->
34
35 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
owl#hasOEAnswer_Change">
36   <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#OpenEndedQuestions"/>
37   <rdfs:range rdf:resource="https://parita-amin.github.io/survey.
owl#OpenEndedAnswers"/>
38 </owl:ObjectProperty>
39
40 <!-- https://parita-amin.github.io/survey.owl#hasOEAnswer_LikeBest --
>
41
42 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
owl#hasOEAnswer_LikeBest">
43   <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#OpenEndedQuestions"/>
44   <rdfs:range rdf:resource="https://parita-amin.github.io/survey.
owl#OpenEndedAnswers"/>
45 </owl:ObjectProperty>
46
47 <!-- https://parita-amin.github.io/survey.owl#hasOEAnswer_Strengths
-->
48
49 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
owl#hasOEAnswer_Strengths">
50   <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#OpenEndedQuestions"/>
51   <rdfs:range rdf:resource="https://parita-amin.github.io/survey.
owl#OpenEndedAnswers"/>
52 </owl:ObjectProperty>
53
54 <!-- https://parita-amin.github.io/survey.owl#hasRespondedOn -->
55
56 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
owl#hasRespondedOn">
57   <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#Respondent"/>
58   <rdfs:range rdf:resource="https://parita-amin.github.io/survey.
owl#ResponseDate"/>
59 </owl:ObjectProperty>
60
61 <!-- https://parita-amin.github.io/survey.owl#hasSurveyAnswer -->
62
63 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
owl#hasSurveyAnswer">
64   <rdfs:subPropertyOf rdf:resource="https://parita-amin.github.io/

```

```

survey.owl#hasContent"/>
65     <owl:inverseOf rdf:resource="https://parita-amin.github.io/survey
        .owl#isSurveyAnswerOf"/>
66     <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
        owl#Survey"/>
67     <rdfs:range rdf:resource="https://parita-amin.github.io/survey.
        owl#SurveyAnswers"/>
68 </owl:ObjectProperty>
69
70 <!-- https://parita-amin.github.io/survey.owl#hasSurveyQuestion -->
71
72 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
        owl#hasSurveyQuestion">
73     <rdfs:subPropertyOf rdf:resource="https://parita-amin.github.io/
        survey.owl#hasContent"/>
74     <owl:inverseOf rdf:resource="https://parita-amin.github.io/survey
        .owl#isSurveyQuestionOf"/>
75     <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
        owl#Survey"/>
76     <rdfs:range rdf:resource="https://parita-amin.github.io/survey.
        owl#SurveyQuestions"/>
77 </owl:ObjectProperty>
78
79 <!-- https://parita-amin.github.io/survey.owl#hasType -->
80
81 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
        owl#hasType">
82     <owl:inverseOf rdf:resource="https://parita-amin.github.io/survey
        .owl#isTypeOf"/>
83 </owl:ObjectProperty>
84
85 <!-- https://parita-amin.github.io/survey.owl#isContentOf -->
86
87 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
        owl#isContentOf"/>
88
89 <!-- https://parita-amin.github.io/survey.owl#isSurveyAnswerOf -->
90
91 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
        owl#isSurveyAnswerOf">
92     <rdfs:subPropertyOf rdf:resource="https://parita-amin.github.io/
        survey.owl#isContentOf"/>
93 </owl:ObjectProperty>
94
95 <!-- https://parita-amin.github.io/survey.owl#isSurveyQuestionOf -->
96
97 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
        owl#isSurveyQuestionOf">
98     <rdfs:subPropertyOf rdf:resource="https://parita-amin.github.io/
        survey.owl#isContentOf"/>
99 </owl:ObjectProperty>
100

```

```

101 <!-- https://parita-amin.github.io/survey.owl#isTypeOf -->
102
103 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
owl#isTypeOf">
104   <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#FeedbackSurvey"/>
105   <rdfs:range rdf:resource="https://parita-amin.github.io/survey.
owl#Survey"/>
106 </owl:ObjectProperty>
107
108 <!-- https://parita-amin.github.io/survey.owl#respondedByRespondent
-->
109
110 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
owl#respondedByRespondent">
111   <owl:inverseOf rdf:resource="https://parita-amin.github.io/survey
.owl#respondedToSurvey"/>
112 </owl:ObjectProperty>
113
114 <!-- https://parita-amin.github.io/survey.owl#respondedToSurvey -->
115
116 <owl:ObjectProperty rdf:about="https://parita-amin.github.io/survey.
owl#respondedToSurvey">
117   <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#Respondent"/>
118   <rdfs:range rdf:resource="https://parita-amin.github.io/survey.
owl#Survey"/>
119 </owl:ObjectProperty>
120
121 <!--
122 //////////////////////////////////////
123 // Data properties
124 //////////////////////////////////////
125 -->
126
127 <!-- https://parita-amin.github.io/survey.owl#
hasLikertAns_clearly_answers_questions -->
128
129 <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
.owl#hasLikertAns_clearly_answers_questions">
130   <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#Respondent"/>
131   <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#
positiveInteger"/>
132 </owl:DatatypeProperty>
133
134 <!-- https://parita-amin.github.io/survey.owl#
hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
_participation -->
135
136 <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
.owl#

```



```

hasLikertAns_clearly_communicates_his_expectations_for_student_preparation_and
_participation">
137   <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#Respondent"/>
138   <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#
positiveInteger"/>
139   </owl:DatatypeProperty>
140
141   <!-- https://parita-amin.github.io/survey.owl#
hasLikertAns_effectively_directs_and_stimulates_discussion -->
142
143   <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
.owl#hasLikertAns_effectively_directs_and_stimulates_discussion">
144     <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#Respondent"/>
145     <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#
positiveInteger"/>
146     </owl:DatatypeProperty>
147
148     <!-- https://parita-amin.github.io/survey.owl#
hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
-->
149
150     <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
.owl#
hasLikertAns_effectively_encourages_students_to_ask_questions_and_give_answers
">
151       <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#Respondent"/>
152       <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#
positiveInteger"/>
153       </owl:DatatypeProperty>
154
155       <!-- https://parita-amin.github.io/survey.owl#
hasLikertAns_encourages_student_participation -->
156
157       <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
.owl#hasLikertAns_encourages_student_participation">
158         <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#Respondent"/>
159         <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#
positiveInteger"/>
160         </owl:DatatypeProperty>
161
162         <!-- https://parita-amin.github.io/survey.owl#
hasLikertAns_has_clear_expectations_for_assigned_work -->
163
164         <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
.owl#hasLikertAns_has_clear_expectations_for_assigned_work">
165           <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
owl#Respondent"/>
166           <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#

```

```

167     positiveInteger"/>
168     </owl:DatatypeProperty>
169     <!-- https://parita-amin.github.io/survey.owl#hasLikertAns_is_well-
170     prepared_for_class -->
171     <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
172     .owl#hasLikertAns_is_well-prepared_for_class">
173         <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
174         owl#Respondent"/>
175         <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#
176         positiveInteger"/>
177     </owl:DatatypeProperty>
178     <!-- https://parita-amin.github.io/survey.owl#
179     hasLikertAns_treats_students_with_respect -->
180     <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
181     .owl#hasLikertAns_treats_students_with_respect">
182         <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
183         owl#Respondent"/>
184         <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#
185         positiveInteger"/>
186     </owl:DatatypeProperty>
187     <!-- https://parita-amin.github.io/survey.owl#
188     hasLikertAns_uses_class_time_effectively -->
189     <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
190     .owl#hasLikertAns_uses_class_time_effectively">
191         <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
192         owl#Respondent"/>
193         <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string
194         "/>
195     </owl:DatatypeProperty>
196     <!-- https://parita-amin.github.io/survey.owl#hasOEAns_LikeBest -->
197     <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
198     .owl#hasOEAns_LikeBest">
199         <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
200         owl#Respondent"/>

```

```

201     <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string
202     "/>
203     </owl:DatatypeProperty>
204     <!-- https://parita-amin.github.io/survey.owl#hasOEAns_Strengths -->
205
206     <owl:DatatypeProperty rdf:about="https://parita-amin.github.io/survey
207     .owl#hasOEAns_Strengths">
208         <rdfs:domain rdf:resource="https://parita-amin.github.io/survey.
209         owl#Respondent"/>
210         <rdfs:range rdf:resource="http://www.w3.org/2001/XMLSchema#string
211         "/>
212         </owl:DatatypeProperty>
213
214     <!--
215     //////////////////////////////////////
216     // Classes
217     //////////////////////////////////////
218     -->
219
220     <!-- https://parita-amin.github.io/survey.owl#FeedbackSurvey -->
221
222     <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#
223     FeedbackSurvey">
224         <rdfs:subClassOf rdf:resource="https://parita-amin.github.io/
225         survey.owl#Survey"/>
226         </owl:Class>
227
228     <!-- https://parita-amin.github.io/survey.owl#LikertScale5 -->
229
230     <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#
231     LikertScale5">
232         <owl:equivalentClass>
233             <owl:Class>
234                 <owl:oneOf rdf:parseType="Collection">
235                     <rdfs:Description rdf:about="https://parita-amin.
236                     github.io/survey.owl#1_Never"/>
237                     <rdfs:Description rdf:about="https://parita-amin.
238                     github.io/survey.owl#2_Rarely"/>
239                     <rdfs:Description rdf:about="https://parita-amin.
240                     github.io/survey.owl#3_Sometimes"/>
241                     <rdfs:Description rdf:about="https://parita-amin.
242                     github.io/survey.owl#4_Often"/>
243                     <rdfs:Description rdf:about="https://parita-amin.
244                     github.io/survey.owl#5_Always"/>
245                 </owl:oneOf>
246             </owl:Class>
247         </owl:equivalentClass>
248         <rdfs:subClassOf rdf:resource="https://parita-amin.github.io/
249         survey.owl#LikertScaleQuestions"/>
250         </owl:Class>

```

```

240 <!-- https://parita-amin.github.io/survey.owl#LikertScaleAnswers -->
241
242 <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#
LikertScaleAnswers">
243   <rdfs:subClassOf rdf:resource="https://parita-amin.github.io/
survey.owl#SurveyAnswers"/>
244   <owl:disjointWith rdf:resource="https://parita-amin.github.io/
survey.owl#OpenEndedAnswers"/>
245 </owl:Class>
246
247 <!-- https://parita-amin.github.io/survey.owl#LikertScaleQuestions --
>
248
249 <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#
LikertScaleQuestions">
250   <rdfs:subClassOf rdf:resource="https://parita-amin.github.io/
survey.owl#SurveyQuestions"/>
251   <owl:disjointWith rdf:resource="https://parita-amin.github.io/
survey.owl#OpenEndedQuestions"/>
252 </owl:Class>
253
254 <!-- https://parita-amin.github.io/survey.owl#OpenEndedAnswers -->
255
256 <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#
OpenEndedAnswers">
257   <owl:equivalentClass>
258     <owl:Class>
259       <owl:oneOf rdf:parseType="Collection">
260         <rdf:Description rdf:about="https://parita-amin.
github.io/survey.owl#OEAns_Change"/>
261         <rdf:Description rdf:about="https://parita-amin.
github.io/survey.owl#OEAns_LikeBest"/>
262         <rdf:Description rdf:about="https://parita-amin.
github.io/survey.owl#OEAns_Strengths"/>
263       </owl:oneOf>
264     </owl:Class>
265   </owl:equivalentClass>
266   <rdfs:subClassOf rdf:resource="https://parita-amin.github.io/
survey.owl#SurveyAnswers"/>
267 </owl:Class>
268
269 <!-- https://parita-amin.github.io/survey.owl#OpenEndedQuestions -->
270
271 <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#
OpenEndedQuestions">
272   <owl:equivalentClass>
273     <owl:Class>
274       <owl:oneOf rdf:parseType="Collection">
275         <rdf:Description rdf:about="https://parita-amin.
github.io/survey.owl#OEQuestion_Change"/>
276         <rdf:Description rdf:about="https://parita-amin.
github.io/survey.owl#OEQuestion_LikeBest"/>

```

```

277         <rdf:Description rdf:about="https://parita-amin.
github.io/survey.owl#OEQuestion_Strengths"/>
278         </owl:oneOf>
279     </owl:Class>
280     </owl:equivalentClass>
281     <rdfs:subClassOf rdf:resource="https://parita-amin.github.io/
survey.owl#SurveyQuestions"/>
282 </owl:Class>
283
284 <!-- https://parita-amin.github.io/survey.owl#Respondent -->
285
286 <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#
Respondent">
287     <owl:equivalentClass>
288         <owl:Class>
289             <owl:intersectionOf rdf:parseType="Collection">
290                 <rdf:Description rdf:about="https://parita-amin.
github.io/survey.owl#Respondent"/>
291                 <owl:Restriction>
292                     <owl:onProperty rdf:resource="https://parita-amin
.github.io/survey.owl#respondedToSurvey"/>
293                     <owl:someValuesFrom rdf:resource="https://parita-
amin.github.io/survey.owl#Survey"/>
294                 </owl:Restriction>
295             </owl:intersectionOf>
296         </owl:Class>
297     </owl:equivalentClass>
298 </owl:Class>
299
300 <!-- https://parita-amin.github.io/survey.owl#ResponseDate -->
301
302 <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#
ResponseDate"/>
303
304 <!-- https://parita-amin.github.io/survey.owl#Survey -->
305
306 <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#Survey
">
307     <rdfs:subClassOf>
308         <owl:Restriction>
309             <owl:onProperty rdf:resource="https://parita-amin.github.
io/survey.owl#hasSurveyQuestion"/>
310             <owl:someValuesFrom rdf:resource="https://parita-amin.
github.io/survey.owl#SurveyQuestions"/>
311         </owl:Restriction>
312     </rdfs:subClassOf>
313 </owl:Class>
314
315 <!-- https://parita-amin.github.io/survey.owl#SurveyAnswers -->
316
317 <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#
SurveyAnswers"/>

```

```

318
319 <!-- https://parita-amin.github.io/survey.owl#SurveyQuestions -->
320
321 <owl:Class rdf:about="https://parita-amin.github.io/survey.owl#
SurveyQuestions"/>
322
323 <!--
324 //////////////////////////////////////
325 // Individuals
326 //////////////////////////////////////
327 -->
328
329 <!-- https://parita-amin.github.io/survey.owl#OEAns_Change -->
330
331 <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#OEAns_Change">
332 <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
OpenEndedAnswers"/>
333 <survey:hasOEAns_Change rdf:datatype="http://www.w3.org/2001/
XMLSchema#string"></survey:hasOEAns_Change>
334 </owl:NamedIndividual>
335
336 <!-- https://parita-amin.github.io/survey.owl#OEAns_LikeBest -->
337
338 <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#OEAns_LikeBest">
339 <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
OpenEndedAnswers"/>
340 <survey:hasOEAns_LikeBest rdf:datatype="http://www.w3.org/2001/
XMLSchema#string"></survey:hasOEAns_LikeBest>
341 </owl:NamedIndividual>
342
343 <!-- https://parita-amin.github.io/survey.owl#OEAns_Strengths -->
344
345 <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#OEAns_Strengths">
346 <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
OpenEndedAnswers"/>
347 <survey:hasOEAns_Strengths rdf:datatype="http://www.w3.org/2001/
XMLSchema#string"></survey:hasOEAns_Strengths>
348 </owl:NamedIndividual>
349
350 <!-- https://parita-amin.github.io/survey.owl#OEQuestion_Change -->
351
352 <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#OEQuestion_Change">
353 <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
OpenEndedQuestions"/>
354 </owl:NamedIndividual>
355
356 <!-- https://parita-amin.github.io/survey.owl#OEQuestion_LikeBest -->
357

```

```

358   <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#OEQuestion_LikeBest">
359     <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
OpenEndedQuestions"/>
360   </owl:NamedIndividual>
361
362   <!-- https://parita-amin.github.io/survey.owl#OEQuestion_Strengths --
>
363
364   <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#OEQuestion_Strengths">
365     <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
OpenEndedQuestions"/>
366   </owl:NamedIndividual>
367
368   <!-- https://parita-amin.github.io/survey.owl#05-JAN-2022 -->
369
370   <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#05-JAN-2022">
371     <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
ResponseDate"/>
372   </owl:NamedIndividual>
373
374   <!-- https://parita-amin.github.io/survey.owl#1 -->
375
376   <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#1">
377     <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
Respondent"/>
378   </owl:NamedIndividual>
379
380   <!-- https://parita-amin.github.io/survey.owl#1_Never -->
381
382   <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#1_Never">
383     <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
LikertScale5"/>
384   </owl:NamedIndividual>
385
386   <!-- https://parita-amin.github.io/survey.owl#2 -->
387
388   <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#2">
389     <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
Respondent"/>
390   </owl:NamedIndividual>
391
392   <!-- https://parita-amin.github.io/survey.owl#2_Rarely -->
393
394   <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#2_Rarely">
395     <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#

```

```

LikertScale5"/>
396 </owl:NamedIndividual>
397
398 <!-- https://parita-amin.github.io/survey.owl#3 -->
399
400 <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#3">
401   <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
Respondent"/>
402 </owl:NamedIndividual>
403
404 <!-- https://parita-amin.github.io/survey.owl#3_Sometimes -->
405
406 <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#3_Sometimes">
407   <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
LikertScale5"/>
408 </owl:NamedIndividual>
409
410 <!-- https://parita-amin.github.io/survey.owl#4_Often -->
411
412 <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#4_Often">
413   <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
LikertScale5"/>
414 </owl:NamedIndividual>
415
416 <!-- https://parita-amin.github.io/survey.owl#5_Always -->
417
418 <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#5_Always">
419   <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
LikertScale5"/>
420 </owl:NamedIndividual>
421
422 <!-- https://parita-amin.github.io/survey.owl#CS280/202210 -->
423
424 <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#CS280/202210">
425   <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
Survey"/>
426 </owl:NamedIndividual>
427
428 <!-- https://parita-amin.github.io/survey.owl#CS499+900/202210 -->
429
430 <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#CS499+900/202210">
431   <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
Survey"/>
432 </owl:NamedIndividual>
433
434 <!-- https://parita-amin.github.io/survey.owl#CS730/202210 -->

```



```

435
436   <owl:NamedIndividual rdf:about="https://parita-amin.github.io/survey.
owl#CS730/202210">
437     <rdf:type rdf:resource="https://parita-amin.github.io/survey.owl#
Survey"/>
438   </owl:NamedIndividual>
439
440   <!--
441   //////////////////////////////////////
442   //  General axioms
443   //////////////////////////////////////
444   -->
445
446   <rdf:Description>
447     <rdf:type rdf:resource="http://www.w3.org/2002/07/owl#
AllDisjointClasses"/>
448     <owl:members rdf:parseType="Collection">
449       <rdf:Description rdf:about="https://parita-amin.github.io/
survey.owl#Survey"/>
450       <rdf:Description rdf:about="https://parita-amin.github.io/
survey.owl#SurveyAnswers"/>
451       <rdf:Description rdf:about="https://parita-amin.github.io/
survey.owl#SurveyQuestions"/>
452     </owl:members>
453   </rdf:Description>
454   <rdf:Description>
455     <rdf:type rdf:resource="http://www.w3.org/2002/07/owl#
AllDisjointProperties"/>
456     <owl:members rdf:parseType="Collection">
457       <rdf:Description rdf:about="https://parita-amin.github.io/
survey.owl#hasOEAnswer_Change"/>
458       <rdf:Description rdf:about="https://parita-amin.github.io/
survey.owl#hasOEAnswer_LikeBest"/>
459       <rdf:Description rdf:about="https://parita-amin.github.io/
survey.owl#hasOEAnswer_Strengths"/>
460     </owl:members>
461   </rdf:Description>
462 </rdf:RDF>
463
464 <!-- Generated by the OWL API (version 4.5.9.2019-02-01T07:24:44Z) https:
//github.com/owlcs/owlapi -->

```

Bibliography

- [1] Sareh Aghaei, Mohammad Ali Nematbakhsh, and Hadi Khosravi Farsani. Evolution of the World Wide Web: From WEB 1.0 TO WEB 4.0. *International Journal of Web and Semantic Technology*, 3(1):1–10, 2012.
- [2] Emhimed Alatrish. Comparison Some of Ontology Editors. *Management Information Systems*, 8(2):18–24, 2013.
- [3] Francesco Antoniazzi and Fabio Viola. RDF Graph Visualization Tools: A Survey. In *Proceedings of the 23rd Conference of Open Innovations Association (FRUCT)*, pages 25–36, 2018.
- [4] Sören Auer, Christian Bizer, Georgi Kobilarov, Jens Lehmann, Richard Cyganiak, and Zachary Ives. DBpedia: A Nucleus for a Web of Open Data. In *Proceedings of the 6th International Conference on the Semantic Web and 2nd Asian Conference on Asian Semantic Web Conference*, pages 722–735. Springer-Verlag, Berlin, Heidelberg, 2007.
- [5] Florian Bauer and Martin Kaltenböck. Linked Open Data: The Essentials - A Quick Start Guide for Decision Makers. *Edition Mono/Monochrom*, Vienna, 2011.
- [6] Dave Beckett and Brian McBride. RDF/XML Syntax Specification (Revised). *W3C Recommendation*, 2004. <https://www.w3.org/TR/REC-rdf-syntax/> , accessed August 14, 2019.
- [7] David Beckett. RDF 1.1 N-Triples. *W3C Recommendation*, 2014. <https://www.w3.org/TR/2014/REC-n-triples-20140225/> , accessed October 29, 2019.
- [8] Tim Berners-Lee. Linked Data. *W3C Recommendation*, 1996. <https://www.w3.org/DesignIssues/LinkedData> , accessed January 23, 2019.
- [9] Tim Berners-Lee. Universal Resource Identifiers in WWW: A Unifying Syntax for the Expression of Names and Addresses of Objects on the Network as used in the World-Wide Web. *RFC 1630*, June 1998. <https://www.rfc-editor.org/info/rfc1630> , accessed September 24, 2020.

- [10] Tim Berners-Lee, Robert Cailliau, Ari Luotonen, Henrik Frystyk Nielsen, and Arthur Secret. The World Wide Web. *Communications of the ACM*, 37(8):76–83, 1994.
- [11] Tim Berners-Lee, Roy Fielding, and Larry Masinter. Uniform Resource Identifiers (URI): Generic Syntax. *Internet Engineering Task Force, RFC 2396*, August 1998. <https://www.rfc-editor.org/info/rfc2396> , accessed October 01, 2020.
- [12] Tim Berners-Lee, Roy Fielding, and Larry Masinter. Uniform Resource Identifiers (URI): Generic Syntax. *RFC 3986*, January 2005. <https://www.rfc-editor.org/info/rfc3986> , accessed October 02, 2020.
- [13] Tim Berners-Lee and Mark Fischetti. *Weaving the Web: The Original Design and Ultimate Destiny of the World Wide Web by Its Inventor*. Harper San Francisco, 1999.
- [14] Christian Bizer. The Emerging Web of Linked Data. *IEEE Intelligent Systems*, 24(5):87–92, 2009.
- [15] Christian Bizer, Tom Heath, and Tim Berners-Lee. Linked Data - The Story So Far. *International Journal of Semantic Web Information Systems*, 5:1–22, 2009.
- [16] Christian Bizer, Tom Heath, and Tim Berners-Lee. Linked Data: The Story So Far. In *Semantic Services, Interoperability and Web Applications: Emerging Concepts*, pages 205–227. IGI global, USA, 2011.
- [17] Christian Bizer, Tom Heath, Kingsley Idehen, and Tim Berners-Lee. Linked Data on the Web (LDOW2008). In *Proceedings of the 17th International Conference on World Wide Web*, pages 1265–1266. ACM, 2008.
- [18] Christian Bizer, Jens Lehmann, Georgi Kobilarov, Sören Auer, Christian Becker, Richard Cyganiak, and Sebastian Hellmann. DBpedia-A Crystallization Point for the Web of Data. *Web Semantics: Science, Services and Agents on the World Wide Web*, 7(3):154–165, 2009.
- [19] Nupur Choudhury. World Wide Web and Its Journey from Web 1.0 to Web 4.0. *International Journal of Computer Science and Information Technologies*, 5(6):8096–8100, 2014.
- [20] Richard Cyganiak, Andreas Harth, and Aidan Hogan. N-Quads: Extending N-Triples with Context. *W3C Recommendation*, pages 1–41, 2008.
- [21] Richard Cyganiak, David Wood, Markus Lanthaler, Graham Klyne, Jeremy J Carroll, and Brian McBride. RDF 1.1 Concepts and Abstract Syntax. *W3C Recommendation*, 25(02):1–22, January 2014. <http://hdl.handle.net/10421/2427> , accessed January 05, 2020.

- [22] Fajar J. Ekaputra and Xiashuo Lin. SHACL4P: SHACL constraints validation within Protégé ontology editor. In *2016 International Conference on Data and Software Engineering (ICoDSE)*, pages 1–6, Oct 2016.
- [23] Ivan Ermilov, Sören Auer, and Claus Stadler. CSV2RDF: User-Driven CSV to RDF Mass Conversion Framework. In *Proceedings of the International Symposium on Applied Electromagnetics and Mechanics*, volume 13, pages 4–6. ACM, 2013.
- [24] Fredo Erxleben, Michael Günther, Markus Krötzsch, Julian Mendez, and Denny Vrandečić. Introducing Wikidata to the Linked Data Web. In *Proceedings of the International Semantic Web Conference*, pages 50–65. Springer, 2014.
- [25] Sean Falconer. Ontograf Protégé Plugin. Available at: <http://protegewiki.stanford.edu/wiki/OntoGraf>, 2010.
- [26] Thomas R Gruber. Toward Principles for the Design of Ontologies used for Knowledge Sharing? *International Journal of Human-Computer Studies*, 43(5):907–928, 1995.
- [27] Lushan Han, Tim Finin, Cynthia Parr, Joel Sachs, and Anupam Joshi. RDF123: From Spreadsheets to RDF. In *Proceedings of the International Semantic Web Conference*, pages 451–466. Springer, 2008.
- [28] Tom Heath and Christian Bizer. Linked Data: Evolving the Web into a Global Data Space. *Synthesis Lectures on the Semantic Web: Theory and Technology*, 1(1):1–136, 2011.
- [29] Daryl Hepting. Student Feedback Instrument. Available at: <http://www2.cs.uregina.ca/~hepting/assets/teaching/pdf/feedback-instrument.pdf>, 2020.
- [30] Matthew Horridge, Simon Jupp, Georgina Moulton, Alan Rector, Robert Stevens, and Chris Wroe. A Practical Guide to Building OWL Ontologies using Protégé 4 and CO-ODE Tools Edition 1.3. *The University of Manchester*, March 2011.
- [31] Elin K Jacob. Ontologies and the Semantic Web. *Bulletin of the American Society for Information Science and Technology*, 29(4):19–19, 2003.
- [32] Andreas Langeegger and Wolfram Wob. XLWrap&AQuerying and Integrating Arbitrary Spreadsheets with SPARQL. In *Proceedings of the International Semantic Web Conference*, pages 359–374. Springer, 2009.
- [33] Steffen Lohmann, Vincent Link, Eduard Marbach, and Stefan Negru. WebVOWL: Web-based Visualization of Ontologies. In *International Conference on Knowledge Engineering and Knowledge Management*, pages 154–158. Springer, 2014.

- [34] Frank Manola, Eric Miller, and Brian McBride. RDF Primer. *W3C Recommendation*, 10(1):1–6, 2004. <https://www.w3.org/TR/2004/REC-rdf-primer-20040210/>, accessed December 2017.
- [35] Brian McBride. The Resource Description Framework (RDF) and Its Vocabulary Description Language RDFS. In *Handbook on Ontologies*, pages 51–65. Springer, Berlin, 2004.
- [36] Axel-Cyrille Ngonga Ngomo, Sören Auer, Jens Lehmann, and Amrapali Zaveri. Introduction to Linked Data and Its Life Cycle on the Web. In *Proceedings of Reasoning Web 2014: Reasoning on the Web in the Big Data Era*, pages 1–99, Cham. Springer International, September 2014.
- [37] Jakob Nielsen. Usability Engineering. *Morgan Kaufmann Publishers Inc., San Francisco, USA*, pages 23–48, 1994.
- [38] Whitney Quesenbery and Whitney Interactive Design. Dimensions of Usability: Defining the Conversation, Driving the Process. In *UPA 2003 Conference*, pages 23–27, 2003.
- [39] Denny Vrandečić and Markus Krötzsch. Wikidata: A Free Collaborative Knowledgebase. *Communications of the ACM*, 57(10):78–85, 2014.