

Appendix Ia

Specimen	Age ^a (yr)	Sex	PC:DJ															CS (mg/g)	
			28	52	77	101	99	118	105	126	153	138	169	187	183	180	170		202
Pycnonotus right whale																			
MMNZ 204	<1	F	0.46	0.46	0.009	0.52	0.3	0.28	0.15	0.004	0.86	1.38	0.002	0.14	0.03	0.25	0.32	0	n.a.
G152	<1	F	0.05	0.22	0.0003	0.32	0.16	0.13	0.08	0.003	0.3	0.31	0.002	0.42	0.01	0.04	0.02	0.01	0.0001
Heard's dolphin																			
8735	<1	F	6.08	6.71	0.13	30.3	30.3	25.3	12	0.25	187	153	0.03	44.3	15.1	39.1	28.9	0.83	n.a.
8729	<1	M	3.35	7.7	0.08	33.8	32.2	31.4	16.7	0.41	223	166	0.1	61	22.3	66.2	49.7	1.14	n.a.
8729	<1	M	4.04	8.63	0.1	35.3	33.2	34.8	19.5	0.49	243	180	0.13	65.9	24.7	73	58.2	1.31	n.a.
8731	1	M	3.77	7.7	0.04	33.2	178	167	82.9	0.68	881	600	0.12	162	69.1	212	161	3.39	n.a.
8615	1	M	0.63	13.9	0.09	51.8	50.5	49.7	25.5	0.45	646	258	0.11	93.5	33.6	60.2	72.6	1.96	n.a.
8617	8	F	2.55	7.77	0.07	19.8	53.7	60.7	32.7	0.32	295	229	0.09	82.5	29.3	91.3	57.6	1.81	n.a.
8503	10	M	6.04	7.82	0.15	21.3	20.2	23.7	11.9	0.28	133	95	0.06	34.8	12	31.9	22.4	0.6	n.a.
Dusky dolphin																			
DD1	N.a.	M	0.35	13.96	0.08	44.2	37.5	26.2	8.28	0.03	331	281	0.11	43.6	16.8	113	23.4	8.49	13.1
Common dolphin																			
G149	N.a.	M	0.1	4.16	0.007	8.78	16.5	4.9	2.58	0.005	92.9	81.6	0.03	31.5	10.8	34.3	16.9	1.22	2.06
CD1	N.a.	M	1.04	23.4	0.06	155.9	86.2	96.4	14.5	0.07	515	436	0.19	65.8	12.9	87.5	31.8	11	10.4
Southern right whale dolphin																			
SRW0	1	M	2.22	16.5	0.17	31.4	35.8	22.7	18.1	0.14	131	129	0.22	46.4	24.7	37.3	18.5	1.19	n.a.
Gray's beaked dolphin																			
E741	N.a.	M	0.95	3.9	0.03	13.8	16.9	9.2	4	0.08	40.3	28.7	0.08	14	4	11	8.5	0.72	0.89
E681	N.a.	F	0.49	2.3	0.007	9.7	10.1	5.1	2.2	0.05	23.2	16.5	0.06	9.56	2.6	7.3	5.6	0.52	0.55
E198	N.a.	F	0.36	1.6	0.07	5.3	5.5	2.1	0.98	0.04	13	8.7	0.09	7.5	1.9	5.7	3.7	0.66	0.61
G101	N.a.	M	1.7	9	0.12	32.5	44.7	27.4	5.7	0.13	113	75.1	0.09	42.2	11.3	33.1	21.7	2.5	2.8
E197	N.a.	F	1	5.4	0.03	23.9	41.9	24.1	6.9	0.09	117	85.3	0.05	30.5	14.4	42.6	29.3	2.4	2.7
Cuvier's beaked whale																			
G151	N.a.	M	1.2	7.2	0.02	30.7	20.5	20.3	5.7	0.09	80.6	78	0.06	24.8	7.6	26.8	13.5	1.79	2.31
Minkie whale																			
E208	N.a.	M	0.06	1.19	0.004	2.4	1.73	1.06	0.33	0.02	42.3	3.87	0.02	1.22	0.37	1.2	0.59	0.05	0.04
G103	N.a.	F	0.01	1.4	0.002	2.28	1.28	0.59	0.18	0.01	2.31	2.13	0.02	0.67	0.18	0.55	0.21	0.03	0.001
Blue whale																			
G111	SA	M	0.03	n.a.	0.002	0.93	1.21	0.73	0.19	0.003	2.14	1.9	0.003	0.5	0.14	0.56	0.2	0.02	0.02

Appendix 1b

Concentrations of PCDD and PCDF congeners in individual marine mammal blubber samples. Concentrations are pg/g wet weight. n.a. = not analysed. Values in bold are less than the method detection limit, the values provided are half of the method detection limit.

Data for specimens 8733, 8729, 8731, 8615, 8617 and 8503 are from Buckland *et al.*, 1990.

	NMNZ 204	G152	8733	8729	8731	8615	8617	8503	DDI	G149	CDI
2,3,7,8-TeF	0.1	0.025	15.4	12.6	1.6	6.7	7.1	11.3	n.a.	0.1	n.a.
non-2,3,7,8-TeF	0.2	0.025	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	3.7	n.a.
2,3,7,8-TeD	0.15	0.05	6.2	8.5	11	10.4	4	6.9	n.a.	0.1	n.a.
non-2,3,7,8-TeD	0.3	0.05	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	0.1	n.a.
1,2,3,7,8-PeF	0.1	0.025	1.1	1.4	0.2	1.1	0.1	0.7	n.a.	0.1	n.a.
2,3,4,7,8-PeF	0.1	0.15	15.6	31.1	43.9	37.5	6.1	13.2	n.a.	0.02	n.a.
non-2,3,7,8-PeF	0.2	0.15	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	6.44	n.a.
1,2,3,7,8-PeD	0.15	0.1	7.9	11.7	8.1	13.4	5.5	7.9	n.a.	0.1	n.a.
non-2,3,7,8-PeD	0.35	0.1	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	0.15	n.a.
1,2,3,4,7,8-HxF	0.15	0.1	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	0.1	n.a.
1,2,3,6,7,8-HxF	0.15	0.05	0.9	0.95	0.05	0.65	0.25	0.55	n.a.	0.1	n.a.
2,3,4,6,7,8-HxF	0.15	0.1	0.6	0.8	0.3	0.9	0.15	0.3	n.a.	0.1	n.a.
1,2,3,7,8,9-HxF	0.25	0.1	0.1	0.35	0.05	0.25	0.3	0.55	n.a.	0.1	n.a.
non-2,3,7,8-HxF	0.3	0.1	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	2.96	n.a.
1,2,3,4,7,8-HxD	0.2	0.1	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	0.035	n.a.
1,2,3,6,7,8-HxD	0.2	0.1	4.3	4.6	0.4	5.3	0.5	1.9	n.a.	0.04	n.a.
1,2,3,7,8,9-HxD	0.25	0.1	0.3	0.2	0.2	0.2	0.15	0.35	n.a.	0.04	n.a.
non-2,3,7,8-HxD	0.45	0.15	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	0.1	n.a.
1,2,3,4,6,7,8-HpF	0.15	0.4	0.3	0.1	0.7	0.1	0.4	0.2	n.a.	0.05	n.a.
1,2,3,4,7,8,9-HpF	0.3	0.05	0.05	0.05	0.15	0.05	0.05	0.1	n.a.	0.035	n.a.
non-2,3,7,8-HpF	0.5	0.36	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	0.2	n.a.
1,2,3,4,6,7,8-HpD	0.3	0.99	3.3	3	4.5	1.6	2	3.5	n.a.	0.15	n.a.
non-2,3,7,8-HpF	0.5	0.85	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	0.5	n.a.
OCDF	0.5	0.54	2.5	2.1	0.5	1.05	2.9	2.1	n.a.	0.15	n.a.
OCDD	1.5	4	14.6	15	7.1	7.5	15.8	15	n.a.	0.5	n.a.

	SRWD	E174/1	E168/1	E198	G151	G101	E197	E208	G103	G111
2,3,7,8-TeF	n.a.	0.25	0.1	0.2	0.1	0.2	0.15	0.15	0.1	0.04
non-2,3,7,8-TeF	n.a.	0.6	0.75	0.76	1.04	6.56	3.44	0.15	0.3	0.1
2,3,7,8-TeD	n.a.	0.1	0.05	0.045	0.04	0.05	0.05	0.1	0.1	0.05
non-2,3,7,8-TeD	n.a.	0.1	0.05	0.045	0.1	0.05	0.05	0.1	0.1	0.05
1,2,3,7,8-PeF	n.a.	0.05	0.1	0.2	0.1	0.35	0.16	0.05	0.05	0.05
2,3,4,7,8-PeF	n.a.	0.15	0.1	0.38	0.15	0.2	0.15	0.15	0.05	0.1
non-2,3,7,8-PeF	n.a.	0.15	0.15	0.88	0.25	4.52	0.15	0.25	0.25	0.1
1,2,3,7,8-PeD	n.a.	0.1	0.05	0.1	0.1	0.49	0.1	0.1	0.1	0.1
non-2,3,7,8-PeD	n.a.	0.1	0.05	0.1	0.1	0.2	0.1	0.1	0.2	0.1
1,2,3,4,7,8-HxF	n.a.	0.1	0.1	0.1	0.15	0.2	0.1	0.05	0.15	0.05
1,2,3,6,7,8-HxF	n.a.	0.1	0.1	0.045	0.1	0.35	0.1	0.1	0.2	0.05
2,3,4,6,7,8-HxF	n.a.	0.15	0.1	0.22	0.15	0.2	0.1	0.1	0.2	0.05
1,2,3,7,8,9-HxF	n.a.	0.05	0.045	0.04	0.1	0.1	0.04	0.15	0.15	0.15
non-2,3,7,8-HxF	n.a.	0.1	0.1	0.15	0.3	8	0.83	0.05	0.5	0.05
1,2,3,4,7,8-HxD	n.a.	0.1	0.05	0.05	0.1	0.1	0.03	0.1	0.15	0.1
1,2,3,6,7,8-HxD	n.a.	0.2	0.15	0.05	0.3	0.25	0.1	0.15	0.25	0.1
1,2,3,7,8,9-HxD	n.a.	0.1	0.1	0.045	0.1	0.2	0.03	0.1	0.15	0.1
non-2,3,7,8-HxD	n.a.	0.15	0.1	0.1	0.3	0.35	0.1	0.1	0.4	0.1
1,2,3,4,6,7,8-HpF	n.a.	0.15	0.2	0.16	0.15	0.1	0.1	0.15	1.04	0.1
1,2,3,4,7,8,9-HpF	n.a.	0.05	0.03	0.04	0.05	0.03	0.03	0.15	0.15	0.15
non-2,3,7,8-HpF	n.a.	0.1	0.1	0.09	0.1	2.6	0.1	0.15	2.29	0.1
1,2,3,4,6,7,8-HpD	n.a.	0.4	0.4	0.35	0.88	0.3	0.4	0.35	2.34	0.25
non-2,3,7,8-HpF	n.a.	0.25	0.2	0.2	0.5	0.1	0.2	0.15	1.87	0.25
OCDF	n.a.	0.46	0.27	0.15	0.15	0.15	0.36	0.35	6.25	0.4
OCDD	n.a.	5.32	4.59	3.96	4.7	3.66	5.33	1	27.7	2