

Contents

1	2026-05-12 Regression Appendix	2
1.1	Regression 1. Continuous Saving Model	2
1.2	Regression 2. Two-Hour Access Model	3
1.3	Regression 3. Hybrid Saving + Two-Hour Access Model	5
1.4	Regression 4. KTX Two-Hour Access Model	7
1.5	Regression 5. Hybrid Saving + KTX Two-Hour Access Model	9
1.6	Regression 6. Saving Toward Two-Hour Threshold Model	11
1.7	Regression 7. Threshold Access Model, 1.5 Hours	13
1.8	Regression 7. Threshold Access Model, 2 Hours	15
1.9	Regression 7. Threshold Access Model, 2.5 Hours	16
1.10	Regression 7. Threshold Access Model, 3 Hours	18
1.11	Regression 8. Local Projection with Continuous Shock, $h = 0$	20
1.12	Regression 8. Local Projection with Continuous Shock, $h = 1$	21
1.13	Regression 8. Local Projection with Continuous Shock, $h = 2$	23
1.14	Regression 8. Local Projection with Continuous Shock, $h = 3$	25
1.15	Regression 8. Local Projection with Continuous Shock, $h = 4$	26
1.16	Regression 8. Local Projection with Continuous Shock, $h = 5$	28
1.17	Regression 9. Local Projection with Two-Hour Crossing Shock, $h = 0$	30
1.18	Regression 9. Local Projection with Two-Hour Crossing Shock, $h = 1$	32
1.19	Regression 9. Local Projection with Two-Hour Crossing Shock, $h = 2$	34
1.20	Regression 9. Local Projection with Two-Hour Crossing Shock, $h = 3$	36
1.21	Regression 9. Local Projection with Two-Hour Crossing Shock, $h = 4$	38
1.22	Regression 9. Local Projection with Two-Hour Crossing Shock, $h = 5$	40
1.23	Regression 10. KTX Chosen Model	42
1.24	Robustness 1. Continuous Saving, Excluding Already-Treated Regions	44
1.25	Robustness 2. Threshold Access, 1.5 Hours	45
1.26	Robustness 3. Hybrid Saving + Threshold Access, 1.5 Hours	47
1.27	Robustness 2. Threshold Access, 2 Hours	49
1.28	Robustness 3. Hybrid Saving + Threshold Access, 2 Hours	51
1.29	Robustness 2. Threshold Access, 2.5 Hours	53
1.30	Robustness 3. Hybrid Saving + Threshold Access, 2.5 Hours	55
1.31	Robustness 2. Threshold Access, 3 Hours	57
1.32	Robustness 3. Hybrid Saving + Threshold Access, 3 Hours	59
1.33	Robustness 4. KTX Threshold Access, 1.5 Hours	62
1.34	Robustness 5. Hybrid Saving + KTX Threshold Access, 1.5 Hours	64
1.35	Robustness 4. KTX Threshold Access, 2 Hours	66
1.36	Robustness 5. Hybrid Saving + KTX Threshold Access, 2 Hours	68
1.37	Robustness 4. KTX Threshold Access, 2.5 Hours	71
1.38	Robustness 5. Hybrid Saving + KTX Threshold Access, 2.5 Hours	73
1.39	Robustness 4. KTX Threshold Access, 3 Hours	75
1.40	Robustness 5. Hybrid Saving + KTX Threshold Access, 3 Hours	77
1.41	Robustness 6. KTX Chosen, Excluding Baseline KTX-Chosen Regions	80
1.42	Direct Travel-Time Level Model	82

1 2026-05-12 Regression Appendix

이 appendix는 2026-05-12 분석에서 사용한 회귀식들을 미팅자료 형식으로 재정리한 것이다. 병원 표는 병원 type별로 분리하였고, 각 표의 열은 hospital_no, net_entry, exit_no, exit_rate, entry_no, entry_rate이다. 의사 표는 인턴, 레지던트, 전문의, 일반의를 하나의 표에 정리하였다. 모든 회귀식은 서울, 경기, 인천, 제주를 제외하고 region fixed effects, year fixed effects, log population control을 포함한다.

1.1 Regression 1. Continuous Saving Model

$$Y_{it} = \alpha_i + \tau_t + \beta Saving_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Table 1: Regression 1. Continuous Saving Model: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0147 (0.0157)	-0.3922* (0.2142)	-0.1147 (0.2223)	0.0013 (0.0028)	-0.3868 (0.2989)	-0.0002 (0.0040)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99410	0.33416	0.76165	0.14685	0.70929	0.06275

Table 2: Regression 1. Continuous Saving Model: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0728 (0.0550)	-0.0629 (0.1300)	0.1305* (0.0711)	0.0188 (0.0155)	0.0577 (0.1419)	-0.0080 (0.0232)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90271	0.06402	0.32401	0.04765	0.27994	0.05955

Table 3: Regression 1. Continuous Saving Model: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0096 (0.0355)	-0.0183 (0.0254)	-0.0308 (0.0209)	-0.0172 (0.0108)	-0.0379 (0.0299)	-0.0192 (0.0205)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83074	-0.01077	0.09022	0.05918	0.04723	0.05436

Table 4: Regression 1. Continuous Saving Model: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.2213** (0.0946)	-0.0414 (0.0498)	0.0105 (0.0107)	0.0065 (0.0069)	-0.0265 (0.0556)	-0.1826 (0.1390)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.71399	-0.04893	-0.00220	-0.01029	-0.05670	0.06593

Table 5: Regression 1. Continuous Saving Model: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0472 (0.0581)	-0.2005* (0.1141)	0.0078 (0.0257)	0.0303 (0.0278)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83484	0.92483	0.98982	0.86034

1.2 Regression 2. Two-Hour Access Model

$$Y_{it} = \alpha_i + \tau_t + \delta \text{Within2h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Table 6: Regression 2. Two-Hour Access Model: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2h_{it}</i>	-0.0065 (0.0296)	0.0965 (0.2742)	0.2882 (0.3458)	0.0047 (0.0054)	0.3879 (0.2517)	-0.0004 (0.0099)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99409	0.33350	0.76165	0.14689	0.70912	0.06275

Table 7: Regression 2. Two-Hour Access Model: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2h_{it}</i>	0.2569** (0.1153)	-0.0032 (0.1228)	0.0360 (0.0504)	0.0113 (0.0291)	0.0022 (0.1416)	-0.0401 (0.0643)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90313	0.06378	0.32292	0.04733	0.27985	0.05967

Table 8: Regression 2. Two-Hour Access Model: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2h_{it}</i>	-0.0268 (0.0381)	0.0142 (0.0190)	-0.0447 (0.0351)	-0.0435 (0.0330)	-0.0312 (0.0429)	-0.0376 (0.0421)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83073	-0.01106	0.08935	0.05877	0.04645	0.05397

Table 9: Regression 2. Two-Hour Access Model: 상급종합병원

Treatment coefficient	Not estimated
Regions	20, 20, 20, 20, 20, 20

Table 10: Regression 2. Two-Hour Access Model: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Within2h_{it}</i>	0.0421 (0.0455)	0.0696 (0.0841)	0.0498 (0.0880)	0.0481 (0.0767)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83477	0.92418	0.98983	0.86026

1.3 Regression 3. Hybrid Saving + Two-Hour Access Model

$$Y_{it} = \alpha_i + \tau_t + \beta \text{Saving}_{it} + \delta \text{Within2h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Table 11: Regression 3. Hybrid Saving + Two-Hour Access Model: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0178 (0.0189)	-0.5627** (0.2829)	-0.2270 (0.2596)	0.0005 (0.0034)	-0.6398* (0.3712)	-9.62×10^{-5} (0.0056)
<i>Within2h_{it}</i>	0.0157 (0.0349)	0.8027** (0.3875)	0.5711 (0.5336)	0.0041 (0.0070)	1.191* (0.6281)	-0.0003 (0.0140)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99410	0.33426	0.76169	0.14660	0.70942	0.06240

Table 12: Regression 3. Hybrid Saving + Two-Hour Access Model: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0289 (0.0559)	-0.0851 (0.1647)	0.1638* (0.0912)	0.0210 (0.0193)	0.0783 (0.1829)	-0.0004 (0.0222)
<i>Within2h_{it}</i>	0.2209* (0.1180)	0.1035 (0.2373)	-0.1679 (0.1334)	-0.0123 (0.0415)	-0.0960 (0.2285)	-0.0396 (0.0621)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90314	0.06373	0.32399	0.04730	0.27969	0.05928

Table 13: Regression 3. Hybrid Saving + Two-Hour Access Model: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0079 (0.0524)	-0.0328 (0.0378)	-0.0352 (0.0311)	-0.0148 (0.0132)	-0.0510 (0.0463)	-0.0200 (0.0306)
<i>Within2h_{it}</i>	-0.0105 (0.1147)	0.0819 (0.0767)	0.0275 (0.0785)	-0.0131 (0.0418)	0.0743 (0.1114)	0.0037 (0.0761)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83065	-0.01104	0.08975	0.05861	0.04683	0.05372

Table 14: Regression 3. Hybrid Saving + Two-Hour Access Model: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.2213** (0.0946)	-0.0414 (0.0498)	0.0105 (0.0107)	0.0065 (0.0069)	-0.0265 (0.0556)	-0.1826 (0.1390)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.71399	-0.04893	-0.00220	-0.01029	-0.05670	0.06593

Table 15: Regression 3. Hybrid Saving + Two-Hour Access Model: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0734 (0.0721)	-0.2837** (0.1297)	-0.0026 (0.0292)	0.0276 (0.0370)
<i>Within2h_{it}</i>	0.1336 (0.1073)	0.4231* (0.2514)	0.0531 (0.0980)	0.0137 (0.1004)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83486	0.92515	0.98982	0.86029

1.4 Regression 4. KTX Two-Hour Access Model

$$Y_{it} = \alpha_i + \tau_t + \delta KTXWithin2h_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Table 16: Regression 4. KTX Two-Hour Access Model: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2h_{it}</i>	-0.0071 (0.0265)	0.1728 (0.2421)	0.2338 (0.3006)	0.0033 (0.0047)	0.5022** (0.2367)	0.0004 (0.0085)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99409	0.33352	0.76164	0.14686	0.70916	0.06275

Table 17: Regression 4. KTX Two-Hour Access Model: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2h_{it}</i>	0.1703 (0.1149)	0.1489 (0.1815)	0.0279 (0.0465)	0.0135 (0.0247)	0.1606 (0.1970)	-0.0104 (0.0540)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90274	0.06405	0.32291	0.04735	0.28000	0.05952

Table 18: Regression 4. KTX Two-Hour Access Model: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2h_{it}</i>	-0.0622 (0.0577)	-0.0245 (0.0306)	-0.0367 (0.0242)	-0.0359 (0.0273)	-0.0589 (0.0372)	-0.0492 (0.0358)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83085	-0.01100	0.08936	0.05870	0.04667	0.05422

Table 19: Regression 4. KTX Two-Hour Access Model: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2h_{it}</i>	0.1113 (0.0772)	0.0824*** (0.0135)	0.3332*** (0.0004)	0.1661*** (0.0004)	0.4155*** (0.0141)	0.2435*** (0.0415)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.70095	-0.04942	0.29216	0.28181	-0.03081	0.06451

Table 20: Regression 4. KTX Two-Hour Access Model: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>KTXWithin2h_{it}</i>	0.0611 (0.0475)	0.0700 (0.0709)	0.0220 (0.0759)	0.0281 (0.0655)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83479	0.92418	0.98982	0.86024

1.5 Regression 5. Hybrid Saving + KTX Two-Hour Access Model

$$Y_{it} = \alpha_i + \tau_t + \beta \text{Saving}_{it} + \delta \text{KTXWithin2h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Table 21: Regression 5. Hybrid Saving + KTX Two-Hour Access Model: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0169 (0.0184)	-0.5595** (0.2735)	-0.2057 (0.2495)	0.0008 (0.0033)	-0.6460* (0.3539)	-0.0003 (0.0053)
<i>KTXWithin2h_{it}</i>	0.0108 (0.0308)	0.7672** (0.3352)	0.4513 (0.4301)	0.0024 (0.0059)	1.189** (0.5072)	0.0007 (0.0114)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99410	0.33431	0.76166	0.14657	0.70949	0.06240

Table 22: Regression 5. Hybrid Saving + KTX Two-Hour Access Model: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0485 (0.0557)	-0.1250 (0.1568)	0.1591* (0.0870)	0.0197 (0.0187)	0.0291 (0.1734)	-0.0073 (0.0228)
<i>KTXWithin2h_{it}</i>	0.1190 (0.1138)	0.2818 (0.2549)	-0.1403 (0.1079)	-0.0049 (0.0338)	0.1296 (0.2613)	-0.0035 (0.0544)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90285	0.06439	0.32396	0.04728	0.27974	0.05916

Table 23: Regression 5. Hybrid Saving + KTX Two-Hour Access Model: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0011 (0.0453)	-0.0187 (0.0324)	-0.0322 (0.0267)	-0.0152 (0.0126)	-0.0366 (0.0394)	-0.0143 (0.0276)
<i>KTXWithin2h_{it}</i>	-0.0637 (0.0872)	0.0019 (0.0566)	0.0084 (0.0457)	-0.0108 (0.0316)	-0.0072 (0.0744)	-0.0254 (0.0573)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83076	-0.01137	0.08971	0.05860	0.04666	0.05380

Table 24: Regression 5. Hybrid Saving + KTX Two-Hour Access Model: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.2194** (0.0964)	-0.0453 (0.0497)	0.0009 (0.0024)	0.0007 (0.0013)	-0.0442 (0.0506)	-0.1936 (0.1368)
<i>KTXWithin2h_{it}</i>	0.0682 (0.0844)	0.0931*** (0.0206)	0.3331*** (0.0007)	0.1660*** (0.0004)	0.4260*** (0.0210)	0.2597*** (0.0430)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.71333	-0.05080	0.29009	0.27880	-0.03233	0.07634

Table 25: Regression 5. Hybrid Saving + KTX Two-Hour Access Model: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0756 (0.0694)	-0.2727** (0.1238)	0.0043 (0.0281)	0.0313 (0.0351)
<i>KTXWithin2h_{it}</i>	0.1410 (0.0924)	0.3584* (0.1952)	0.0175 (0.0843)	-0.0049 (0.0824)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83489	0.92512	0.98982	0.86029

1.6 Regression 6. Saving Toward Two-Hour Threshold Model

$$Y_{it} = \alpha_i + \tau_t + \beta \text{SavingTo2h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Table 26: Regression 6. Saving Toward Two-Hour Threshold Model: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>SavingTo2h_{it}</i>	-0.0158 (0.0176)	-0.4445* (0.2502)	-0.1787 (0.2516)	0.0017 (0.0032)	-0.4730 (0.3420)	0.0002 (0.0047)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99410	0.33420	0.76169	0.14687	0.70934	0.06275

Table 27: Regression 6. Saving Toward Two-Hour Threshold Model: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>SavingTo2h_{it}</i>	0.0689 (0.0544)	-0.0835 (0.1510)	0.1601* (0.0829)	0.0218 (0.0175)	0.0693 (0.1653)	-0.0019 (0.0210)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90261	0.06412	0.32430	0.04771	0.27996	0.05951

Table 28: Regression 6. Saving Toward Two-Hour Threshold Model: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>SavingTo2h_{it}</i>	-0.0075 (0.0408)	-0.0251 (0.0296)	-0.0295 (0.0237)	-0.0146 (0.0107)	-0.0413 (0.0350)	-0.0181 (0.0233)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83073	-0.01060	0.08999	0.05882	0.04722	0.05419

Table 29: Regression 6. Saving Toward Two-Hour Threshold Model: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>SavingTo2h_{it}</i>	0.2035** (0.0928)	-0.0360 (0.0506)	0.0107 (0.0109)	0.0069 (0.0074)	-0.0209 (0.0566)	-0.1582 (0.1379)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.71124	-0.04939	-0.00225	-0.01029	-0.05696	0.06115

Table 30: Regression 6. Saving Toward Two-Hour Threshold Model: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>SavingTo2h_{it}</i>	-0.0641 (0.0663)	-0.2518** (0.1275)	0.0155 (0.0271)	0.0342 (0.0317)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83488	0.92504	0.98982	0.86035

1.7 Regression 7. Threshold Access Model, 1.5 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta \text{Within1.5}h_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Table 31: Regression 7. Threshold Access Model, 1.5 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within1.5h_{it}</i>	0.0045 (0.0656)	-0.1247 (0.2428)	0.6686** (0.3147)	-0.0003 (0.0065)	0.5621*** (0.1636)	0.0013 (0.0054)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99409	0.33350	0.76170	0.14681	0.70911	0.06275

Table 32: Regression 7. Threshold Access Model, 1.5 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within1.5h_{it}</i>	0.4207* (0.2403)	0.1607* (0.0933)	0.0679** (0.0339)	0.0028 (0.0115)	0.2098** (0.1018)	-0.1203 (0.2115)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90317	0.06389	0.32292	0.04731	0.27993	0.05992

Table 33: Regression 7. Threshold Access Model, 1.5 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within1.5h_{it}</i>	-0.0055 (0.0408)	0.0135 (0.0222)	-0.0904*** (0.0146)	-0.0891*** (0.0095)	-0.0804*** (0.0298)	-0.0944*** (0.0178)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83072	-0.01106	0.08954	0.05935	0.04656	0.05443

Table 34: Regression 7. Threshold Access Model, 1.5 Hours: 상급종합병원

Treatment coefficient	Not estimated
Regions	20, 20, 20, 20, 20, 20

Table 35: Regression 7. Threshold Access Model, 1.5 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Within1.5h_{it}</i>	0.0843 (0.1012)	0.2259*** (0.0663)	-0.1383 (0.1033)	0.1128*** (0.0253)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83478	0.92422	0.98985	0.86032

1.8 Regression 7. Threshold Access Model, 2 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta \text{Within2h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Table 36: Regression 7. Threshold Access Model, 2 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2h_{it}</i>	-0.0065 (0.0296)	0.0965 (0.2742)	0.2882 (0.3458)	0.0047 (0.0054)	0.3879 (0.2517)	-0.0004 (0.0099)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99409	0.33350	0.76165	0.14689	0.70912	0.06275

Table 37: Regression 7. Threshold Access Model, 2 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2h_{it}</i>	0.2569** (0.1153)	-0.0032 (0.1228)	0.0360 (0.0504)	0.0113 (0.0291)	0.0022 (0.1416)	-0.0401 (0.0643)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90313	0.06378	0.32292	0.04733	0.27985	0.05967

Table 38: Regression 7. Threshold Access Model, 2 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2h_{it}</i>	-0.0268 (0.0381)	0.0142 (0.0190)	-0.0447 (0.0351)	-0.0435 (0.0330)	-0.0312 (0.0429)	-0.0376 (0.0421)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83073	-0.01106	0.08935	0.05877	0.04645	0.05397

Table 39: Regression 7. Threshold Access Model, 2 Hours: 상급종합병원

Treatment coefficient	Not estimated
Regions	20, 20, 20, 20, 20, 20

Table 40: Regression 7. Threshold Access Model, 2 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Within2h_{it}</i>	0.0421 (0.0455)	0.0696 (0.0841)	0.0498 (0.0880)	0.0481 (0.0767)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83477	0.92418	0.98983	0.86026

1.9 Regression 7. Threshold Access Model, 2.5 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta \text{Within2.5}h_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Table 41: Regression 7. Threshold Access Model, 2.5 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2.5h_{it}</i>	-0.0114 (0.0173)	-0.8351** (0.3813)	-0.2228 (0.3553)	0.0004 (0.0033)	-1.047** (0.5061)	-0.0056 (0.0042)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99409	0.33481	0.76167	0.14682	0.70974	0.06288

Table 42: Regression 7. Threshold Access Model, 2.5 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2.5h_{it}</i>	0.0280 (0.0877)	-0.0078 (0.1208)	0.1382 (0.1289)	0.0088 (0.0210)	0.1134 (0.1246)	-0.0170 (0.0248)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90232	0.06378	0.32342	0.04735	0.28001	0.05959

Table 43: Regression 7. Threshold Access Model, 2.5 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2.5h_{it}</i>	-0.0206 (0.0571)	-0.0554 (0.0464)	-0.0276 (0.0269)	-0.0103 (0.0271)	-0.0810* (0.0436)	-0.0441 (0.0450)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83077	-0.00967	0.08958	0.05840	0.04831	0.05522

Table 44: Regression 7. Threshold Access Model, 2.5 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2.5h_{it}</i>	-0.0574 (0.0352)	-0.0555 (0.0322)	-0.0030 (0.0053)	-0.0003 (0.0043)	-0.0574* (0.0330)	-0.0175 (0.0439)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.70129	-0.04741	-0.00405	-0.01116	-0.05418	0.05213

Table 45: Regression 7. Threshold Access Model, 2.5 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Within2.5h_{it}</i>	0.0686 (0.0828)	-0.1760 (0.1752)	0.0010 (0.0269)	0.0729** (0.0289)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83483	0.92438	0.98982	0.86050

1.10 Regression 7. Threshold Access Model, 3 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta \text{Within3h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Table 46: Regression 7. Threshold Access Model, 3 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within3h_{it}</i>	-0.0188 (0.0193)	-0.1713 (0.3126)	0.0011 (0.2452)	0.0002 (0.0036)	-0.1282 (0.3050)	-0.0027 (0.0057)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99410	0.33358	0.76161	0.14681	0.70910	0.06279

Table 47: Regression 7. Threshold Access Model, 3 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within3h_{it}</i>	0.1074 (0.0764)	-0.0232 (0.1401)	0.2457** (0.1010)	0.0170 (0.0202)	0.2067* (0.1244)	-0.0161 (0.0267)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90287	0.06380	0.32539	0.04750	0.28064	0.05962

Table 48: Regression 7. Threshold Access Model, 3 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within3h_{it}</i>	0.0045 (0.0490)	-0.0581 (0.0427)	-0.0105 (0.0415)	-0.0290* (0.0154)	-0.0471 (0.0506)	-0.0409 (0.0297)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83072	-0.00927	0.08925	0.05980	0.04715	0.05541

Table 49: Regression 7. Threshold Access Model, 3 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within3h_{it}</i>	-0.0078 (0.1152)	-0.0356* (0.0182)	0.0051 (0.0053)	0.0044 (0.0042)	-0.0300 (0.0202)	-0.0297 (0.0640)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.70046	-0.05008	-0.00405	-0.01070	-0.05702	0.05217

Table 50: Regression 7. Threshold Access Model, 3 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Within3h_{it}</i>	-0.0713 (0.0627)	-0.1739 (0.1268)	-0.0047 (0.0285)	0.0905* (0.0496)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83487	0.92448	0.98982	0.86089

1.11 Regression 8. Local Projection with Continuous Shock, h = 0

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \beta_h ShockSaving_{it} + \gamma_h \log(Population_{it}) + \epsilon_{i,t+h}$$

Table 51: Regression 8. Local Projection with Continuous Shock, h = 0: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0016 (0.0047)	-0.1582 (0.6428)	-0.2726 (0.4765)	-0.0166** (0.0080)	-0.4803 (0.8839)	-0.0074 (0.0107)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,862	2,703	2,862	2,862	2,703	2,703
Adjusted R ²	0.04876	-0.04502	-0.03863	-0.04634	-0.04745	-0.05514

Table 52: Regression 8. Local Projection with Continuous Shock, h = 0: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0033 (0.0130)	0.0519 (0.1878)	0.2932 (0.2181)	0.0567* (0.0312)	0.3429 (0.2811)	0.0008 (0.0596)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,718	2,567	2,718	2,571	2,567	2,428
Adjusted R ²	0.02516	-0.04521	-0.02044	-0.04073	-0.04413	-0.04430

Table 53: Regression 8. Local Projection with Continuous Shock, h = 0: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0126 (0.0080)	-0.0237 (0.0501)	-0.0826 (0.0563)	-0.0250* (0.0142)	-0.1023 (0.0819)	-0.0305 (0.0259)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	98
Observations	1,782	1,683	1,782	1,575	1,683	1,491
Adjusted R ²	-0.00189	-0.06125	-0.05511	-0.03780	-0.06045	-0.03923

Table 54: Regression 8. Local Projection with Continuous Shock, h = 0: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0065 (0.0107)	-0.0089 (0.0226)	-0.0017 (0.0022)	-0.0042 (0.0052)	-0.0111 (0.0223)	-0.0863 (0.1241)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	360	340	360	257	340	244
Adjusted R ²	-0.03373	-0.08740	-0.06242	-0.08384	-0.08481	0.01330

Table 55: Regression 8. Local Projection with Continuous Shock, h = 0: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>ShockSaving_{it}</i>	0.0848 (0.1072)	-0.0404 (0.0290)	-0.0098 (0.0092)	-0.0478** (0.0209)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,880	2,880	2,880	2,880
Adjusted R ²	-0.00568	0.07823	0.05703	0.13908

1.12 Regression 8. Local Projection with Continuous Shock, h = 1

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \beta_h ShockSaving_{it} + \gamma_h \log(Population_{it}) + \epsilon_{i,t+h}$$

Table 56: Regression 8. Local Projection with Continuous Shock, h = 1: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0013 (0.0072)	-0.5814 (0.6190)	-0.6534 (0.4402)	-0.0187*** (0.0057)	-1.163* (0.6727)	-0.0069 (0.0104)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,703	2,544	2,703	2,703	2,544	2,544
Adjusted R ²	0.16213	-0.03449	-0.02023	-0.04013	-0.03655	-0.04519

Table 57: Regression 8. Local Projection with Continuous Shock, h = 1: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	0.0081 (0.0180)	0.0567 (0.1775)	0.1105 (0.1415)	0.0437 (0.0323)	0.1807 (0.2159)	0.0048 (0.0508)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,567	2,416	2,567	2,414	2,416	2,272
Adjusted R ²	0.10943	-0.03519	-0.02867	-0.04366	-0.04369	-0.03876

Table 58: Regression 8. Local Projection with Continuous Shock, h = 1: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0132 (0.0131)	-0.0072 (0.0570)	-0.0577 (0.0590)	-0.0007 (0.0170)	-0.0676 (0.0776)	-0.0128 (0.0291)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	98	99	96
Observations	1,683	1,584	1,683	1,472	1,584	1,393
Adjusted R ²	0.04053	-0.05759	-0.06048	-0.05515	-0.06408	-0.02742

Table 59: Regression 8. Local Projection with Continuous Shock, h = 1: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0316 (0.0274)	-0.0366 (0.0381)	-0.0023 (0.0026)	-0.0027 (0.0053)	-0.0389 (0.0387)	-0.0794 (0.1009)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	340	320	340	235	320	222
Adjusted R ²	0.00298	-0.07301	-0.00111	-0.00145	-0.06681	0.09785

Table 60: Regression 8. Local Projection with Continuous Shock, h = 1: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>ShockSaving_{it}</i>	0.0506 (0.1264)	-0.1129* (0.0587)	0.0064 (0.0122)	-0.0379 (0.0254)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,720	2,720	2,720	2,720
Adjusted R ²	0.03825	0.10459	0.18388	0.18371

1.13 Regression 8. Local Projection with Continuous Shock, h = 2

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \beta_h ShockSaving_{it} + \gamma_h \log(Population_{it}) + \epsilon_{i,t+h}$$

Table 61: Regression 8. Local Projection with Continuous Shock, h = 2: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0009 (0.0083)	0.0284 (0.5275)	0.1580 (0.4908)	-0.0121 (0.0076)	0.2353 (0.5611)	-0.0005 (0.0092)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,544	2,385	2,544	2,544	2,385	2,385
Adjusted R ²	0.27023	-0.01512	-0.01599	-0.04044	-0.02281	-0.04296

Table 62: Regression 8. Local Projection with Continuous Shock, h = 2: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	0.0317 (0.0295)	0.0873 (0.1731)	0.2298** (0.1132)	0.0325 (0.0210)	0.2903 (0.2226)	-0.0176 (0.0536)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	150	151	150
Observations	2,416	2,265	2,416	2,263	2,265	2,123
Adjusted R ²	0.18059	-0.02587	-0.02142	-0.02676	-0.03777	-0.04139

Table 63: Regression 8. Local Projection with Continuous Shock, h = 2: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0102 (0.0204)	-0.0093 (0.0652)	-0.0210 (0.0404)	-0.0034 (0.0129)	-0.0298 (0.0745)	-0.0107 (0.0307)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	96	99	96
Observations	1,584	1,485	1,584	1,373	1,485	1,292
Adjusted R ²	0.09725	-0.05900	-0.06001	-0.05643	-0.06522	-0.02732

Table 64: Regression 8. Local Projection with Continuous Shock, h = 2: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0574 (0.0408)	-0.0273 (0.0466)	-0.0024 (0.0027)	-0.0010 (0.0048)	-0.0297 (0.0470)	0.0060 (0.0501)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	320	300	320	214	300	200
Adjusted R ²	0.04401	-0.09921	-0.00165	-0.00350	-0.09337	0.09959

Table 65: Regression 8. Local Projection with Continuous Shock, h = 2: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>ShockSaving_{it}</i>	0.2919** (0.1452)	-0.0458 (0.0569)	0.0088 (0.0133)	-0.0409 (0.0266)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,560	2,560	2,560	2,560
Adjusted R ²	0.04628	0.15368	0.30291	0.17542

1.14 Regression 8. Local Projection with Continuous Shock, h = 3

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \beta_h ShockSaving_{it} + \gamma_h \log(Population_{it}) + \epsilon_{i,t+h}$$

Table 66: Regression 8. Local Projection with Continuous Shock, h = 3: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0109 (0.0090)	-0.9091 (0.6260)	-0.1539 (0.4906)	-0.0104 (0.0076)	-1.118 (0.7038)	-0.0124 (0.0117)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,385	2,226	2,385	2,385	2,226	2,226
Adjusted R ²	0.36351	-0.00643	-0.00588	-0.03812	-0.01959	-0.03601

Table 67: Regression 8. Local Projection with Continuous Shock, h = 3: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	0.0401 (0.0316)	0.1508 (0.2077)	0.0167 (0.1064)	0.0005 (0.0218)	0.1850 (0.2583)	-0.0146 (0.0532)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	150	151	150
Observations	2,265	2,114	2,265	2,116	2,114	1,975
Adjusted R ²	0.25564	-0.02591	-0.01241	-0.01826	-0.02053	-0.02347

Table 68: Regression 8. Local Projection with Continuous Shock, h = 3: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0327 (0.0256)	-0.0701 (0.0487)	0.0728 (0.0707)	0.0805* (0.0421)	-0.0017 (0.0788)	0.0050 (0.0326)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	95	99	93
Observations	1,485	1,386	1,485	1,277	1,386	1,201
Adjusted R ²	0.16885	-0.05528	-0.05029	-0.03552	-0.06490	-0.00765

Table 69: Regression 8. Local Projection with Continuous Shock, h = 3: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0645 (0.0473)	1.5×10^{-5} (0.0358)	-0.0028 (0.0031)	-0.0021 (0.0049)	-0.0028 (0.0358)	-0.0314 (0.0541)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	19
Observations	300	280	300	192	280	179
Adjusted R ²	0.12392	-0.08928	-0.00237	0.01179	-0.08247	-0.04308

Table 70: Regression 8. Local Projection with Continuous Shock, h = 3: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>ShockSaving_{it}</i>	0.1711 (0.1362)	-0.0355 (0.0538)	0.0055 (0.0123)	-0.0326 (0.0271)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,400	2,400	2,400	2,400
Adjusted R ²	0.07851	0.20569	0.41253	0.18594

1.15 Regression 8. Local Projection with Continuous Shock, h = 4

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \beta_h ShockSaving_{it} + \gamma_h \log(Population_{it}) + \epsilon_{i,t+h}$$

Table 71: Regression 8. Local Projection with Continuous Shock, h = 4: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0065 (0.0096)	0.0644 (0.6737)	-0.4205 (0.5935)	-0.0091 (0.0079)	-0.3023 (0.9776)	0.0058 (0.0106)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,226	2,067	2,226	2,226	2,067	2,067
Adjusted R ²	0.45047	0.01222	0.00992	-0.03594	-0.01292	-0.02798

Table 72: Regression 8. Local Projection with Continuous Shock, h = 4: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	0.0591 (0.0365)	0.0673 (0.1507)	0.0969 (0.1328)	0.0028 (0.0251)	0.1644 (0.1815)	-0.0105 (0.0466)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	150	151	150
Observations	2,114	1,963	2,114	1,965	1,963	1,824
Adjusted R ²	0.31963	-0.01994	-0.01469	-0.00483	-0.02308	-0.03925

Table 73: Regression 8. Local Projection with Continuous Shock, h = 4: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0350 (0.0298)	0.0295 (0.0733)	-0.0862 (0.0582)	-0.0222 (0.0204)	-0.0585 (0.0772)	-0.0217 (0.0282)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	93	99	93
Observations	1,386	1,287	1,386	1,186	1,287	1,110
Adjusted R ²	0.24458	-0.05596	-0.04552	-0.04894	-0.06295	-0.00472

Table 74: Regression 8. Local Projection with Continuous Shock, h = 4: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	0.0021 (0.1095)	0.0910 (0.1261)	-0.0029 (0.0032)	-0.0033 (0.0057)	0.0881 (0.1265)	-0.0123 (0.0434)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	17	20	16
Observations	280	260	280	174	260	163
Adjusted R ²	0.21846	-0.06741	-0.00334	0.02331	-0.05355	0.06630

Table 75: Regression 8. Local Projection with Continuous Shock, h = 4: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>ShockSaving_{it}</i>	0.1852* (0.0964)	-0.0018 (0.0547)	0.0075 (0.0126)	-0.0281 (0.0217)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,240	2,240	2,240	2,240
Adjusted R ²	0.09698	0.26743	0.49379	0.20321

1.16 Regression 8. Local Projection with Continuous Shock, h = 5

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \beta_h ShockSaving_{it} + \gamma_h \log(Population_{it}) + \epsilon_{i,t+h}$$

Table 76: Regression 8. Local Projection with Continuous Shock, h = 5: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0091 (0.0089)	-0.0683 (0.6268)	-0.3139 (0.4608)	-0.0195** (0.0083)	-0.3218 (0.8180)	-0.0167 (0.0119)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,067	1,908	2,067	2,067	1,908	1,908
Adjusted R ²	0.52347	0.03397	0.02977	-0.01114	-0.00974	-0.03358

Table 77: Regression 8. Local Projection with Continuous Shock, h = 5: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	0.0526 (0.0385)	-0.0056 (0.2072)	0.3006** (0.1177)	0.0519* (0.0306)	0.2985 (0.2423)	0.0393 (0.0506)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	149	151	149
Observations	1,963	1,812	1,963	1,816	1,812	1,675
Adjusted R ²	0.37629	0.00121	-0.00072	0.00221	-0.00521	-0.01912

Table 78: Regression 8. Local Projection with Continuous Shock, h = 5: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	-0.0275 (0.0259)	0.0690 (0.0864)	-0.0200 (0.0624)	0.0121 (0.0136)	0.0558 (0.0927)	0.0367 (0.0320)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	93	99	93
Observations	1,287	1,188	1,287	1,093	1,188	1,017
Adjusted R ²	0.31593	-0.05557	-0.04732	-0.04261	-0.04831	-0.01135

Table 79: Regression 8. Local Projection with Continuous Shock, h = 5: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>ShockSaving_{it}</i>	0.0509 (0.0999)	0.0539 (0.2379)	-0.0030 (0.0033)	-0.0045 (0.0065)	0.0510 (0.2377)	0.1188 (0.1168)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	15	20	15
Observations	260	240	260	161	240	150
Adjusted R ²	0.29856	-0.06368	-0.00452	0.02315	-0.05123	0.05507

Table 80: Regression 8. Local Projection with Continuous Shock, h = 5: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>ShockSaving_{it}</i>	0.1712* (0.0975)	0.0142 (0.0522)	0.0053 (0.0140)	-0.0279 (0.0272)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,080	2,080	2,080	2,080
Adjusted R ²	0.11111	0.33677	0.56060	0.22748

1.17 Regression 9. Local Projection with Two-Hour Crossing Shock, h = 0

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \delta_h Cross2h_{it} + \gamma_h \log(Population_{it}) + \epsilon_{i,t+h}$$

Table 81: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 0: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	-0.0065 (0.0111)	1.593** (0.6634)	-0.3314 (0.7985)	-0.0652 (0.0478)	1.239* (0.6281)	-0.0256 (0.0471)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,862	2,703	2,862	2,862	2,703	2,703
Adjusted R ²	0.04875	-0.04486	-0.03884	-0.04659	-0.04759	-0.05518

Table 82: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 0: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	-0.0071 (0.0156)	-0.6754** (0.3114)	-0.0977 (0.0750)	-0.0099 (0.0236)	-0.7757** (0.3186)	-0.3897 (0.2651)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,718	2,567	2,718	2,571	2,567	2,428
Adjusted R ²	0.02516	-0.04489	-0.02205	-0.04140	-0.04481	-0.04310

Table 83: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 0: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	0.0139 (0.0120)	0.0372 (0.0347)	-0.0456 (0.0352)	-0.0395* (0.0235)	-0.0091 (0.0500)	-0.0288 (0.0295)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	98
Observations	1,782	1,683	1,782	1,575	1,683	1,491
Adjusted R ²	-0.00218	-0.06135	-0.05675	-0.03818	-0.06179	-0.03962

Table 84: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 0: 상급종합병원

Treatment coefficient	Not estimated
Regions	20, 20, 20, 20, 20, 20

Table 85: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 0: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
$Cross2h_{it}$	-0.0070 (0.0209)	-0.0219 (0.0144)	-0.1021* (0.0614)	0.0183 (0.0416)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,880	2,880	2,880	2,880
Adjusted R ²	-0.00617	0.07788	0.05810	0.13823

1.18 Regression 9. Local Projection with Two-Hour Crossing Shock, h = 1

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \delta_h Cross2h_{it} + \gamma_h \log(Population_{it}) + \epsilon_{i,t+h}$$

Table 86: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 1: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
$Cross2h_{it}$	0.0256 (0.0305)	1.999** (0.7822)	-0.3992* (0.2110)	-0.0690** (0.0312)	1.666** (0.8373)	0.0112 (0.0540)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,703	2,544	2,703	2,703	2,544	2,544
Adjusted R ²	0.16227	-0.03467	-0.02140	-0.04067	-0.03783	-0.04530

Table 87: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 1: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	-0.0119 (0.0280)	-0.6676** (0.3191)	0.0330 (0.0823)	0.0015 (0.0235)	-0.6237* (0.3307)	-0.3380 (0.2610)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,567	2,416	2,567	2,414	2,416	2,272
Adjusted R ²	0.10940	-0.03489	-0.02889	-0.04409	-0.04380	-0.03768

Table 88: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 1: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	-0.0056 (0.0182)	-0.0416 (0.0480)	-0.0344 (0.0325)	-0.0219 (0.0196)	-0.0767 (0.0540)	-0.0305 (0.0227)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	98	99	96
Observations	1,683	1,584	1,683	1,472	1,584	1,393
Adjusted R ²	0.04036	-0.05758	-0.06133	-0.05513	-0.06470	-0.02748

Table 89: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 1: 상급종합병원

Treatment coefficient	Not estimated
Regions	20, 20, 20, 20, 20, 20

Table 90: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 1: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Cross2h_{it}</i>	-0.0980*** (0.0334)	-0.0253 (0.0221)	0.0294 (0.0515)	0.0204 (0.0454)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,720	2,720	2,720	2,720
Adjusted R ²	0.03814	0.10286	0.18389	0.18336

1.19 Regression 9. Local Projection with Two-Hour Crossing Shock, h = 2

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \delta_h \text{Cross2h}_{it} + \gamma_h \log(\text{Population}_{it}) + \epsilon_{i,t+h}$$

Table 91: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 2: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	0.0344 (0.0360)	1.968*** (0.4014)	-0.7089 (0.5194)	-0.0812** (0.0377)	1.329* (0.7130)	-0.0241 (0.0428)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,544	2,385	2,544	2,544	2,385	2,385
Adjusted R ²	0.27040	-0.01476	-0.01598	-0.03927	-0.02276	-0.04288

Table 92: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 2: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	-0.0300 (0.0406)	-0.7205** (0.3134)	-0.0095 (0.0717)	-0.0190 (0.0272)	-0.7351** (0.3271)	-0.3737 (0.2545)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	150	151	150
Observations	2,416	2,265	2,416	2,263	2,265	2,123
Adjusted R ²	0.18028	-0.02556	-0.02250	-0.02703	-0.03834	-0.04007

Table 93: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 2: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	-0.0021 (0.0197)	0.0126 (0.0354)	-0.0384 (0.0381)	-0.0176 (0.0161)	0.0101 (0.0552)	0.0123 (0.0350)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	96	99	96
Observations	1,584	1,485	1,584	1,373	1,485	1,292
Adjusted R ²	0.09717	-0.05902	-0.06011	-0.05642	-0.06536	-0.02737

Table 94: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 2: 상급종합병원

Treatment coefficient	Not estimated
Regions	20, 20, 20, 20, 20, 20

Table 95: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 2: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
$Cross2h_{it}$	0.2958 (0.2067)	-0.0385 (0.0324)	0.0031 (0.0546)	-0.1013 (0.0825)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,560	2,560	2,560	2,560
Adjusted R ²	0.04203	0.15347	0.30284	0.17519

1.20 Regression 9. Local Projection with Two-Hour Crossing Shock, h = 3

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \delta_h Cross2h_{it} + \gamma_h \log(Population_{it}) + \epsilon_{i,t+h}$$

Table 96: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 3: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
$Cross2h_{it}$	0.0472*** (0.0130)	1.497** (0.5862)	0.1489 (0.4497)	-0.0400 (0.0463)	1.605*** (0.5578)	0.0290 (0.0207)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,385	2,226	2,385	2,385	2,226	2,226
Adjusted R ²	0.36352	-0.00761	-0.00595	-0.03824	-0.02094	-0.03630

Table 97: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 3: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	0.0161 (0.0566)	-0.3814 (0.3197)	-0.5561*** (0.1220)	-0.1303*** (0.0327)	-0.9335*** (0.3329)	-0.4006 (0.2554)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	150	151	150
Observations	2,265	2,114	2,265	2,116	2,114	1,975
Adjusted R ²	0.25522	-0.02616	-0.01207	-0.01800	-0.02039	-0.02178

Table 98: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 3: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	0.0018 (0.0195)	0.0246 (0.0441)	0.0205 (0.0419)	0.0219 (0.0310)	0.0472 (0.0617)	0.0150 (0.0403)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	95	99	93
Observations	1,485	1,386	1,485	1,277	1,386	1,201
Adjusted R ²	0.16820	-0.05645	-0.05194	-0.04207	-0.06488	-0.00766

Table 99: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 3: 상급종합병원

Treatment coefficient	Not estimated
Regions	20, 20, 20, 20, 20, 19

Table 100: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 3: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Cross2h_{it}</i>	0.0135 (0.1924)	-0.0230 (0.0342)	0.0446 (0.0301)	0.0166 (0.0675)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,400	2,400	2,400	2,400
Adjusted R ²	0.07699	0.20559	0.41259	0.18574

1.21 Regression 9. Local Projection with Two-Hour Crossing Shock, h = 4

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \delta_h Cross2h_{it} + \gamma_h \log(Population_{it}) + \epsilon_{i,t+h}$$

Table 101: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 4: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	0.0727*** (0.0111)	2.051*** (0.7569)	0.1162 (0.6394)	-0.0485 (0.0483)	2.181** (0.9483)	0.0303 (0.0633)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,226	2,067	2,226	2,226	2,067	2,067
Adjusted R ²	0.45087	0.01264	0.00930	-0.03563	-0.01270	-0.02794

Table 102: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 4: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	0.0633 (0.0738)	-0.4779 (0.3247)	0.0888 (0.0710)	0.0066 (0.0198)	-0.3798 (0.3332)	-0.2455 (0.2427)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	150	151	150
Observations	2,114	1,963	2,114	1,965	1,963	1,824
Adjusted R ²	0.31890	-0.01979	-0.01493	-0.00484	-0.02330	-0.03855

Table 103: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 4: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	-0.0108 (0.0231)	-0.0309 (0.0458)	0.0167 (0.0415)	0.0336 (0.0299)	-0.0152 (0.0645)	0.0195 (0.0391)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	93	99	93
Observations	1,386	1,287	1,386	1,186	1,287	1,110
Adjusted R ²	0.24392	-0.05617	-0.04784	-0.04932	-0.06352	-0.00496

Table 104: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 4: 상급종합병원

Treatment coefficient	Not estimated
Regions	20, 20, 20, 17, 20, 16

Table 105: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 4: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Cross2h_{it}</i>	0.0882 (0.1767)	-0.0239 (0.0366)	0.0593** (0.0281)	-0.0237 (0.0457)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,240	2,240	2,240	2,240
Adjusted R ²	0.09520	0.26743	0.49388	0.20306

1.22 Regression 9. Local Projection with Two-Hour Crossing Shock, h = 5

$$Y_{i,t+h} - Y_{i,t-1} = \alpha_i^h + \tau_t^h + \delta_h \text{Cross2h}_{it} + \gamma_h \log(\text{Population}_{it}) + \epsilon_{i,t+h}$$

Table 106: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 5: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	0.0211 (0.0316)	-0.3195 (0.9410)	-0.9455* (0.5448)	-0.0742* (0.0415)	-1.320** (0.5658)	-0.0895*** (0.0256)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	2,067	1,908	2,067	2,067	1,908	1,908
Adjusted R ²	0.52339	0.03398	0.02960	-0.01168	-0.00975	-0.03312

Table 107: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 5: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	0.0505 (0.0945)	-0.7859** (0.3197)	-0.0554 (0.0869)	-0.0506 (0.0368)	-0.8265** (0.3274)	-0.3694 (0.2277)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	149	151	149
Observations	1,963	1,812	1,963	1,816	1,812	1,675
Adjusted R ²	0.37577	0.00182	-0.00313	0.00131	-0.00580	-0.01772

Table 108: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 5: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Cross2h_{it}</i>	-0.0124 (0.0252)	0.0015 (0.0364)	0.0537 (0.0370)	0.0473 (0.0327)	0.0623 (0.0538)	0.0448 (0.0420)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	93	99	93
Observations	1,287	1,188	1,287	1,093	1,188	1,017
Adjusted R ²	0.31555	-0.05686	-0.04742	-0.04264	-0.04888	-0.01213

Table 109: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 5: 상급종합병원

Treatment coefficient	Not estimated
Regions	20, 20, 20, 15, 20, 15

Table 110: Regression 9. Local Projection with Two-Hour Crossing Shock, h = 5: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Cross2h_{it}</i>	-0.2365*** (0.0623)	-0.0131 (0.0453)	0.0389 (0.0445)	0.0399 (0.1329)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	2,080	2,080	2,080	2,080
Adjusted R ²	0.10966	0.33676	0.56063	0.22735

1.23 Regression 10. KTX Chosen Model

$$Y_{it} = \alpha_i + \tau_t + \delta KTXChosen_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Table 111: Regression 10. KTX Chosen Model: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXChosen_{it}</i>	-0.0053 (0.0156)	-0.3524 (0.2150)	-0.2334 (0.2267)	-0.0028 (0.0035)	-0.5000** (0.2442)	-0.0077 (0.0050)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99409	0.33405	0.76179	0.14701	0.70944	0.06335

Table 112: Regression 10. KTX Chosen Model: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXChosen_{it}</i>	0.0211 (0.0506)	-0.0686 (0.1455)	0.0165 (0.0599)	-0.0062 (0.0154)	-0.0418 (0.1679)	0.0097 (0.0212)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90233	0.06406	0.32292	0.04735	0.27990	0.05957

Table 113: Regression 10. KTX Chosen Model: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXChosen_{it}</i>	-0.0062 (0.0396)	-0.0301 (0.0329)	-0.0216 (0.0279)	-0.0014 (0.0110)	-0.0512 (0.0352)	-0.0196 (0.0228)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83072	-0.01039	0.08961	0.05826	0.04767	0.05426

Table 114: Regression 10. KTX Chosen Model: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXChosen_{it}</i>	0.1042 (0.0896)	0.0338 (0.0271)	0.0460 (0.0384)	0.0351 (0.0261)	0.0854 (0.0577)	0.0617 (0.0408)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.70453	-0.04890	0.04819	0.06575	-0.04760	0.05659

Table 115: Regression 10. KTX Chosen Model: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>KTXChosen_{it}</i>	0.0602 (0.0470)	-0.0870 (0.0952)	0.0024 (0.0219)	-0.0196 (0.0270)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83489	0.92430	0.98982	0.86027

1.24 Robustness 1. Continuous Saving, Excluding Already-Treated Regions

$$Y_{it} = \alpha_i + \tau_t + \beta \text{Saving}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Regions with $\text{Within2}h_{i,2007} = 1$ or $\text{KTXChosen}_{i,2007} = 1$ are excluded.

Table 116: Robustness 1. Continuous Saving, Excluding Already-Treated Regions: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0003 (0.0183)	0.1195 (0.1665)	-0.3436* (0.1940)	0.0027 (0.0038)	-0.0273 (0.2707)	0.0042 (0.0048)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	88	88	88	88	88	88
Observations	1,672	1,584	1,672	1,672	1,584	1,584
Adjusted R ²	0.99294	0.18576	0.74482	0.12004	0.66364	0.05125

Table 117: Robustness 1. Continuous Saving, Excluding Already-Treated Regions: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.1941*** (0.0562)	-0.0990 (0.1134)	0.0840 (0.0605)	-0.0001 (0.0175)	-0.0116 (0.1161)	-0.0061 (0.0307)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	81	81	81	81	81	81
Observations	1,539	1,458	1,539	1,460	1,458	1,383
Adjusted R ²	0.89368	0.07715	0.31924	0.05847	0.31488	0.05385

Table 118: Robustness 1. Continuous Saving, Excluding Already-Treated Regions: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0030 (0.0350)	-0.0020 (0.0298)	-0.0234 (0.0199)	-0.0134 (0.0098)	-0.0267 (0.0345)	-0.0181 (0.0239)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	44	44	44	44	44	44
Observations	836	792	836	751	792	714
Adjusted R ²	0.84685	-0.00360	0.05412	0.04483	0.00274	0.04998

Table 119: Robustness 1. Continuous Saving, Excluding Already-Treated Regions: 상급종합병원

	hospital_no (1)	net_entry (2)	entry_no (3)	entry_rate (4)
<i>Saving_{it}</i>	0.1760*** (0.0385)	0.0225 (0.0183)	0.0225 (0.0183)	-0.7736 (0.7706)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	6	6	6	6
Observations	114	108	108	72
Adjusted R ²	0.67836	0.19235	0.19235	0.33904

Table 120: Robustness 1. Continuous Saving, Excluding Already-Treated Regions: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0277 (0.0551)	-0.1636 (0.1054)	0.0327 (0.0281)	0.0378 (0.0253)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	89	89	89	89
Observations	1,691	1,691	1,691	1,691
Adjusted R ²	0.75495	0.94225	0.98754	0.86644

1.25 Robustness 2. Threshold Access, 1.5 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta \text{Within1.5}h_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Regions already within 1.5 hours in 2007 are excluded.

Table 121: Robustness 2. Threshold Access, 1.5 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within1.5h_{it}</i>	0.0083 (0.0643)	-0.1374 (0.2443)	0.6882** (0.3100)	-0.0002 (0.0065)	0.5390*** (0.1629)	0.0011 (0.0053)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	154	154	154	154	154	154
Observations	2,926	2,772	2,926	2,926	2,772	2,772
Adjusted R ²	0.99417	0.33113	0.75475	0.14444	0.70335	0.06035

Table 122: Robustness 2. Threshold Access, 1.5 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within1.5h_{it}</i>	0.4181* (0.2407)	0.1596 (0.0972)	0.0728** (0.0341)	0.0034 (0.0116)	0.2114** (0.1051)	-0.1194 (0.2103)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	146	146	146	146	146	146
Observations	2,774	2,628	2,774	2,640	2,628	2,502
Adjusted R ²	0.90375	0.05913	0.32792	0.04720	0.27847	0.05827

Table 123: Robustness 2. Threshold Access, 1.5 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within1.5h_{it}</i>	-0.0136 (0.0418)	0.0115 (0.0234)	-0.0926*** (0.0152)	-0.0899*** (0.0101)	-0.0840*** (0.0312)	-0.0922*** (0.0177)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	95	95	95	95	95	95
Observations	1,805	1,710	1,805	1,624	1,710	1,541
Adjusted R ²	0.83251	-0.00963	0.08988	0.06171	0.04909	0.05467

Table 124: Robustness 2. Threshold Access, 1.5 Hours: 상급종합병원

Treatment coefficient	Not estimated
Regions	19, 19, 19, 19

Table 125: Robustness 2. Threshold Access, 1.5 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Within1.5h_{it}</i>	0.0838 (0.1020)	0.2291*** (0.0674)	-0.1365 (0.1037)	0.1161*** (0.0248)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	155	155	155	155
Observations	2,945	2,945	2,945	2,945
Adjusted R ²	0.82819	0.92128	0.98991	0.85762

1.26 Robustness 3. Hybrid Saving + Threshold Access, 1.5 Hours

$$Y_{it} = \alpha_i + \tau_t + \beta Saving_{it} + \delta Within1.5h_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Regions already within 1.5 hours in 2007 are excluded.

Table 126: Robustness 3. Hybrid Saving + Threshold Access, 1.5 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0220 (0.0177)	-0.5057* (0.2590)	-0.2398 (0.2690)	0.0015 (0.0033)	-0.5993 (0.3718)	-0.0003 (0.0049)
<i>Within1.5h_{it}</i>	0.0471 (0.0691)	0.7592 (0.5187)	1.111** (0.5213)	-0.0029 (0.0087)	1.602** (0.6510)	0.0017 (0.0096)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	154	154	154	154	154	154
Observations	2,926	2,772	2,926	2,926	2,772	2,772
Adjusted R ²	0.99418	0.33178	0.75482	0.14417	0.70365	0.05999

Table 127: Robustness 3. Hybrid Saving + Threshold Access, 1.5 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0273 (0.0501)	-0.1003 (0.1548)	0.1385 (0.0869)	0.0193 (0.0175)	0.0341 (0.1683)	0.0017 (0.0177)
<i>Within1.5h_{it}</i>	0.3702 (0.2533)	0.3368 (0.2417)	-0.1707 (0.1601)	-0.0288 (0.0303)	0.1513 (0.2629)	-0.1222 (0.2097)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	146	146	146	146	146	146
Observations	2,774	2,628	2,774	2,640	2,628	2,502
Adjusted R ²	0.90376	0.05924	0.32870	0.04714	0.27820	0.05787

Table 128: Robustness 3. Hybrid Saving + Threshold Access, 1.5 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0021 (0.0404)	-0.0211 (0.0295)	-0.0270 (0.0242)	-0.0115 (0.0107)	-0.0346 (0.0356)	-0.0146 (0.0232)
<i>Within1.5h_{it}</i>	-0.0178 (0.0852)	0.0523 (0.0568)	-0.0408 (0.0523)	-0.0680*** (0.0191)	-0.0172 (0.0802)	-0.0641 (0.0463)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	95	95	95	95	95	95
Observations	1,805	1,710	1,805	1,624	1,710	1,541
Adjusted R ²	0.83241	-0.00992	0.09002	0.06144	0.04908	0.05431

Table 129: Robustness 3. Hybrid Saving + Threshold Access, 1.5 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	entry_no (3)	entry_rate (4)
<i>Saving_{it}</i>	0.2156* (0.1031)	-0.0492 (0.0505)	-0.0492 (0.0505)	-0.2012 (0.1384)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	19	19	19	19
Observations	361	342	342	248
Adjusted R ²	0.70353	-0.04125	-0.04125	0.08178

Table 130: Robustness 3. Hybrid Saving + Threshold Access, 1.5 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0713 (0.0695)	-0.2822** (0.1371)	0.0280 (0.0254)	0.0153 (0.0333)
<i>Within1.5h_{it}</i>	0.2097 (0.1652)	0.7274*** (0.2603)	-0.1860* (0.1088)	0.0890 (0.0649)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	155	155	155	155
Observations	2,945	2,945	2,945	2,945
Adjusted R ²	0.82828	0.92235	0.98993	0.85759

1.27 Robustness 2. Threshold Access, 2 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta \text{Within2h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Regions already within 2 hours in 2007 are excluded.

Table 131: Robustness 2. Threshold Access, 2 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2h_{it}</i>	-0.0144 (0.0471)	-0.3687 (0.2506)	0.8087*** (0.2544)	0.0065 (0.0069)	0.4413*** (0.1676)	0.0049 (0.0052)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	136	136	136	136	136	136
Observations	2,584	2,448	2,584	2,584	2,448	2,448
Adjusted R ²	0.99377	0.32789	0.75239	0.14303	0.70457	0.06253

Table 132: Robustness 2. Threshold Access, 2 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2h_{it}</i>	0.3132* (0.1855)	0.1967** (0.0880)	0.0768** (0.0351)	0.0011 (0.0115)	0.2557*** (0.0944)	-0.0398 (0.1094)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	128	128	128	128	128	128
Observations	2,432	2,304	2,432	2,338	2,304	2,217
Adjusted R ²	0.90581	0.05819	0.33035	0.05045	0.27844	0.05810

Table 133: Robustness 2. Threshold Access, 2 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2h_{it}</i>	-0.0367 (0.0398)	0.0124 (0.0209)	-0.0420 (0.0358)	-0.0393 (0.0326)	-0.0304 (0.0441)	-0.0303 (0.0401)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	83	83	83	83	83	83
Observations	1,577	1,494	1,577	1,408	1,494	1,335
Adjusted R ²	0.84019	-0.00968	0.09001	0.04514	0.04730	0.04542

Table 134: Robustness 2. Threshold Access, 2 Hours: 상급종합병원

Treatment coefficient	Not estimated
Regions	15, 15, 15, 15

Table 135: Robustness 2. Threshold Access, 2 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Within2h_{it}</i>	0.0551 (0.0760)	0.2210*** (0.0700)	-0.0656 (0.0922)	0.0506 (0.0557)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	137	137	137	137
Observations	2,603	2,603	2,603	2,603
Adjusted R ²	0.80621	0.91166	0.98969	0.84510

1.28 Robustness 3. Hybrid Saving + Threshold Access, 2 Hours

$$Y_{it} = \alpha_i + \tau_t + \beta \text{Saving}_{it} + \delta \text{Within2h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Regions already within 2 hours in 2007 are excluded.

Table 136: Robustness 3. Hybrid Saving + Threshold Access, 2 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0273 (0.0232)	-0.5478 (0.3452)	-0.4514 (0.2919)	0.0005 (0.0040)	-0.7736* (0.4425)	0.0008 (0.0064)
<i>Within2h_{it}</i>	0.0374 (0.0636)	0.6754 (0.6656)	1.665*** (0.5681)	0.0056 (0.0096)	1.916** (0.8145)	0.0035 (0.0123)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	136	136	136	136	136	136
Observations	2,584	2,448	2,584	2,584	2,448	2,448
Adjusted R ²	0.99379	0.32852	0.75280	0.14268	0.70504	0.06213

Table 137: Robustness 3. Hybrid Saving + Threshold Access, 2 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0406 (0.0615)	-0.1135 (0.1837)	0.1930* (0.1067)	0.0230 (0.0219)	0.0901 (0.2030)	0.0108 (0.0216)
<i>Within2h_{it}</i>	0.2367 (0.2183)	0.4120 (0.3174)	-0.2874 (0.2110)	-0.0423 (0.0427)	0.0848 (0.3561)	-0.0602 (0.1145)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	128	128	128	128	128	128
Observations	2,432	2,304	2,432	2,338	2,304	2,217
Adjusted R ²	0.90586	0.05827	0.33175	0.05041	0.27826	0.05769

Table 138: Robustness 3. Hybrid Saving + Threshold Access, 2 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0093 (0.0517)	-0.0463 (0.0399)	-0.0225 (0.0302)	-0.0047 (0.0114)	-0.0522 (0.0480)	-0.0177 (0.0312)
<i>Within2h_{it}</i>	-0.0556 (0.1134)	0.1074 (0.0806)	0.0039 (0.0778)	-0.0298 (0.0404)	0.0767 (0.1158)	0.0059 (0.0760)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	83	83	83	83	83	83
Observations	1,577	1,494	1,577	1,408	1,494	1,335
Adjusted R ²	0.84009	-0.00915	0.08976	0.04446	0.04763	0.04500

Table 139: Robustness 3. Hybrid Saving + Threshold Access, 2 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	entry_no (3)	entry_rate (4)
<i>Saving_{it}</i>	0.0927 (0.0946)	-0.0396 (0.0482)	-0.0396 (0.0482)	-0.1617 (0.1458)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	15	15	15	15
Observations	285	270	270	201
Adjusted R ²	0.75227	-0.05679	-0.05679	0.08366

Table 140: Robustness 3. Hybrid Saving + Threshold Access, 2 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.1105 (0.0860)	-0.3839** (0.1512)	0.0155 (0.0315)	0.0405 (0.0394)
<i>Within2h_{it}</i>	0.2648 (0.1851)	0.9493*** (0.3011)	-0.0951 (0.1101)	-0.0262 (0.0954)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	137	137	137	137
Observations	2,603	2,603	2,603	2,603
Adjusted R ²	0.80647	0.91350	0.98969	0.84521

1.29 Robustness 2. Threshold Access, 2.5 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta Within2.5h_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Regions already within 2.5 hours in 2007 are excluded.

Table 141: Robustness 2. Threshold Access, 2.5 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2.5h_{it}</i>	-0.0181 (0.0199)	-1.041** (0.4371)	0.0376 (0.3718)	0.0019 (0.0033)	-1.016* (0.5794)	-0.0044 (0.0043)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	118	118	118	118	118	118
Observations	2,242	2,124	2,242	2,242	2,124	2,124
Adjusted R ²	0.99437	0.32346	0.75730	0.14696	0.70289	0.07456

Table 142: Robustness 2. Threshold Access, 2.5 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2.5h_{it}</i>	0.0147 (0.0993)	-0.0157 (0.1308)	0.1841 (0.1347)	0.0079 (0.0236)	0.1540 (0.1424)	-0.0154 (0.0282)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	113	113	113	113	113	113
Observations	2,147	2,034	2,147	2,067	2,034	1,961
Adjusted R ²	0.90864	0.05729	0.34109	0.04572	0.27901	0.05434

Table 143: Robustness 2. Threshold Access, 2.5 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within2.5h_{it}</i>	-0.0317 (0.0673)	-0.0750 (0.0541)	-0.0262 (0.0312)	-0.0061 (0.0331)	-0.1001* (0.0507)	-0.0505 (0.0543)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	74	74	74	74	74	74
Observations	1,406	1,332	1,406	1,237	1,332	1,173
Adjusted R ²	0.83941	-0.00821	0.08802	0.04429	0.04798	0.04537

Table 144: Robustness 2. Threshold Access, 2.5 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	entry_no (3)	entry_rate (4)
<i>Within2.5h_{it}</i>	-0.1073 (0.0818)	-0.0243 (0.0297)	-0.0243 (0.0297)	0.0305 (0.0487)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	13	13	13	13
Observations	247	234	234	165
Adjusted R ²	0.78270	-0.06554	-0.06554	0.08237

Table 145: Robustness 2. Threshold Access, 2.5 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Within2.5h_{it}</i>	0.0139 (0.0855)	-0.1905 (0.1999)	-0.0129 (0.0302)	0.0674** (0.0332)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	119	119	119	119
Observations	2,261	2,261	2,261	2,261
Adjusted R ²	0.79616	0.90575	0.99008	0.84758

1.30 Robustness 3. Hybrid Saving + Threshold Access, 2.5 Hours

$$Y_{it} = \alpha_i + \tau_t + \beta Saving_{it} + \delta Within2.5h_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Regions already within 2.5 hours in 2007 are excluded.

Table 146: Robustness 3. Hybrid Saving + Threshold Access, 2.5 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0253 (0.0180)	-0.2629 (0.3011)	-0.1145 (0.2561)	-0.0013 (0.0034)	-0.1821 (0.3843)	0.0008 (0.0049)
<i>Within2.5h_{it}</i>	-0.0022 (0.0215)	-0.8720* (0.5108)	0.1096 (0.4140)	0.0027 (0.0034)	-0.8989 (0.6546)	-0.0050 (0.0048)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	118	118	118	118	118	118
Observations	2,242	2,124	2,242	2,242	2,124	2,124
Adjusted R ²	0.99440	0.32341	0.75723	0.14660	0.70279	0.07410

Table 147: Robustness 3. Hybrid Saving + Threshold Access, 2.5 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0711 (0.0594)	-0.0069 (0.1490)	0.0837 (0.0805)	0.0105 (0.0174)	0.0718 (0.1602)	-0.0035 (0.0230)
<i>Within2.5h_{it}</i>	-0.0297 (0.1003)	-0.0113 (0.1623)	0.1319 (0.1551)	0.0022 (0.0261)	0.1082 (0.1784)	-0.0135 (0.0245)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	113	113	113	113	113	113
Observations	2,147	2,034	2,147	2,067	2,034	1,961
Adjusted R ²	0.90900	0.05680	0.34119	0.04535	0.27876	0.05383

Table 148: Robustness 3. Hybrid Saving + Threshold Access, 2.5 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0065 (0.0438)	-0.0078 (0.0291)	-0.0154 (0.0230)	-0.0085 (0.0102)	-0.0111 (0.0336)	0.0016 (0.0217)
<i>Within2.5h_{it}</i>	-0.0351 (0.0786)	-0.0707 (0.0566)	-0.0181 (0.0369)	-0.0011 (0.0350)	-0.0940* (0.0554)	-0.0515 (0.0585)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	74	74	74	74	74	74
Observations	1,406	1,332	1,406	1,237	1,332	1,173
Adjusted R ²	0.83929	-0.00897	0.08755	0.04370	0.04728	0.04449

Table 149: Robustness 3. Hybrid Saving + Threshold Access, 2.5 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	entry_no (3)	entry_rate (4)
<i>Saving_{it}</i>	0.0512 (0.0883)	-0.0503 (0.0532)	-0.0503 (0.0532)	-0.1996 (0.1594)
<i>Within2.5h_{it}</i>	-0.1132 (0.0808)	-0.0170 (0.0326)	-0.0170 (0.0326)	0.0450 (0.0568)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	13	13	13	13
Observations	247	234	234	165
Adjusted R ²	0.78250	-0.06792	-0.06792	0.09283

Table 150: Robustness 3. Hybrid Saving + Threshold Access, 2.5 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0917 (0.0732)	-0.2000 (0.1350)	-0.0140 (0.0278)	0.0157 (0.0312)
<i>Within2.5h_{it}</i>	0.0717 (0.1046)	-0.0644 (0.2344)	-0.0041 (0.0295)	0.0575 (0.0388)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	119	119	119	119
Observations	2,261	2,261	2,261	2,261
Adjusted R ²	0.79641	0.90644	0.99008	0.84755

1.31 Robustness 2. Threshold Access, 3 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta \text{Within3h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Regions already within 3 hours in 2007 are excluded.

Table 151: Robustness 2. Threshold Access, 3 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within3h_{it}</i>	-0.0270 (0.0208)	-0.1702 (0.3432)	0.0983 (0.2672)	0.0010 (0.0042)	-0.0367 (0.3251)	-0.0015 (0.0063)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	94	94	94	94	94	94
Observations	1,786	1,692	1,786	1,786	1,692	1,692
Adjusted R ²	0.99405	0.29091	0.77498	0.14678	0.72592	0.07239

Table 152: Robustness 2. Threshold Access, 3 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within3h_{it}</i>	0.0883 (0.0782)	-0.0229 (0.1444)	0.2214** (0.1060)	0.0053 (0.0209)	0.1899 (0.1393)	-0.0227 (0.0283)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	90	90	90	90	90	90
Observations	1,710	1,620	1,710	1,643	1,620	1,559
Adjusted R ²	0.90561	0.06227	0.35319	0.03658	0.30359	0.05243

Table 153: Robustness 2. Threshold Access, 3 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Within3h_{it}</i>	0.0355 (0.0542)	-0.0661 (0.0443)	-0.0049 (0.0434)	-0.0325** (0.0162)	-0.0481 (0.0523)	-0.0524* (0.0307)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	57	57	57	57	57	57
Observations	1,083	1,026	1,083	962	1,026	912
Adjusted R ²	0.85911	-0.00752	0.08980	0.05062	0.05802	0.04107

Table 154: Robustness 2. Threshold Access, 3 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	entry_no (3)	entry_rate (4)
<i>Within3h_{it}</i>	-0.1447 (0.1326)	-0.0217 (0.0305)	-0.0217 (0.0305)	0.0069 (0.0850)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	8	8	8	8
Observations	152	144	144	110
Adjusted R ²	0.77649	-0.06696	-0.06696	0.07606

Table 155: Robustness 2. Threshold Access, 3 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Within3h_{it}</i>	-0.0787 (0.0717)	-0.0727 (0.1328)	-0.0229 (0.0304)	0.1112** (0.0522)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	95	95	95	95
Observations	1,805	1,805	1,805	1,805
Adjusted R ²	0.78855	0.91662	0.98960	0.85804

1.32 Robustness 3. Hybrid Saving + Threshold Access, 3 Hours

$$Y_{it} = \alpha_i + \tau_t + \beta \text{Saving}_{it} + \delta \text{Within3h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Regions already within 3 hours in 2007 are excluded.

Table 156: Robustness 3. Hybrid Saving + Threshold Access, 3 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0207 (0.0196)	-0.4478 (0.2813)	-0.0484 (0.2683)	0.0016 (0.0037)	-0.3255 (0.4020)	0.0033 (0.0054)
<i>Within3h_{it}</i>	-0.0142 (0.0243)	0.1062 (0.3779)	0.1282 (0.3049)	2.02×10^{-6} (0.0044)	0.1641 (0.4109)	-0.0035 (0.0071)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	94	94	94	94	94	94
Observations	1,786	1,692	1,786	1,786	1,692	1,692
Adjusted R ²	0.99407	0.29153	0.77485	0.14633	0.72591	0.07191

Table 157: Robustness 3. Hybrid Saving + Threshold Access, 3 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0246 (0.0607)	-0.0393 (0.1541)	0.0178 (0.0773)	0.0092 (0.0189)	-0.0122 (0.1753)	0.0014 (0.0273)
<i>Within3h_{it}</i>	0.0733 (0.0824)	0.0010 (0.1823)	0.2105* (0.1236)	0.0001 (0.0253)	0.1973 (0.1950)	-0.0235 (0.0303)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	90	90	90	90	90	90
Observations	1,710	1,620	1,710	1,643	1,620	1,559
Adjusted R ²	0.90560	0.06174	0.35280	0.03605	0.30314	0.05178

Table 158: Robustness 3. Hybrid Saving + Threshold Access, 3 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0226 (0.0432)	0.0144 (0.0322)	-0.0256 (0.0260)	-0.0057 (0.0121)	-0.0097 (0.0343)	-0.0012 (0.0236)
<i>Within3h_{it}</i>	0.0208 (0.0624)	-0.0754 (0.0536)	0.0117 (0.0533)	-0.0287 (0.0205)	-0.0418 (0.0619)	-0.0516 (0.0370)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	57	57	57	57	57	57
Observations	1,083	1,026	1,083	962	1,026	912
Adjusted R ²	0.85910	-0.00840	0.08945	0.04965	0.05707	0.03992

Table 159: Robustness 3. Hybrid Saving + Threshold Access, 3 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	entry_no (3)	entry_rate (4)
<i>Saving_{it}</i>	0.0760 (0.0894)	-0.0604 (0.0672)	-0.0604 (0.0672)	-0.3361** (0.1336)
<i>Within3h_{it}</i>	-0.1793 (0.1177)	0.0062 (0.0572)	0.0062 (0.0572)	0.1847 (0.1422)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	8	8	8	8
Observations	152	144	144	110
Adjusted R ²	0.77711	-0.07145	-0.07145	0.10518

Table 160: Robustness 3. Hybrid Saving + Threshold Access, 3 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0537 (0.0738)	-0.1301 (0.1412)	-0.0085 (0.0318)	-0.0033 (0.0317)
<i>Within3h_{it}</i>	-0.0454 (0.0771)	0.0080 (0.1674)	-0.0176 (0.0352)	0.1132* (0.0595)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	95	95	95	95
Observations	1,805	1,805	1,805	1,805
Adjusted R ²	0.78856	0.91692	0.98959	0.85796

1.33 Robustness 4. KTX Threshold Access, 1.5 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta KTXWithin1.5h_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Regions already KTX-within 1.5 hours in 2007 are excluded.

Table 161: Robustness 4. KTX Threshold Access, 1.5 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin1.5h_{it}</i>	-0.0004 (0.0457)	0.1036 (0.2401)	0.4244 (0.3012)	-0.0014 (0.0049)	0.7224*** (0.2067)	0.0022 (0.0055)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99409	0.33350	0.76166	0.14682	0.70916	0.06275

Table 162: Robustness 4. KTX Threshold Access, 1.5 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin1.5h_{it}</i>	0.1885 (0.2210)	0.4028 (0.2628)	0.0402 (0.0409)	0.0118 (0.0182)	0.4487* (0.2685)	-0.0131 (0.1057)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90256	0.06479	0.32291	0.04732	0.28044	0.05952

Table 163: Robustness 4. KTX Threshold Access, 1.5 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin1.5h_{it}</i>	-0.0686 (0.0816)	-0.0429 (0.0392)	-0.0551** (0.0242)	-0.0606** (0.0273)	-0.0955*** (0.0278)	-0.0929*** (0.0172)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83083	-0.01092	0.08946	0.05904	0.04688	0.05477

Table 164: Robustness 4. KTX Threshold Access, 1.5 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin1.5h_{it}</i>	0.1113 (0.0772)	0.0824*** (0.0135)	0.3332*** (0.0004)	0.1661*** (0.0004)	0.4155*** (0.0141)	0.2435*** (0.0415)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.70095	-0.04942	0.29216	0.28181	-0.03081	0.06451

Table 165: Robustness 4. KTX Threshold Access, 1.5 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>KTXWithin1.5h_{it}</i>	0.1070 (0.0822)	0.1714*** (0.0587)	-0.1281* (0.0688)	0.0499 (0.0485)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83480	0.92422	0.98986	0.86025

1.34 Robustness 5. Hybrid Saving + KTX Threshold Access, 1.5 Hours

$$Y_{it} = \alpha_i + \tau_t + \beta \text{Saving}_{it} + \delta \text{KTXWithin1.5h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Regions already KTX-within 1.5 hours in 2007 are excluded.

Table 166: Robustness 5. Hybrid Saving + KTX Threshold Access, 1.5 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0170 (0.0166)	-0.4760* (0.2443)	-0.1890 (0.2494)	0.0017 (0.0031)	-0.5601 (0.3425)	-0.0005 (0.0046)
<i>KTXWithin1.5h_{it}</i>	0.0200 (0.0482)	0.6731* (0.3552)	0.6504 (0.4433)	-0.0034 (0.0060)	1.393*** (0.4423)	0.0028 (0.0077)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99410	0.33408	0.76168	0.14657	0.70942	0.06241

Table 167: Robustness 5. Hybrid Saving + KTX Threshold Access, 1.5 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0592 (0.0498)	-0.1335 (0.1476)	0.1459* (0.0816)	0.0193 (0.0168)	0.0016 (0.1587)	-0.0075 (0.0204)
<i>KTXWithin1.5h_{it}</i>	0.1178 (0.2048)	0.5623** (0.2750)	-0.1338 (0.1088)	-0.0066 (0.0273)	0.4468 (0.2995)	-0.0060 (0.1011)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90277	0.06532	0.32386	0.04728	0.28016	0.05916

Table 168: Robustness 5. Hybrid Saving + KTX Threshold Access, 1.5 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0042 (0.0382)	-0.0159 (0.0272)	-0.0286 (0.0226)	-0.0134 (0.0107)	-0.0321 (0.0326)	-0.0119 (0.0218)
<i>KTXWithin1.5h_{it}</i>	-0.0642 (0.0899)	-0.0265 (0.0499)	-0.0257 (0.0263)	-0.0432* (0.0247)	-0.0622 (0.0494)	-0.0772** (0.0310)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83074	-0.01132	0.08976	0.05893	0.04684	0.05433

Table 169: Robustness 5. Hybrid Saving + KTX Threshold Access, 1.5 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.2194** (0.0964)	-0.0453 (0.0497)	0.0009 (0.0024)	0.0007 (0.0013)	-0.0442 (0.0506)	-0.1936 (0.1368)
<i>KTXWithin1.5h_{it}</i>	0.0682 (0.0844)	0.0931*** (0.0206)	0.3331*** (0.0007)	0.1660*** (0.0004)	0.4260*** (0.0210)	0.2597*** (0.0430)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.71333	-0.05080	0.29009	0.27880	-0.03233	0.07634

Table 170: Robustness 5. Hybrid Saving + KTX Threshold Access, 1.5 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0688 (0.0646)	-0.2549** (0.1255)	0.0260 (0.0241)	0.0285 (0.0322)
<i>KTXWithin1.5h_{it}</i>	0.1893* (0.1142)	0.4763** (0.2064)	-0.1592** (0.0700)	0.0158 (0.0591)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83489	0.92511	0.98988	0.86029

1.35 Robustness 4. KTX Threshold Access, 2 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta KTXWithin2h_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Regions already KTX-within 2 hours in 2007 are excluded.

Table 171: Robustness 4. KTX Threshold Access, 2 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2h_{it}</i>	-0.0145 (0.0375)	-0.1231 (0.2377)	0.5530** (0.2737)	0.0037 (0.0057)	0.5894*** (0.1732)	0.0045 (0.0050)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	152	152	152	152	152	152
Observations	2,888	2,736	2,888	2,888	2,736	2,736
Adjusted R ²	0.99381	0.32866	0.75838	0.14664	0.70824	0.06306

Table 172: Robustness 4. KTX Threshold Access, 2 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2h_{it}</i>	0.1619 (0.1722)	0.3569* (0.2053)	0.0458 (0.0372)	0.0095 (0.0144)	0.4004* (0.2097)	0.0077 (0.0735)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	144	144	144	144	144	144
Observations	2,736	2,592	2,736	2,597	2,592	2,461
Adjusted R ²	0.90353	0.06447	0.31900	0.04604	0.27819	0.06047

Table 173: Robustness 4. KTX Threshold Access, 2 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2h_{it}</i>	-0.0591 (0.0586)	-0.0228 (0.0302)	-0.0344 (0.0240)	-0.0335 (0.0270)	-0.0552 (0.0375)	-0.0430 (0.0352)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	94	94	94	94	94	94
Observations	1,786	1,692	1,786	1,584	1,692	1,504
Adjusted R ²	0.83390	-0.01021	0.08876	0.04139	0.04572	0.04639

Table 174: Robustness 4. KTX Threshold Access, 2 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2h_{it}</i>	0.1444* (0.0760)	0.0875*** (0.0116)	0.3333*** (0.0004)	0.1661*** (0.0004)	0.4207*** (0.0120)	0.2374*** (0.0420)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	18	18	18	18	18	18
Observations	342	324	342	253	324	242
Adjusted R ²	0.72097	-0.04233	0.29167	0.28703	-0.02191	0.08492

Table 175: Robustness 4. KTX Threshold Access, 2 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>KTXWithin2h_{it}</i>	0.0827 (0.0668)	0.1753*** (0.0563)	-0.0753 (0.0690)	0.0155 (0.0484)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	153	153	153	153
Observations	2,907	2,907	2,907	2,907
Adjusted R ²	0.82280	0.91975	0.98959	0.85635

1.36 Robustness 5. Hybrid Saving + KTX Threshold Access, 2 Hours

$$Y_{it} = \alpha_i + \tau_t + \beta \text{Saving}_{it} + \delta \text{KTXWithin2h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Regions already KTX-within 2 hours in 2007 are excluded.

Table 176: Robustness 5. Hybrid Saving + KTX Threshold Access, 2 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0154 (0.0199)	-0.4747 (0.2993)	-0.3366 (0.2644)	0.0013 (0.0035)	-0.6613* (0.3783)	0.0004 (0.0054)
<i>KTXWithin2h_{it}</i>	0.0076 (0.0464)	0.5614 (0.4555)	1.037** (0.5178)	0.0018 (0.0069)	1.543*** (0.5548)	0.0040 (0.0090)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	152	152	152	152	152	152
Observations	2,888	2,736	2,888	2,888	2,736	2,736
Adjusted R ²	0.99381	0.32912	0.75858	0.14635	0.70858	0.06269

Table 177: Robustness 5. Hybrid Saving + KTX Threshold Access, 2 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0765 (0.0567)	-0.1804 (0.1661)	0.1896** (0.0944)	0.0236 (0.0202)	0.0040 (0.1842)	-0.0072 (0.0225)
<i>KTXWithin2h_{it}</i>	0.0522 (0.1725)	0.6164** (0.2785)	-0.2259 (0.1478)	-0.0218 (0.0333)	0.3946 (0.3122)	0.0173 (0.0733)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	144	144	144	144	144	144
Observations	2,736	2,592	2,736	2,597	2,592	2,461
Adjusted R ²	0.90384	0.06546	0.32048	0.04606	0.27789	0.06008

Table 178: Robustness 5. Hybrid Saving + KTX Threshold Access, 2 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0104 (0.0455)	-0.0256 (0.0333)	-0.0258 (0.0261)	-0.0107 (0.0108)	-0.0372 (0.0397)	-0.0133 (0.0276)
<i>KTXWithin2h_{it}</i>	-0.0736 (0.0862)	0.0135 (0.0584)	0.0016 (0.0451)	-0.0159 (0.0308)	-0.0027 (0.0750)	-0.0209 (0.0568)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	94	94	94	94	94	94
Observations	1,786	1,692	1,786	1,584	1,692	1,504
Adjusted R ²	0.83383	-0.01041	0.08879	0.04103	0.04571	0.04590

Table 179: Robustness 5. Hybrid Saving + KTX Threshold Access, 2 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.1653* (0.0934)	-0.0358 (0.0479)	0.0011 (0.0029)	0.0011 (0.0019)	-0.0344 (0.0491)	-0.1438 (0.1394)
<i>KTXWithin2h_{it}</i>	0.1067 (0.0860)	0.0969*** (0.0209)	0.3330*** (0.0008)	0.1660*** (0.0005)	0.4298*** (0.0213)	0.2506*** (0.0413)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	18	18	18	18	18	18
Observations	342	324	342	253	324	242
Adjusted R ²	0.72756	-0.04473	0.28935	0.28372	-0.02441	0.08861

Table 180: Robustness 5. Hybrid Saving + KTX Threshold Access, 2 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0916 (0.0754)	-0.3218** (0.1342)	0.0322 (0.0281)	0.0433 (0.0351)
<i>KTXWithin2h_{it}</i>	0.2144 (0.1304)	0.6381** (0.2452)	-0.1217* (0.0722)	-0.0468 (0.0683)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	153	153	153	153
Observations	2,907	2,907	2,907	2,907
Adjusted R ²	0.82297	0.92104	0.98961	0.85649

1.37 Robustness 4. KTX Threshold Access, 2.5 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta KTXWithin2.5h_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Regions already KTX-within 2.5 hours in 2007 are excluded.

Table 181: Robustness 4. KTX Threshold Access, 2.5 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2.5h_{it}</i>	0.0002 (0.0187)	-0.7717** (0.3761)	-0.0047 (0.3022)	0.0020 (0.0030)	-0.7637 (0.4696)	-0.0068 (0.0065)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	148	148	148	148	148	148
Observations	2,812	2,664	2,812	2,812	2,664	2,664
Adjusted R ²	0.99375	0.32221	0.76150	0.14795	0.70738	0.06348

Table 182: Robustness 4. KTX Threshold Access, 2.5 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2.5h_{it}</i>	0.0035 (0.0884)	0.0344 (0.1328)	0.1226 (0.1290)	0.0072 (0.0218)	0.1640 (0.1406)	-0.0055 (0.0253)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	141	141	141	141	141	141
Observations	2,679	2,538	2,679	2,540	2,538	2,407
Adjusted R ²	0.90274	0.06226	0.32171	0.04486	0.27870	0.05955

Table 183: Robustness 4. KTX Threshold Access, 2.5 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2.5h_{it}</i>	-0.0374 (0.0571)	-0.0675 (0.0460)	-0.0242 (0.0263)	-0.0073 (0.0280)	-0.0894** (0.0439)	-0.0474 (0.0469)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	90	90	90	90	90	90
Observations	1,710	1,620	1,710	1,508	1,620	1,432
Adjusted R ²	0.83378	-0.00871	0.08926	0.04204	0.04762	0.04732

Table 184: Robustness 4. KTX Threshold Access, 2.5 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin2.5h_{it}</i>	-0.0499 (0.0596)	-0.0092 (0.0291)	0.0432 (0.0415)	0.0258 (0.0221)	0.0354 (0.0660)	0.0551 (0.0353)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	17	17	17	17	17	17
Observations	323	306	323	234	306	224
Adjusted R ²	0.73057	-0.04321	0.03232	0.04631	-0.05201	0.09464

Table 185: Robustness 4. KTX Threshold Access, 2.5 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>KTXWithin2.5h_{it}</i>	0.0795 (0.0811)	-0.1424 (0.1607)	-0.0043 (0.0270)	0.0529* (0.0293)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	149	149	149	149
Observations	2,831	2,831	2,831	2,831
Adjusted R ²	0.81560	0.91827	0.98944	0.85936

1.38 Robustness 5. Hybrid Saving + KTX Threshold Access, 2.5 Hours

$$Y_{it} = \alpha_i + \tau_t + \beta Saving_{it} + \delta KTXWithin2.5h_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Regions already KTX-within 2.5 hours in 2007 are excluded.

Table 186: Robustness 5. Hybrid Saving + KTX Threshold Access, 2.5 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0158 (0.0176)	-0.1616 (0.2597)	-0.1311 (0.2375)	0.0017 (0.0031)	-0.1285 (0.3367)	0.0043 (0.0047)
<i>KTXWithin2.5h_{it}</i>	0.0085 (0.0197)	-0.6855 (0.4238)	0.0641 (0.3294)	0.0011 (0.0030)	-0.6951 (0.5142)	-0.0091 (0.0071)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	148	148	148	148	148	148
Observations	2,812	2,664	2,812	2,812	2,664	2,664
Adjusted R ²	0.99375	0.32204	0.76146	0.14769	0.70728	0.06326

Table 187: Robustness 5. Hybrid Saving + KTX Threshold Access, 2.5 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.1056* (0.0566)	-0.0781 (0.1454)	0.1394* (0.0822)	0.0212 (0.0175)	0.0481 (0.1602)	-0.0029 (0.0233)
<i>KTXWithin2.5h_{it}</i>	-0.0556 (0.0855)	0.0789 (0.1563)	0.0446 (0.1487)	-0.0030 (0.0240)	0.1366 (0.1643)	-0.0041 (0.0225)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	141	141	141	141	141	141
Observations	2,679	2,538	2,679	2,540	2,538	2,407
Adjusted R ²	0.90348	0.06218	0.32256	0.04484	0.27845	0.05914

Table 188: Robustness 5. Hybrid Saving + KTX Threshold Access, 2.5 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0076 (0.0419)	-0.0043 (0.0271)	-0.0210 (0.0233)	-0.0128 (0.0097)	-0.0131 (0.0327)	-0.0030 (0.0208)
<i>KTXWithin2.5h_{it}</i>	-0.0409 (0.0647)	-0.0654 (0.0471)	-0.0143 (0.0311)	-0.0006 (0.0294)	-0.0831* (0.0473)	-0.0458 (0.0494)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	90	90	90	90	90	90
Observations	1,710	1,620	1,710	1,508	1,620	1,432
Adjusted R ²	0.83369	-0.00937	0.08913	0.04189	0.04708	0.04661

Table 189: Robustness 5. Hybrid Saving + KTX Threshold Access, 2.5 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.1550 (0.0931)	-0.0382 (0.0520)	0.0089 (0.0089)	0.0053 (0.0079)	-0.0264 (0.0554)	-0.1773 (0.1569)
<i>KTXWithin2.5h_{it}</i>	-0.0667 (0.0537)	-0.0041 (0.0314)	0.0423 (0.0407)	0.0254 (0.0218)	0.0389 (0.0659)	0.0696 (0.0427)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	17	17	17	17	17	17
Observations	323	306	323	234	306	224
Adjusted R ²	0.73640	-0.04560	0.03023	0.04192	-0.05525	0.10288

Table 190: Robustness 5. Hybrid Saving + KTX Threshold Access, 2.5 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0893 (0.0665)	-0.2040 (0.1245)	0.0122 (0.0270)	0.0283 (0.0304)
<i>KTXWithin2.5h_{it}</i>	0.1264 (0.0935)	-0.0351 (0.1806)	-0.0107 (0.0276)	0.0381 (0.0340)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	149	149	149	149
Observations	2,831	2,831	2,831	2,831
Adjusted R ²	0.81581	0.91891	0.98944	0.85941

1.39 Robustness 4. KTX Threshold Access, 3 Hours

$$Y_{it} = \alpha_i + \tau_t + \delta KTXWithin3h_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Regions already KTX-within 3 hours in 2007 are excluded.

Table 191: Robustness 4. KTX Threshold Access, 3 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin3h_{it}</i>	0.0058 (0.0171)	0.0710 (0.2703)	-0.2181 (0.2367)	0.0025 (0.0031)	-0.0743 (0.2667)	-0.0008 (0.0055)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	137	137	137	137	137	137
Observations	2,603	2,466	2,603	2,603	2,466	2,466
Adjusted R ²	0.99351	0.28134	0.76985	0.14415	0.71537	0.06364

Table 192: Robustness 4. KTX Threshold Access, 3 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin3h_{it}</i>	0.0763 (0.0698)	-0.1303 (0.1454)	0.1714* (0.0874)	0.0073 (0.0178)	0.0474 (0.1396)	-0.0250 (0.0232)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	130	130	130	130	130	130
Observations	2,470	2,340	2,470	2,331	2,340	2,209
Adjusted R ²	0.89641	0.06587	0.32342	0.04444	0.29257	0.05951

Table 193: Robustness 4. KTX Threshold Access, 3 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin3h_{it}</i>	0.0070 (0.0440)	-0.0584* (0.0331)	-0.0118 (0.0305)	-0.0297** (0.0123)	-0.0497 (0.0432)	-0.0398 (0.0246)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	82	82	82	82	82	82
Observations	1,558	1,476	1,558	1,391	1,476	1,322
Adjusted R ²	0.84900	-0.00412	0.09336	0.04872	0.05580	0.04165

Table 194: Robustness 4. KTX Threshold Access, 3 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXWithin3h_{it}</i>	0.0442 (0.1099)	0.0282 (0.0379)	0.0529 (0.0450)	0.0353 (0.0248)	0.0825 (0.0668)	0.0575 (0.0390)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	14	14	14	14	14	14
Observations	266	252	266	201	252	192
Adjusted R ²	0.71786	-0.02931	0.04823	0.07498	-0.03226	0.11277

Table 195: Robustness 4. KTX Threshold Access, 3 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>KTXWithin3h_{it}</i>	0.0076 (0.0608)	-0.0589 (0.1026)	0.0196 (0.0242)	0.0957** (0.0404)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	138	138	138	138
Observations	2,622	2,622	2,622	2,622
Adjusted R ²	0.81480	0.93160	0.98921	0.86553

1.40 Robustness 5. Hybrid Saving + KTX Threshold Access, 3 Hours

$$Y_{it} = \alpha_i + \tau_t + \beta \text{Saving}_{it} + \delta \text{KTXWithin3h}_{it} + \gamma \log(\text{Population}_{it}) + \epsilon_{it}$$

Regions already KTX-within 3 hours in 2007 are excluded.

Table 196: Robustness 5. Hybrid Saving + KTX Threshold Access, 3 Hours: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	-0.0155 (0.0189)	-0.3168 (0.2321)	-0.0457 (0.2596)	0.0020 (0.0031)	-0.2145 (0.3452)	0.0044 (0.0047)
<i>KTXWithin3h_{it}</i>	0.0136 (0.0195)	0.2297 (0.2922)	-0.1951 (0.2742)	0.0015 (0.0032)	0.0333 (0.3186)	-0.0030 (0.0062)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	137	137	137	137	137	137
Observations	2,603	2,466	2,603	2,603	2,466	2,466
Adjusted R ²	0.99351	0.28148	0.76976	0.14387	0.71530	0.06338

Table 197: Robustness 5. Hybrid Saving + KTX Threshold Access, 3 Hours: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0818 (0.0567)	-0.0502 (0.1574)	0.0891 (0.0771)	0.0241 (0.0186)	0.0306 (0.1809)	0.0079 (0.0257)
<i>KTXWithin3h_{it}</i>	0.0343 (0.0722)	-0.1045 (0.1764)	0.1256 (0.0972)	-0.0042 (0.0199)	0.0317 (0.1837)	-0.0287 (0.0236)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	130	130	130	130	130	130
Observations	2,470	2,340	2,470	2,331	2,340	2,209
Adjusted R ²	0.89683	0.06558	0.32359	0.04443	0.29227	0.05908

Table 198: Robustness 5. Hybrid Saving + KTX Threshold Access, 3 Hours: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.0106 (0.0408)	0.0211 (0.0276)	-0.0265 (0.0223)	-0.0086 (0.0103)	-0.0036 (0.0323)	-0.0024 (0.0222)
<i>KTXWithin3h_{it}</i>	0.0016 (0.0485)	-0.0694* (0.0372)	0.0020 (0.0341)	-0.0251* (0.0142)	-0.0478 (0.0487)	-0.0385 (0.0278)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	82	82	82	82	82	82
Observations	1,558	1,476	1,558	1,391	1,476	1,322
Adjusted R ²	0.84892	-0.00448	0.09337	0.04821	0.05512	0.04087

Table 199: Robustness 5. Hybrid Saving + KTX Threshold Access, 3 Hours: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>Saving_{it}</i>	0.1870* (0.0928)	-0.0442 (0.0561)	0.0063 (0.0125)	-0.0218 (0.0266)	-0.0359 (0.0596)	-0.2671* (0.1245)
<i>KTXWithin3h_{it}</i>	0.0078 (0.1043)	0.0377 (0.0437)	0.0517 (0.0440)	0.0404 (0.0287)	0.0903 (0.0697)	0.1198** (0.0491)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	14	14	14	14	14	14
Observations	266	252	266	201	252	192
Adjusted R ²	0.72827	-0.03191	0.04469	0.07522	-0.03571	0.13495

Table 200: Robustness 5. Hybrid Saving + KTX Threshold Access, 3 Hours: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>Saving_{it}</i>	-0.0675 (0.0658)	-0.1659 (0.1313)	0.0086 (0.0298)	0.0038 (0.0271)
<i>KTXWithin3h_{it}</i>	0.0417 (0.0648)	0.0248 (0.1266)	0.0153 (0.0267)	0.0938** (0.0433)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	138	138	138	138
Observations	2,622	2,622	2,622	2,622
Adjusted R ²	0.81488	0.93200	0.98920	0.86547

1.41 Robustness 6. KTX Chosen, Excluding Baseline KTX-Chosen Regions

$$Y_{it} = \alpha_i + \tau_t + \delta KTXChosen_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Regions where KTX was already the fastest route in 2007 are excluded.

Table 201: Robustness 6. KTX Chosen, Excluding Baseline KTX-Chosen Regions: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXChosen_{it}</i>	0.0098 (0.0170)	0.2103 (0.1974)	-0.5594*** (0.2067)	4.5×10^{-5} (0.0039)	-0.2210 (0.2362)	-0.0002 (0.0056)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	104	104	104	104	104	104
Observations	1,976	1,872	1,976	1,976	1,872	1,872
Adjusted R ²	0.99347	0.23925	0.76606	0.12663	0.69154	0.05265

Table 202: Robustness 6. KTX Chosen, Excluding Baseline KTX-Chosen Regions: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXChosen_{it}</i>	0.1037* (0.0544)	-0.1783 (0.1467)	0.0511 (0.0553)	-0.0049 (0.0179)	-0.1207 (0.1577)	-0.0013 (0.0239)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	97	97	97	97	97	97
Observations	1,843	1,746	1,843	1,719	1,746	1,627
Adjusted R ²	0.88821	0.08208	0.29717	0.05224	0.30013	0.05763

Table 203: Robustness 6. KTX Chosen, Excluding Baseline KTX-Chosen Regions: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXChosen_{it}</i>	-0.0139 (0.0446)	-0.0301 (0.0335)	-0.0158 (0.0273)	-0.0075 (0.0115)	-0.0403 (0.0360)	-0.0167 (0.0231)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	55	55	55	55	55	55
Observations	1,045	990	1,045	927	990	883
Adjusted R ²	0.83370	-0.00561	0.04622	0.03390	0.00216	0.05216

Table 204: Robustness 6. KTX Chosen, Excluding Baseline KTX-Chosen Regions: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>KTXChosen_{it}</i>	0.1567 (0.1070)	0.0364 (0.0303)	0.0705 (0.0496)	0.0547* (0.0258)	0.1113 (0.0694)	0.0978** (0.0362)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	9	9	9	9	9	9
Observations	171	162	171	119	162	113
Adjusted R ²	0.66062	0.09638	0.08656	0.11030	0.08999	0.25793

Table 205: Robustness 6. KTX Chosen, Excluding Baseline KTX-Chosen Regions: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>KTXChosen_{it}</i>	0.0328 (0.0463)	-0.1245 (0.0865)	0.0477* (0.0242)	0.0146 (0.0279)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	105	105	105	105
Observations	1,995	1,995	1,995	1,995
Adjusted R ²	0.81607	0.95088	0.98812	0.87785

1.42 Direct Travel-Time Level Model

$$Y_{it} = \alpha_i + \tau_t + \beta TravelTime_{it} + \gamma \log(Population_{it}) + \epsilon_{it}$$

Table 206: Direct Travel-Time Level Model: 의원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>TravelTime_{it}</i>	0.0147 (0.0157)	0.3922* (0.2142)	0.1147 (0.2223)	-0.0013 (0.0028)	0.3868 (0.2989)	0.0002 (0.0040)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	159	159	159	159	159	159
Observations	3,021	2,862	3,021	3,021	2,862	2,862
Adjusted R ²	0.99410	0.33416	0.76165	0.14685	0.70929	0.06275

Table 207: Direct Travel-Time Level Model: 병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>TravelTime_{it}</i>	-0.0728 (0.0550)	0.0629 (0.1300)	-0.1305* (0.0711)	-0.0188 (0.0155)	-0.0577 (0.1419)	0.0080 (0.0232)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	151	151	151	151	151	151
Observations	2,869	2,718	2,869	2,730	2,718	2,587
Adjusted R ²	0.90271	0.06402	0.32401	0.04765	0.27994	0.05955

Table 208: Direct Travel-Time Level Model: 종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>TravelTime_{it}</i>	0.0096 (0.0355)	0.0183 (0.0254)	0.0308 (0.0209)	0.0172 (0.0108)	0.0379 (0.0299)	0.0192 (0.0205)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	99	99	99	99	99	99
Observations	1,881	1,782	1,881	1,678	1,782	1,594
Adjusted R ²	0.83074	-0.01077	0.09022	0.05918	0.04723	0.05436

Table 209: Direct Travel-Time Level Model: 상급종합병원

	hospital_no (1)	net_entry (2)	exit_no (3)	exit_rate (4)	entry_no (5)	entry_rate (6)
<i>TravelTime_{it}</i>	-0.2213** (0.0946)	0.0414 (0.0498)	-0.0105 (0.0107)	-0.0065 (0.0069)	0.0265 (0.0556)	0.1826 (0.1390)
Log population control	Yes	Yes	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Regions	20	20	20	20	20	20
Observations	380	360	380	279	360	266
Adjusted R ²	0.71399	-0.04893	-0.00220	-0.01029	-0.05670	0.06593

Table 210: Direct Travel-Time Level Model: 의사

	인턴 (1)	레지던트 (2)	전문의 (3)	일반의 (4)
<i>TravelTime_{it}</i>	0.0472 (0.0581)	0.2005* (0.1141)	-0.0078 (0.0257)	-0.0303 (0.0278)
Log population control	Yes	Yes	Yes	Yes
Region FE	Yes	Yes	Yes	Yes
Year FE	Yes	Yes	Yes	Yes
Regions	160	160	160	160
Observations	3,040	3,040	3,040	3,040
Adjusted R ²	0.83484	0.92483	0.98982	0.86034