## 資料庫系統

# 第十一組-學舍管理系統

#### 組員

40743214 呂嘉哲

40743256 蔣哲宇

40743257 盧新岱

40743259 簡孝齊

### (一)應用情境與使用案例

- 1.首頁
  - ●公告
  - ●登入/註冊
  - ●問題與回答
  - ●系統功能
- 2.登入後學生
  - ●修改帳戶資訊
  - ●簽到查詢
  - ●房間資訊
  - ●登記住宿訊息
  - ●報修壞的設備

#### 3.登入後管理員

- ●審核學生的註冊訊息
- ●學生簽到審核修改
- ●發布公告
- ●查看設備清單
- ●查看學生報修的物品

### (二)系統需求說明

- 1.系統功能分析
  - ●會員(註冊,登入,登出)
  - ●房間學生查詢
  - ●點名、簽到查詢
  - ●報修申請、查詢
  - ●管理員發布公告

### (三)完整性限制

#### **Student**

欄位名稱 說明 資料型態

ID 學號 Numeric(8)

Name 學生姓名 Varchar(20)

Phone 電話 Numeric(10)

Password 密碼 Numeric(8)

學號為407432XX的數字 電話為09開頭10個號碼的數字

#### Administrator

欄位名稱	說明	資料型態
		<i>y</i>

ID 管理員編號 Numeric(8)

Name 管理員姓名 Varchar(20)

Password 密碼 Numeric(8)

管理員編號為100000XX的數字

#### **Announcement**

欄位名棋	說明	資料型態
Ann ID	公告清單編號	Numeric(8)
Title	公告標題	Varchar(20)

Content 詳細內容 Varchar(100)

公告清單編號為200000XX的數字

## **Announced**

欄位名稱	說明	資料型態	
Adm ID	管理員編號	Numeric(8)	
Ann ID	公告清單編號	Numeric(8)	

### Room

欄位名稱	說明	資料型態	
Room ID	房間編號	Numeric(5)	
Floor	樓層	Numeric(1)	
Room_number	房間號碼	Numeric(2)	
People	容納人數	Numeric(1)	
房間編號為50XXX的數字			

## Stay

 欄位名稱
 說明
 資料型態

 Room ID
 房間編號
 Numeric(5)

 S ID
 學號
 Numeric(8)

# **Euqipment**

欄位名稱	說明	資料型態
Equip ID	設備ID	Numeric(8)
Equip_name	設備名稱	Varchar(20)
Equip_count	設備數量	Numeric(4)

設備ID為300000XX的數字

## Equipment\_List

欄位名稱 說明 資料型態

Room ID 房間編號 Numeric(5)

Equip ID 設備ID Numeric(8)

### Fix\_Equipment

欄位名稱 說明 資料型態

S ID 報修學生 Numeric(8)

Equip ID 設備ID Numeric(8)

Time 申請時間 Datetime

Situation 報修情形 Char(3)


Content 設備問題描述 Varchar(50)

### **Punch**

欄位名稱	說明	資料型態
S_ID	簽到學生	Numeric(8)
Sign_in	日期	Datetime


# (四)ER Diagram

學生




學生可以報修"至少一個"設備 設備可以被"至少一個"學生 報修 學生可以入住"最多一個"房間 房間可以被"至少一個"學生入住 房間可以擁有"至少一個"設備 設備可以在"一個"房間裡面


#### 管理員



管理員可以發布"0個或多個"公告 公告可以被"一個"管理員發布

## (五)資料庫Schema





## (六)SQL語法

```
create table Student
        (ID numeric(8),
        Name varchar(20),
        Phone numeric(10),
        Password numeric(8),
        primary key (ID)
        );
create table Administrator
        (ID numeric(8),
        Name varchar(20),
        Password numeric(8),
        primary key (ID)
        );
create table Announcement
        (Ann_ID numeric(8),
        Title varchar(20),
        Content varchar(100),
        primary key (Ann_ID)
        );
create table Announced
        (Adm ID numeric(8),
        Ann_ID numeric(8),
        primary key (Adm ID, Ann ID),
        foreign key (Adm_ID) references Administrator (ID),
        foreign key (Ann ID) references Announcement (Ann ID)
        );
create table Room
        (Room ID numeric(5),
        Floor numeric(1),
        Room_number numeric(2),
        People numeric(1),
        primary key (Room_ID)
        );
```

```
create table Stay
        (Room ID numeric(5),
        S_ID numeric(8),
        primary key (Room ID,S ID),
        foreign key (Room ID) references Room(Room ID),
        foreign key (S ID) references Student (ID)
        );
create table Equipment
        (Equip_ID numeric(8),
        Equip_name varchar(20),
        Equip_count numeric(4),
        primary key (Equip_ID)
        );
create table Equipment List
        (Room_ID numeric(5),
        Equip ID numeric(8),
        primary key (Room ID, Equip ID),
        foreign key (Room ID) references Room(Room ID),
        foreign key (Equip ID) references Equipment(Equip ID)
        );
create table Fix Equipment
        (S_ID numeric(8),
        Equip_ID numeric(8),
        Time datetime,
        Situation char(3),
        Content varchar(50),
        primary key(S_ID,Equip_ID),
        foreign key (S_ID) references Student (ID),
        foreign key (Equip_ID) references Equipment (Equip_ID)
        );
create table Punch
        (S ID numeric(8),
        Sign_in datetime,
        foreign key (S_ID) references Student (ID)
        );
```

### (七)真實資料

#### 學生資料

insert into Student values ('40743201','零零一','0912345678','86543478'); insert into Student values ('40743202','零零二','0922345678','75453675'); insert into Student values ('40743203','零零三','0932345678','35342314'); insert into Student values ('40743204','零零四','0952345678','78640586'); insert into Student values ('40743205','零零五','0962345678','50434846'); insert into Student values ('40743206','零零元','0972345678','78903730'); insert into Student values ('40743207','零零七','0982345678','78674354'); insert into Student values ('40743208','零零八','0992345678','86946788'); insert into Student values ('40743209','零零九','0902345678','13649758'); insert into Student values ('40743210','零一零','0900000123','94572873');

#### 管理員資料

insert into Administrator values ('10000001','管理一','111111111'); insert into Administrator values ('10000002','管理三','22222222'); insert into Administrator values ('10000003','管理三','33333333'); insert into Administrator values ('10000004','管理四','44444444'); insert into Administrator values ('10000005','管理元','55555555'); insert into Administrator values ('10000006','管理六','66666666'); insert into Administrator values ('10000007','管理人','88888888'); insert into Administrator values ('10000009','管理九','99999999'); insert into Administrator values ('10000009','管理九','99999999'); insert into Administrator values ('10000010','管理十','10000100');

#### 公告資料

insert into Announcement values ('20000001','歡迎','歡迎各位蒞臨本館'); insert into Announcement values ('20000002','垃圾事宜','請勿隨手丟棄垃圾,違者依法處分'); insert into Announcement values ('20000003','清理冰箱','有一瓶牛奶過期了'); insert into Announcement values ('20000004','網路IP被禁名單','再用爆網路一個月禁用'); insert into Announcement values ('20000005','被記點名單','還敢喝酒阿'); insert into Announcement values ('20000006','設備故障維護清單','是要用壞幾張椅子'); insert into Announcement values ('20000007','遺失物招領','誰的內褲掉了'); insert into Announcement values ('20000008','學生宿舍相關法規','不會有人看我知道'); insert into Announcement values ('20000009','門禁遲到名單','給我全部睡外面'); insert into Announcement values ('200000010','網路IP被禁名單','再用爆網路禁用一周');

#### 發布資料

insert into Announced values ('10000008','20000004'); insert into Announced values ('10000008','20000010'); insert into Announced values ('10000001','20000001'); insert into Announced values ('10000001','20000002'); insert into Announced values ('10000002','20000003'); insert into Announced values ('10000003','20000005'); insert into Announced values ('10000004','20000006'); insert into Announced values ('10000007','200000007'); insert into Announced values ('10000009','200000008'); insert into Announced values ('10000010','200000008');

#### 房間資料

insert into Room values ('50101','1','01','4'); insert into Room values ('50102','1','02','4'); insert into Room values ('50201','2','01','4'); insert into Room values ('50202','2','02','4'); insert into Room values ('50301','3','01','4'); insert into Room values ('50302','3','02','4'); insert into Room values ('50401','4','01','4'); insert into Room values ('50402','4','02','4'); insert into Room values ('50403','4','03','4'); insert into Room values ('50404','4','04','4');

#### 入住清單

insert into Stay values ('50101','40743201'); insert into Stay values ('50101','40743202'); insert into Stay values ('50101','40743203'); insert into Stay values ('50101','40743204'); insert into Stay values ('50102','40743205'); insert into Stay values ('50102','40743206'); insert into Stay values ('50201','40743207'); insert into Stay values ('50201','40743208'); insert into Stay values ('50201','40743209'); insert into Stay values ('50201','40743210');

#### 設備資料

```
insert into Equipment values('30000001','冷氣','1');
insert into Equipment values('30000002','椅子','4');
insert into Equipment values('30000003','電風扇','2');
insert into Equipment values('30000004','床鋪','4');
insert into Equipment values('30000005','燈','4');
insert into Equipment values('30000006','衣櫥','4');
insert into Equipment values('30000007','書桌','4');
insert into Equipment values('30000008','冷氣','1');
insert into Equipment values('30000009','電風扇','1');
insert into Equipment values('30000010','椅子','5');
insert into Equipment values('30000011','冷氣','1');
insert into Equipment values('30000012','椅子','4');
insert into Equipment values('30000013','電風扇','2');
insert into Equipment values('30000014','床鋪','4');
insert into Equipment values('30000015','電燈','4');
insert into Equipment values('30000016','衣櫥','4');
insert into Equipment values('30000017','書桌','4');
insert into Equipment values('30000018','冷氣','1');
insert into Equipment values('30000019','椅子','4');
insert into Equipment values('30000020','電風扇','2');
insert into Equipment values('30000021','床鋪','4');
insert into Equipment values('30000022','電燈','4');
insert into Equipment values('30000023','衣櫥','4');
insert into Equipment values('30000024','書桌','4');
```

#### 設備清單資料

```
insert into Equipment List values ('50101','30000001');
insert into Equipment List values ('50101','30000002');
insert into Equipment List values ('50101','30000003');
insert into Equipment_List values ('50101','30000004');
insert into Equipment List values ('50101','30000005');
insert into Equipment_List values ('50101','30000006');
insert into Equipment List values ('50101','30000007');
insert into Equipment_List values ('50102','30000011');
insert into Equipment List values ('50102','30000012');
insert into Equipment List values ('50102','30000013');
insert into Equipment List values ('50102','30000014');
insert into Equipment List values ('50102','30000015');
insert into Equipment List values ('50102','30000016');
insert into Equipment List values ('50102','30000017');
insert into Equipment List values ('50201','30000018');
insert into Equipment List values ('50201','30000019');
```

```
insert into Equipment_List values ('50201','30000020'); insert into Equipment_List values ('50201','30000021'); insert into Equipment_List values ('50201','30000022'); insert into Equipment_List values ('50201','30000023'); insert into Equipment_List values ('50201','300000024'); insert into Equipment_List values ('50201','30000008'); insert into Equipment_List values ('50201','30000009'); insert into Equipment_List values ('50201','300000010');
```

#### 報修清單

insert into Fix\_Equipment values ('40743201','30000001','2022-05-09 10:10:10','已修理','冷氣發出怪聲'); insert into Fix\_Equipment values ('40743201','30000002','2022-05-18 09:10:10','已處理','椅子被搖塌了'); insert into Fix\_Equipment values ('40743205','30000003','2022-05-20 12:10:10','已處理','電風扇壞了'); insert into Fix\_Equipment values ('40743202','30000004','2022-06-03 21:10:10','已處理','床鋪凹陷'); insert into Fix\_Equipment values ('40743205','30000005','2022-06-10 16:10:10','未處理','電燈不會亮'); insert into Fix\_Equipment values ('40743208','30000006','2022-06-11 15:10:10','未處理','承虧發霉'); insert into Fix\_Equipment values ('40743204','30000007','2022-06-15 20:10:10','未處理','净氣漏水'); insert into Fix\_Equipment values ('40743203','30000008','2022-06-20 20:10:10','未處理','冷氣漏水'); insert into Fix\_Equipment values ('40743206','30000009','2022-06-21 20:10:10','未處理','椅子不見了'); insert into Fix\_Equipment values ('40743209','300000010','2022-06-22 20:10:10','未處理','床鋪凹陷'); insert into Fix\_Equipment values ('40743259','30000004','2022-06-24 20:10:10','未處理','來觸發霉');

#### 簽到資料

```
insert into Punch values ('40743201','2022-06-09 10:10:10'); insert into Punch values ('40743202','2022-06-09 00:00:00'); insert into Punch values ('40743210','2022-06-09 12:12:12'); insert into Punch values ('40743208','2022-06-09 23:59:59'); insert into Punch values ('40743205','2022-06-09 10:10:11'); insert into Punch values ('40743203','2022-06-09 12:00:00'); insert into Punch values ('40743207','2022-06-10 23:59:59'); insert into Punch values ('40743208','2022-06-10 11:11:11'); insert into Punch values ('40743209','2022-06-13 22:00:00'); insert into Punch values ('40743210','2022-06-13 22:00:00'); insert into Punch values ('40743201','2022-06-22 11:11:11');
```

### (八)View

所有學生住的房間

create view Student\_Room as select ID,Name,Room\_ID from Student,Stay

where Student.ID=Stay.S ID;

每個房間擁有的設備

create view Room Equipment as

select Room.Room ID, Equipment List. Equip ID, Equip name, Equip count

from Room, Equipment, Equipment list

where Room.Room ID=Equipment List.Room ID and Equipment.Equip ID=Equipment List.Equip ID;

學生報修的所有設備資訊及所在位置

create view Student Fix Equipmen as

select ID, Name, Room ID, Fix Equipment. Equip ID, Equip name, Time, Situation, Content

from Student, Fix Equipment, Equipment, Equipment List

where Student.ID=Fix\_Equipment.S\_ID and Fix\_Equipment.Equip\_ID=Equipment.Equip\_ID and Equipme

nt.Equip ID=Equipment List.Equip ID;

學生簽到資訊

create view Student\_Punch as

select ID,Name,Sign\_in from Student,Punch where Student.ID=Punch.S\_ID;

發布公告的管理員資訊及公告資訊

create view Administrator\_Announcement as

select ID, Name, Announcement. Ann ID, Title, Content

from Administrator, Announced, Announcement

where Administrator.ID=Announced.Adm\_ID and Announced.Ann\_ID=Announcement.Ann\_ID;

### (九)執行結果

#### 資料表

```
MariaDB [school] > select * from Student;
                   1 Phone
                                Password |
           Name
            零零一
 40743201
                     912345678
                                 86543478
 40743202
            922345678
                                 75453675
 40743203
                     932345678
                                 35342314
              零四
                     952345678
 40743204
                                 78640586
                     962345678
 40743205
               零五
                                 50434846
 40743206
                     972345678
                                 78903730
 40743207
                     982345678
                                 78674354
 40743208
                     992345678
                                 86946788
                     902345678
 40743209
                                 13649758
 40743210 I
                     900000123
                                 94572873
10 rows in set (0.000 sec)
MariaDB [school]> select * from Administrator;
 ID
                   I Password I
           Name
            管理一
                     111111111
  10000001
              理
 10000002
                     2222222
             12年一
 10000003
                     33333333
            管理四
 10000004
                     4444444
             管理五
  10000005
                     5555555
             5理六
  10000006
                     66666666
  10000007
             管理七
             管理八
  10000008
                     8888888
            管理九
  10000009
                     99999999
            管理十
  10000010 I
                   1 10000100
10 rows in set (0.001 sec)
```

```
MariaDB [school]> select * from Announcement;
 Ann ID
           I Title
                              I Content
                               歡迎各位蒞臨本館
請勿隨手丟棄垃圾,違者依法處分
有一瓶牛奶過期了
再用爆網路一個月禁用
還敢喝酒阿
是要用壞幾張椅子
誰的內褲掉了
  20000001 | 歡迎
 20000002 | 垃圾事宜
 20000003 | 清理冰箱
            網路IP被禁名單
 20000004 1
 20000005 | 被記點名單
            設備故障維護清單
 20000006 L
 20000007 | 遺失物招領
 20000008 | 學生宿舍相關法規
20000009 | 門禁遲到名單
                               不會有人看我知道
給我全部睡外面
 20000010 | 網路IP被禁名單
                               再用爆網路禁用一周
10 rows in set (0.000 sec)
MariaDB [school]> select * from Announced;
 Adm_ID | Ann_ID
 10000001 | 20000001
 10000001 | 20000002
 10000002 | 20000003
 10000003 | 20000005
 10000004 | 20000006
 10000007 | 20000007
  10000008 T
            20000004
 10000008 | 20000010
  10000009 | 20000008
  10000010 | 20000009 |
10 rows in set (0.000 sec)
```

```
MariaDB [school]> select * from Room;
  Room_ID | Floor | Room_number | People
    50101
    50102
    50201
    50202
    50301
    50302
    50401
    50402
    50403
    50404
10 rows in set (0.000 sec)
MariaDB [school]> select * from Stay;
  Room_ID | S_ID
    50101
            40743201
    50101
            40743202
            40743203
            40743204
            40743205
            40743206
            40743207
            40743208
            40743209
    50201
            40743210
10 rows in set (0.000 sec)
```

MariaDB [sch	nool]> select	* from Equipment;
Equip_ID	Equip_name	Equip_count
I 30000001 I 30000002	冷氣   <del>                                    </del>	1 I
1 30000003 1	電風扇	2
30000004     30000005	鋪   燈   <del>                                    </del>	4   4
1 30000006   1 30000007	衣櫥   書桌   X	4   4   1
1 30000008 1 30000009 1	冷	1   1
30000010     30000011	椅子   冷氣   ***	5 I 1 I
30000012     30000013	椅子   電風扇	4 I 2 I
30000014   30000015		4 I 4 I
30000016   30000017		4   4
30000018   30000019	冷氣   椅子   =	1
30000020   30000021	亀風扇   床舗	2 I 4 I
30000022   30000023	電燈   衣櫥	4 I 4 I
1 30000024	書桌 	4
24 rows in s	set (0.000 sec	

```
MariaDB [school]> select * from Equipment_List;
  Room_ID | Equip_ID |
    50101 | 30000001
    50101
            30000002
            30000003
    50101
    50101
            30000004
    50101
            30000005
    50101
            30000006
    50101
    50102
            30000011
    50102
            30000012
    50102
    50102
            30000014
    50102
            3000001
    50102
            30000016
    50102
            30000017
    50201
            30000008
    50201
            30000009
    50201
            30000010
    50201
            30000018
    50201
            30000019
    50201
    50201
            30000021
    50201
            30000022
    50201
            30000023
    50201
            30000024
24 rows in set (0.000 sec)
```

```
MariaDB [school]> select * from Fix_Equipment;
 S ID
           | Equip ID | Time
                                            Situation | Content
                                                         冷氣發出怪聲
椅子被搖塌了
窗鋪凹陷
                       2022-05-09 10:10:10 | 已修理
 40743201 I
            30000001 I
                                             已處理
                       2022-05-18 09:10:10
 40743201
            30000002
                       2022-06-03 21:10:10
                                             已處理
 40743202
            30000004
                                                          冷氣漏水
桌子很搖
                                             未處理
            30000008
                       2022-06-20 20:10:10
 40743203 L
                                             未處理
                       2022-06-15 20:10:10
 40743204
            30000007
                                                         電風扇壞了
電燈不會亮
 40743205
            30000003
                       2022-05-20 12:10:10
                                              已處理
                                           2022-06-10 16:10:10
 40743205
            30000005
                        2022-06-21 20:10:10
 40743206
                                                         椅子不見
衣櫥發霉
            30000009
                       2022-06-11 15:10:10
            30000006
 40743208
 40743209 | 30000010 | 2022-06-22 20:10:10 | 未處理
10 rows in set (0.000 sec)
MariaDB [school]> select * from Punch;
 S ID
          I Sign in
 40743201 I
            2022-06-09 10:10:10
            2022-06-09 00:00:00
 40743202
            2022-06-09 12:12:12
 40743210 I
            2022-06-09 23:59:59
 40743208 I
            2022-06-09 10:10:11
 40743205
 40743203
            2022-06-09 12:00:00
 40743207
            2022-06-10 23:59:59
            2022-06-10 11:11:11
 40743208
            2022-06-10 12:00:01
 40743209
 40743210 | 2022-06-13 22:00:00
10 rows in set (0.000 sec)
```

## (十)View執行結果

顯示所有學生住的房間

MariaDR [s	choolly seld	ect * from Roo	om Fauinment:
#	t	+	
l Room_ID	Equip_ID	Equip_name	Equip_count
+	+	+	++
50101	1 30000001	冷氣	] 1 [
50101	1 30000002	椅子	4
50101	1 30000003	電風扇	] 2 ]
50101	1 30000004		4
50101	1 30000005	l 短 L <del>女</del> 嬢	4
l 50101 l 50101	I 30000006 I 30000007	衣櫥   書桌	l 4 l l 4 l
1 50101 1 50102	I 30000007	音采   冷氣	1 <del>4</del> 1 1 1
1 50102 1 50102	I 30000011	冷系   椅子	1 4 1
50102	1 30000012	電風扇	i Ž i
50102	1 30000013	床舗	i 4 i
50102		電燈	i 4 i
50102	1 30000016	I 衣櫥	1 4 1
I 50102	I 30000017	書桌	l 4 l
I 50201	1 30000008	冷氣	l 1 l
1 50201	1 30000009	電風扇	l 1 l
	. 20000010	椅子	5
1 50201	1 30000018	冷氣	] ] ]
50201	1 30000019		4
1 50201	. 20000020	電風扇	2
J 50201	1 30000021	I 承州 I 泰俊	4
l 50201 l 50201	. 20000011	電燈	4
I 50201	I 30000023 I 30000024	衣櫉   書桌	l 4 l l 4 l
+	- 30000024	「百永 ↓	1 <del>1</del> 1
24 rows in	set (0.000	sec)	,

顯示每個房間所擁有的設備

```
ariaDB [school]> select * from Student_Fix_Equipmen;
                                                           | Room_ID | Equip_ID | Equip_name | Time
                                                                                                                                                                     2022-05-09 10:10:10 | 2022-05-18 09:10:10 | 2022-06-03 21:10:10 | 2022-06-20 20:10:10 | 2022-06-15 20:10:10 | 2022-06-10 16:10:10 | 2022-06-11 15:10:10 | 2022-06-21 20:10:10 | 2022-06-21 20:10:10 | 2022-06-22 20:10:10 | 2022-06-22 20:10:10 | 2022-06-22 20:10:10 | 2022-06-22 20:10:10 | 2022-06-22 20:10:10 |
    40743201
40743201
40743202
40743203
40743204
40743205
                                                                                              30000001
30000002
30000004
30000008
30000007
30000003
                                                                                                                                                                                                                                        50101
50101
50201
50101
50101
50101
50201
50201
50201
                                                                                                                                                                                                                                                                            端
宗
皇
皇
    40743205
40743206
                                                                                              30000005
30000009
                                                                                                                                藿風扇
                                                                                                                               衣櫥
     40743208
                                                                                               30000006
 0 rows in set (0.000 sec)
MariaDB [school]> select * from Student_Punch;
                                Name
                                                          | Sign_in
   40743201 |
40743202 |
40743210 |
40743210 |
40743208 |
40743205 |
40743207 |
40743207 |
40743208 |
40743209 |
40743210 |
                                                               2022-06-09 10:10:10
2022-06-09 00:00:00
2022-06-09 12:12:12
2022-06-09 10:10:11
2022-06-09 10:10:11
2022-06-09 12:00:00
2022-06-10 23:59:59
2022-06-10 11:11:11
2022-06-10 12:00:01
2022-06-13 22:00:00
                                      令零零零
零零五
零零三
        rows in set (0.000 sec)
```

顯示學生報修的所有設備資訊 顯示所有學生簽到資訊

MariaDB [school] > select * from Administrator_Announcement;				
i ID	Name I	Ann_ID	Title	Content
10000001   10000001   10000002   10000003   10000004   10000007   10000008   10000008   10000009   10000010	Tell		歡迎   垃圾事宜   清理冰箱   被記點名單   設備故障維護清單   遺失物招領   網路IP被禁名單   網路IP被禁名單   學生宿舍相關法規   門禁遲到名單	歡迎各位蒞臨本館

顯示管理員發布的所有公告資訊

## (十一)實作影片

https://youtu.be/AjfJ2W9JJpY