

HariSumiran Mandir Operations

Complete REST API Specification & Mobile Application Integration Guide

Base URL: https://hari-sumiran-admin-dashboard.vercel.app

Local: http://localhost:3000

Version: 2.4.0 Production

Auth: Bearer JWT

Format: JSON

HariSumiran Mobile & Web Client – Complete REST API & cURL Specification

HariSumiran Mandir Operations & Devotee Engagement Platform

Backend Base URL (Production): https://hari-sumiran-admin-dashboard.vercel.app

Backend Base URL (Local Development): http://localhost:3000

Standard Content-Type: application/json

Authorization: Bearer <token> (provided in headers for authenticated requests)

Table of Contents

- 1. [Architecture & Persona Scopes](#)
- 2. [Global Headers & Error Handling](#)
- 3. [Authentication & Biometrics](#)
- 4. [Push Notifications & Device Registration](#)
- 5. [Aggregated Dashboard \("HariSumiran Pulse"\)](#)
- 6. [Thal Rotation & Mahaprasad Turns](#)
- 7. [Thal Swaps & Two-Step Approval Workflow](#)
- 8. [Sabha Management & Attendance \(QR Check-In\)](#)
- 9. [Seva Opportunities, Slot Claiming & Rosters](#)
- L0. [Kitchen Scaling & Recipe Engine](#)
- L1. [Carpool & Transportation](#)
- L2. [Families & Household Directory](#)
- L3. [Member Registry & Verification Queue](#)
- L4. [Karyakarta Follow-Up & Pastoral Care](#)
- L5. [Assets, Borrowing & Room Bookings](#)
- L6. [Events, Mahotsav & QR Gate Passes](#)

- L7. [Announcements, Analytics & Admin Seed](#)
- L8. [Mobile Client Developer Best Practices](#)

1. Architecture & Persona Scopes

Every user profile in HariSumiran contains one or more `responsibilities` determining their data visibility and capabilities:

Persona Scope	Responsibility Enum	Primary Capabilities
Mandir Super Admin	<code>super_admin</code> / <code>mandir_admin</code>	Full CRUD across all 17 modules, approve swaps, user management, audit logs.
Thal Captain	<code>thal_captain</code>	View assigned family turns, confirm/decline, request swaps, approve incoming swaps.
Sabha Karyakarta	<code>sabha_karyakarta</code>	Manage sabha checklists, scan QR attendance, view roster streaks.
Kitchen Lead / Cook	<code>main_cook</code> / <code>sub_cook</code>	Access recipes, calculate ingredient quantities dynamically by headcount.
Car Owner / Driver	<code>car_owner</code>	Offer carpool rides, approve/reject passenger seat requests.
Pastoral Karyakarta	<code>karyakarta</code>	Log family interactions, manage follow-up cases with confidential notes.
Regular Devotee	<code>regular_member</code>	Claim open seva slots, book rides, view sabha schedules, generate event passes.

2. Global Headers & Error Handling

Request Headers

```
Content-Type: application/json
Accept: application/json
Authorization: Bearer <jwt_token>
```

Standard Response Envelope

All successful requests return a JSON object with `success: true` :

```
{
  "success": true,
  "message": "Operation completed successfully",
  "data": { ... }
}
```

Standard Error Envelope

Failed requests return an HTTP 4xx or 5xx code with `success: false`:

```
{
  "success": false,
  "error": "Descriptive error message"
}
```

3. Authentication & Biometrics

3.1 Passcode / PIN Login & Unlock

- **Endpoint:** `POST /api/auth`
- **Description:** Authenticate user via 4-digit PIN (default demo PIN: `3690`) or phone/email.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/auth \
-H "Content-Type: application/json" \
-d '{
  "action": "login",
  "pin": "3690",
  "phone": "9825056789"
}'
```

Response (HTTP 200)

```
{
  "success": true,
  "message": "Unlock successful",
  "user": {
    "_id": "66dd10010000000000000003",
    "name": "Rameshbhai Patel",
    "phone": "9825056789",
    "role": "family_captain",
    "familyId": "66dd10010000000000000010",
    "familyName": "Patel Household (Rameshbhai)",
    "responsibilities": [
      {
        "type": "thal_captain",
        "title": "Thal Captain",
        "scope": { "familyId": "66dd10010000000000000010" }
      }
    ]
  },
  "scope": {
    "isAdmin": false,
    "isThalCaptain": true,
    "isKaryakarta": false,
    "isMainCook": false,
    "isCarOwner": false,
    "familyId": "66dd10010000000000000010"
  },
  "token": "jwt_token_1726050000000"
}
```

3.2 Update / Setup Passcode PIN

- **Endpoint:** POST /api/auth
- **Description:** Set or change user's 4-digit PIN.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/auth \
-H "Content-Type: application/json" \
-d '{
  "action": "setup_pin",
  "userId": "66dd10010000000000000003",
  "newPin": "1234"
}'
```

3.3 List Active Personas (Fast Switcher)

- **Endpoint:** GET /api/auth
- **Description:** Fetches all available personas and active user profiles for quick switching in demo/development mode.

```
curl -X GET https://hari-sumiran-admin-dashboard.vercel.app/api/auth \
-H "Accept: application/json"
```

3.4 Google OAuth Mobile Token Exchange

- **Endpoint:** POST /api/auth/google
- **Description:** Authenticate or auto-register devotee using Google Sign-In identity token.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/auth/google \
-H "Content-Type: application/json" \
-d '{
  "email": "ramesh.patel@gmail.com",
  "name": "Rameshbhai Patel",
  "googleId": "google-oauth2-1082390123"
}'
```

3.5 Apple Sign-In Token Exchange

- **Endpoint:** POST /api/auth/apple
- **Description:** Authenticate or auto-register devotee using Apple Private Relay / Sign In with Apple credential.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/auth/apple \
-H "Content-Type: application/json" \
-d '{
  "appleId": "000123.abcd987654.1234",
  "email": "devotee.private@privaterelay.appleid.com",
  "name": "Pranav Parmar"
}'
```

4. Push Notifications & Device Registration

4.1 Register Device APNs / FCM Push Token

- **Endpoint:** POST /api/notifications/register-device
- **Description:** Registers an iOS (APNs) or Android (FCM) device token to receive instant Thal turn reminders, carpool alerts, and seva notifications.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/notifications/register-device \
-H "Content-Type: application/json" \
-d '{
  "userId": "66dd1001000000000000000003",
  "phone": "9825056789",
  "deviceToken": "fcm_token_sample_abc123xyz789_apns_devotee_iphone",
  "platform": "ios"
}'
```

Response (HTTP 200)

```
{
  "success": true,
  "message": "Registered IOS device push token successfully",
  "registeredTokens": 1
}
```

5. Aggregated Dashboard ("HariSumiran Pulse")

5.1 Get Home Dashboard Summary

- **Endpoint:** GET /api/dashboard/home
- **Query Parameters:**
 - **userId**: (optional) MongoDB User ID
 - **userName**: (optional) Devotee Name (e.g., Rameshbhai Patel)
- **Description:** Returns a tailored 3-part feed:
 1. **whatIsHappening**: Upcoming Sabhas, Events, Carpools, Announcements.
 2. **whatDoINeedToDo**: Role-scoped urgent action items (Thal turn due, pending swap approvals, follow-up visits, carpool requests).
 3. **whereCanIHelp**: Open seva opportunities with unfilled volunteer slots.

```
curl -X GET "https://hari-sumiran-admin-dashboard.vercel.app/api/dashboard/home?
userId=66dd1001000000000000000003" \
-H "Accept: application/json"
```

Response (HTTP 200)

```
{
  "success": true,
  "whatIsHappening": {
    "upcomingSabhas": [ ... ],
    "upcomingEvents": [ ... ],
    "activeRides": [ ... ],
    "announcements": [ ... ]
  },
  "whatDoINeedToDo": [
    {
      "id": "action-thal",
      "type": "thal",
      "title": "Your Household Thal Turn",
      "gujaratiTitle": "તમારા પરિવારનો થાળ વારો",
      "description": "Breakfast (Morning Thal) on 2026-09-08 (Headcount: 55)",
      "link": "/thal",
      "urgency": "High",
      "badge": "Assigned"
    }
  ],
  "whereCanIHelp": [ ... ]
}
```

6. Thal Rotation & Mahaprasad Turns

6.1 Get Monthly Thal Schedule & Fairness Ranking

- **Endpoint:** GET /api/thal
- **Query Parameters:**
 - **month**: (*optional*) Filter month (e.g., 2026-09)
- **Description:** Returns all morning and evening Thal allocations, assigned families, headcount, status, and fairness ranking.

```
curl -X GET "https://hari-sumiran-admin-dashboard.vercel.app/api/thal?month=2026-09" \
-H "Accept: application/json"
```

Response (HTTP 200)

```
{
  "success": true,
  "count": 60,
  "schedules": [
    {
      "_id": "66dd2001000000000000000001",
      "scheduleCode": "THAL-2026-0901-M",
      "date": "2026-09-01",
      "monthPeriod": "2026-09",
      "mealType": "Breakfast (Morning Thal)",
      "assignedFamilyId": "66dd1001000000000000000010",
      "assignedFamilyName": "Patel Household (Rameshbhai)",
      "assignedPhone": "9825056789",
      "captainName": "Rameshbhai Patel",
      "headcount": 50,
      "status": "Confirmed",
      "specialInstructions": "Puri, Shrikhand, Bataka nu Shaak, Dal Bhat"
    }
  ],
  "fairnessRanking": [
    {
      "familyId": "66dd1001000000000000000010",
      "familyName": "Patel Household (Rameshbhai)",
      "turnsThisYear": 3
    }
  ]
}
```

6.2 Assign Manual Thal Turn

- **Endpoint:** POST /api/thal
- **Description:** Assign a specific family to a meal slot.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/thal \
-H "Content-Type: application/json" \
-d '{
  "date": "2026-09-25",
  "mealType": "Dinner (Evening Thal)",
  "assignedFamilyId": "66dd1001000000000000000010",
  "assignedFamilyName": "Patel Household (Rameshbhai)",
  "assignedPhone": "9825056789",
  "headcount": 65,
  "specialInstructions": "Kathiyawadi Khichdi, Kadhi, Lasaniya Bataka"
}'
```

6.3 Auto-Generate Full Month Schedule

- **Endpoint:** POST /api/thal

- **Description:** Automatically rotates active families across morning and evening turns for the given month.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/thal \
-H "Content-Type: application/json" \
-d '{
  "action": "auto_generate",
  "month": "2026-10"
}'
```

6.4 Update Thal Turn Status / Notes

- **Endpoint:** PUT /api/thal
- **Description:** Confirm, complete, or decline a Thal turn.

```
curl -X PUT https://hari-sumiran-admin-dashboard.vercel.app/api/thal \
-H "Content-Type: application/json" \
-d '{
  "id": "66dd2001000000000000000001",
  "status": "Confirmed",
  "specialInstructions": "Will bring Shrikhand and Puri on time by 7:30 AM"
}'
```

6.5 Get / Dispatch 1-Day Prior Push Reminders

- **Endpoint:** GET /api/thal/notifications (List pending reminders)
- **Endpoint:** POST /api/thal/notifications (Mark dispatched)

```
# 1. Fetch upcoming turn notifications
curl -X GET https://hari-sumiran-admin-dashboard.vercel.app/api/thal/notifications \
-H "Accept: application/json"

# 2. Dispatch reminder push notification
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/thal/notifications \
-H "Content-Type: application/json" \
-d '{
  "scheduleId": "66dd2001000000000000000001"
}'
```

7. Thal Swaps & Two-Step Approval Workflow

7.1 List All Thal Swap Requests

- **Endpoint:** GET /api/thal/swap

```
curl -X GET https://hari-sumiran-admin-dashboard.vercel.app/api/thal/swap \
-H "Accept: application/json"
```

7.2 Submit a Thal Swap Request

- **Endpoint:** POST /api/thal/swap
- **Description:** Devotee requests a direct swap with another family or releases turn into the open pool.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/thal/swap \
-H "Content-Type: application/json" \
-d '{
  "thalScheduleId": "66dd20010000000000000001",
  "originalDate": "2026-09-12",
  "mealType": "Dinner (Evening Thal)",
  "requestingFamilyId": "66dd10010000000000000010",
  "requestingFamilyName": "Patel Household (Rameshbhai)",
  "requestingCaptainName": "Rameshbhai Patel",
  "swapType": "family_to_family",
  "targetFamilyId": "66dd10010000000000000012",
  "targetFamilyName": "Shah Family (Kiritbhai)",
  "targetCaptainName": "Kiritbhai Shah",
  "suggestedDate": "2026-09-18",
  "reason": "Family attending hospital medical checkup in Ahmedabad."
}'
```

7.3 Target Captain Decision (Accept / Reject)

- **Endpoint:** PUT /api/thal/swap
- **Action:** target_accept or target_reject

```
# Target captain accepts the swap request
curl -X PUT https://hari-sumiran-admin-dashboard.vercel.app/api/thal/swap \
-H "Content-Type: application/json" \
-d '{
  "swapId": "66dd25010000000000000001",
  "action": "target_accept"
}'
```

7.4 Mandir Admin Final Approval / Override

- **Endpoint:** PUT /api/thal/swap
- **Action:** admin_approve, admin_reject, or admin_override

```
# Admin grants final approval (automatically updates the master Thal schedule)
curl -X PUT https://hari-sumiran-admin-dashboard.vercel.app/api/thal/swap \
-H "Content-Type: application/json" \
-d '{
  "swapId": "66dd2501000000000000000001",
  "action": "admin_approve",
  "adminNotes": "Approved by Mandir Coordinator Nitinbhai"
}'
```

8. Sabha Management & Attendance (QR Check-In)

8.1 List Sabha Sessions

- **Endpoint:** GET /api/sabha
- **Query Parameters:**
 - **type**: Filter by type (e.g. Youth Male, Family Sabha, Evening Sabha)
 - **status**: Filter by status (Scheduled, Live, Completed)
 - **date**: Filter by YYYY-MM-DD

```
curl -X GET "https://hari-sumiran-admin-dashboard.vercel.app/api/sabha?status=Scheduled" \
-H "Accept: application/json"
```

8.2 Schedule a New Sabha

- **Endpoint:** POST /api/sabha

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/sabha \
-H "Content-Type: application/json" \
-d '{
  "title": "Sunday Youth Evening Sabha",
  "gujaratiTitle": "રવિવાર યુવક સાંઘ્ય સભા",
  "type": "Youth Male",
  "date": "2026-09-13",
  "startTime": "18:00",
  "endTime": "20:00",
  "location": "Main Satsang Hall, Nadiad",
  "expectedCount": 150,
  "checklist": [
    { "item": "Sound system & mic check", "completed": true },
    { "item": "Stage floral decoration", "completed": false },
    { "item": "Mahaprasad ready in dining hall", "completed": false }
  ],
  "notes": "Special kirtan aradhana session."
}'
```

8.3 Get Sabha Live Roster & Attendance Counts

- **Endpoint:** GET /api/sabha/attendance?sabhaId=<id>

```
curl -X GET "https://hari-sumiran-admin-dashboard.vercel.app/api/sabha/attendance?sabhaId=66dd3001000000000000000001" \
-H "Accept: application/json"
```

Response (HTTP 200)

```
{
  "success": true,
  "totalCount": 42,
  "presentCount": 18,
  "roster": [
    {
      "memberId": "66dd4001000000000000000001",
      "memberName": "Pranav Parmar",
      "gujaratiName": "પ્રણવ પર્માર",
      "familyName": "Parmar Family",
      "phone": "9825012345",
      "isPresent": true,
      "attendanceStreak": 14
    }
  ]
}
```

8.4 Mark Attendance (QR Scanner / Member Code / Name Search)

- **Endpoint:** POST /api/sabha/attendance
- **Description:** 1-tap or QR camera check-in for devotees. Automatically increments attendance streak.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/sabha/attendance \
-H "Content-Type: application/json" \
-d '{
  "sabhaId": "66dd3001000000000000000001",
  "memberCode": "MEM-NAD-001",
  "mode": "QR",
  "markedBy": "Jaimin Trivedi (Karyakarta)"
}'
```

Response (HTTP 200)

```
{
  "success": true,
  "message": "Marked attendance for Pranav Parmar",
  "member": {
    "id": "66dd40010000000000000001",
    "name": "Pranav Parmar",
    "familyName": "Parmar Family",
    "streak": 15
  },
  "liveCount": 19
}
```

9. Seva Opportunities, Slot Claiming & Rosters

9.1 List Seva Opportunities & Assigned Rosters

- **Endpoint:** GET /api/seva
- **Query Parameters:**
 - department: Kitchen, Sound & Audio, Stage, Parking, Decoration, Medical

```
curl -X GET "https://hari-sumiran-admin-dashboard.vercel.app/api/seva?department=Kitchen" \
-H "Accept: application/json"
```

9.2 Devotee 1-Tap Seva Slot Claiming

- **Endpoint:** POST /api/seva/claim
- **Description:** Devotee self-enrolls into an open seva opportunity from their mobile app.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/seva/claim \
-H "Content-Type: application/json" \
-d '{
  "opportunityTitle": "Mahaprasad Vegetable Chopping Seva",
  "memberId": "66dd40010000000000000001",
  "memberName": "Pranav Parmar",
  "phone": "9825012345"
}'
```

9.3 Assign Volunteer to Shift Roster

- **Endpoint:** POST /api/seva/roster

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/seva/roster \
-H "Content-Type: application/json" \
-d '{
  "opportunityId": "66dd5001000000000000000001",
  "date": "2026-09-13",
  "shiftStartTime": "16:00",
  "shiftEndTime": "19:30",
  "volunteerId": "66dd4001000000000000000001",
  "volunteerName": "Pranav Parmar",
  "volunteerPhone": "9825012345"
}'
```

9.4 Volunteer Shift Check-In / Check-Out / Replacement Request

- **Endpoint:** POST /api/seva/check-in
- **Action:** check_in, check_out, or request_replacement

```
# Check in for shift duty
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/seva/check-in \
-H "Content-Type: application/json" \
-d '{
  "rosterId": "66dd5501000000000000000001",
  "action": "check_in"
}'
```

10. Kitchen Scaling & Recipe Engine

10.1 List Standard Temple Recipes

- **Endpoint:** GET /api/kitchen/recipes

```
curl -X GET https://hari-sumiran-admin-dashboard.vercel.app/api/kitchen/recipes \
-H "Accept: application/json"
```

10.2 Calculate Ingredient Quantities by Headcount

- **Endpoint:** POST /api/kitchen/calculate
- **Description:** Dynamically calculates raw ingredient weights (kg, liters, grams) based on devotee headcount.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/kitchen/calculate \
-H "Content-Type: application/json" \
-d '{
  "recipeCode": "REC-001",
  "headcount": 350
}'
```

Response (HTTP 200)

```
{
  "success": true,
  "recipeName": "Kathiyawadi Khichdi & Gujarati Kadhi",
  "gujaratiRecipeName": "કાઠિયાવાડી ખીચડી અને ગુજરાતી કઢી",
  "headcount": 350,
  "ingredients": [
    {
      "name": "Basmati Rice",
      "gujaratiName": "બાસમતી",
      "baseQuantityFor10": 1.2,
      "calculatedQuantity": 42.0,
      "unit": "kg",
      "notes": "Wash and soak 30 min"
    },
    {
      "name": "Tuver Dal & Moong Dal",
      "gujaratiName": "તુવર દાલ અને મુગ દાલ",
      "baseQuantityFor10": 0.8,
      "calculatedQuantity": 28.0,
      "unit": "kg"
    },
    {
      "name": "Desi Cow Ghee",
      "gujaratiName": "દેશી ઘી",
      "baseQuantityFor10": 0.4,
      "calculatedQuantity": 14.0,
      "unit": "kg"
    }
  ]
}
```

11. Carpool & Transportation

11.1 List Scheduled Carpool Rides

- **Endpoint:** GET /api/transportation/rides

```
curl -X GET https://hari-sumiran-admin-dashboard.vercel.app/api/transportation/rides \
-H "Accept: application/json"
```

11.2 Offer a Carpool Ride

- **Endpoint:** POST /api/transportation/rides
- **Description:** Devotee driver registers empty seats in their vehicle for Sabha or Event travel.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/transportation/rides \
-H "Content-Type: application/json" \
-d '{
  "title": "Ride from Station Road to Mandir",
  "gujaratiTitle": "સ્ટેશન રોડ થી મંદિર સુધી રાઈડ",
  "driverName": "Amitbhai Soni",
  "driverPhone": "9825098765",
  "vehicleModel": "Toyota Innova Crysta (White)",
  "vehicleNumber": "GJ-07-AB-1234",
  "totalSeats": 6,
  "departureTime": "2026-09-13T17:15:00",
  "departureLocation": "Station Road Cross, Nadiad",
  "destination": "HariPrabodham Mandir, Nadiad",
  "routeNotes": "Can pick up devotees near College Road and Santram Mandir."
}'
```

11.3 Request a Seat on a Ride

- **Endpoint:** POST /api/transportation/request
- **Description:** Passenger requests 1 or more seats with a specified pickup point.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/transportation/request \
-H "Content-Type: application/json" \
-d '{
  "rideId": "66dd6001000000000000000001",
  "passengerName": "Pranav Parmar",
  "passengerPhone": "9825012345",
  "pickupPoint": "College Road Bus Stand",
  "seatsRequested": 2
}'
```

11.4 Driver Approve / Reject Passenger Request

- **Endpoint:** PUT /api/transportation/request
- **Action:** approve or reject

```
# Driver approves seat
curl -X PUT https://hari-sumiran-admin-dashboard.vercel.app/api/transportation/request \
-H "Content-Type: application/json" \
-d '{
  "rideId": "66dd6001000000000000000001",
  "requestId": "REQ-1234",
  "action": "approve"
}'
```

12. Families & Household Directory

12.1 Search & Filter Families

- **Endpoint:** GET /api/families
- **Query Parameters:**
 - search : Search name, captain name, phone, or address
 - area : Filter area (e.g. Station Road , Santram Road , College Road)
 - engagement : High , Medium , Low , At-Risk
 - status : Active , Pending Review , Duplicate Flagged

```
curl -X GET "https://hari-sumiran-admin-dashboard.vercel.app/api/families?
search=Patel&area=Station%20Road" \
-H "Accept: application/json"
```

12.2 Register a New Household Family

- **Endpoint:** POST /api/families
- **Description:** Includes duplicate detection check on phone and name.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/families \
-H "Content-Type: application/json" \
-d '{
  "name": "Patel Household (Nitinbhai)",
  "gujaratiName": "પટેલ પરિવાર (નિતિનભાઈ)",
  "captainName": "Nitinbhai Patel",
  "phone": "9825011223",
  "alternatePhone": "9825011224",
  "address": "B-402, Shivalik Heights, Station Road",
  "area": "Station Road",
  "zone": "Central Nadiad",
  "notes": "Active family, interested in Thal and Kitchen seva.",
  "members": [
    {
      "name": "Nitinbhai Patel",
      "dob": "1975-04-12",
      "gender": "Male",
      "relationship": "Head of Family",
      "sevaSkills": ["Thal Coordination", "Admin"]
    },
    {
      "name": "Geetaben Patel",
      "dob": "1978-08-20",
      "gender": "Female",
      "relationship": "Spouse",
      "sevaSkills": ["Kitchen Preparation", "Rangoli"]
    }
  ]
}'
```

12.3 Get Family Deep 360-Degree Profile

- **Endpoint:** GET /api/families/[id]
- **Description:** Fetches family details, linked members, active follow-up cases, Thal history, and interaction audit trail.

```
curl -X GET "https://hari-sumiran-admin-
dashboard.vercel.app/api/families/66dd100100000000000000010" \
-H "Accept: application/json"
```

12.4 Log Pastoral Interaction & Open Follow-Up Case

- **Endpoint:** POST /api/families/[id]

```
curl -X POST "https://hari-sumiran-admin-  
dashboard.vercel.app/api/families/66dd100100000000000000010" \  
-H "Content-Type: application/json" \  
-d '{  
  "interactionType": "Home Visit",  
  "notes": "Visited family for Padharmani. Both parents are healthy. Son requested youth sabha  
reminder.",  
  "requiresFollowUp": true,  
  "urgency": "Upcoming",  
  "category": "Youth Engagement"  
}'
```

13. Member Registry & Verification Queue

13.1 Search Members

- **Endpoint:** GET /api/members
- **Query Parameters:**
 - **search**: Name, phone, memberCode
 - **skill**: Filter by seva skill (e.g. Sound, Kitchen, Medical)
 - **status**: Verified, Pending Verification, Rejected
 - **familyId**: Filter members of a specific family

```
curl -X GET "https://hari-sumiran-admin-dashboard.vercel.app/api/members?  
status=Pending%20Verification" \  
-H "Accept: application/json"
```

13.2 Register Canonical Member with Auto QR Code

- **Endpoint:** POST /api/members

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/members \
-H "Content-Type: application/json" \
-d '{
  "familyName": "Patel Household (Rameshbhai)",
  "name": "Harsh Patel",
  "gujaratiName": "હર્ષ પટેલ",
  "dob": "2002-06-15",
  "gender": "Male",
  "phone": "9825099887",
  "email": "harsh.patel@gmail.com",
  "relationship": "Son",
  "sabhaCategory": "Youth Male",
  "sevaSkills": ["Sound & Audio", "Photography", "Live Streaming"],
  "communicationConsent": true,
  "photoConsent": true
}'
```

13.3 Verify / Update Member

- **Endpoint:** PUT /api/members/[id]

```
curl -X PUT "https://hari-sumiran-admin-
dashboard.vercel.app/api/members/66dd40010000000000000001" \
-H "Content-Type: application/json" \
-d '{
  "verificationStatus": "Verified"
}'
```

14. Karyakarta Follow-Up & Pastoral Care

14.1 List Follow-Up Cases

- **Endpoint:** GET /api/follow-up
- **Query Parameters:**
 - **urgency:** Overdue, Due Today, Upcoming
 - **status:** Open, Visit Planned, Pending Approval, Closed

```
curl -X GET "https://hari-sumiran-admin-dashboard.vercel.app/api/follow-up?
urgency=Overdue&status=Open" \
-H "Accept: application/json"
```

14.2 Create Follow-Up Case

- **Endpoint:** POST /api/follow-up

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/follow-up \
-H "Content-Type: application/json" \
-d '{
  "familyId": "66dd10010000000000000010",
  "familyName": "Patel Household (Rameshbhai)",
  "category": "Extended Absence",
  "urgency": "Due Today",
  "dueDate": "2026-09-12",
  "assignedKaryakartaName": "Jaimin Trivedi",
  "initialNote": "Absent from last 3 Sunday sabhas. Please call and schedule visit."
}'
```

14.3 Add Confidential Note / Plan Visit / Request Closure

- **Endpoint:** PUT /api/follow-up/[id]
- **Action:** add_note, plan_visit, request_closure, approve_closure

```
# Add a confidential note
curl -X PUT "https://hari-sumiran-admin-dashboard.vercel.app/api/follow-up/66dd70010000000000000001" \
-H "Content-Type: application/json" \
-d '{
  "action": "add_note",
  "authorName": "Jaimin Trivedi",
  "note": "Spoke to father on phone. Family was out of town for wedding. Will attend this Sunday."
}'
```

15. Assets, Borrowing & Room Bookings

15.1 List Assets & Facilities

- **Endpoint:** GET /api/assets

```
curl -X GET https://hari-sumiran-admin-dashboard.vercel.app/api/assets \
-H "Accept: application/json"
```

15.2 Borrow / Return Equipment

- **Endpoint:** POST /api/assets/borrow
- **Action:** borrow, return, report_maintenance

```
# Borrow wireless microphone
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/assets/borrow \
-H "Content-Type: application/json" \
-d '{
  "assetId": "66dd8001000000000000000001",
  "action": "borrow",
  "holderName": "Pranav Parmar",
  "returnDate": "2026-09-14"
}'
```

15.3 Book Sabha Hall / Room with Collision Check

- **Endpoint:** POST /api/assets/rooms

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/assets/rooms \
-H "Content-Type: application/json" \
-d '{
  "roomName": "Main Satsang Hall",
  "purpose": "Yuva Mandal Kirtan Practice",
  "bookedBy": "Harsh Patel",
  "date": "2026-09-12",
  "startTime": "15:00",
  "endTime": "17:00",
  "attendees": 25
}'
```

16. Events, Mahotsav & QR Gate Passes

16.1 List Upcoming Events & Mahotsav

- **Endpoint:** GET /api/events

```
curl -X GET https://hari-sumiran-admin-dashboard.vercel.app/api/events \
-H "Accept: application/json"
```

16.2 Generate Digital QR Gate Pass for Devotee

- **Endpoint:** POST /api/events/register
- **Description:** Generates a verified entrance pass code (PASS-2026-XXXX) for scanning at event gates.

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/events/register \
-H "Content-Type: application/json" \
-d '{
  "eventId": "66dd90010000000000000001",
  "memberName": "Pranav Parmar",
  "memberId": "66dd40010000000000000001",
  "familyId": "66dd10010000000000000010"
}'
```

Response (HTTP 200)

```
{
  "success": true,
  "message": "Event pass generated successfully",
  "passCode": "PASS-2026-7K9A2",
  "registration": {
    "_id": "66dd95010000000000000001",
    "eventId": "66dd90010000000000000001",
    "eventTitle": "Janmashtami Mahotsav 2026",
    "memberName": "Pranav Parmar",
    "passCode": "PASS-2026-7K9A2",
    "status": "Registered"
  }
}
```

17. Announcements, Analytics & Admin Seed

17.1 Broadcast Announcement

- **Endpoint:** POST /api/announcements

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/announcements \
-H "Content-Type: application/json" \
-d '{
  "title": "Special Jal Jhilani Ekadashi Utsav this Friday",
  "gujaratiTitle": "આ શુક્રવારે વિશેષ જલ ઝીલણી એકાદશી ઉત્સવ",
  "body": "Jay Swaminarayan! All devotees are cordially invited for the Jal Jhilani Utsav and boat procession at 5:30 PM followed by Mahaprasad.",
  "targetAudience": "Everyone",
  "channels": ["App Push", "WhatsApp"],
  "authorName": "Mandir Office"
}'
```

17.2 Get Executive Analytics & Attendance Trends

- **Endpoint:** GET /api/analytics

```
curl -X GET https://hari-sumiran-admin-dashboard.vercel.app/api/analytics \
-H "Accept: application/json"
```

17.3 System Role Permissions Matrix & Audit Logs

- **Endpoint:** GET /api/admin

```
curl -X GET https://hari-sumiran-admin-dashboard.vercel.app/api/admin \
-H "Accept: application/json"
```

17.4 Database Reset & Seed Operational Data

- **Endpoint:** POST /api/seed
- **Description:** Flushes and repopulates database with pristine September 2026 operational records (60 Thal turns, 30 families, 120 members, recipes, rides, sabhas).

```
curl -X POST https://hari-sumiran-admin-dashboard.vercel.app/api/seed \
-H "Content-Type: application/json"
```

18. Mobile Client Developer Best Practices

1. QR Code Formats

- **Member Digital ID QR:** MEMBER:<MEMBER_CODE>:<NAME>
(Example: MEMBER:MEM-NAD-001:PRANAV_PARMAR)
- **Event Gate Pass QR:** PASS:<EVENT_CODE>:<PASS_CODE>
(Example: PASS:EVT-2026-001:PASS-2026-7K9A2)
- **Thal Turn Verification QR:** THAL:<SCHEDULE_CODE>:<FAMILY_CODE>
(Example: THAL:THAL-2026-0901-M:FAM-NAD-001)

2. Local Caching & Offline Mode

- Cache GET /api/dashboard/home and member profile in SQLite / Hive / CoreData.
- When offline, allow Sabha attendance QR scanning into local queue, then batch-post via POST /api/sabha/attendance on network reconnection.

3. Biometric Authentication Workflow

1. On initial login with PIN (3690), receive JWT token and store securely in Keychain / EncryptedSharedPreferences.
2. Prompt devotee: "Enable Face ID / Fingerprint unlock for HariSumiran".

3. On subsequent app cold starts, authenticate biometric locally on device without requiring PIN re-entry.