

UML Diagrams

Structural
(7)

Behavioral
(7)

(2) only to read.

Structure

1) class Diagram

90% in interview

Behi

2) Sequence Diagram.


Imp

CD →

Class Structure

Association / Connection

<< abstract >>



} → Class Name -

} character variable

} method

} Behavior

Access Modifier

P P P

Public ✓ ✓ ✓

Protect ✓ ✓ x

Private ✓ x x


(+)

(#)

(-)

Type of class

Abstract Class Virtual Class.
Concrete class.



20:00

Association / connection

Class




Inheritance

object



Simple

Aggregation Composition



Composition

Class A

m1():

class B : Pub A

m2():

m1():

B* b : n B();


b → m1();

b → m2();


Inheritance is a relationship

~~Animal~~ Cow is a animal

class
object 1) → inheritance
2) → simple
→ ◆



Individual
could be



3) ◆
(has-a)

```

class A {
    met1();
}
    
```

```

class B {
    A* a;
    B() { a = new A(); }
}
    
```

Home work -
Manual Car
Electric Car.

Composition in Code -

```
Class A {  
    method 1();  
}
```


```
Class B {  
    A* a;  
    B() {  
        a = new A();  
    }  
    method 2();  
}
```

```
main() {  
    B* b = new B();  
    b → method 2();  
    b → a → method 1();  
}
```

→ Sequence Diagram

Menu = Restaurant

Sequence Diagram very low in UML Revist



1) object. ^{class} A B C D

2) Lifeline

Start → A



3) Activation bar

B ← Mid.

4) Message

Async



Sync.



header file -



Create Message

Destroy Message



Lost Message

Found Message




How to draw


1 - - - * has been

How to draw


1) use case




2) Object



3) Draw





Term

alt : (if else)
 option : if
 loop : just loop.