



BANGLADESH UNIVERSITY OF PROFESSIONALS (BUP)


OOP Project

Title: Restaurant's Billing System


1		
	Student Name	Student ID
	Aysha Begum	2252421043
	Shanjida Afrin	2252421087
	Paromita Chanda Joya	2252421089
	Labiba Alam	2252421111
2	Name of the university : Bangladesh University of Professionals	
3	Name of the department : Computer Science and Engineering	
4	Name of the course : OOP Laboratory	
5	Course Code : CSE-2208	

Output:


- Initial Output:



- Output after putting information and pressing “Generate Bill” Button:



- **Output after pressing “Clear” Button:**



Code:

```

/*
 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this
 license
 * Click nbfs://nbhost/SystemFileSystem/Templates/GUIForms/JFrame.java to edit this template
 */
package oop_project;

/**
 *
 * @author lenovo
 */
public class oop_projectt extends javax.swing.JFrame {

    /**
     * Creates new form oop_projectt
     */
    public oop_projectt() {

```

```

        initComponents();
    }

/**
 * This method is called from within the constructor to initialize the form.
 * WARNING: Do NOT modify this code. The content of this method is always
 * regenerated by the Form Editor.
 */
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jLabel5 = new javax.swing.JLabel();
    jLabel1 = new javax.swing.JLabel();
    jLabel2 = new javax.swing.JLabel();
    jLabel3 = new javax.swing.JLabel();
    jLabel4 = new javax.swing.JLabel();
    jTextField1 = new javax.swing.JTextField();
    jTextField2 = new javax.swing.JTextField();
    jTextField3 = new javax.swing.JTextField();
    jLabel6 = new javax.swing.JLabel();
    jTextField4 = new javax.swing.JTextField();
    jLabel7 = new javax.swing.JLabel();
    jTextField5 = new javax.swing.JTextField();
    jLabel8 = new javax.swing.JLabel();
    jTextField6 = new javax.swing.JTextField();
    jPanel1 = new javax.swing.JPanel();
    jLabel9 = new javax.swing.JLabel();
    jLabel11 = new javax.swing.JLabel();
    jLabel12 = new javax.swing.JLabel();
    jLabel13 = new javax.swing.JLabel();
    jLabel14 = new javax.swing.JLabel();
    jLabel15 = new javax.swing.JLabel();
    jLabel16 = new javax.swing.JLabel();
    jTextField9 = new javax.swing.JTextField();
    jTextField10 = new javax.swing.JTextField();

```

```
jTextField11 = new javax.swing.JTextField();
jTextField12 = new javax.swing.JTextField();
jCheckBox5 = new javax.swing.JCheckBox();
jCheckBox6 = new javax.swing.JCheckBox();
jCheckBox7 = new javax.swing.JCheckBox();
jCheckBox8 = new javax.swing.JCheckBox();
jPanel2 = new javax.swing.JPanel();
jLabel10 = new javax.swing.JLabel();
jCheckBox1 = new javax.swing.JCheckBox();
jCheckBox2 = new javax.swing.JCheckBox();
jCheckBox3 = new javax.swing.JCheckBox();
jCheckBox4 = new javax.swing.JCheckBox();
jLabel17 = new javax.swing.JLabel();
jLabel18 = new javax.swing.JLabel();
jLabel19 = new javax.swing.JLabel();
jLabel20 = new javax.swing.JLabel();
jLabel21 = new javax.swing.JLabel();
jLabel22 = new javax.swing.JLabel();
jTextField13 = new javax.swing.JTextField();
jTextField14 = new javax.swing.JTextField();
jTextField15 = new javax.swing.JTextField();
jTextField16 = new javax.swing.JTextField();
jButton1 = new javax.swing.JButton();
jButton2 = new javax.swing.JButton();
jScrollPane1 = new javax.swing.JScrollPane();
jTextArea1 = new javax.swing.JTextArea();
```

```
jLabel5.setText("jLabel5");
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setBackground(new java.awt.Color(153, 204, 255));
setForeground(java.awt.Color.white);
getContentPane().setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());
```

```
jLabel1.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
jLabel1.setText("ABC Burger Bill Generator");
```

```
getContentPane().add(jLabel1, new org.netbeans.lib.awtextra.AbsoluteConstraints(324, 15, -1, -1));
```

```
jLabel2.setText("Order No");
getContentPane().add(jLabel2, new org.netbeans.lib.awtextra.AbsoluteConstraints(73, 69, -1, -1));
```

```
jLabel3.setText("Customer Name");
getContentPane().add(jLabel3, new org.netbeans.lib.awtextra.AbsoluteConstraints(73, 97, -1, -1));
```

```
jLabel4.setText("Date");
getContentPane().add(jLabel4, new org.netbeans.lib.awtextra.AbsoluteConstraints(73, 125, -1, -1));
getContentPane().add(jTextField1, new org.netbeans.lib.awtextra.AbsoluteConstraints(178, 66, 158, -1));
getContentPane().add(jTextField2, new org.netbeans.lib.awtextra.AbsoluteConstraints(178, 94, 158, -1));
getContentPane().add(jTextField3, new org.netbeans.lib.awtextra.AbsoluteConstraints(178, 122, 158, -1));
```

```
jLabel6.setText("Cost of Burger");
getContentPane().add(jLabel6, new org.netbeans.lib.awtextra.AbsoluteConstraints(443, 69, -1, -1));
```

```
jTextField4.setText("(auto generated)");
jTextField4.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jTextField4ActionPerformed(evt);
    }
});
getContentPane().add(jTextField4, new org.netbeans.lib.awtextra.AbsoluteConstraints(574, 66, 152, -1));
```

```
jLabel7.setText("Amount");
getContentPane().add(jLabel7, new org.netbeans.lib.awtextra.AbsoluteConstraints(443, 125, 49, -1));
```

```
jTextField5.setText("(auto generated)");  
getContentPane().add(jTextField5, new org.netbeans.lib.awtextra.AbsoluteConstraints(574,  
122, 152, -1));
```

```
jLabel8.setText("Cost of sides");  
getContentPane().add(jLabel8, new org.netbeans.lib.awtextra.AbsoluteConstraints(443, 97, -  
1, -1));
```

```
jTextField6.setText("(auto generated)");  
jTextField6.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jTextField6ActionPerformed(evt);  
    }  
});  
getContentPane().add(jTextField6, new org.netbeans.lib.awtextra.AbsoluteConstraints(574,  
94, 152, -1));
```

```
jPanel1.setBorder(javax.swing.BorderFactory.createLineBorder(new java.awt.Color(0, 0,  
0)));
```

```
jLabel9.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N  
jLabel9.setText("Choice of Burger");
```

```
jLabel11.setFont(new java.awt.Font("Segoe UI", 3, 14)); // NOI18N  
jLabel11.setText("Price");
```

```
jLabel12.setFont(new java.awt.Font("Segoe UI", 3, 12)); // NOI18N  
jLabel12.setText("160 Tk");
```

```
jLabel13.setFont(new java.awt.Font("Segoe UI", 3, 12)); // NOI18N  
jLabel13.setText("200 Tk");
```

```
jLabel14.setFont(new java.awt.Font("Segoe UI", 3, 12)); // NOI18N  
jLabel14.setText("180 Tk");
```

```
jLabel15.setFont(new java.awt.Font("Segoe UI", 3, 12)); // NOI18N
```

```

jLabel15.setText("220 Tk");

jLabel16.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
jLabel16.setText("Quantity");

jCheckBox5.setText("Beef Sausage Delight");

jCheckBox6.setText("Beef Cheese Burger");

jCheckBox7.setText("Chicken Sausage Delight");

jCheckBox8.setText("Chicken Cheese Burger");

javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(
    jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .add(jPanel1Layout.createSequentialGroup()
                        .addGroup(jPanel1Layout.createSequentialGroup().addContainerGap(
Short.MAX_VALUE)
                        .addComponent(jTextField10, javax.swing.GroupLayout.PREFERRED_SIZE, 78,
javax.swing.GroupLayout.PREFERRED_SIZE))
                    .addGroup(jPanel1Layout.createSequentialGroup().addGroup(jPanel1Layout.createSequentialGroup().addGap(23, 23, 23)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING,
false)
            .addComponent(jLabel9)
            .addComponent(jCheckBox5, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jCheckBox6)

```



```

        .addComponent(jCheckBox8,    javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jCheckBox7,    javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(57, 57, 57)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING
)

        .addComponent(jLabel11)
        .addComponent(jLabel12)
        .addComponent(jLabel13)
        .addComponent(jLabel14)
        .addComponent(jLabel15))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 57,
Short.MAX_VALUE)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING
)

        .addComponent(jTextField9,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE,          78,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jTextField11,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE,          78,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jTextField12,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE,          78,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
        .addComponent(jLabel16)
        .addGap(11, 11, 11))))
        .addGap(14, 14, 14)
);
jPanel1Layout.setVerticalGroup(

```

```

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel1Layout.createSequentialGroup())

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING
)
.addComponent(jLabel9, javax.swing.GroupLayout.PREFERRED_SIZE, 16,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGroup(jPanel1Layout.createSequentialGroup())
.addContainerGap())

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELIN
E)
.addComponent(jLabel11)
.addComponent(jLabel16))))
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING
)
.addComponent(jCheckBox8)
.addComponent(jTextField9, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jLabel12))
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING
)
.addComponent(jCheckBox7)
.addComponent(jTextField10, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jLabel13))
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING
)
.addComponent(jCheckBox6)
.addComponent(jTextField11, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addComponent(jLabel14))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING
)
        .addComponent(jCheckBox5)
        .addComponent(jTextField12, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jLabel15))
        .addContainerGap(29, Short.MAX_VALUE))
);

getContentPane().add(jPanel1, new org.netbeans.lib.awtextra.AbsoluteConstraints(54, 172, -
1, -1));

jPanel2.setBorder(javax.swing.BorderFactory.createLineBorder(new java.awt.Color(0, 0,
0)));

jLabel10.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
jLabel10.setText("Sides");

jCheckBox1.setText("Wedges");
jCheckBox1.setActionCommand("Mushroom");

jCheckBox2.setText("Bbq sauce");

jCheckBox3.setText("Coke");

jCheckBox4.setText("French Fries");
jCheckBox4.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox4ActionPerformed(evt);
    }
});

jLabel17.setFont(new java.awt.Font("Segoe UI", 3, 14)); // NOI18N
jLabel17.setText("Price");

```



```

        .addGroup(jPanel2Layout.createSequentialGroup())
        .addComponent(jLabel18)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jTextField13,
javax.swing.GroupLayout.PREFERRED_SIZE, 57,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel2Layout.createSequentialGroup())
        .addComponent(jLabel19)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jTextField14,
javax.swing.GroupLayout.PREFERRED_SIZE, 57,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel2Layout.createSequentialGroup())
        .addComponent(jLabel21)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 40,
Short.MAX_VALUE)
        .addComponent(jTextField16,
javax.swing.GroupLayout.PREFERRED_SIZE, 57,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel2Layout.createSequentialGroup())
        .addComponent(jLabel20)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jTextField15,
javax.swing.GroupLayout.PREFERRED_SIZE, 57,
javax.swing.GroupLayout.PREFERRED_SIZE))))
        .addGroup(jPanel2Layout.createSequentialGroup())
        .addComponent(jLabel10)
        .addGap(80, 80, 80)
        .addComponent(jLabel17)

```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jLabel22)))
    .addContainerGap()
);
jPanel2Layout.setVerticalGroup(
    jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELIN
E)
        .addComponent(jLabel10)
        .addComponent(jLabel17)
        .addComponent(jLabel22))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELIN
E)
        .addComponent(jCheckBox1)
        .addComponent(jLabel18)
        .addComponent(jTextField13, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELIN
E)
        .addComponent(jCheckBox2)
        .addComponent(jLabel19)
        .addComponent(jTextField14, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELIN
E)
        .addComponent(jCheckBox3)
        .addComponent(jLabel20)

```

```

        .addComponent(jTextField15,      javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASLIN
E)

        .addComponent(jCheckBox4)
        .addComponent(jLabel21)
        .addComponent(jTextField16,      javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
        .addContainerGap(35, Short.MAX_VALUE))
    );

    getContentPane().add(jPanel2, new org.netbeans.lib.awtextra.AbsoluteConstraints(510, 170,
-1, 169));

    jButton1.setFont(new java.awt.Font("Segoe UI", 1, 12)); // NOI18N
    jButton1.setText("Generate Bill");
    jButton1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton1ActionPerformed(evt);
        }
    });
    getContentPane().add(jButton1, new org.netbeans.lib.awtextra.AbsoluteConstraints(54, 373,
-1, -1));

    jButton2.setFont(new java.awt.Font("Segoe UI", 1, 12)); // NOI18N
    jButton2.setText("Clear");
    jButton2.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton2ActionPerformed(evt);
        }
    });
    getContentPane().add(jButton2, new org.netbeans.lib.awtextra.AbsoluteConstraints(510,
370, -1, -1));

    jTextArea1.setColumns(20);

```

```

        jTextArea1.setRows(5);
        jTextArea1.setText("(Bill will be generated here)");
        jScrollPane1.setViewportView(jTextArea1);

        getContentPane().add(jScrollPane1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(131, 438, 509, -1));

        pack();
    }// </editor-fold>

    private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        jTextField1.setText("");
        jTextField2.setText("");
        jTextField3.setText("");
        jTextField4.setText("(auto generated)");
        jTextField5.setText("(auto generated)");
        jTextField6.setText("(auto generated)");
        jTextField9.setText("");
        jTextField10.setText("");
        jTextField11.setText("");
        jTextField12.setText("");
        jTextField13.setText("");
        jTextField14.setText("");
        jTextField15.setText("");
        jTextField16.setText("");
        jCheckBox5.setSelected(false);
        jCheckBox6.setSelected(false);
        jCheckBox7.setSelected(false);
        jCheckBox8.setSelected(false);
        jCheckBox1.setSelected(false);
        jCheckBox2.setSelected(false);
        jCheckBox3.setSelected(false);
        jCheckBox4.setSelected(false);
        jTextArea1.setText("(Bill will be generated here)");
        //jTextField7.setText("");
    }

```



```

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    int orderno
    = Integer.parseInt(
        jTextField1.getText());
String custname
    = jTextField2.getText();
String Date
    = jTextField3.getText();
/*int qty
    = Integer.parseInt(
        jTextField3.getText());*/
int qtyburger1;

int qtyburger2;

int qtyburger3;

int qtyburger4;

int qtySide1,qtySide2,qtySide3,qtySide4;

double rate = 0;

// Burger Type conditions
if (jCheckBox8.isSelected()) {
    qtyburger1
    = Integer.parseInt(
        jTextField9.getText());
    rate += 160*qtyburger1;
}
if (jCheckBox7.isSelected()) {
    qtyburger2
    = Integer.parseInt(
        jTextField10.getText());

```

```

        rate += 200*qtyburger2;
    }
    if (jCheckBox6.isSelected()) {
        qtyburger3
        = Integer.parseInt(
            jTextField11.getText());
        rate += 180*qtyburger3;
    }
    if (jCheckBox5.isSelected()) {
        qtyburger4
        = Integer.parseInt(
            jTextField12.getText());
        rate += 220*qtyburger4;
    }
    // Displays rate of selected burger
    // type in TextField
    jTextField4.setText(
        "" + rate);

    double topamt = 0;

    // Pizza toppings conditions
    if (jCheckBox1.isSelected()) {
        qtySide1
        = Integer.parseInt(
            jTextField13.getText());
        topamt += 90*qtySide1;
    }
    if (jCheckBox2.isSelected()) {
        qtySide2
        = Integer.parseInt(
            jTextField14.getText());
        topamt = topamt + (30*qtySide2);
    }
    if (jCheckBox3.isSelected()) {
        qtySide3

```

```

        = Integer.parseInt(
            jTextField15.getText());
        topamt = topamt + (40*qtySide3);
    }
    if (jCheckBox4.isSelected()) {
        qtySide4
        = Integer.parseInt(
            jTextField16.getText());
        topamt = topamt + (100*qtySide4);
    }
    // Displays total amount of
    // selected pizza toppings in TextField
    jTextField6.setText(
        ""
        + topamt);

    // Total amount is calculated
    double totalpayable
        = rate + topamt;
    jTextField5.setText("" + totalpayable);

    // Displays order details
    jTextArea1.setText(
        "Hello, your Order Id is: " + orderno
        + "\nName: " + custname
        + "\nAMOUNT PAYABLE IS: " + totalpayable
        + "\nDate: " + Date
    );
}

private void jTextField4ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

private void jTextField6ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

```

```

    }

    private void jCheckBox4ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
    }

    /**
     * @param args the command line arguments
     */
    public static void main(String args[]) {
        /* Set the Nimbus look and feel */
        //<editor-fold defaultstate="collapsed" desc=" Look and feel setting code (optional) ">
        /* If Nimbus (introduced in Java SE 6) is not available, stay with the default look and feel.
         * For details see http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.html
         */
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
                javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {
                    javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;
                }
            }
        } catch (ClassNotFoundException ex) {

            java.util.logging.Logger.getLogger(oop_projectt.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
        } catch (InstantiationException ex) {

            java.util.logging.Logger.getLogger(oop_projectt.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
        } catch (IllegalAccessException ex) {

            java.util.logging.Logger.getLogger(oop_projectt.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
        } catch (javax.swing.UnsupportedLookAndFeelException ex) {

```

```
java.util.logging.Logger.getLogger(oop_projectt.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
```

```
}
```

```
//</editor-fold>
```

```
/* Create and display the form */
```

```
java.awt.EventQueue.invokeLater(new Runnable() {
```

```
    public void run() {
```

```
        new oop_projectt().setVisible(true);
```

```
    }
```

```
});
```

```
}
```

```
// Variables declaration - do not modify
```

```
private javax.swing.JButton jButton1;
```

```
private javax.swing.JButton jButton2;
```

```
private javax.swing.JCheckBox jCheckBox1;
```

```
private javax.swing.JCheckBox jCheckBox2;
```

```
private javax.swing.JCheckBox jCheckBox3;
```

```
private javax.swing.JCheckBox jCheckBox4;
```

```
private javax.swing.JCheckBox jCheckBox5;
```

```
private javax.swing.JCheckBox jCheckBox6;
```

```
private javax.swing.JCheckBox jCheckBox7;
```

```
private javax.swing.JCheckBox jCheckBox8;
```

```
private javax.swing.JLabel jLabel1;
```

```
private javax.swing.JLabel jLabel10;
```

```
private javax.swing.JLabel jLabel11;
```

```
private javax.swing.JLabel jLabel12;
```

```
private javax.swing.JLabel jLabel13;
```

```
private javax.swing.JLabel jLabel14;
```

```
private javax.swing.JLabel jLabel15;
```

```
private javax.swing.JLabel jLabel16;
```

```
private javax.swing.JLabel jLabel17;
```

```
private javax.swing.JLabel jLabel18;
```

```
private javax.swing.JLabel jLabel19;
```

```
private javax.swing.JLabel jLabel2;
```

```
private javax.swing.JLabel jLabel20;
private javax.swing.JLabel jLabel21;
private javax.swing.JLabel jLabel22;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JScrollPane jScrollPane1;
private javax.swing.JTextArea jTextArea1;
private javax.swing.JTextField jTextField1;
private javax.swing.JTextField jTextField10;
private javax.swing.JTextField jTextField11;
private javax.swing.JTextField jTextField12;
private javax.swing.JTextField jTextField13;
private javax.swing.JTextField jTextField14;
private javax.swing.JTextField jTextField15;
private javax.swing.JTextField jTextField16;
private javax.swing.JTextField jTextField2;
private javax.swing.JTextField jTextField3;
private javax.swing.JTextField jTextField4;
private javax.swing.JTextField jTextField5;
private javax.swing.JTextField jTextField6;
private javax.swing.JTextField jTextField9;
// End of variables declaration
}
```