

Saved Previous Report vs Current Report

Professional comparison summary · Educational support only · Not a confirmed diagnosis

Generated 2026-05-18 16:57	Compared Values 7	Improved 0	Needs Attention 1
Stable 6	Previous Abnormal 3	Current Abnormal 3	Risk Category High Risk

Comparison Summary

Abnormal / Worsened Parameters

- Hemoglobin: 10.4 → 10.4 g/dl (Unchanged, Δ 0.0, 0.0%); status Low → Low. Hemoglobin is stable based on the detected reference interval.
- Mch: 25.0 → 23.1 pg (Decreased, Δ -1.9, -7.6%); status Low → Low. Mch remains abnormal and has moved further away from the reference interval.
- Monocytes: 11.0 → 11.0 % (Unchanged, Δ 0.0, 0.0%); status High → High. Monocytes is stable based on the detected reference interval.

Improved / Normalized Parameters

- No clearly improved matched parameter was detected from the parsed values.

Stable Parameters

- Basophils: 0.4 → 0.4 % (Unchanged, Δ 0.0, 0.0%); status Normal → Normal. Basophils is stable based on the detected reference interval.
- Eosinophils: 6.0 → 2.6 % (Decreased, Δ -3.4, -56.7%); status Normal → Normal. Eosinophils changed numerically but remains within the reference interval.
- Mcv: 78.7 → 78.7 fL (Unchanged, Δ 0.0, 0.0%); status Normal → Normal. Mcv is stable based on the detected reference interval.
- Neutrophils: 70.4 → 70.4 % (Unchanged, Δ 0.0, 0.0%); status Normal → Normal. Neutrophils is stable based on the detected reference interval.

Suggested Doctor Discussion Points

- Discuss Hemoglobin because current status is Low and trend is unchanged.
- Discuss Mch because current status is Low and trend is decreased.
- Discuss Monocytes because current status is High and trend is unchanged.

Detailed Parameter-by-Parameter Comparison

Parameter	Previous	Current	Delta	% Change	Reference Range	Prev Status	Current Status	Progress	Technical Interpretation
Basophils	0.4 %	0.4 %	0.0	0.0%	0.0 - 1.0	Normal	Normal	Stable	Basophils is stable based on the detected reference interval.
Eosinophils	6.0 %	2.6 %	-3.4	-56.7%	0.3 - 7.4	Normal	Normal	Stable	Eosinophils changed numerically but remains within the reference interval.
Hemoglobin	10.4 g/dl	10.4 g/dl	0.0	0.0%	11.0 - 14.5	Low	Low	Stable	Hemoglobin is stable based on the detected reference interval.
Mch	25.0 pg	23.1 pg	-1.9	-7.6%	25.3 - 31.7	Low	Low	Worsened	Mch remains abnormal and has moved further away from the reference interval.
Mcv	78.7 fL	78.7 fL	0.0	0.0%	78.1 - 95.3	Normal	Normal	Stable	Mcv is stable based on the detected reference interval.
Monocytes	11.0 %	11.0 %	0.0	0.0%	3.9 - 10.0	High	High	Stable	Monocytes is stable based on the detected reference interval.
Neutrophils	70.4 %	70.4 %	0.0	0.0%	34.9 - 76.2	Normal	Normal	Stable	Neutrophils is stable based on the detected reference interval.

Important Disclaimer: This comparison is for educational support only. It does not replace a doctor's diagnosis. Please consult a qualified healthcare professional for final interpretation.