

Calmativ Portfolio API

Overview

Security

Type	Name	Scopes
apiKey	Bearer	

Paths

GET /api/admin/users

Responses

Code	Description	Links
200	Success	No Links

GET /api/admin/users/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success	No Links

DELETE /api/admin/users/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success	No Links

GET /api/admin/users/{id}/portfolios

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success	No Links

GET /api/admin/users/{id}/activities

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success	No Links

GET /api/admin/dashboard

Responses

Code	Description	Links
200	Success	No Links

GET /api/admin/asset-types

Responses

Code	Description	Links
200	Success	No Links

GET /api/admin/asset-types/custom/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success	No Links

PUT /api/admin/asset-types/custom/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success	No Links

DELETE /api/admin/asset-types/custom/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success	No Links

POST /api/admin/asset-types/custom

Responses

Code	Description	Links
200	Success	No Links

GET /api/Asset/portfolio/{portfolioId}

Parameters

Type	Name	Description	Schema
path	portfolioId <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

GET /api/Asset/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

PUT /api/Asset/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

DELETE /api/Asset/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success	No Links

POST /api/Asset

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

GET /api/Asset/{id}/price-history

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

POST /api/Asset/update-prices

Responses

Code	Description	Links
200	Success	No Links

GET /api/Asset/types

Responses

Code	Description	Links
200	Success	No Links

POST /api/Auth/register

Responses

Code	Description	Links
200	Success	No Links

POST /api/Auth/login

Responses

Code	Description	Links
200	Success	No Links

GET /api/Auth/confirm-email

Parameters

Type	Name	Description	Schema
query	userId <i>optional</i>		string
query	token <i>optional</i>		string

Responses

Code	Description	Links
200	Success	No Links

POST /api/Auth/request-password-reset

Responses

Code	Description	Links
200	Success	No Links

POST /api/Auth/reset-password

Responses

Code	Description	Links
200	Success	No Links

POST /api/Auth/change-password

Responses

Code	Description	Links
200	Success	No Links

GET /api/Auth/profile

Responses

Code	Description	Links
200	Success	No Links

POST /api/Auth/validate-token

Responses

Code	Description	Links
200	Success	No Links

GET /api/Auth/test

Responses

Code	Description	Links
200	Success	No Links

POST /api/Auth/debug-headers

Responses

Code	Description	Links
200	Success	No Links

POST /api/Auth/debug-token

Responses

Code	Description	Links
200	Success	No Links

POST /api/Auth/create-test-user

Responses

Code	Description	Links
200	Success	No Links

GET /api/Dashboard/overview

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

GET /api/Dashboard/performance

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

GET /health

Responses

Code	Description	Links
200	Success	No Links

GET /api/Portfolio

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

POST /api/Portfolio

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

GET /api/Portfolio/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

PUT /api/Portfolio/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

DELETE /api/Portfolio/{id}

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success	No Links

GET /api/Portfolio/{id}/summary

Parameters

Type	Name	Description	Schema
path	id <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

GET /api/Recommendation/debug

Responses

Code	Description	Links
200	Success	No Links

GET /api/Recommendation/user

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

GET /api/Recommendation/portfolio/{portfolioId}

Parameters

Type	Name	Description	Schema
path	portfolioId <i>required</i>		integer (int32)

Responses

Code	Description	Links
200	Success <i>Content</i> text/plain application/json text/json	No Links

Components

Schemas

AssetDto

Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
name <i>optional</i>	<i>nullable</i>	string
symbol <i>optional</i>	<i>nullable</i>	string
type <i>optional</i>		AssetType
quantity <i>optional</i>		number (double)
purchasePrice <i>optional</i>		number (double)
currentPrice <i>optional</i>		number (double)
purchaseDate <i>optional</i>		string (date-time)
portfolioId <i>optional</i>		integer (int32)
totalValue <i>optional</i>	<i>read only</i>	number (double)
profitLoss <i>optional</i>	<i>read only</i>	number (double)
profitLossPercentage <i>optional</i>	<i>read only</i>	number (double)

AssetRecommendationDto

Properties

Name	Description	Schema
name <i>optional</i>	<i>nullable</i>	string
symbol <i>optional</i>	<i>nullable</i>	string
type <i>optional</i>		AssetType

Name	Description	Schema
recommendedAllocation <i>optional</i>		number (double)
estimatedGrowthPercentage <i>optional</i>		number (double)
reason <i>optional</i>	<i>nullable</i>	string
analysisText <i>optional</i>	<i>nullable</i>	string
strength <i>optional</i>		RecommendationStrength

AssetType

AssetTypeDistribution

Properties

Name	Description	Schema
assetType <i>optional</i>	<i>nullable</i>	string
value <i>optional</i>		number (double)
percentage <i>optional</i>		number (double)
count <i>optional</i>		integer (int32)

ChangePasswordDto

Properties

Name	Description	Schema
currentPassword <i>required</i>	Minimum Length: 1	string
newPassword <i>required</i>	Minimum Length: 6	string
confirmNewPassword <i>required</i>	Minimum Length: 1	string

CreateAssetDto

Properties

Name	Description	Schema
name <i>required</i>	Maximum Length: 100 Minimum Length: 1	string
symbol <i>required</i>	Maximum Length: 10 Minimum Length: 1	string
type <i>optional</i>		AssetType
quantity <i>optional</i>		number (double)
purchasePrice <i>optional</i>	Minimum: 0.01	number (double)
currentPrice <i>required</i>	Minimum: 0.01	number (double)
purchaseDate <i>optional</i>		string (date-time)
portfolioId <i>optional</i>		integer (int32)

CreateCustomAssetTypeDto

Properties

Name	Description	Schema
name <i>required</i>	Maximum Length: 50 Minimum Length: 1	string
displayName <i>required</i>	Maximum Length: 50 Minimum Length: 1	string
description <i>optional</i>	<i>nullable</i> Maximum Length: 200	string
isActive <i>optional</i>		boolean

CreatePortfolioDto

Properties

Name	Description	Schema
name <i>required</i>	Maximum Length: 100 Minimum Length: 1	string
description <i>optional</i>	<i>nullable</i> Maximum Length: 500	string

DashboardOverviewDto

Properties

Name	Description	Schema
portfolioCount <i>optional</i>		integer (int32)
totalValue <i>optional</i>		number (double)
totalInvestmen t <i>optional</i>		number (double)
totalProfitLoss <i>optional</i>		number (double)
totalProfitLoss Percentage <i>optional</i>		number (double)
assetTypeDistri bution <i>optional</i>	<i>nullable</i>	< AssetTypeDistr ibution > array
topPerforming Assets <i>optional</i>	<i>nullable</i>	< AssetDto > array
portfolioSumm aries <i>optional</i>	<i>nullable</i>	< PortfolioSumm aryDto > array

DebugTokenRequest

Properties

Name	Description	Schema
token <i>optional</i>	<i>nullable</i>	string

ForgotPasswordDto

Properties

Name	Description	Schema
email <i>optional</i>	<i>nullable</i>	string

LoginDto

Properties

Name	Description	Schema
email <i>required</i>	Minimum Length: 1	string (email)

Name	Description	Schema
password <i>required</i>	Minimum Length: 1	string

PerformanceDto

Properties

Name	Description	Schema
bestPerformers <i>optional</i>	<i>nullable</i>	< AssetDto > array
worstPerformers <i>optional</i>	<i>nullable</i>	< AssetDto > array
recentPurchases <i>optional</i>	<i>nullable</i>	< AssetDto > array

PortfolioDto

Properties

Name	Description	Schema
id <i>optional</i>		integer (int32)
name <i>optional</i>	<i>nullable</i>	string
description <i>optional</i>	<i>nullable</i>	string
userId <i>optional</i>		integer (int32)
createdAt <i>optional</i>		string (date-time)
assets <i>optional</i>	<i>nullable</i>	< AssetDto > array
totalValue <i>optional</i>	<i>read only</i>	number (double)
totalInvestment <i>optional</i>	<i>read only</i>	number (double)
totalProfitLoss <i>optional</i>	<i>read only</i>	number (double)
totalProfitLoss Percentage <i>optional</i>	<i>read only</i>	number (double)
assetTypeDistribution <i>optional</i>	<i>nullable</i>	< AssetTypeDistribution > array

Name	Description	Schema
isProfit <i>optional</i>	<i>read only</i>	boolean

PortfolioRecommendationDto

Properties

Name	Description	Schema
recommendati onType <i>optional</i>	<i>nullable</i>	string
description <i>optional</i>	<i>nullable</i>	string
reasoning <i>optional</i>	<i>nullable</i>	string
strength <i>optional</i>		Recommendati onStrength

PortfolioSummaryDto

Properties

Name	Description	Schema
portfolioId <i>optional</i>		integer (int32)
name <i>optional</i>	<i>nullable</i>	string
totalValue <i>optional</i>		number (double)
totalInvestmen t <i>optional</i>		number (double)
totalProfitLoss <i>optional</i>		number (double)
totalProfitLoss Percentage <i>optional</i>		number (double)
assetCount <i>optional</i>		integer (int32)
assetTypeDistri bution <i>optional</i>	<i>nullable</i>	< AssetTypeDistr ibution > array
topPerforming Assets <i>optional</i>	<i>nullable</i>	< AssetDto > array

PriceHistoryDto

Properties

Name	Description	Schema
timestamp <i>optional</i>		string (date-time)
price <i>optional</i>		number (double)

RecommendationDto

Properties

Name	Description	Schema
recommended Assets <i>optional</i>	<i>nullable</i>	< AssetRecommendationDto > array
portfolioSuggestions <i>optional</i>	<i>nullable</i>	< PortfolioRecommendationDto > array
generatedAt <i>optional</i>		string (date-time)

RecommendationStrength

RegisterDto

Properties

Name	Description	Schema
firstName <i>required</i>	Maximum Length: 50 Minimum Length: 2	string
lastName <i>required</i>	Maximum Length: 50 Minimum Length: 2	string
email <i>required</i>	Maximum Length: 100 Minimum Length: 1	string (email)
password <i>required</i>	Maximum Length: 100 Minimum Length: 6	string
confirmPassword <i>required</i>	Minimum Length: 1	string

ResetPasswordDto

Properties

Name	Description	Schema
email <i>required</i>	Minimum Length: 1	string
token <i>required</i>	Minimum Length: 1	string
newPassword <i>required</i>	Minimum Length: 6	string
confirmNewPassword <i>required</i>	Minimum Length: 1	string

UpdateAssetDto

Properties

Name	Description	Schema
name <i>required</i>	Maximum Length: 100 Minimum Length: 1	string
symbol <i>required</i>	Maximum Length: 10 Minimum Length: 1	string
type <i>optional</i>		AssetType
quantity <i>optional</i>		number (double)
purchasePrice <i>optional</i>	Minimum: 0.01	number (double)
currentPrice <i>optional</i>	Minimum: 0.01	number (double)
purchaseDate <i>optional</i>		string (date-time)

UpdateCustomAssetTypeDto

Properties

Name	Description	Schema
name <i>required</i>	Maximum Length: 50 Minimum Length: 1	string
displayName <i>required</i>	Maximum Length: 50 Minimum Length: 1	string
description <i>optional</i>	<i>nullable</i> Maximum Length: 200	string

Name	Description	Schema
isActive <i>optional</i>		boolean

UpdatePortfolioDto

Properties

Name	Description	Schema
name <i>required</i>	Maximum Length: 100 Minimum Length: 1	string
description <i>optional</i>	<i>nullable</i> Maximum Length: 500	string