

Unleash the Strength of Superior Bonding

champion super is a high performance synthetic rubber based adhesive, which is best in category for nail free lamination.

It provides a superior bond and strength. It is a non-hazardous and absolutely safe-to-use product.



Where to Buy



Benzene Free



Fast Setting



Best in category for nail free lamination

TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Appearance

Brownish
Liquid

Setting time

2 to 4 Hours

Holding Strength

8 to 10
minutes

Coverage

40
sq.ft/kg

PACK SIZES

100ml

1ltr

200ml

5ltr

500ml

25ltr

BENEFITS

- Fast curing and fast drying adhesive
- Superior bond strength and flow ability
- Designed for vertical and nail free lamination

"Versatile Adhesive for Every Project"

All Rounder is a multipurpose premium quality white adhesive designed to attach most wood surfaces with great strength.

It is enriched with special preservatives to prevent any bacterial growth.



Where to Buy



Formaldehyde
Free



Dries in 4-5
Hours



Superior Flow & Easy
Application

TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Appearance

White Viscous Liquid

% of solid

43-45

pH

4-6

Viscosity in poise

270-320

Coverage

40-44 sq.ft/kg

Band strength

Min 280 kg/sq.inch

PACK SIZES

125g

1kg (Pouch Jar)

10kg

30kg

250g

2kg

20kg

50kg

500g

5kg

25kg

60kg

BENEFITS

- Provides adhesion to most of the surfaces (wood to wood, plywood to wood, laminate to particle board, MDF etc) and thus has versatility
- Reduces degradation of adhesion (which arises due to weather and time) considerably
- Multipurpose wood adhesive for long and durable bonding

"Elevate Your Bonding Experience"

JivanJor lamino NXT provides bubble free lamination and 20% more coverage than standard adhesives. It applies smoothly and resists water.



Where to Buy



Formaldehyde Free



Dries in 2-4 Hours



Superior Flow & Easy Application

TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Viscosity Poise

25-35

Bond Strength

110kg/sq inch

Coverage

45 sq ft/kg

Open Time

10 min

Curing Time

24 hrs

PACK SIZES

100 ml

1 l

25 l

200 ml

2 l

500 ml

5 l

BENEFITS

- Laminate to Laminate adhesion

- Heat Resistance up to 180 deg C

- Benzene free formulation

"Unleash the Power of Perfect Bonding"

PVCXtra is an adhesive for PVC-to-wood and acrylic-to-wood applications. It can laminate PVC sheet to MDF and edge band PVC strip to MDF/particle board.



Where to Buy



Formaldehyde
Free



Dries in 4-6
Hours



Superior Flow & Easy
Application



TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Appearance

White Viscous Liquid

Base

Water

Setting Time

4-6 hrs

Coverage

45-50 sq.ft/kg

PACK SIZES

500 gm

1 kg

5 kg

BENEFITS

- The synthetic resin based emulsion adhesive is suitable for Lamination of PVC sheet to MDF, and manual edge banding of PVC strip to MDF / Particle board

- Excellent Bonding

- Water Based Adhesive- Eco friendly

"Versatile Adhesive for Every Project"

Ready –to- use multi purpose white adhesive, which is of the best quality in its existing price point across competition.



Where to Buy



Formaldehyde
Free



Setting time
24hrs



Superior Flow & Easy
Application



TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Appearance

White Viscous Liquid

% of solid

26-28

Setting Time

24hrs

Viscosity in poise

350-500

Coverage

34 – 38 Sq.ft./kg

Bond strength

Min 200 kg/sq. inch

PACK SIZES

200g

2kg

50kg

500g

5kg

1kg

25kg

BENEFITS

- Recommended for both lamination and wood joining
- Designed to join wood to wood, ply to wood, decorative laminates, and laminates to particle boards

"Defending Your Surfaces, One Bond at a Time"

JivanJor watershield is a waterproof adhesive specially made for Kitchens and Bathrooms. It provides excellent water resistance. Its superior flow makes it smooth and easy to apply & provides great coverage.



Where to Buy




Formaldehyde
Free



Dries in 4-6
Hours



Superior Flow & Easy
Application



TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Appearance

White Viscous Liquid

% of solid

48-49

pH

2.5-4.5

Viscosity in poise

250-350

Coverage

45-50 sq.ft/kg

Bond strength

Min 280 kg/sq.inch

PACK SIZES

1kg

10kg

2kg

20kg

5kg

50kg

BENEFITS

- Provides excellent water resistance

- Water proof adhesive specially made for kitchen and bathrooms

- Unique size polymer provides superior flow and spreadability

"Uniting Foam with Unmatched Strength"

Jubilant Foambond is a high-performance synthetic rubber foam adhesive. This adhesive is great for upholstery. It connects foam, rexine, leather, fabric, and metal.



Where to Buy



Formaldehyde
Free



Dries in 2-4
Hours



Superior Flow & Easy
Application

TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Appearance

Slight yellowish liquid

% of solid

5-17.5

Peel strength L/L kg/inch sq

min 7

Viscosity in poise

4-10

Flow

Continous

Spread ability

Smooth & easy

PACK SIZES

500ml

25l

1l

2l

BENEFITS

- Recommended for Bonding Foam to plywood, Foam to foam, Foam to rexine/ leather /rexine fabric/leather joineries in Bus Body building and Upholstery work.

- Handling strength in 2 hrs i.e. very quick setting time, better productivity.

- Flammable but non-toxic as it is benzene free.

"Elevate Your Bonding Experience"

JivanJor lamino IPN provides bubble free lamination and 20% more coverage than standard adhesives. It applies smoothly and resists water.



Where to Buy



Formaldehyde Free



Dries in 2-4 Hours



Superior Flow & Easy Application

TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Appearance

White Viscous Liquid

% of solid

49-51

pH

6-8

Viscosity in poise

250-350

Coverage

55 sq.ft/kg

Band strength

Min 280 kg/sq.inch

PACK SIZES

0.8kg

10kg

60kg

1,6kg

20kg

5kg

50kg

BENEFITS

- Optimum penetration in substrate providing higher bond strength

- Ultrafast curing

Bubble free lamination
Dries in just 2 hours
20% more coverage

Unleash the Power of Waterproof Bonding

JivanJor aquabond is a heat proof and water resistant adhesive, it is best for bonding surfaces which are exposed to water or extreme heat.



Where to Buy



Formaldehyde
Free



Dries in 4-6
Hours



Superior Flow & Easy
Application

TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Appearance

White Viscous Liquid

% of solid

46-49

pH

2.5-4.5

Viscosity in poise

250-350

Coverage

50 sq.ft/kg

Band strength

Min 280 kg/sq.inch

PACK SIZES

1kg

10kg

2kg

20kg

5kg

50kg

BENEFITS

- Cross linked polymer provides excellent water and Heat resistance.

- Superior flow and spread ability

- Heat and water proof adhesive specially made for kitchens and bathrooms

"Stick with Speed, Bond with Strength"



fastX is a solvent based adhesive which has a superfast setting time of 5 minutes, it has zero odour and can be used without mixing.

Where to Buy



Formaldehyde
Free



Dries in 2-5
minutes



Superior Flow & Easy
Application

TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Viscosity Poise

25-35

Curing time

5 min

Bond Strength

110kg/sq inch

Coverage

45 sq ft/kg

PACK SIZES

100ml

5l

200ml

25l

1l

BENEFITS

Laminate to Laminate
adhesion

Heat Resistance up to
180 deg C

Quick setting in 2
hours

JivanJor Jublite is a versatile epoxy adhesive
it's uses range from stone and wood fastening
to handicrafts and steel railing and even sports
equipment.



Where to Buy

- Non Toxic
- Long Life
- High Strength

TECHNICAL SPECIFICATION

Chemical Base

Epoxy

Mixing Ratio

1:1 by volume

Drying | Setting Time

1 - 1.5 hours

Hardening Time

8 -9 hours

Pot Life

30 - 50 min

Full Strength Time

24 hours

PACK SIZES

450g

1.8kg

BENEFITS

- Provides adhesion to most of the surfaces (wood to wood, plywood to wood, laminate to particle board, MDF etc) and thus has versatility
- Reduces degradation of adhesion (which arises due to weather and time) considerably
- Multipurpose wood adhesive for long and durable bonding

Instantly sticky Jivanjor Jubiquik outperforms standard super glues. It can be used on more surfaces than regular instant adhesives and works much more quickly.



Where to Buy




Super Fast



Bonds in 5
seconds



Super Strong



TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Chemical Base

Cyanoacrylate

Drying | Setting Time

3 - 8 sec

Hardening Time

5 min

Full Strength Time

10 min

PACK SIZES

500mg

20g

BENEFITS

- Instant bonding

- No clamping required

- Re - usable packing

Jubiflex is instant adhesive based on
cyanoacrylate chemistry

One drop glue for flex, PVC, plastic bonding



Where to Buy



Solvent free



Bonds with
in 15sec



Multiple substrate bonding

TECHNICAL SPECIFICATION

Appearance

Base

Setting Time

Coverage

PACK SIZES

20g

BENEFITS

- Chemical and weather resistant

- No clamping required

- Multiple substrate bonding

Jubiwood is an instant adhesive which bonds in 15-30 seconds and is ideal for wood filling.



Where to Buy



Solvent Free



Bonds in 15-30 sec



High strength



TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Appearance

% of solid

Setting Time

Viscosity in poise

Coverage

Bond strength

PACK SIZES

20g

BENEFITS

- High Strength
- Multiple substrate bonding

Jubi 90 is a fast-acting, high-performance maintenance spray. Jubi 90 removes rust, prevents corrosion, and lubricates.



Where to Buy



Premium Quality



Instant
solution in 90
sec



Easy
Application



TECHNICAL SPECIFICATION

Appearance

% of solid

pH

Viscosity in poise

Coverage

Bond strength

PACK SIZES

64g

32g

BENEFITS

- Rust removal

- Corrosion Protection

- Loosens rusted parts

Jubiquik Gel is instant, high strength, single component adhesive. It easily bonds plastics, metals, wood, leather and ceramics within 15 seconds.



Where to Buy



Solvent Free



Bonds within
15 sec



High strength

TECHNICAL SPECIFICATION

Appearance

% of solid

Peel strength L/L kg/inch sq

Viscosity in poise

Flow

Spread ability

PACK SIZES

20g

BENEFITS

- High Strength within 15 dec

- Suitable for electronic and auto parts

- Bonds porous as well as non porous susrate

ivanjor Jubiseal (Rapid) is a two component easy to use multi-purpose epoxy putty compound, useful in sealing, gripping, joining, insulating variety of surfaces



Where to Buy




High strength



Easy to use



30 min setting time



TECHNICAL SPECIFICATION

Chemical Base

Epoxy

Mixing Ratio (by volume)

1 : 1

Drying | Setting Time

30 min

Hardening Time

45 min

Pot Life

3 min

Full Strength Time

24 hrs

PACK SIZES

25 g

60 g

90 g

BENEFITS

High Strength

Easy To Use

30 min Setting Time

Jivanjor Jubiseal (General Purpose) is a two component easy to use multi-purpose epoxy putty compound, useful in sealing, gripping, joining, insulating variety of surfaces.



Where to Buy




High strength



50-60 min setting time



Easy to use



TECHNICAL SPECIFICATION

Chemical Base

Epoxy

Mixing Ratio (by volume)

1 : 1

Drying | Setting Time

50 - 60 min

Hardening Time

75 min

Pot Life

10 min

Full Strength Time

24 hrs

PACK SIZES

1kg

BENEFITS

High Strength

Easy To Use

50 - 60 min setting
time

JivanJor sealant range – Jubifill and Jubifix are multipurpose sealants for glazing, framing, plumbing, window door – pasting and sealing applications.



Where to Buy



Room temperature curing



Single component easy to use



All temperature gun applicability

TECHNICAL SPECIFICATION

Appearance

% of solid

pH

Viscosity in poise

Coverage

Band strength

PACK SIZES

260ml

450g (Jubi fill Acro)

2kg

20kg

5kg

50kg

BENEFITS

- Resistant against:
UV, weather,
ozone, moisture

- Room temperature
curing

- Single component
easy to use

Jivanjor Jubistick's rotational gluestick design simplifies adhering and making creatives. It is nontoxic, non-messy, washable, and acid-free.



Where to Buy



Non Toxic



Fast Drying



Easy to use



TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Chemical Base

PVP

PACK SIZES

8 g

15 g

BENEFITS

Easy To Use

Non Toxic

Smooth Application

Jivanjor Jubispray, the best all-purpose spray adhesive which has fast, robust, and easy bonding of plywood, laminate, foam, and leather.



Where to Buy



Dries in 3-5
minutes

Superior Flow & Easy
Application

TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Chemical Base

Aerosol Based Solvent

Srying | Setting Time

3 - 5 min

Pot Life

60 min

Full Strength Time

24 hrs

PACK SIZES

500 ml

BENEFITS

Super Fast

Super Strong

Super Easy To Apply

Are you tired of glue that's not strong enough?
Jubispray Advanced adhesive is here to the
rescue!
This revolutionary adhesive has been designed
to have best in class
bonding that won't let you down.



Where to Buy



WPC | PVC Expert



Dries in 3-5
minutes



Powerful bonding



TECHNICAL SPECIFICATION

Viscosity Poise

180 cps

System Flammability

Non flammable adhesive
with flammable propellant

Track of time

30 – 60 sec

Shear strength

3361

PACK SIZES

405g

BENEFITS

80% more stronger
peel strength

Bonding in multiple
substrate
where robust bond is
required

Heat resistance up-to
120°C

Jivanjor Aquaprotekt is a one-component wood waterproofing treatment. It works on old and new furniture and is water-resistant.




Where to Buy



Fungi and Algae resistant



Water proof



TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Chemical base

Polymer based coating

Drying | Setting time

10 - 15 min

Full strength time

24 hrs

PACK SIZES

500ml

1l

BENEFITS

Waterproof

Protection in saline
conditions

Protection from
seepage

Jivanjor Termilok is a termite-resistant wood treatment. Termites and Borers can't penetrate its superior anti-termite solution.



Where to Buy



No hazardous chemicals



Advanced protection by
deep penetration



Protection against
Termites & Borers

TECHNICAL SPECIFICATION

Multi- purpose Wood Adhesive for long lasting bonds with HP TECHNOLOGY(HYBRID TECHNOLOGY)

Chemical Base

Wood Preservative

Drying | Setting Time

8 - 10 min

Full Strength Time

24 hrs

Coverage

160 sq.ft./L

PACK SIZES

500 ml

1 L(Spray)

1 L(Tin)

BENEFITS

Protection against
Termites & Borers

Advanced protection
by deep penetration

No hazardous
chemicals

Jubipaste is an instant grip adhesive sealant based on advanced modified silicon technology



Where to Buy



Fast Cure



Excellent Low Temp.
Gunnability



High Strength



TECHNICAL SPECIFICATION

Chemical Base

MS Polymer

Curing system

Moisture curing


Skin overtime

10 – 15 Min.

Application temperature

5 C to 40 °C

PACK SIZES



BENEFITS

Under water
application

Excellent UV Weather
and Temperature
Resistance

No sagging

SQ 100 is high performance sprayable adhesive made from combination of special natural resins and additives that provide extremely low odor. Specially designed for upholstery and mattress industry.



Where to Buy



LOW ODOR



HIGH
PERFORMANCE



EXCELLENT
TACK

TECHNICAL SPECIFICATION

Coverage

15 – 20 m²/ltr

PACK SIZES

4.5ltr

30ltr

BENEFITS

Excellent Adhesion
and high strength,
especially on Curves

Excellent Bonding to
Porous and Non-
Porous Surfaces

Excellent Flow and
Spray Properties

Jubipaste is an instant grip adhesive sealant based on advanced modified silicon technology



Where to Buy



Fast Cure



Excellent Low Temp.
Gunnability



High Strength

TECHNICAL SPECIFICATION

Chemical Base

MS Polymer

Curing system

Moisture curing



Skin overtime

10 – 15 Min.

Application temperature

5 C to 40 °C

PACK SIZES



BENEFITS

Under water
application

Excellent UV Weather
and Temperature
Resistance

No sagging



JivanJor Professional RB550 is a synthetic, rubber based adhesive in the form of a slight yellowish liquid. It is a one pack, ready-to-use adhesive for foam to wood



Where to Buy

TECHNICAL SPECIFICATION

Appearance

Slight yellowish liquid

Viscosity at 30°C in Poise

14-20

pH

3-6

Spread ability

Smooth & easy

Peel strength L/L kg/inch sq

7 min

Solid content%

18.5-22.5


PACK SIZES

25ltr

BENEFITS

Superior flow ability and spreadability - Better coverage

- Free from objectionable smell
- Non-Flammable and non-toxic



JivanJor Professional D3000 is a water based white adhesive, which is ready to use, applications in the furniture & handicraft industry.

Where to Buy

TECHNICAL SPECIFICATION

Appearance

Milky White Emulsion

Viscosity at 30°C in Poise

100-150 Poise

pH

2.6-3.6

Spread ability

Smooth & easy

Bond strength W/W kg\inch sq

300 min

Solid content%

48 – 50%

PACK SIZES

25kg

50kg

BENEFITS

Better water resistivity

- Short press

- Excellent bond strength



JivanJor Industrial is a synthetic, general purpose, resin based wood adhesive in the form of a milky white viscous liquid. It comes with Hybrid Polymer Technology, which provides adhesion for most wooden surfaces and hence makes this adhesive VERSATILE. It is a one pack ready-to-use adhesive for all wood working applications. It

Where to Buy

TECHNICAL SPECIFICATION

Appearance

Milky White Emulsion

Viscosity at 30°C in Poise

270-320 Poise

pH

4-6

Spread ability

Smooth & easy

Peel strength W/W kg\inch sq

280 min

Solid content%

43-45

PACK SIZES

50kg

BENEFITS

- Free from objectionable smell.
- More application options; can be applied by brush, roller, spreader, fingertip, on any applicator.
- Can be cleaned easily by wet cloth.



JivaJor Professional RBS140 is a synthetic, rubber based spray adhesive in the form of a slight yellowish liquid. It is a one pack, ready-to-use adhesive for foam to wood, foam to foam & mattresses. It is solvent based and has a benzene free formulation.



Where to Buy

TECHNICAL SPECIFICATION

Appearance

Slight yellowish liquid

Viscosity at 30°C in Poise

0.5-2.0 Poise

pH

3-6

Spread ability

Smooth & easy

Peel strength W/W kg\inch sq

Instant to 1 min

Solid content%

24-28

PACK SIZES

25ltr

BENEFITS

- Excellent initial bonding.
- Handling strength in 30 mins i.e. very quick setting time, better productivity if substrate is ply & Mica.
- Mostly for foam to wood/foam/rexine working solutions.



JivanJor Professional PAI-1401 is a synthetic, resin based adhesive in the form of a milky white low viscous liquid. It is a one pack ready-to-use adhesive for paper bag manufacturing, side pasting of corrugated box & other paper packaging applications.



Where to Buy

TECHNICAL SPECIFICATION

Appearance

Milky White Emulsion

Viscosity at 30°C in Poise

20-35 Poise

pH

3-6

Spread ability

Smooth & easy

Solid content%

47.0-51.0

PACK SIZES

50kg

BENEFITS

Can be cleaned easily by wet cloth.

- Free from objectionable smell

- Excellent bond strength



JivanJor Polystic Plus is a synthetic resin based adhesive in the form of milky white viscous liquid. It is a one pack, ready-to-use adhesive for all wood working applications.



Where to Buy

TECHNICAL SPECIFICATION

Appearance

Milky White Emulsion

Viscosity at 30°C in Poise

370-470 Poise

pH

4-6

Spread ability

Smooth & easy

Bond strength W/W kg\inch sq

200 min

Solid content%

32.5-34.5

PACK SIZES

25kg

50kg

BENEFITS

- More application options; can be applied by brush, roller, fingertip or any other applicator.

- Handling strength in 10-15 hrs i.e. very quick setting time, better productivity.

Heat resistance in normal case.



JivanJor Polystic Super is a synthetic, resin based adhesive in the form of a milky white viscous liquid. It is a one pack, ready-to-use adhesive for all wood working applications.



Where to Buy

TECHNICAL SPECIFICATION

Appearance

Milky White Emulsion

Viscosity at 30°C in Poise

380-480 Poise

pH

4-6

Spread ability

Smooth & easy

Bond strength W/W kg\inch sq

200 min

Solid content%


29.7-31.7

PACK SIZES

50kg

BENEFITS

- Best suited for vertical & nail free installation
- No pungent odour
- Can be cleaned easily by wet cloth.



JivanJor Professional WGP990 is a synthetic, resin based adhesive in the form of a milky white viscous liquid. It is a one pack ready-to-use adhesive for all wood working

Where to Buy

TECHNICAL SPECIFICATION

Appearance

Milky White Emulsion

Viscosity at 30°C in Poise

260-300 Poise

pH

5-7.5

Spread ability

Smooth & easy

Bond strength W/W kg\inch sq

260 min

Solid content%

38.5-40.5

PACK SIZES

50kg

BENEFITS

- Handling strength in 10-15 hrs

- Free from objectionable smell

Heat resistance in normal case.



JivanJor Professional WPO740 is a synthetic, resin based adhesive in the form of a milky white viscous liquid. It is a one pack ready-to-use adhesive for all wood working



Where to Buy

TECHNICAL SPECIFICATION

Appearance

Milky White Emulsion

Viscosity at 30°C in Poise

250-350 Poise

pH

4-6

Spread ability

Smooth & easy

Bond strength W/W kg\inch sq

200 min

Solid content%

30-34

PACK SIZES

50kg

BENEFITS

Non flammable and non toxic is water based

Superior flow ability and spreadability

Clear transparent film after drying

SQ 100 is high performance sprayable adhesive made from combination of special natural resins and additives that provide extremely low odor. Specially designed for upholstery and mattress industry.



LOW ODOR

HIGH PERFORMANCE

EXCELLENT TACK

Where to Buy

TECHNICAL SPECIFICATION

Coverage

15 – 20 m²/ltr

BENEFITS

Excellent Adhesion and high strength, especially on Curves

Excellent Bonding to Porous and Non-Porous Surfaces

Excellent Flow and Spray Properties

PACK SIZES
