

object=long-plexus-498612-k3

X

Search

☆

🔖

🕒

👤

⋮

 Chat

▼

✦



2

⋮

P

your card for recurring payments if you have not set up an e-mandate or if the
d manually reauthorize the payments. [Read more](#)

Dismiss

Dismiss

View costs in billing

 Learn

?

☰

Used by	Internal IP	External IP	Connect
	10.128.0.5 (nic0)	35.254.30.222 (nic0)	SSH ▾ ⋮

^

Hide

Linux instance-cc-test-parth 6.1.0-49-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.174-1 (2026-05-26) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/*copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

```
parthgubhilei@instance-cc-test-parth:~$ mkdir -p practical_exam/scripts
mkdir -p practical_exam/outputs
mkdir -p practical_exam/logs
```

```
parthgubhilei@instance-cc-test-parth:~$ pwd
/home/parthgubhilei
```

```
parthgubhilei@instance-cc-test-parth:~$ whoami
parthgubhilei
```

```
parthgubhilei@instance-cc-test-parth:~$ hostname
instance-cc-test-parth
```

```
parthgubhilei@instance-cc-test-parth:~$ cd practical_exam
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam$ cd scripts
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ touch file1.txt
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ touch file2.txt
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ touch file3.txt
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ touch file4.txt
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ touch file5.txt
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ cp practical_exam/scripts/file1.txt practical_exam/outputs/
```

```
cp: cannot stat 'practical_exam/scripts/file1.txt': No such file or directory
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ cd ..
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam$ cp practical_exam/scripts/file1.txt practical_exam/outputs/
```

```
cp: cannot stat 'practical_exam/scripts/file1.txt': No such file or directory
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam$ ls
```

```
logs outputs scripts
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam$ cd scripts
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ ls
```

```
file1.txt file2.txt file3.txt file4.txt file5.txt
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ cp file1.txt practical_exam/outputs/
```

```
cp: cannot create regular file 'practical_exam/outputs/': No such file or directory
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ ^C
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ rm file3.txt
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ ls
```

```
file1.txt file2.txt file4.txt file5.txt
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ ls -a
```

```
.. file1.txt file2.txt file4.txt file5.txt
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$ mv practical_exam/scripts/file3.txt practical_exam/scripts/newfile3.txt
```

```
mv: cannot stat 'practical_exam/scripts/file3.txt': No such file or directory
```

```
parthgubhilei@instance-cc-test-parth:~/practical_exam/scripts$
```

```
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ cd scripts
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ touch file1.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ touch file2.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ touch file3.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ touch file4.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ touch file5.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cp practical_exam/scripts/file1.txt practical_exam/outputs/
cp: cannot stat 'practical_exam/scripts/file1.txt': No such file or directory
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cd ..
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ cp practical_exam/scripts/file1.txt practical_exam/outputs/
cp: cannot stat 'practical_exam/scripts/file1.txt': No such file or directory
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ ls
logs  outputs  scripts
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ cd scripts
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ ls
file1.txt file2.txt file3.txt file4.txt file5.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cp file1.txt practical_exam/outputs/
cp: cannot create regular file 'practical_exam/outputs/': No such file or directory
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ ^C
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ rm file3.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ ls
file1.txt file2.txt file4.txt file5.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ ls -a
.  .. file1.txt file2.txt file4.txt file5.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ mv practical_exam/scripts/file3.txt practical_exam/scripts/newfile3.txt
mv: cannot stat 'practical_exam/scripts/file3.txt': No such file or directory
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cp practical_exam/scripts/file2.txt practical_exam/outputs/
cp: cannot stat 'practical_exam/scripts/file2.txt': No such file or directory
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cp practical_exam/scripts/file2.txt practical_exam/outputs/
cp: cannot stat 'practical_exam/scripts/file2.txt': No such file or directory
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cd home
-bash: cd: home: No such file or directory
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cd ..
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ cd ...
-bash: cd: ...: No such file or directory
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ cd ..
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cd ..
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cp practical_exam/scripts/file2.txt practical_exam/outputs/
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cp practical_exam/scripts/file1.txt practical_exam/outputs/
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ mv practical_exam/scripts/file3.txt practical_exam/scripts/newfile3.txt
mv: cannot stat 'practical_exam/scripts/file3.txt': No such file or directory
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ mv practical_exam/scripts/file4.txt practical_exam/scripts/newfile4.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/scripts$ cd practical_exam
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ cd outputs
parthgulbhillel@instance-cc-test-parth:~/practical_exam/outputs$ ls
file1.txt file2.txt
parthgulbhillel@instance-cc-test-parth:~/practical_exam/outputs$
```

```
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ touch file4.txt
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ touch file5.txt
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ cp practical_exam/scripts/file1.txt practical_exam/outputs/
cp: cannot stat 'practical_exam/scripts/file1.txt': No such file or directory
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ cd ..
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ cp practical_exam/scripts/file1.txt practical_exam/outputs/
cp: cannot stat 'practical_exam/scripts/file1.txt': No such file or directory
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ ls
logs  outputs  scripts
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ cd scripts
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ ls
file1.txt file2.txt file3.txt file4.txt file5.txt
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ cp file1.txt practical_exam/outputs/
cp: cannot create regular file 'practical_exam/outputs/': No such file or directory
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ cd ..
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ rm file3.txt
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ ls
file1.txt file2.txt file4.txt file5.txt
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ ls -la
total 12
drwxr-xr-x 2 root root 4096 Jun 10 12:13 .
drwxr-xr-x 3 root root 4096 Jun 10 12:13 ..
-rw-r--r-- 1 root root   10 Jun 10 12:13 file1.txt
-rw-r--r-- 1 root root   10 Jun 10 12:13 file2.txt
-rw-r--r-- 1 root root   10 Jun 10 12:13 file4.txt
-rw-r--r-- 1 root root   10 Jun 10 12:13 file5.txt
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ mv practical_exam/scripts/file3.txt practical_exam/scripts/newfile3.txt
mv: cannot stat 'practical_exam/scripts/file3.txt': No such file or directory
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ cp practical_exam/scripts/file2.txt practical_exam/outputs/
cp: cannot stat 'practical_exam/scripts/file2.txt': No such file or directory
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ cp practical_exam/scripts/file2.txt practical_exam/outputs/
cp: cannot stat 'practical_exam/scripts/file2.txt': No such file or directory
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ cd home
-bash: cd: home: No such file or directory
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ cd ..
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ cd ...
-bash: cd: ...: No such file or directory
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ cd ..
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ cp practical_exam/scripts/file2.txt practical_exam/outputs/
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ cp practical_exam/scripts/file1.txt practical_exam/outputs/
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ mv practical_exam/scripts/file3.txt practical_exam/scripts/newfile3.txt
mv: cannot stat 'practical_exam/scripts/file3.txt': No such file or directory
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ mv practical_exam/scripts/file4.txt practical_exam/scripts/newfile4.txt
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ cd practical_exam
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ cd outputs
parthgulbhile1@instance-cc-test-parth:~/practical_exam/outputs$ ls
file1.txt file2.txt
parthgulbhile1@instance-cc-test-parth:~/practical_exam/outputs$ cd ..
parthgulbhile1@instance-cc-test-parth:~/practical_exam$ cd scripts
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ ls
file1.txt file2.txt file5.txt newfile4.txt
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$
```



```
file1.txt file2.txt
parthgubhile1@instance-cc-test-parth:~/practical_exam/outputs$ cd ..
parthgubhile1@instance-cc-test-parth:~/practical_exam$ cd scripts
parthgubhile1@instance-cc-test-parth:~/practical_exam/scripts$ ls
file1.txt file2.txt file5.txt newfile4.txt
parthgubhile1@instance-cc-test-parth:~/practical_exam/scripts$ df -h
Filesystem      Size  Used Avail Use% Mounted on
udev            1.9G   0 1.9G   0% /dev
tmpfs           393M  536K 392M   1% /run
/dev/sdal       9.7G  2.7G  6.6G  29% /
tmpfs           2.0G   0  2.0G   0% /dev/shm
tmpfs           5.0M   0  5.0M   0% /run/lock
/dev/sdal5     124M  12M  113M  10% /boot/efi
tmpfs          393M   0  393M   0% /run/user/1000
parthgubhile1@instance-cc-test-parth:~/practical_exam/scripts$ free -h
             total        used        free      shared  buff/cache   available
Mem:        3.8Gi        531Mi        2.4Gi         536Ki        1.1Gi        3.3Gi
Swap:        0B           0B           0B
parthgubhile1@instance-cc-test-parth:~/practical_exam/scripts$ ps aux
USER          PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root           1  0.2  0.3 167976 12560 ?        Ss   06:25   0:03 /sbin/init
root           2  0.0  0.0      0     0 ?        S    06:25   0:00 [kthreadd]
root           3  0.0  0.0      0     0 ?        I<   06:25   0:00 [rcu_gp]
root           4  0.0  0.0      0     0 ?        I<   06:25   0:00 [rcu_par_gp]
root           5  0.0  0.0      0     0 ?        I<   06:25   0:00 [slub_flushwq]
root           6  0.0  0.0      0     0 ?        I<   06:25   0:00 [netns]
root           7  0.0  0.0      0     0 ?        I    06:25   0:00 [kworker/0:0-cqwb_release]
root           8  0.0  0.0      0     0 ?        I<   06:25   0:00 [kworker/0:0H-events_highpri]
root          10  0.0  0.0      0     0 ?        I<   06:25   0:00 [mm_percpu_wq]
root          11  0.0  0.0      0     0 ?        I    06:25   0:00 [rcu_tasks_kthread]
root          12  0.0  0.0      0     0 ?        I    06:25   0:00 [rcu_tasks_rude_kthread]
root          13  0.0  0.0      0     0 ?        I    06:25   0:00 [rcu_tasks_trace_kthread]
root          14  0.0  0.0      0     0 ?        S    06:25   0:00 [ksoftirqd/0]
root          15  0.0  0.0      0     0 ?        I    06:25   0:00 [rcu_preempt]
root          16  0.0  0.0      0     0 ?        S    06:25   0:00 [migration/0]
root          18  0.0  0.0      0     0 ?        S    06:25   0:00 [cpuhp/0]
root          19  0.0  0.0      0     0 ?        S    06:25   0:00 [cpuhp/1]
root          20  0.0  0.0      0     0 ?        S    06:25   0:00 [migration/1]
root          21  0.0  0.0      0     0 ?        S    06:25   0:00 [ksoftirqd/1]
root          22  0.0  0.0      0     0 ?        I    06:25   0:00 [kworker/1:0-events]
root          23  0.0  0.0      0     0 ?        I<   06:25   0:00 [kworker/1:0H-events_highpri]
root          26  0.0  0.0      0     0 ?        S    06:25   0:00 [kdevtmpfs]
root          27  0.0  0.0      0     0 ?        I<   06:25   0:00 [inst_frag_wq]
root          28  0.0  0.0      0     0 ?        S    06:25   0:00 [kauditd]
root          29  0.0  0.0      0     0 ?        S    06:25   0:00 [khungtaskd]
root          30  0.0  0.0      0     0 ?        S    06:25   0:00 [oom_reaper]
```

Linux instance-cc-test-parth 6.1.0-49-cloud-amd64 #1 SMP FREEMPT_DYNAMIC Debian 6.1.174-1 (2026-05-26) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/*copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

Last login: Wed Jun 10 06:27:03 2026 from 35.235.249.249

parthgubhile1@instance-cc-test-parth:~\$ cd practical_exams

-bash: cd: practical_exams: No such file or directory

parthgubhile1@instance-cc-test-parth:~\$ cd practical_exam

parthgubhile1@instance-cc-test-parth:~/practical_exam\$ touch secure_data.txt

parthgubhile1@instance-cc-test-parth:~/practical_exam\$ chmod 640 secure_data.txt

parthgubhile1@instance-cc-test-parth:~/practical_exam\$ ls -l secure_data.txt

-rw-r----- 1 parthgubhile1 parthgubhile1 0 Jun 10 06:51 secure_data.txt

parthgubhile1@instance-cc-test-parth:~/practical_exam\$ id

uid=1000(parthgubhile1) gid=1003(parthgubhile1) groups=1003(parthgubhile1),4(adm),30(dip),44(video),46(plugdev),1000(google-sudoers),1001(docker),1002(lxd)

parthgubhile1@instance-cc-test-parth:~/practical_exam\$ groups

parthgubhile1 adm dip video plugdev google-sudoers docker lxd

parthgubhile1@instance-cc-test-parth:~/practical_exam\$

Linux instance-cc-test-parth 6.1.0-49-cloud-amd64 #1 SMP FREEMPT_DYNAMIC Debian 6.1.174-1 (2026-05-26) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/*copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.

Last login: Wed Jun 10 06:27:03 2026 from 35.235.249.249

parthgulbhile1@instance-cc-test-parth:~\$ cd practical_exams

-bash: cd: practical_exams: No such file or directory

parthgulbhile1@instance-cc-test-parth:~\$ cd practical_exam

parthgulbhile1@instance-cc-test-parth:~/practical_exam\$ touch secure_data.txt

parthgulbhile1@instance-cc-test-parth:~/practical_exam\$ chmod 640 secure_data.txt

parthgulbhile1@instance-cc-test-parth:~/practical_exam\$ ls -l secure_data.txt

-rw-r----- 1 parthgulbhile1 parthgulbhile1 0 Jun 10 06:51 secure_data.txt

parthgulbhile1@instance-cc-test-parth:~/practical_exam\$ id

uid=1000(parthgulbhile1) gid=1003(parthgulbhile1) groups=1003(parthgulbhile1),4(adm),30(dip),44(video),46(plugdev),1000(google-sudoers),1001(docker),1002(lxd)

parthgulbhile1@instance-cc-test-parth:~/practical_exam\$ groups

parthgulbhile1 adm dip video plugdev google-sudoers docker lxd

parthgulbhile1@instance-cc-test-parth:~/practical_exam\$ touch test_script.sh

parthgulbhile1@instance-cc-test-parth:~/practical_exam\$ nano test_script.sh

parthgulbhile1@instance-cc-test-parth:~/practical_exam\$ chmod +x test_script.sh

parthgulbhile1@instance-cc-test-parth:~/practical_exam\$./test_script.sh

./test_script.sh: line 1: !#/bin/bash: No such file or directory

welcome to cloud computing

parthgulbhile1@instance-cc-test-parth:~/practical_exam\$

parthgulbhille@instance-cc-test-parth:~/practical_exam/scripts\$ touch read.sh
parthgulbhille@instance-cc-test-parth:~/practical_exam/scripts\$ nano read.sh
parthgulbhille@instance-cc-test-parth:~/practical_exam/scripts\$ chmod +x read.sh
parthgulbhille@instance-cc-test-parth:~/practical_exam/scripts\$./read.sh
./read.sh: line 1: !#/bin/bash: No such file or directory
enter your username
parth_00
welcome parth_00
parthgulbhille@instance-cc-test-parth:~/practical_exam/scripts\$


```
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ touch read.sh
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ nano read.sh
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ chmod +x read.sh
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ ./read.sh
./read.sh: line 1: !#/bin/bash: No such file or directory
enter your username
parth_00
Welcome parth_00
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ touch large.sh
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ nano large.sh
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ chmod +x large.sh
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ ./large.sh
enter number 1
10
enter number 2
20
20 is larger
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$
```

```
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ touch read.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ nano read.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ chmod +x read.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ ./read.sh
./read.sh: line 1: !#/bin/bash: No such file or directory
enter your username
parth 00
welcome parth_00
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ touch large.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ nano large.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ chmod +x large.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ ./large.sh
enter number 1
10
enter number 2
20
20 is larger
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ touch evenodd.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ nano evenodd.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ chmod +x evenodd.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ ./evenodd.sh
Enter Number: 25
odd
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$
```

```
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ chmod +x read.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ ./read.sh
./read.sh: line 1: !#/bin/bash: No such file or directory
enter your username
parth_00
welcome parth_00
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ touch large.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ nano large.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ chmod +x large.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ ./large.sh
enter number 1
10
enter number 2
20
20 is larger
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ touch evenodd.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ nano evenodd.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ chmod +x evenodd.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ ./evenodd.sh
Enter Number: 25
odd
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ touch for.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ nano for.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ chmod +x for.sh
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$ ./for.sh
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
parthgulbhille1@instance-cc-test-parth:~/practical_exam/scripts$
```

GNU nano 7.2 while.sh *

```
#!/bin/bash
i=20
while [ $i -ge 1 ]
do
echo $i
i=$((i-1))
done
```

```
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ ./for.sh
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ touch while.sh
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ nano while.sh
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ chmod +x while.sh
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$ ./while.sh
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
parthgulbhile1@instance-cc-test-parth:~/practical_exam/scripts$
```



```
parthguibhilel@instance-cc-test-parth:~/practical_exam/outputs$ ps aux --sort=-%mem | head -6
USER      PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root      1451  1.4  3.8 1999320 155148 ?        Ssl   06:26   0:47 /opt/google-cloud-ops-agent/subagents/opentelemetry-collector/otelopscol --config=/run/google-cloud-ops-agent-opentelemetry-co
llector/otel.yaml
root       386  0.0  1.6 1288792 65216 ?        Ssl   06:25   0:01 /usr/bin/google_osconfig_agent
root      1438  0.0  1.4 1869068 60060 ?        Ssl   06:26   0:00 /opt/google-cloud-ops-agent/libexec/google_cloud_ops_agent_wrapper --config_path /etc/google-cloud-ops-agent/config.yaml -log_p
ath /var/log/google-cloud-ops-agent/subagents/logging-module.log /opt/google-cloud-ops-agent/subagents/fluent-bit/bin/fluent-bit --config /run/google-cloud-ops-agent-fluent-bit/fluent_bit_main.
conf --parser /run/google-cloud-ops-agent-fluent-bit/fluent_bit_parser.conf --storage_path /var/lib/google-cloud-ops-agent/fluent-bit/buffers
root       915  0.0  0.7 1278188 36336 ?        Ssl   06:26   0:02 /usr/bin/google_guest_agent_manager
root      1128  0.0  0.6 1279572 27556 ?        Sl    06:26   0:01 /usr/lib/google/guest-agent/GuestAgentCorePlugin/core_plugin --protocol=unix --address=/run/google-guest-agent/plugin-connecti
ons/GuestAgentCorePlugin_20260511.00.sock --errorlogfile=/var/lib/google-guest-agent/220966995141901752/agent_state/plugins/GuestAgentCorePlugin/plugin.log
parthguibhilel@instance-cc-test-parth:~/practical_exam/outputs$
```

```
parthgubhillel@instance-cc-test-parth:~/practical_exam/outputs$ ps aux --sort=-%mem | head -6
USER      PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root      1451  1.4  3.8 1999320 155148 ?        Ssl   06:26   0:47 /opt/google-cloud-ops-agent/subagents/opentelemetry-collector/otelopscol --config=/run/google-cloud-ops-agent-opentelemetry-co
llector/otel.yaml
root       386  0.0  1.6 1288792 65216 ?        Ssl   06:25   0:01 /usr/bin/google_osconfig_agent
root      1438  0.0  1.4 1869068 60060 ?        Ssl   06:26   0:00 /opt/google-cloud-ops-agent/libexec/google_cloud_ops_agent_wrapper --config_path /etc/google-cloud-ops-agent/config.yaml -log_p
ath /var/log/google-cloud-ops-agent/subagents/logging-module.log /opt/google-cloud-ops-agent/subagents/fluent-bit/bin/fluent-bit --config /run/google-cloud-ops-agent-fluent-bit/fluent_bit_main.
conf --parser /run/google-cloud-ops-agent-fluent-bit/fluent_bit_parser.conf --storage_path /var/lib/google-cloud-ops-agent/fluent-bit/buffers
root       915  0.0  0.7 1278188 36336 ?        Ssl   06:26   0:02 /usr/bin/google_guest_agent_manager
root      1128  0.0  0.6 1278572 27556 ?        Sl    06:26   0:01 /usr/lib/google/guest_agent/GuestAgentCorePlugin/core_plugin --protocol=unix --address=/run/google-guest-agent/plugin-connecti
ons/GuestAgentCorePlugin.20260511.00.sock --errorlogfile=/var/lib/google-guest-agent/220966995141901752/agent_state/plugins/GuestAgentCorePlugin/plugin.log
parthgubhillel@instance-cc-test-parth:~/practical_exam/outputs$ sudo apt update
Get:1 file:/etc/apt/mirrors/debian.list Mirrorlist [30 B]
Get:2 file:/etc/apt/mirrors/debian-security.list Mirrorlist [39 B]
Hit:7 https://packages.cloud.google.com/apt google-compute-engine-bookworm-stable InRelease
Hit:3 https://deb.debian.org/debian bookworm InRelease
Hit:4 https://deb.debian.org/debian bookworm-updates InRelease
Hit:5 https://deb.debian.org/debian bookworm-backports InRelease
Hit:8 https://packages.cloud.google.com/apt cloud-sdk-bookworm InRelease
Hit:6 https://deb.debian.org/debian-security bookworm-security InRelease
Hit:9 https://packages.cloud.google.com/apt google-cloud-ops-agent-bookworm-2 InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
6 packages can be upgraded. Run 'apt list --upgradable' to see them.
parthgubhillel@instance-cc-test-parth:~/practical_exam/outputs$ sudo apt install cron -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
cron is already the newest version (3.0p11-162).
cron set to manually installed.
0 upgraded, 0 newly installed, 0 to remove and 6 not upgraded.
parthgubhillel@instance-cc-test-parth:~/practical_exam/outputs$ sudo systemctl start cron
parthgubhillel@instance-cc-test-parth:~/practical_exam/outputs$ sudo systemctl enable cron
Synchronizing state of cron.service with SysV service script with /lib/systemd/systemd-sysv-install.
Executing: /lib/systemd/systemd-sysv-install enable cron
parthgubhillel@instance-cc-test-parth:~/practical_exam/outputs$ crontab -e
no crontab for parthgubhillel - using an empty one

Select an editor. To change later, run 'select-editor'.
 1. /bin/nano      <---- easiest
 2. /usr/bin/vim.basic
 3. /usr/bin/vim.tiny

Choose 1-3 [1]:
```

```
parthgulbhillel@instance-cc-test-parth:~/practical_exam/outputs$ cd ~/practical_exam
git init
git add .
git commit -m "Cloud Practical Exam Submission"
-bash: git: command not found
-bash: git: command not found
-bash: git: command not found
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ touch display.sh
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ nano display.sh
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ chmod +x display.sh
parthgulbhillel@instance-cc-test-parth:~/practical_exam$ ./display.sh
ls: cannot access 'practical_exam/scripts': No such file or directory
0
parthgulbhillel@instance-cc-test-parth:~/practical_exam$
```