

Shopping Website using HTML, CSS and JavaScript

Experiment Report / Case Study

Student Name:

Parth Denge

PRN:

24070521018

Software / Tools Required

- Visual Studio Code
- Google Chrome (or any modern web browser)
- HTML5
- CSS3
- JavaScript

Experiment Program Code

The following three files together implement the shopping website: **index.html** (structure), **style.css** (styling), and **script.js** (billing logic).

index.html

```
<!DOCTYPE html>
<html>

<head>

    <title>Shopping Website</title>

    <link rel="stylesheet" href="style.css">

    <script>
        function welcome() {
            alert("Welcome to Shopping Store!");
        }
    </script>

</head>

<body onload="welcome()">

    <h1>Online Shopping Store</h1>

    <div class="container">

        <h2>Select Products</h2>

        <table border="1">

            <tr>
                <th>Product</th>
                <th>Price (■)</th>
                <th>Quantity</th>
            </tr>

            <tr>
                <td>Laptop</td>
                <td>50000</td>
                <td>
                    <input type="number" id="laptop" value="0" min="0">
                </td>
            </tr>
        </table>
    </div>
</body>
</html>
```

```

        </td>
    </tr>

    <tr>
        <td>Mobile</td>
        <td>20000</td>
        <td>
            <input type="number" id="mobile" value="0" min="0">
        </td>
    </tr>

    <tr>
        <td>Headphones</td>
        <td>3000</td>
        <td>
            <input type="number" id="headphone" value="0" min="0">
        </td>
    </tr>

    <tr>
        <td>Keyboard</td>
        <td>1500</td>
        <td>
            <input type="number" id="keyboard" value="0" min="0">
        </td>
    </tr>

    <tr>
        <td>Mouse</td>
        <td>800</td>
        <td>
            <input type="number" id="mouse" value="0" min="0">
        </td>
    </tr>

    <tr>
        <td>Monitor</td>
        <td>10000</td>
        <td>
            <input type="number" id="monitor" value="0" min="0">
        </td>
    </tr>
</table>

<br>

<button onclick="calculateBill()">Calculate Bill</button>

<h2>Bill Details</h2>

<p>Total Price : ■<span id="total">0</span></p>

<p>GST (15%) : ■<span id="gst">0</span></p>

<p>Discount (10%) : ■<span id="discount">0</span></p>

<h2>Final Amount : ■<span id="final">0</span></h2>

</div>

<!-- Footer -->
<footer>
    <p>Developed by <strong>Parth Denge</strong></p>
    <p>PRN: <strong>24070521018</strong></p>
</footer>

```

```
<script src="script.js"></script>

</body>

</html>
```

style.css

```
body{

    font-family: Arial;
    background:#f2f2f2;
    text-align:center;

}

.container{

    width:700px;
    margin:auto;
    background:white;
    padding:20px;
    border-radius:10px;
    box-shadow:0px 0px 10px gray;

}

table{

    width:100%;
    border-collapse:collapse;

}

table,th,td{

    border:1px solid black;

}

th{

    background:royalblue;
    color:white;

}

th,td{

    padding:12px;

}

input{

    width:70px;
    text-align:center;

}

button{

    background:green;
    color:white;
    border:none;
    padding:10px 20px;
    cursor:pointer;

}
```

```

        font-size:18px;
    }
    button:hover{
        background:rgb(100, 98, 0);
    }
    h1{
        color:rgb(0, 119, 128);
    }

```

script.js

```

function calculateBill()
{
    let laptop = Number(document.getElementById("laptop").value);
    let mobile = Number(document.getElementById("mobile").value);
    let headphone = Number(document.getElementById("headphone").value);
    let keyboard = Number(document.getElementById("keyboard").value);
    let mouse = Number(document.getElementById("mouse").value);
    let monitor = Number(document.getElementById("monitor").value);

    let total =
    (laptop * 50000) +
    (mobile * 20000) +
    (headphone * 3000) +
    (keyboard * 1500) +
    (mouse * 800) +
    (monitor * 10000);

    let gst = total * 0.15;

    let discount = total * 0.10;

    let finalAmount = total + gst - discount;

    document.getElementById("total").innerHTML = total.toFixed(2);

    document.getElementById("gst").innerHTML = gst.toFixed(2);

    document.getElementById("discount").innerHTML = discount.toFixed(2);

    document.getElementById("final").innerHTML = finalAmount.toFixed(2);
}

```

Output

Attach a screenshot of the running program. The screenshot must clearly show:

- Student Name: Parth Denge
- PRN: 24070521018
- File Path (e.g., D:\JS Practical\Experiment-1\index.html)
- Shopping website with the calculated bill.

[Insert Screenshot Here]

Case Study Title

Online Shopping Bill Calculator

Case Study Program Code

Use the same files as above: index.html, style.css, and script.js.

Output

Attach another screenshot showing:

- Product quantities entered
- Total Price
- GST
- Discount
- Final Amount

The screenshot must clearly display:

- Student Name: Parth Denge
- PRN: 24070521018
- File Path

[Insert Screenshot Here]

Result / Conclusion

Result:

The Online Shopping Bill Calculator was developed successfully using HTML, CSS, and JavaScript. The program correctly calculates the total price based on selected products, applies 15% GST and a 10% discount, and displays the final payable amount.

Conclusion:

This experiment demonstrates the use of HTML for webpage structure, CSS for styling, and JavaScript for implementing interactive billing calculations. It helps understand event handling, DOM manipulation, arithmetic operations, and basic web application development.