

DBMS LAB ASSIGNMENT – 2

Name :- Parth Bhayani

Prn No :- 26070122512

Batch:-B3

Title :- Introduction to DDL and DML Commands and its execution

Description :-

Data Definition Language defines the schema for the database by specifying entities and the relationship among them. In addition to this, DDL even defines certain security constraints. The execution of DDL statements results in new tables which are stored in "system catalog" also called data dictionary or data directory.

Data Manipulation Language is a language that provides a set of operations to support the basic data manipulation operations on the data held in the databases. It allows users to insert, update, delete and retrieve data from the database. Data manipulations are applied at internal, conceptual and external levels of schemas. However, the level of complexity at each schema level varies from one another.

Data Control Language statements control access to data and the database using statements such as GRANT and REVOKE. A privilege can either be granted to a User with the help of GRANT statement. The privileges assigned can be SELECT, ALTER, DELETE, EXECUTE, INSERT, INDEX etc. In addition to granting of privileges, you can also revoke (taken back) it by using REVOKE command.

DDL : Data Definition Language

All DDL commands are auto-committed. That means it saves all the changes permanently in the database.

Command	Description
create	to create new table or database
alter	for alteration
truncate	delete data from table
drop	to drop a table
rename	to rename a table

DML : Data Manipulation Language

DML commands are not auto-committed. It means changes are not permanent to database, they can be rolled back.

Command	Description
insert	to insert a new row
update	to update existing row
delete	to delete a row
merge	merging two rows or two tables

DCL : Data Control Language

Data control language provides command to grant and take back authority.

Command	Description
grant	grant permission of right
revoke	take back permission.

Assignment -2 Lab Ques ons Sec on – 1 DDL Commands

Q1 :- Explain DDL commands and their syntax ?

Ans :-

DDL (Data Defini on Language)

DDL (Data Defini on Language) is a set of SQL commands used to create, modify, and delete the structure of database objects such as databases and tables.

Common DDL Commands

1. CREATE

Purpose: Creates a new database, table, view, or other database object.

Syntax (Create Database):

CREATE DATABASE

database_name;

Example:

CREATE DATABASE

LibraryDB; Syntax (Create

Table): CREATE TABLE

table_name (column1

datatype, column2

datatype,

...

);

Example:

CREATE TABLE STUDENT (

Stuid INT PRIMARY KEY,

Sname VARCHAR(50),

Email VARCHAR(100)

);

2. ALTER

Purpose: Modifies the structure of an existing table.

Syntax (Add Column):

ALTER TABLE table_name

ADD column_name datatype;

Example:

ALTER TABLE

STUDENT ADD Phone

VARCHAR(15);

Syntax (Modify Column):

ALTER TABLE table_name

MODIFY column_name

datatype;

Example:

ALTER TABLE STUDENT

MODIFY Sname VARCHAR(100);

Syntax (Drop Column):

ALTER TABLE table_name

DROP COLUMN

column_name;

Example:

ALTER TABLE STUDENT

DROP COLUMN Phone;

3. DROP

Purpose: Permanently deletes a database or table along with all its data.

Syntax (Drop Table):

DROP TABLE

table_name; Example:

DROP TABLE STUDENT;

Syntax (Drop Database):

DROP DATABASE database_name;

Example:

DROP DATABASE LibraryDB;

4. TRUNCATE

Purpose: Deletes all records from a table but keeps the table structure.

Syntax:

TRUNCATE TABLE table_name;

Example:

TRUNCATE TABLE STUDENT;

5. RENAME

Purpose: Changes the name of a table.

Syntax:

RENAME TABLE old_table_name TO new_table_name;

Example:

RENAME TABLE STUDENT TO STUDENTS;

Q2 :- Create tables for the following relational model of library management. Apply constraints on the columns and also alter the structure according to your requirements.

1. SIULIBRARY (Slid, lname, location, noofcopies) -- branches

2. Library(Lid, lname, city, area, slid)

3. BOOKS(Bid, Bname, Price, Lid)

4. Noofcopies(bnid, bid, blid)

5. AUTHOR(Aid, Aname, email, phoneno)

6. Writes(Bid, Aid, pid)

7. PUBLISHER(Pid, Pname)

8. SELLER(Sid, slname, city)

9. DEPARTMENT (Dep d,deptname, Iname,lid)
10. STUDENT(Stuid, Sname, email,memid dep d)
11. STAFF(S d, sname, email, dep d,memid)
12. PURCHASE(prid , lid, sid, pid, bid, quan ty ,date, totalcost)
13. ISSUE(Issueid, memid, bid, lid, issuedate, returndate)
14. SELLS (sid, bid,pid)
15. Employee(eid,empname,email,salary,lid)
16. A_specializa on(spec_id,spec_name,Aid)
17. Member(emid,lid)

Sec on- 2 DML Command execu on

Q-1.Explain DML commands and their syntax.

Q-2.Insert 5 tuples in each of the created tables.

Q-2 Execute following queries on the library database

1. Which institute libraries are located in pune city?
2. To which institute CS department belongs to?
3. Find all the books whose price is between 800 to 12000?
4. Find out such employees who's salaries are not greater than 50,000/-
5. Find out such sellers who's name end with "ta"
6. Find out such ins tute libraries where their area informa on is missing.
7. Find out such staff members who's name doesn't starts with "A"
8. Find out such SIU libraries which have ins tute libraries located in Bangalore.

9. Which students belong to civil department?
10. Find out books which are written by “Shru” and published by McGraw Hill? Input and Output

:-

```
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 11
Server version: 8.4.9 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE LibraryDB;
Query OK, 1 row affected (0.01 sec)

mysql> USE LibraryDB;
Database changed
mysql> CREATE TABLE SIULIBRARY (
->     Slid INT PRIMARY KEY,
->     lname VARCHAR(100) NOT NULL,
->     location VARCHAR(100) NOT NULL,
->     noofbranches INT DEFAULT 1 CHECK (noofbranches >= 1)
-> );
Query OK, 0 rows affected (0.03 sec)

mysql> CREATE TABLE Ilibrary (
->     Lid INT PRIMARY KEY,
->     lname VARCHAR(100) NOT NULL,
->     city VARCHAR(50) NOT NULL,
->     area VARCHAR(50),
->     Slid INT,
->     CONSTRAINT FK_ILIBRARY_SIULIBRARY FOREIGN KEY (Slid) REFERENCES SIULIBRARY(Slid)
-> );
Query OK, 0 rows affected (0.07 sec)

mysql> CREATE TABLE PUBLISHER (
->     Pid INT PRIMARY KEY,
->     Pname VARCHAR(100) NOT NULL
-> );
Query OK, 0 rows affected (0.03 sec)
```

```

mysql> CREATE TABLE BOOKS (
->     Bid INT PRIMARY KEY,
->     Bname VARCHAR(100) NOT NULL,
->     Price DECIMAL(10,2) CHECK (Price > 0),
->     Lid INT,
->     CONSTRAINT FK_BOOKS_ILIBRARY FOREIGN KEY (Lid) REFERENCES Ilibrary(Lid)
-> );
Query OK, 0 rows affected (0.08 sec)

mysql> CREATE TABLE Noofcopies (
->     bnid INT PRIMARY KEY,
->     Bid INT,
->     blid INT,
->     CONSTRAINT FK_NOOFCOPIES_BOOKS FOREIGN KEY (Bid) REFERENCES BOOKS(Bid),
->     CONSTRAINT FK_NOOFCOPIES_ILIBRARY FOREIGN KEY (blid) REFERENCES Ilibrary(Lid)
-> );
Query OK, 0 rows affected (0.08 sec)

mysql> CREATE TABLE AUTHOR (
->     Aid INT PRIMARY KEY,
->     Aname VARCHAR(100) NOT NULL,
->     email VARCHAR(100) UNIQUE,
->     phoneno VARCHAR(15) UNIQUE
-> );
Query OK, 0 rows affected (0.06 sec)

mysql> CREATE TABLE A_specialization (
->     spec_id INT PRIMARY KEY,
->     spec_name VARCHAR(100) NOT NULL,
->     Aid INT,
->     CONSTRAINT FK_ASPECIALIZATION_AUTHOR FOREIGN KEY (Aid) REFERENCES AUTHOR(Aid)
-> );
Query OK, 0 rows affected (0.07 sec)

```

```

mysql> CREATE TABLE WRITES (
->     Bid INT,
->     Aid INT,
->     Pid INT,
->     PRIMARY KEY (Bid, Aid, Pid),
->     CONSTRAINT FK_WRITES_BOOKS FOREIGN KEY (Bid) REFERENCES BOOKS(Bid),
->     CONSTRAINT FK_WRITES_AUTHOR FOREIGN KEY (Aid) REFERENCES AUTHOR(Aid),
->     CONSTRAINT FK_WRITES_PUBLISHER FOREIGN KEY (Pid) REFERENCES PUBLISHER(Pid)
-> );
Query OK, 0 rows affected (0.06 sec)

mysql> CREATE TABLE SELLER (
->     Sid INT PRIMARY KEY,
->     slname VARCHAR(100) NOT NULL,
->     city VARCHAR(50)
-> );
Query OK, 0 rows affected (0.04 sec)

mysql> CREATE TABLE SELLS (
->     Sid INT,
->     Bid INT,
->     Pid INT,
->     PRIMARY KEY (Sid, Bid, Pid),
->     CONSTRAINT FK_SELLS_SELLER FOREIGN KEY (Sid) REFERENCES SELLER(Sid),
->     CONSTRAINT FK_SELLS_BOOKS FOREIGN KEY (Bid) REFERENCES BOOKS(Bid),
->     CONSTRAINT FK_SELLS_PUBLISHER FOREIGN KEY (Pid) REFERENCES PUBLISHER(Pid)
-> );
Query OK, 0 rows affected (0.08 sec)

mysql> CREATE TABLE DEPARTMENT (
->     Deptid INT PRIMARY KEY,
->     deptname VARCHAR(100) NOT NULL,
->     Iname VARCHAR(100),
->     Lid INT,
->     CONSTRAINT FK_DEPARTMENT_ILIBRARY FOREIGN KEY (Lid) REFERENCES Ilibrary(Lid)
-> );
Query OK, 0 rows affected (0.05 sec)

```

```

mysql> CREATE TABLE Member (
->     memid INT PRIMARY KEY,
->     Lid INT,
->     CONSTRAINT FK_MEMBER_ILIBRARY FOREIGN KEY (Lid) REFERENCES Ilibrary(Lid)
-> );
Query OK, 0 rows affected (0.07 sec)

mysql> CREATE TABLE STUDENT (
->     Stuid INT PRIMARY KEY,
->     Sname VARCHAR(100) NOT NULL,
->     email VARCHAR(100) UNIQUE,
->     memid INT UNIQUE,
->     deptid INT,
->     CONSTRAINT FK_STUDENT_MEMBER FOREIGN KEY (memid) REFERENCES Member(memid),
->     CONSTRAINT FK_STUDENT_DEPARTMENT FOREIGN KEY (deptid) REFERENCES DEPARTMENT(Deptid)
-> );
Query OK, 0 rows affected (0.07 sec)

mysql> CREATE TABLE STAFF (
->     Stid INT PRIMARY KEY,
->     stname VARCHAR(100) NOT NULL,
->     email VARCHAR(100) UNIQUE,
->     deptid INT,
->     memid INT UNIQUE,
->     CONSTRAINT FK_STAFF_DEPARTMENT FOREIGN KEY (deptid) REFERENCES DEPARTMENT(Deptid),
->     CONSTRAINT FK_STAFF_MEMBER FOREIGN KEY (memid) REFERENCES Member(memid)
-> );
Query OK, 0 rows affected (0.07 sec)

mysql> CREATE TABLE Employee (
->     eid INT PRIMARY KEY,
->     empname VARCHAR(100) NOT NULL,
->     email VARCHAR(100) UNIQUE,
->     salary DECIMAL(10,2) CHECK (salary > 0),
->     Lid INT,
->     CONSTRAINT FK_EMPLOYEE_ILIBRARY FOREIGN KEY (Lid) REFERENCES Ilibrary(Lid)
-> );
Query OK, 0 rows affected (0.08 sec)

```

```

mysql> CREATE TABLE PURCHASE (
->     prid INT PRIMARY KEY,
->     Lid INT,
->     Sid INT,
->     Pid INT,
->     Bid INT,
->     quantity INT CHECK (quantity > 0),
->     date DATE,
->     totalcost DECIMAL(10,2),
->     CONSTRAINT FK_PURCHASE_ILIBRARY FOREIGN KEY (Lid) REFERENCES Ilibrary(Lid),
->     CONSTRAINT FK_PURCHASE_SELLER FOREIGN KEY (Sid) REFERENCES SELLER(Sid),
->     CONSTRAINT FK_PURCHASE_PUBLISHER FOREIGN KEY (Pid) REFERENCES PUBLISHER(Pid),
->     CONSTRAINT FK_PURCHASE_BOOKS FOREIGN KEY (Bid) REFERENCES BOOKS(Bid)
-> );
Query OK, 0 rows affected (0.09 sec)

mysql> CREATE TABLE ISSUE (
->     Issueid INT PRIMARY KEY,
->     memid INT,
->     Bid INT,
->     Lid INT,
->     issuedate DATE,
->     returndate DATE,
->     CONSTRAINT FK_ISSUE_MEMBER FOREIGN KEY (memid) REFERENCES Member(memid),
->     CONSTRAINT FK_ISSUE_BOOKS FOREIGN KEY (Bid) REFERENCES BOOKS(Bid),
->     CONSTRAINT FK_ISSUE_ILIBRARY FOREIGN KEY (Lid) REFERENCES Ilibrary(Lid)
-> );
Query OK, 0 rows affected (0.08 sec)

```



```
mysql> INSERT INTO SIULIBRARY (Slid, lname, location, noofbranches) VALUES
-> (1, 'SIU Maharashtra Library Network', 'Pune', 6),
-> (2, 'SIU Karnataka Library Network', 'Bangalore', 3),
-> (3, 'SIU Telangana Library Network', 'Hyderabad', 3),
-> (4, 'SIU Uttar Pradesh Library Network', 'Noida', 2),
-> (5, 'SIU Maharashtra North Network', 'Nashik', 2),
-> (6, 'SIU Nagpur Library Network', 'Nagpur', 2),
-> (7, 'SIU Mumbai Library Network', 'Mumbai', 2),
-> (8, 'SIU Gujarat Library Network', 'Ahmedabad', 1),
-> (9, 'SIU Rajasthan Library Network', 'Jaipur', 1),
-> (10, 'SIU Madhya Pradesh Library Network', 'Indore', 1);
```

Query OK, 10 rows affected (0.02 sec)

Records: 10 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Ilibrary (Lid, lname, city, area, slid) VALUES
-> (101, 'SIT Library', 'Pune', 'Lavale', 1),
-> (102, 'SIBM Library', 'Pune', 'Hinjewadi', 1),
-> (103, 'SICSR Library', 'Pune', 'Model Colony', 1),
-> (104, 'SSLA Library', 'Pune', 'Viman Nagar', 1),
-> (105, 'SIOM Library', 'Nashik', 'Ambad', 5),
-> (106, 'SIBM Bengaluru Library', 'Bangalore', 'Electronic City', 2),
-> (107, 'SSBS Library', 'Bangalore', NULL, 2),
-> (108, 'SIT Hyderabad Library', 'Hyderabad', 'Banjara Hills', 3),
-> (109, 'SSLA Hyderabad Library', 'Hyderabad', 'Gachibowli', 3),
-> (110, 'SIT Noida Library', 'Noida', 'Sector 62', 4),
-> (111, 'SSAC Library', 'Nagpur', 'Ramnagar', 6),
-> (112, 'SLS Mumbai Library', 'Mumbai', 'Bandra', 7),
-> (113, 'SIT Ahmedabad Library', 'Ahmedabad', NULL, 8),
-> (114, 'SIT Jaipur Library', 'Jaipur', 'Malviya Nagar', 9),
-> (115, 'SIT Indore Library', 'Indore', 'Vijay Nagar', 10);
```

Query OK, 15 rows affected (0.01 sec)

Records: 15 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO PUBLISHER (Pid, Pname) VALUES
```

```
-> (201, 'McGraw Hill'),  
-> (202, 'Tata McGraw Hill'),  
-> (203, 'Pearson Education'),  
-> (204, 'Wiley Publications'),  
-> (205, 'OReilly Media'),  
-> (206, 'Oxford University Press'),  
-> (207, 'Cambridge University Press'),  
-> (208, 'Technical Publications'),  
-> (209, 'Prentice Hall'),  
-> (210, 'Springer Nature');
```

```
Query OK, 10 rows affected (0.01 sec)
```

```
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO AUTHOR (Aid, Aname, email, phoneno) VALUES
```

```
-> (301, 'Shruti Deshmukh', 'shruti.deshmukh@authors.org', '9876501001'),  
-> (302, 'Shivam Kapoor', 'shivam.kapoor@authors.org', '9876501002'),  
-> (303, 'Brian Kernighan', 'brian.k@authors.org', '9876501003'),  
-> (304, 'Ken Thompson', 'ken.thompson@authors.org', '9876501004'),  
-> (305, 'Ken Coel', 'ken.coel@authors.org', '9876501005'),  
-> (306, 'Pooja Pai', 'pooja.pai@authors.org', '9876501006'),  
-> (307, 'Ameya Kulkarni', 'ameya.k@authors.org', '9876501007'),  
-> (308, 'Ritika Sharma', 'ritika.s@authors.org', '9876501008'),  
-> (309, 'Sanjay Mishra', 'sanjay.m@authors.org', '9876501009'),  
-> (310, 'Neha Verma', 'neha.v@authors.org', '9876501010'),  
-> (311, 'Rohan Patil', 'rohan.p@authors.org', '9876501011'),  
-> (312, 'Meera Nair', 'meera.n@authors.org', '9876501012');
```

```
Query OK, 12 rows affected (0.01 sec)
```

```
Records: 12 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO SELLER (Sid, slname, city) VALUES
-> (401, 'Pragati Book Store', 'Pune'),
-> (402, 'College Book Store', 'Bangalore'),
-> (403, 'Kohinoor Books', 'Pune'),
-> (404, 'Technical Book House', 'Hyderabad'),
-> (405, 'Geeta', 'Mumbai'),
-> (406, 'Vidyardhi Book Depot', 'Nashik'),
-> (407, 'Timenowta', 'Bangalore'),
-> (408, 'Knowledge Hub', 'Noida'),
-> (409, 'Scholar Books', 'Nagpur'),
-> (410, 'Pustak Seva', 'Pune'),
-> (411, 'Academic Point', 'Ahmedabad'),
-> (412, 'Readers Plaza', 'Jaipur');
```

Query OK, 12 rows affected (0.01 sec)

Records: 12 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO DEPARTMENT (Deptid, deptname, Iname, lid) VALUES
-> (501, 'CS', 'SIT', 101),
-> (502, 'IT', 'SIT', 101),
-> (503, 'Civil', 'SIT', 101),
-> (504, 'E&TC', 'SIT', 101),
-> (505, 'Mechanical', 'SIT', 101),
-> (506, 'Management', 'SIBM', 102),
-> (507, 'Finance Management', 'SIBM', 102),
-> (508, 'Computer Applications', 'SICSR', 103),
-> (509, 'Law', 'SSLA', 104),
-> (510, 'Banking', 'SSBS', 107),
-> (511, 'Digital Telecommunications', 'SIT Hyderabad', 108),
-> (512, 'Clinical Research', 'SSBS', 107),
-> (513, 'Architecture', 'SSAC', 111),
-> (514, 'Data Science', 'SIT Noida', 110),
-> (515, 'Business Analytics', 'SIBM Bengaluru', 106);
```

Query OK, 15 rows affected (0.01 sec)

Records: 15 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Member (memid, lid) VALUES
-> (1001, 101), (1002, 101), (1003, 101), (1004, 101), (1005, 101),
-> (1006, 102), (1007, 102), (1008, 103), (1009, 104), (1010, 107),
-> (1011, 108), (1012, 110), (1013, 111), (1014, 106), (1015, 105),
-> (1016, 101), (1017, 101), (1018, 102), (1019, 103), (1020, 104),
-> (1021, 101), (1022, 101), (1023, 101), (1024, 102), (1025, 107),
-> (1026, 108), (1027, 110), (1028, 111), (1029, 106), (1030, 105),
-> (1031, 101), (1032, 102), (1033, 103), (1034, 104), (1035, 105),
-> (1036, 106), (1037, 107), (1038, 108), (1039, 109), (1040, 110);
```

Query OK, 40 rows affected (0.01 sec)

Records: 40 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO BOOKS (Bid, Bname, Price, Lid) VALUES
-> (701, 'Database Management Systems', 950.00, 101),
-> (702, 'Operating System Concepts', 1000.00, 101),
-> (703, 'Computer Networks', 3450.00, 101),
-> (704, 'Data Structures Using C', 1200.00, 101),
-> (705, 'Algorithms and Complexity', 6750.00, 101),
-> (706, 'Engineering Graphics', 2450.00, 101),
-> (707, 'Digital Finance', 600.00, 102),
-> (708, 'Management Information Systems', 2500.00, 102),
-> (709, 'Supply Chain Management', 500.00, 102),
-> (710, 'Customer Relationship Management', 3460.00, 106),
-> (711, 'Microeconomics', 270.00, 106),
-> (712, 'Business Analytics Essentials', 1800.00, 106),
-> (713, 'Bioinformatics Fundamentals', 780.00, 107),
-> (714, 'Clinical Research Methods', 1500.00, 107),
-> (715, 'Banking Technology', 900.00, 107),
-> (716, 'Telecommunication Systems', 1500.00, 108),
-> (717, 'Mobile Communication', 460.00, 108),
-> (718, 'Artificial Intelligence', 12500.00, 108),
-> (719, 'Cybersecurity Principles', 2200.00, 110),
-> (720, 'Cloud Computing', 1750.00, 110),
-> (721, 'Structure and Foundations', 1700.00, 111),
-> (722, 'Ecofriendly Homes', 1230.00, 111),
-> (723, 'Child Law', 1800.00, 104),
-> (724, 'Intellectual Property and Patents', 350.00, 104),
-> (725, 'Labour Laws', 3450.00, 109),
-> (726, 'Research Laws', 1100.00, 109),
-> (727, 'C Programming Language', 850.00, 101),
-> (728, 'Unix Programming', 1300.00, 101),
-> (729, 'Machine Learning Basics', 2100.00, 103),
-> (730, 'Python for Data Science', 1600.00, 103);
Query OK, 30 rows affected (0.01 sec)
Records: 30 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO STUDENT (Stuid, Sname, email, memid, deptid) VALUES
-> (801, 'Pooja Desai', 'student801@siu.edu', 1001, 503),
-> (802, 'Satish More', 'student802@siu.edu', 1002, 503),
-> (803, 'Amar Joshi', 'student803@siu.edu', 1003, 504),
-> (804, 'Meera Kulkarni', 'student804@siu.edu', 1004, 502),
-> (805, 'Ravi Patil', 'student805@siu.edu', 1005, 502),
-> (806, 'Aditi Rao', 'student806@siu.edu', 1006, 510),
-> (807, 'Shivani Deshmukh', 'student807@siu.edu', 1007, 501),
-> (808, 'Mayank Shah', 'student808@siu.edu', 1008, 506),
-> (809, 'Rohit Patil', 'student809@siu.edu', 1009, 503),
-> (810, 'Neha Nair', 'student810@siu.edu', 1010, 508),
-> (811, 'Sagar Pawar', 'student811@siu.edu', 1011, 501),
-> (812, 'Priya Gupta', 'student812@siu.edu', 1012, 509),
-> (813, 'Kunal Mehta', 'student813@siu.edu', 1013, 514),
-> (814, 'Sneha Jadhav', 'student814@siu.edu', 1014, 515),
-> (815, 'Varun Singh', 'student815@siu.edu', 1015, 511),
-> (816, 'Isha Kulkarni', 'student816@siu.edu', 1016, 502),
-> (817, 'Akash Verma', 'student817@siu.edu', 1017, 501),
-> (818, 'Riya Sharma', 'student818@siu.edu', 1018, 512),
-> (819, 'Nikhil Jain', 'student819@siu.edu', 1019, 513),
-> (820, 'Tanvi Bhosale', 'student820@siu.edu', 1020, 507);
Query OK, 20 rows affected (0.00 sec)
Records: 20 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO STAFF (Stid, stname, email, deptid, memid) VALUES
-> (901, 'Satish Kumar', 'staff901@siu.edu', 501, 1021),
-> (902, 'Rachit Mehra', 'staff902@siu.edu', 510, 1022),
-> (903, 'Seema Joshi', 'staff903@siu.edu', 513, 1023),
-> (904, 'Sayali Patil', 'staff904@siu.edu', 504, 1024),
-> (905, 'Aditya Rao', 'staff905@siu.edu', 509, 1025),
-> (906, 'Archit Shah', 'staff906@siu.edu', 501, 1026),
-> (907, 'Anjali Nair', 'staff907@siu.edu', 506, 1027),
-> (908, 'Sunil More', 'staff908@siu.edu', 502, 1028),
-> (909, 'Neha Sharma', 'staff909@siu.edu', 503, 1029),
-> (910, 'Vikram Singh', 'staff910@siu.edu', 514, 1030),
-> (911, 'Pallavi Desai', 'staff911@siu.edu', 515, 1031),
-> (912, 'Rahul Jadhav', 'staff912@siu.edu', 511, 1032),
-> (913, 'Meenal Gupta', 'staff913@siu.edu', 512, 1033),
-> (914, 'Suresh Pawar', 'staff914@siu.edu', 507, 1034),
-> (915, 'Kavita Kulkarni', 'staff915@siu.edu', 508, 1035);
Query OK, 15 rows affected (0.01 sec)
```

Records: 15 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Employee (eid, empname, email, salary, lid) VALUES
-> (1001, 'Shilpa Patil', 'shilpa.emp@siu.edu', 10000.00, 101),
-> (1002, 'Shivani Rao', 'shivani.emp@siu.edu', 20000.00, 101),
-> (1003, 'Hemani Shah', 'hemani.emp@siu.edu', 50000.00, 102),
-> (1004, 'Rekha Joshi', 'rekha.emp@siu.edu', 35000.00, 103),
-> (1005, 'Anil More', 'anil.emp@siu.edu', 45000.00, 105),
-> (1006, 'Suhas Patil', 'suhas.emp@siu.edu', 20000.00, 106),
-> (1007, 'Kiran Desai', 'kiran.emp@siu.edu', 48000.00, 107),
-> (1008, 'Pooja Nair', 'pooja.emp@siu.edu', 52000.00, 108),
-> (1009, 'Sameer Kulkarni', 'sameer.emp@siu.edu', 70000.00, 109),
-> (1010, 'Minal Gupta', 'minal.emp@siu.edu', 49500.00, 110),
-> (1011, 'Rohan Mehta', 'rohan.emp@siu.edu', 62000.00, 111),
-> (1012, 'Neeta Pawar', 'neeta.emp@siu.edu', 30000.00, 112),
-> (1013, 'Ajay Singh', 'ajay.emp@siu.edu', 55000.00, 113),
-> (1014, 'Gauri Shah', 'gauri.emp@siu.edu', 47000.00, 114),
-> (1015, 'Vivek Jain', 'vivek.emp@siu.edu', 65000.00, 115);
```

Query OK, 15 rows affected (0.01 sec)

Records: 15 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO A_specialization (spec_id, spec_name, Aid) VALUES
-> (1101, 'Database Systems', 301),
-> (1102, 'Technical Writing', 301),
-> (1103, 'Software Engineering', 302),
-> (1104, 'Management Studies', 302),
-> (1105, 'C Programming', 303),
-> (1106, 'Operating Systems', 304),
-> (1107, 'Computer Networks', 305),
-> (1108, 'Intellectual Property Law', 306),
-> (1109, 'Data Analytics', 307),
-> (1110, 'Artificial Intelligence', 308),
-> (1111, 'Cybersecurity', 309),
-> (1112, 'Cloud Computing', 310),
-> (1113, 'Civil Engineering', 311),
-> (1114, 'Economics', 312),
-> (1115, 'Research Methodology', 312);
```

Query OK, 15 rows affected (0.01 sec)

Records: 15 Duplicates: 0 Warnings: 0

```

mysql> INSERT INTO Writes (Bid, Aid, pid) VALUES
-> (701, 301, 201), (702, 302, 202), (703, 303, 203), (704, 304, 204), (705, 305, 205),
-> (706, 306, 206), (707, 307, 207), (708, 308, 208), (709, 309, 209), (710, 310, 210),
-> (711, 311, 201), (712, 312, 202), (713, 301, 203), (714, 302, 204), (715, 303, 205),
-> (716, 304, 206), (717, 305, 207), (718, 306, 208), (719, 307, 209), (720, 308, 210),
-> (721, 309, 201), (722, 310, 202), (723, 311, 203), (724, 312, 204), (725, 301, 205),
-> (726, 302, 206), (727, 303, 202), (728, 304, 205), (729, 305, 209), (730, 306, 210);
Query OK, 30 rows affected (0.01 sec)
Records: 30 Duplicates: 0 Warnings: 0

mysql> INSERT INTO SELLS (sid, bid, pid) VALUES
-> (401, 701, 201), (402, 702, 202), (403, 703, 203), (404, 704, 204), (405, 705, 205),
-> (406, 706, 206), (407, 707, 207), (408, 708, 208), (409, 709, 209), (410, 710, 210),
-> (411, 711, 201), (412, 712, 202), (401, 713, 203), (402, 714, 204), (403, 715, 205),
-> (404, 716, 206), (405, 717, 207), (406, 718, 208), (407, 719, 209), (408, 720, 210),
-> (409, 721, 201), (410, 722, 202), (411, 723, 203), (412, 724, 204), (401, 725, 205),
-> (402, 726, 206), (403, 727, 202), (404, 728, 205), (405, 729, 209), (406, 730, 210);
Query OK, 30 rows affected (0.01 sec)
Records: 30 Duplicates: 0 Warnings: 0

mysql> INSERT INTO Noofcopies (bnid, bid, blid) VALUES
-> (1201, 701, 101), (1202, 702, 101), (1203, 703, 101), (1204, 704, 101), (1205, 705, 101),
-> (1206, 706, 101), (1207, 707, 102), (1208, 708, 102), (1209, 709, 102), (1210, 710, 106),
-> (1211, 711, 106), (1212, 712, 106), (1213, 713, 107), (1214, 714, 107), (1215, 715, 107),
-> (1216, 716, 108), (1217, 717, 108), (1218, 718, 108), (1219, 719, 110), (1220, 720, 110),
-> (1221, 721, 111), (1222, 722, 111), (1223, 723, 104), (1224, 724, 104), (1225, 725, 109),
-> (1226, 726, 109), (1227, 727, 101), (1228, 728, 101), (1229, 729, 103), (1230, 730, 103);
Query OK, 30 rows affected (0.01 sec)
Records: 30 Duplicates: 0 Warnings: 0

```

```

mysql> INSERT INTO PURCHASE (prid, lid, sid, pid, bid, quantity, date, totalcost) VALUES
-> (1301, 101, 401, 201, 701, 5, '2026-01-01', 4750.00),
-> (1302, 101, 402, 202, 702, 8, '2026-02-02', 8000.00),
-> (1303, 101, 403, 203, 703, 10, '2026-03-03', 34500.00),
-> (1304, 101, 404, 204, 704, 12, '2026-04-04', 14400.00),
-> (1305, 101, 405, 205, 705, 15, '2026-05-05', 101250.00),
-> (1306, 101, 406, 206, 706, 20, '2026-06-06', 49000.00),
-> (1307, 102, 407, 207, 707, 3, '2026-07-07', 1800.00),
-> (1308, 102, 408, 208, 708, 5, '2026-08-08', 12500.00),
-> (1309, 102, 409, 209, 709, 8, '2026-09-09', 4000.00),
-> (1310, 106, 410, 210, 710, 10, '2026-10-10', 34600.00),
-> (1311, 106, 411, 201, 711, 12, '2026-11-11', 3240.00),
-> (1312, 106, 412, 202, 712, 15, '2026-12-12', 27000.00),
-> (1313, 107, 401, 203, 713, 20, '2026-01-13', 15600.00),
-> (1314, 107, 402, 204, 714, 3, '2026-02-14', 4500.00),
-> (1315, 107, 403, 205, 715, 5, '2026-03-15', 4500.00),
-> (1316, 108, 404, 206, 716, 8, '2026-04-16', 12000.00),
-> (1317, 108, 405, 207, 717, 10, '2026-05-17', 4600.00),
-> (1318, 108, 406, 208, 718, 12, '2026-06-18', 150000.00),
-> (1319, 110, 407, 209, 719, 15, '2026-07-19', 33000.00),
-> (1320, 110, 408, 210, 720, 20, '2026-08-20', 35000.00),
-> (1321, 111, 409, 201, 721, 3, '2026-09-21', 5100.00),
-> (1322, 111, 410, 202, 722, 5, '2026-10-22', 6150.00),
-> (1323, 104, 411, 203, 723, 8, '2026-11-23', 14400.00),
-> (1324, 104, 412, 204, 724, 10, '2026-12-24', 3500.00),
-> (1325, 109, 401, 205, 725, 12, '2026-01-25', 41400.00);
Query OK, 25 rows affected (0.01 sec)
Records: 25 Duplicates: 0 Warnings: 0

```

```
mysql> INSERT INTO ISSUE (Issueid, memid, bid, lid, issuedate, returndate) VALUES
-> (1401, 1001, 701, 101, '2026-01-01', NULL),
-> (1402, 1002, 702, 101, '2026-02-02', '2026-02-12'),
-> (1403, 1003, 703, 101, '2026-03-03', '2026-03-13'),
-> (1404, 1004, 704, 101, '2026-04-04', '2026-04-14'),
-> (1405, 1005, 705, 101, '2026-05-05', '2026-05-15'),
-> (1406, 1016, 706, 101, '2026-06-06', '2026-06-16'),
-> (1407, 1006, 707, 102, '2026-07-07', NULL),
-> (1408, 1007, 708, 102, '2026-08-08', '2026-08-18'),
-> (1409, 1018, 709, 102, '2026-09-09', '2026-09-19'),
-> (1410, 1014, 710, 106, '2026-10-10', '2026-10-20'),
-> (1411, 1029, 711, 106, '2026-11-11', '2026-11-21'),
-> (1412, 1036, 712, 106, '2026-12-12', '2026-12-22'),
-> (1413, 1010, 713, 107, '2026-01-13', NULL),
-> (1414, 1025, 714, 107, '2026-02-14', '2026-02-24'),
-> (1415, 1037, 715, 107, '2026-03-15', '2026-03-25'),
-> (1416, 1011, 716, 108, '2026-04-16', '2026-04-26'),
-> (1417, 1026, 717, 108, '2026-05-17', '2026-05-27'),
-> (1418, 1038, 718, 108, '2026-06-18', '2026-06-28'),
-> (1419, 1012, 719, 110, '2026-07-19', NULL),
-> (1420, 1027, 720, 110, '2026-08-20', '2026-08-28'),
-> (1421, 1013, 721, 111, '2026-09-01', '2026-09-11'),
-> (1422, 1028, 722, 111, '2026-10-02', '2026-10-12'),
-> (1423, 1009, 723, 104, '2026-11-03', '2026-11-13'),
-> (1424, 1020, 724, 104, '2026-12-04', '2026-12-14'),
-> (1425, 1039, 725, 109, '2026-01-05', NULL);
Query OK, 25 rows affected (0.01 sec)
Records: 25 Duplicates: 0 Warnings: 0
```



```
mysql> SELECT * FROM SIULIBRARY;
```

Slid	lname	location	noofbranches
1	SIU Maharashtra Library Network	Pune	6
2	SIU Karnataka Library Network	Bangalore	3
3	SIU Telangana Library Network	Hyderabad	3
4	SIU Uttar Pradesh Library Network	Noida	2
5	SIU Maharashtra North Network	Nashik	2
6	SIU Nagpur Library Network	Nagpur	2
7	SIU Mumbai Library Network	Mumbai	2
8	SIU Gujarat Library Network	Ahmedabad	1
9	SIU Rajasthan Library Network	Jaipur	1
10	SIU Madhya Pradesh Library Network	Indore	1

```
10 rows in set (0.01 sec)
```

```
mysql> SELECT * FROM Ilibrary;
```

Lid	lname	city	area	Slid
101	SIT Library	Pune	Lavale	1
102	SIBM Library	Pune	Hinjewadi	1
103	SICSR Library	Pune	Model Colony	1
104	SSLA Library	Pune	Viman Nagar	1
105	SIOM Library	Nashik	Ambad	5
106	SIBM Bengaluru Library	Bangalore	Electronic City	2
107	SSBS Library	Bangalore	NULL	2
108	SIT Hyderabad Library	Hyderabad	Banjara Hills	3
109	SSLA Hyderabad Library	Hyderabad	Gachibowli	3
110	SIT Noida Library	Noida	Sector 62	4
111	SSAC Library	Nagpur	Ramnagar	6
112	SLS Mumbai Library	Mumbai	Bandra	7
113	SIT Ahmedabad Library	Ahmedabad	NULL	8
114	SIT Jaipur Library	Jaipur	Malviya Nagar	9
115	SIT Indore Library	Indore	Vijay Nagar	10

```
15 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Member;
```

memid	Lid
1001	101
1002	101
1003	101
1004	101
1005	101
1016	101
1017	101
1021	101
1022	101
1023	101
1031	101
1006	102
1007	102
1018	102
1024	102
1032	102
1008	103
1019	103
1033	103
1009	104
1020	104
1034	104
1015	105
1030	105
1035	105
1014	106
1029	106
1036	106
1010	107
1025	107
1037	107
1011	108
1026	108
1038	108
1039	109
1012	110
1027	110
1040	110
1013	111
1028	111

```
40 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM DEPARTMENT;
```

Deptid	deptname	Iname	Lid
501	CS	SIT	101
502	IT	SIT	101
503	Civil	SIT	101
504	E&TC	SIT	101
505	Mechanical	SIT	101
506	Management	SIBM	102
507	Finance Management	SIBM	102
508	Computer Applications	SICSR	103
509	Law	SSLA	104
510	Banking	SSBS	107
511	Digital Telecommunications	SIT Hyderabad	108
512	Clinical Research	SSBS	107
513	Architecture	SSAC	111
514	Data Science	SIT Noida	110
515	Business Analytics	SIBM Bengaluru	106

```
15 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT;
```

Stuid	Sname	email	memid	deptid
801	Pooja Desai	student801@siu.edu	1001	503
802	Satish More	student802@siu.edu	1002	503
803	Amar Joshi	student803@siu.edu	1003	504
804	Meera Kulkarni	student804@siu.edu	1004	502
805	Ravi Patil	student805@siu.edu	1005	502
806	Aditi Rao	student806@siu.edu	1006	510
807	Shivani Deshmukh	student807@siu.edu	1007	501
808	Mayank Shah	student808@siu.edu	1008	506
809	Rohit Patil	student809@siu.edu	1009	503
810	Neha Nair	student810@siu.edu	1010	508
811	Sagar Pawar	student811@siu.edu	1011	501
812	Priya Gupta	student812@siu.edu	1012	509
813	Kunal Mehta	student813@siu.edu	1013	514
814	Sneha Jadhav	student814@siu.edu	1014	515
815	Varun Singh	student815@siu.edu	1015	511
816	Isha Kulkarni	student816@siu.edu	1016	502
817	Akash Verma	student817@siu.edu	1017	501
818	Riya Sharma	student818@siu.edu	1018	512
819	Nikhil Jain	student819@siu.edu	1019	513
820	Tanvi Bhosale	student820@siu.edu	1020	507

```
20 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM STAFF;
```

Stid	stname	email	deptid	memid
901	Satish Kumar	staff901@siu.edu	501	1021
902	Rachit Mehra	staff902@siu.edu	510	1022
903	Seema Joshi	staff903@siu.edu	513	1023
904	Sayali Patil	staff904@siu.edu	504	1024
905	Aditya Rao	staff905@siu.edu	509	1025
906	Archit Shah	staff906@siu.edu	501	1026
907	Anjali Nair	staff907@siu.edu	506	1027
908	Sunil More	staff908@siu.edu	502	1028
909	Neha Sharma	staff909@siu.edu	503	1029
910	Vikram Singh	staff910@siu.edu	514	1030
911	Pallavi Desai	staff911@siu.edu	515	1031
912	Rahul Jadhav	staff912@siu.edu	511	1032
913	Meenal Gupta	staff913@siu.edu	512	1033
914	Suresh Pawar	staff914@siu.edu	507	1034
915	Kavita Kulkarni	staff915@siu.edu	508	1035

```
15 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Employee;
```

eid	empname	email	salary	Lid
1001	Shilpa Patil	shilpa.emp@siu.edu	10000.00	101
1002	Shivani Rao	shivani.emp@siu.edu	20000.00	101
1003	Hemani Shah	hemani.emp@siu.edu	50000.00	102
1004	Rekha Joshi	rekha.emp@siu.edu	35000.00	103
1005	Anil More	anil.emp@siu.edu	45000.00	105
1006	Suhas Patil	suhas.emp@siu.edu	20000.00	106
1007	Kiran Desai	kiran.emp@siu.edu	48000.00	107
1008	Pooja Nair	pooja.emp@siu.edu	52000.00	108
1009	Sameer Kulkarni	sameer.emp@siu.edu	70000.00	109
1010	Minal Gupta	minal.emp@siu.edu	49500.00	110
1011	Rohan Mehta	rohan.emp@siu.edu	62000.00	111
1012	Neeta Pawar	neeta.emp@siu.edu	30000.00	112
1013	Ajay Singh	ajay.emp@siu.edu	55000.00	113
1014	Gauri Shah	gauri.emp@siu.edu	47000.00	114
1015	Vivek Jain	vivek.emp@siu.edu	65000.00	115

```
15 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM AUTHOR;
```

Aid	Aname	email	phoneno
301	Shruti Deshmukh	shruti.deshmukh@authors.org	9876501001
302	Shivam Kapoor	shivam.kapoor@authors.org	9876501002
303	Brian Kernighan	brian.k@authors.org	9876501003
304	Ken Thompson	ken.thompson@authors.org	9876501004
305	Ken Coel	ken.coel@authors.org	9876501005
306	Pooja Pai	pooja.pai@authors.org	9876501006
307	Ameya Kulkarni	ameya.k@authors.org	9876501007
308	Ritika Sharma	ritika.s@authors.org	9876501008
309	Sanjay Mishra	sanjay.m@authors.org	9876501009
310	Neha Verma	neha.v@authors.org	9876501010
311	Rohan Patil	rohan.p@authors.org	9876501011
312	Meera Nair	meera.n@authors.org	9876501012

```
12 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM A_specialization;
```

spec_id	spec_name	Aid
1101	Database Systems	301
1102	Technical Writing	301
1103	Software Engineering	302
1104	Management Studies	302
1105	C Programming	303
1106	Operating Systems	304
1107	Computer Networks	305
1108	Intellectual Property Law	306
1109	Data Analytics	307
1110	Artificial Intelligence	308
1111	Cybersecurity	309
1112	Cloud Computing	310
1113	Civil Engineering	311
1114	Economics	312
1115	Research Methodology	312

```
15 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM PUBLISHER;
```

Pid	Pname
201	McGraw Hill
202	Tata McGraw Hill
203	Pearson Education
204	Wiley Publications
205	OReilly Media
206	Oxford University Press
207	Cambridge University Press
208	Technical Publications
209	Prentice Hall
210	Springer Nature

```
10 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM SELLER;
```

Sid	slname	city
401	Pragati Book Store	Pune
402	College Book Store	Bangalore
403	Kohinoor Books	Pune
404	Technical Book House	Hyderabad
405	Geeta	Mumbai
406	Vidyardhi Book Depot	Nashik
407	Timenowta	Bangalore
408	Knowledge Hub	Noida
409	Scholar Books	Nagpur
410	Pustak Seva	Pune
411	Academic Point	Ahmedabad
412	Readers Plaza	Jaipur

```
12 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM BOOKS;
```

Bid	Bname	Price	Lid
701	Database Management Systems	950.00	101
702	Operating System Concepts	1000.00	101
703	Computer Networks	3450.00	101
704	Data Structures Using C	1200.00	101
705	Algorithms and Complexity	6750.00	101
706	Engineering Graphics	2450.00	101
707	Digital Finance	600.00	102
708	Management Information Systems	2500.00	102
709	Supply Chain Management	500.00	102
710	Customer Relationship Management	3460.00	106
711	Microeconomics	270.00	106
712	Business Analytics Essentials	1800.00	106
713	Bioinformatics Fundamentals	780.00	107
714	Clinical Research Methods	1500.00	107
715	Banking Technology	900.00	107
716	Telecommunication Systems	1500.00	108
717	Mobile Communication	460.00	108
718	Artificial Intelligence	12500.00	108
719	Cybersecurity Principles	2200.00	110
720	Cloud Computing	1750.00	110
721	Structure and Foundations	1700.00	111
722	Ecofriendly Homes	1230.00	111
723	Child Law	1800.00	104
724	Intellectual Property and Patents	350.00	104
725	Labour Laws	3450.00	109
726	Research Laws	1100.00	109
727	C Programming Language	850.00	101
728	Unix Programming	1300.00	101
729	Machine Learning Basics	2100.00	103
730	Python for Data Science	1600.00	103

```
30 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Noofcopies;
```

bnid	Bid	blid
1201	701	101
1202	702	101
1203	703	101
1204	704	101
1205	705	101
1206	706	101
1207	707	102
1208	708	102
1209	709	102
1210	710	106
1211	711	106
1212	712	106
1213	713	107
1214	714	107
1215	715	107
1216	716	108
1217	717	108
1218	718	108
1219	719	110
1220	720	110
1221	721	111
1222	722	111
1223	723	104
1224	724	104
1225	725	109
1226	726	109
1227	727	101
1228	728	101
1229	729	103
1230	730	103

```
30 rows in set (0.00 sec)
```



```
mysql> SELECT * FROM Writes;
```

Bid	Aid	Pid
701	301	201
713	301	203
725	301	205
702	302	202
714	302	204
726	302	206
703	303	203
715	303	205
727	303	202
704	304	204
716	304	206
728	304	205
705	305	205
717	305	207
729	305	209
706	306	206
718	306	208
730	306	210
707	307	207
719	307	209
708	308	208
720	308	210
709	309	209
721	309	201
710	310	210
722	310	202
711	311	201
723	311	203
712	312	202
724	312	204

```
30 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM SELLS;
```

Sid	Bid	Pid
401	701	201
402	702	202
403	703	203
404	704	204
405	705	205
406	706	206
407	707	207
408	708	208
409	709	209
410	710	210
411	711	201
412	712	202
401	713	203
402	714	204
403	715	205
404	716	206
405	717	207
406	718	208
407	719	209
408	720	210
409	721	201
410	722	202
411	723	203
412	724	204
401	725	205
402	726	206
403	727	202
404	728	205
405	729	209
406	730	210

```
30 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM PURCHASE;
```

prid	Lid	Sid	Pid	Bid	quantity	date	totalcost
1301	101	401	201	701	5	2026-01-01	4750.00
1302	101	402	202	702	8	2026-02-02	8000.00
1303	101	403	203	703	10	2026-03-03	34500.00
1304	101	404	204	704	12	2026-04-04	14400.00
1305	101	405	205	705	15	2026-05-05	101250.00
1306	101	406	206	706	20	2026-06-06	49000.00
1307	102	407	207	707	3	2026-07-07	1800.00
1308	102	408	208	708	5	2026-08-08	12500.00
1309	102	409	209	709	8	2026-09-09	4000.00
1310	106	410	210	710	10	2026-10-10	34600.00
1311	106	411	201	711	12	2026-11-11	3240.00
1312	106	412	202	712	15	2026-12-12	27000.00
1313	107	401	203	713	20	2026-01-13	15600.00
1314	107	402	204	714	3	2026-02-14	4500.00
1315	107	403	205	715	5	2026-03-15	4500.00
1316	108	404	206	716	8	2026-04-16	12000.00
1317	108	405	207	717	10	2026-05-17	4600.00
1318	108	406	208	718	12	2026-06-18	150000.00
1319	110	407	209	719	15	2026-07-19	33000.00
1320	110	408	210	720	20	2026-08-20	35000.00
1321	111	409	201	721	3	2026-09-21	5100.00
1322	111	410	202	722	5	2026-10-22	6150.00
1323	104	411	203	723	8	2026-11-23	14400.00
1324	104	412	204	724	10	2026-12-24	3500.00
1325	109	401	205	725	12	2026-01-25	41400.00

```
25 rows in set (0.01 sec)
```

```
mysql> SELECT * FROM ISSUE;
```

Issueid	memid	Bid	Lid	issuedate	returndate
1401	1001	701	101	2026-01-01	NULL
1402	1002	702	101	2026-02-02	2026-02-12
1403	1003	703	101	2026-03-03	2026-03-13
1404	1004	704	101	2026-04-04	2026-04-14
1405	1005	705	101	2026-05-05	2026-05-15
1406	1016	706	101	2026-06-06	2026-06-16
1407	1006	707	102	2026-07-07	NULL
1408	1007	708	102	2026-08-08	2026-08-18
1409	1018	709	102	2026-09-09	2026-09-19
1410	1014	710	106	2026-10-10	2026-10-20
1411	1029	711	106	2026-11-11	2026-11-21
1412	1036	712	106	2026-12-12	2026-12-22
1413	1010	713	107	2026-01-13	NULL
1414	1025	714	107	2026-02-14	2026-02-24
1415	1037	715	107	2026-03-15	2026-03-25
1416	1011	716	108	2026-04-16	2026-04-26
1417	1026	717	108	2026-05-17	2026-05-27
1418	1038	718	108	2026-06-18	2026-06-28
1419	1012	719	110	2026-07-19	NULL
1420	1027	720	110	2026-08-20	2026-08-28
1421	1013	721	111	2026-09-01	2026-09-11
1422	1028	722	111	2026-10-02	2026-10-12
1423	1009	723	104	2026-11-03	2026-11-13
1424	1020	724	104	2026-12-04	2026-12-14
1425	1039	725	109	2026-01-05	NULL

```
25 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Ilibrary  
-> WHERE city = 'Pune';
```

Lid	lname	city	area	Slid
101	SIT Library	Pune	Lavale	1
102	SIBM Library	Pune	Hinjewadi	1
103	SICSR Library	Pune	Model Colony	1
104	SSLA Library	Pune	Viman Nagar	1

```
4 rows in set (0.00 sec)
```

```
mysql> USE SIU_LIBRARY;  
ERROR 1049 (42000): Unknown database 'siu_library'
```

```
mysql>  
mysql> SELECT * FROM Ilibrary WHERE city = 'Pune';
```

Lid	lname	city	area	Slid
101	SIT Library	Pune	Lavale	1
102	SIBM Library	Pune	Hinjewadi	1
103	SICSR Library	Pune	Model Colony	1
104	SSLA Library	Pune	Viman Nagar	1

```
4 rows in set (0.00 sec)
```

```
mysql>  
mysql> SELECT Iname FROM DEPARTMENT WHERE deptname = 'CS';
```

Iname
SIT

```
1 row in set (0.00 sec)
```

```
mysql> SELECT * FROM BOOKS WHERE Price BETWEEN 800 AND 12000;
```

Bid	Bname	Price	Lid
701	Database Management Systems	950.00	101
702	Operating System Concepts	1000.00	101
703	Computer Networks	3450.00	101
704	Data Structures Using C	1200.00	101
705	Algorithms and Complexity	6750.00	101
706	Engineering Graphics	2450.00	101
708	Management Information Systems	2500.00	102
710	Customer Relationship Management	3460.00	106
712	Business Analytics Essentials	1800.00	106
714	Clinical Research Methods	1500.00	107
715	Banking Technology	900.00	107
716	Telecommunication Systems	1500.00	108
719	Cybersecurity Principles	2200.00	110
720	Cloud Computing	1750.00	110
721	Structure and Foundations	1700.00	111
722	Ecofriendly Homes	1230.00	111
723	Child Law	1800.00	104
725	Labour Laws	3450.00	109
726	Research Laws	1100.00	109
727	C Programming Language	850.00	101
728	Unix Programming	1300.00	101
729	Machine Learning Basics	2100.00	103
730	Python for Data Science	1600.00	103

```
23 rows in set (0.01 sec)
```

```
mysql>
```

```
mysql> SELECT * FROM Employee WHERE salary <= 50000;
```

eid	empname	email	salary	Lid
1001	Shilpa Patil	shilpa.emp@siu.edu	10000.00	101
1002	Shivani Rao	shivani.emp@siu.edu	20000.00	101
1003	Hemani Shah	hemani.emp@siu.edu	50000.00	102
1004	Rekha Joshi	rekha.emp@siu.edu	35000.00	103
1005	Anil More	anil.emp@siu.edu	45000.00	105
1006	Suhas Patil	suhas.emp@siu.edu	20000.00	106
1007	Kiran Desai	kiran.emp@siu.edu	48000.00	107
1010	Minal Gupta	minal.emp@siu.edu	49500.00	110
1012	Neeta Pawar	neeta.emp@siu.edu	30000.00	112
1014	Gauri Shah	gauri.emp@siu.edu	47000.00	114

```
10 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM SELLER WHERE slname LIKE '%ta';
```

Sid	slname	city
405	Geeta	Mumbai
407	Timenowta	Bangalore

2 rows in set (0.00 sec)

```
mysql>
```

```
mysql> SELECT * FROM Ilibrary WHERE area IS NULL;
```

Lid	lname	city	area	Slid
107	SSBS Library	Bangalore	NULL	2
113	SIT Ahmedabad Library	Ahmedabad	NULL	8

2 rows in set (0.00 sec)

```
mysql>
```

```
mysql> SELECT * FROM STAFF WHERE stname NOT LIKE 'A%';
```

Stid	stname	email	deptid	memid
901	Satish Kumar	staff901@siu.edu	501	1021
902	Rachit Mehra	staff902@siu.edu	510	1022
903	Seema Joshi	staff903@siu.edu	513	1023
904	Sayali Patil	staff904@siu.edu	504	1024
908	Sunil More	staff908@siu.edu	502	1028
909	Neha Sharma	staff909@siu.edu	503	1029
910	Vikram Singh	staff910@siu.edu	514	1030
911	Pallavi Desai	staff911@siu.edu	515	1031
912	Rahul Jadhav	staff912@siu.edu	511	1032
913	Meenal Gupta	staff913@siu.edu	512	1033
914	Suresh Pawar	staff914@siu.edu	507	1034
915	Kavita Kulkarni	staff915@siu.edu	508	1035

12 rows in set (0.00 sec)

```
mysql>
```

```
mysql> SELECT s.* FROM SIULIBRARY s INNER JOIN Ilibrary i ON s.Slid = i.slid WHERE i.city = 'Bangalore';
```

Slid	lname	location	noofbranches
2	SIU Karnataka Library Network	Bangalore	3
2	SIU Karnataka Library Network	Bangalore	3

2 rows in set (0.00 sec)

```
mysql> SELECT s.* FROM STUDENT s INNER JOIN DEPARTMENT d ON s.deptid = d.Deptid WHERE d.deptname = 'Civil';
```

Stuid	Sname	email	memid	deptid
801	Pooja Desai	student801@siu.edu	1001	503
802	Satish More	student802@siu.edu	1002	503
809	Rohit Patil	student809@siu.edu	1009	503

3 rows in set (0.00 sec)

```
mysql>
```

```
mysql> SELECT b.* FROM BOOKS b INNER JOIN Writes w ON b.Bid = w.Bid INNER JOIN AUTHOR a ON w.Aid = a.Aid INNER JOIN PUBLISHER p ON w.pid = p.Pid WHERE a.Aname = 'Shruti Deshmukh' AND p.Pname = 'McGraw Hill';
```

Bid	Bname	Price	Lid
701	Database Management Systems	950.00	101

1 row in set (0.00 sec)

