

Excalidraw editing tools and options

Repository inventory | Gratitude Studio fork | 27 September 2026

Scope: the active packages/excalidraw editor and excalidraw-app integration. Archived copies under docs/legacy-branch-backup and the unrelated tldraw source are excluded. Controls are conditional on selection, device, UI mode, host props, and enabled plugins. This is a source inventory, not a claim that every entry appears simultaneously.

How to read: each major control is described below. The final locale appendix preserves the exact English UI labels and keys, including minor commands and hints, for exhaustive lookup.

1. Drawing and selection toolbar

- Hand: pan the canvas. Selection: click, box select, move, resize, rotate, and edit selected objects. Lasso: freeform area selection; may replace Selection as the preferred tool.
- Rectangle, Diamond, Ellipse: geometric shapes. Arrow: connectors, including sharp, curved, and elbow variants. Line: open polyline. Draw: freehand strokes with variable or constant pressure modes.
- Text: standalone text or labels. Sticky note: note object. Eraser: remove touched elements.
- More tools: Insert image; Frame; Web Embed; Draw to shape (autoshape); Laser pointer; Bucket fill; Lasso selection. The menu also contains a Generate group: text-to-diagram when enabled, Mermaid to Excalidraw, and Wireframe to code when the diagram-to-code plugin is present.
- Toolbar modes: keep selected tool active (tool lock); pen mode prevents touch drawing. Compact UI puts selection/lasso and draw variants in popovers. The image tool can be hidden by `UIOptions.tools.image`.

2. Appearance and shape properties

- Stroke/text color and background/fill color: palette, shades, used canvas colors, custom color input, and eyedropper. Bucket fill exposes fill color, fill style, and opacity only.
- Fill style: solid, hatchure, cross-hatch, zigzag. Stroke width: thin, bold, extra bold. Stroke style: solid, dashed, dotted.
- Sloppiness: architect, artist, cartoonist. Edges: sharp or round. Freehand pressure: constant or variable.
- Arrow type: sharp, curved, elbow. Start/end arrowhead choices: none, arrow, bar, circle, circle outline, triangle, triangle outline, diamond, diamond outline, crow foot (one/many/one or many), and cardinality (one/many/one or many/exactly one/zero or one/zero or many).
- Text: font family (hand-drawn, normal, code and available named fonts), size (small, medium, large, very large plus numeric adjustment), horizontal align (left/center/right), and vertical alignment. Opacity is adjustable.
- Conditional controls: stroke/fill/text controls depend on element type; image crop and text resizing appear for applicable selections. Compact styles panel groups properties in popovers.

3. Arrange, transform, and object actions

- Layer order: send to back, send backward, bring forward, bring to front.
- Align: left, horizontal center, right, top, vertical center, bottom. Distribute: horizontally or vertically.
- Duplicate; delete; group/ungroup; flip horizontal/vertical; copy/paste styles; add to library; lock/unlock selection or all elements.
- Edit line/arrow points; bind/unbind text; wrap text in a container; auto resize text; crop image; switch shape type; convert to/break polygon where applicable.
- Link: add/edit/open a URL or embedded link, link to an object, copy object link. Frame actions: wrap selection in frame, select all in frame, remove all from frame.
- Clipboard and selection: cut, copy, paste, paste plain text, copy as PNG/SVG/text, select all, deep select, deep box select. Paste can interpret supported chart data.

4. Canvas, view, navigation, and preferences

Gratitude Studio Editor inventory

- Undo/redo, zoom in/out/reset; zoom to fit all or selection; scroll back to content; canvas background color.
- Grid; snap to objects; arrow binding; snap to midpoints; view mode; zen mode; light/dark/system theme; full screen; show hints; mouse/trackpad input preference; box selection mode (wrap or overlap).
- Find on canvas searches text and frames. Properties panel provides scene and selected shape values, including position, size, angle, font size, grid, totals, and version where applicable.
- Command palette, keyboard shortcut help, library sidebar, and collaboration controls provide additional routes to editor commands.

5. File, export, collaboration, and generation

- Open scene from file; save to current file; export scene file; export image; copy export to clipboard; clear/reset canvas.
- Image export options include background inclusion, scene embedding, scale, and available PNG/SVG formats; options depend on the export dialog and host configuration.
- Live collaboration, shareable links, language selector, library browsing/import, text-to-diagram, Mermaid conversion, and AI wireframe-to-code are integration or feature gated options.

6. Exact toolbar labels

Selection [toolBar.selection]
Lasso selection [toolBar.lasso]
Insert image [toolBar.image]
Rectangle [toolBar.rectangle]
Diamond [toolBar.diamond]
Ellipse [toolBar.ellipse]
Arrow [toolBar.arrow]
Line [toolBar.line]
Draw [toolBar.freedraw]
Text [toolBar.text]
Library [toolBar.library]
Keep selected tool active after drawing [toolBar.lock]
Pen mode - prevent touch [toolBar.penMode]
Add / Update link for a selected shape [toolBar.link]
Eraser [toolBar.eraser]
Frame tool [toolBar.frame]
Wireframe to code [toolBar.magicframe]
Sticky note [toolBar.stickynote]
Web Embed [toolBar.embeddable]
Laser pointer [toolBar.laser]
Draw to shape [toolBar.autoshape]
Bucket fill [toolBar.bucketfill]
Hand (panning tool) [toolBar.hand]
More tools [toolBar.extraTools]
Mermaid to Excalidraw [toolBar.mermaidToExcalidraw]
Toggle shape type [toolBar.convertElementType]

7. Exact editing, arrangement, and preference labels

Sign up [labels.signUp]
Sign in [labels.signIn]
Paste [labels.paste]
Paste as plaintext [labels.pasteAsPlaintext]
Paste charts [labels.pasteCharts]
Bar chart [labels.chartType_bar]
Line chart [labels.chartType_line]
Radar chart [labels.chartType_radar]

Plain text [labels.chartType_plaintext]
Select all [labels.selectAll]
Add element to selection [labels.multiSelect]
Move canvas [labels.moveCanvas]
Cut [labels.cut]
Copy [labels.copy]
Copy to clipboard as PNG [labels.copyAsPng]
Copy to clipboard as SVG [labels.copyAsSvg]
Copy to clipboard as text [labels.copyText]
Copy source to clipboard [labels.copySource]
Convert to code [labels.convertToCode]
Bring forward [labels.bringForward]
Send to back [labels.sendToBack]
Bring to front [labels.bringToFront]
Send backward [labels.sendBackward]
Delete [labels.delete]
Copy styles [labels.copyStyles]
Paste styles [labels.pasteStyles]
Stroke [labels.stroke]
Text color [labels.textColor]
Change stroke color [labels.changeStroke]
Background [labels.background]
Change background color [labels.changeBackground]
Fill [labels.fill]
Stroke width [labels.strokeWidth]
Stroke style [labels.strokeStyle]
Solid [labels.strokeStyle_solid]
Dashed [labels.strokeStyle_dashed]
Dotted [labels.strokeStyle_dotted]
Sloppiness [labels.sloppiness]
Pressure [labels.pressure]
Constant [labels.pressure_constant]
Variable [labels.pressure_variable]
Opacity [labels.opacity]
Text align [labels.textAlign]
Edges [labels.edges]
Sharp [labels.sharp]
Round [labels.round]
Arrowheads [labels.arrowheads]
None [labels.arrowhead_none]
Arrow [labels.arrowhead_arrow]
Bar [labels.arrowhead_bar]
Circle [labels.arrowhead_circle]
Circle (outline) [labels.arrowhead_circle_outline]
Triangle [labels.arrowhead_triangle]
Triangle (outline) [labels.arrowhead_triangle_outline]
Diamond [labels.arrowhead_diamond]
Diamond (outline) [labels.arrowhead_diamond_outline]
Crow's foot (many) [labels.arrowhead_crowfoot_many]
Crow's foot (one) [labels.arrowhead_crowfoot_one]
Crow's foot (one or many) [labels.arrowhead_crowfoot_one_or_many]
Cardinality (one) [labels.arrowhead_cardinality_one]
Cardinality (many) [labels.arrowhead_cardinality_many]
Cardinality (one or many) [labels.arrowhead_cardinality_one_or_many]
Cardinality (exactly one) [labels.arrowhead_cardinality_exactly_one]
Cardinality (zero or one) [labels.arrowhead_cardinality_zero_or_one]
Cardinality (zero or many) [labels.arrowhead_cardinality_zero_or_many]
More options [labels.more_options]
Cardinality [labels.cardinality]
Arrow type [labels.arrowtypes]

Sharp arrow [labels.arrowtype_sharp]
Curved arrow [labels.arrowtype_round]
Elbow arrow [labels.arrowtype_elbowed]
Font size [labels.fontSize]
Font family [labels.fontFamily]
Add "Made with Gratitude Studio" [labels.addWatermark]
Hand-drawn [labels.handDrawn]
Normal [labels.normal]
Code [labels.code]
Small [labels.small]
Medium [labels.medium]
Large [labels.large]
Very large [labels.veryLarge]
Solid [labels.solid]
Hachure [labels.hachure]
Zigzag [labels.zigzag]
Cross-hatch [labels.crossHatch]
Thin [labels.thin]
Bold [labels.bold]
Left [labels.left]
Center [labels.center]
Right [labels.right]
Extra bold [labels.extraBold]
Architect [labels.architect]
Artist [labels.artist]
Cartoonist [labels.cartoonist]
File name [labels.fileTitle]
Color picker [labels.colorPicker]
Used on canvas [labels.canvasColors]
Canvas background [labels.canvasBackground]
Drawing canvas [labels.drawingCanvas]
Clear canvas [labels.clearCanvas]
Layers [labels.layers]
Actions [labels.actions]
Language [labels.language]
Live collaboration... [labels.liveCollaboration]
Duplicate [labels.duplicateSelection]
Untitled [labels.untitled]
Name [labels.name]
Your name [labels.yourName]
Made with Gratitude Studio [labels.madeWithExcalidraw]
Group selection [labels.group]
Ungroup selection [labels.ungroup]
Collaborators [labels.collaborators]
You [labels.you]
Toggle grid [labels.toggleGrid]
Add to library [labels.addToLibrary]
Remove from library [labels.removeFromLibrary]
Loading library... [labels.libraryLoadingMessage]
Browse libraries [labels.libraries]
Loading scene... [labels.loadingScene]
Load scene from file [labels.loadScene]
Align [labels.align]
Align top [labels.alignTop]
Align bottom [labels.alignBottom]
Align left [labels.alignLeft]
Align right [labels.alignRight]
Center vertically [labels.centerVertically]
Center horizontally [labels.centerHorizontally]
Distribute horizontally [labels.distributeHorizontally]

Distribute vertically [labels.distributeVertically]
Flip horizontal [labels.flipHorizontal]
~~Flip vertical [labels.flipVertical]~~
View mode [labels.viewMode]
Share [labels.share]
Show stroke color picker [labels.showStroke]
Show background color picker [labels.showBackground]
Show font picker [labels.showFonts]
Toggle light/dark theme [labels.toggleTheme]
Theme [labels.theme]
Personal Library [labels.personalLib]
Shape Library [labels.excalidrawLib]
Decrease font size [labels.decreaseFontSize]
Increase font size [labels.increaseFontSize]
Unbind text [labels.unbindText]
Bind text to the container [labels.bindText]
Wrap text in a container [labels.createContainerFromText]
Edit link [labels.link.edit]
Edit embeddable link [labels.link.editEmbed]
Add link [labels.link.create]
Link [labels.link.label]
Link & embed [labels.link.labelEmbed]
No link is set [labels.link.empty]
Type or paste your link here [labels.link.hint]
Go to target element [labels.link.goToElement]
Edit line [labels.lineEditor.edit]
Edit arrow [labels.lineEditor.editArrow]
Break polygon [labels.polygon.breakPolygon]
Convert to polygon [labels.polygon.convertToPolygon]
Lock [labels.elementLock.lock]
Unlock [labels.elementLock.unlock]
Lock all [labels.elementLock.lockAll]
Unlock all [labels.elementLock.unlockAll]
Published [labels.statusPublished]
Keep sidebar open [labels.sidebarLock]
Select all elements in frame [labels.selectAllElementsInFrame]
Remove all elements from frame [labels.removeAllElementsFromFrame]
Pick color from canvas [labels.eyedropper]
Text to diagram [labels.textToDiagram]
Prompt [labels.prompt]
Follow us [labels.followUs]
Discord chat [labels.discordChat]
Zoom to fit in viewport [labels.zoomToFitViewport]
Zoom to fit selection [labels.zoomToFitSelection]
Zoom to fit all elements [labels.zoomToFit]
Install Gratitude Studio [labels.installPWA]
Enable text auto-resizing [labels.autoResize]
Image cropping [labels.imageCropping]
Uncropped dimension [labels.unCroppedDimension]
Copy link to object [labels.copyElementLink]
Link to object [labels.linkToElement]
Wrap selection in frame [labels.wrapSelectionInFrame]
Tab [labels.tab]
Switch shape [labels.shapeSwitch]
Preferences [labels.preferences]
Tool lock [labels.preferences_toolLock]
Select on [labels.boxSelectionMode]
Wrap [labels.boxSelectionContain]
Overlap [labels.boxSelectionOverlap]
Arrow binding [labels.arrowBinding]

Snap to midpoints [labels.midpointSnapping]
Show hints [labels.showHints]
Input [labels.inputDevice]
Trackpad [labels.inputDeviceTrackpad]
Mouse [labels.inputDeviceMouse]

8. Exact buttons and help entries

Buttons

Reset the canvas [buttons.clearReset]
Export to file [buttons.exportJSON]
Export image... [buttons.exportImage]
Save to... [buttons.export]
Copy to clipboard [buttons.copyToClipboard]
Copy link [buttons.copyLink]
Save to current file [buttons.save]
Save as [buttons.saveAs]
Open [buttons.load]
Get shareable link [buttons.getShareableLink]
Close [buttons.close]
Select language [buttons.selectLanguage]
Scroll back to content [buttons.scrollBackToContent]
Zoom in [buttons.zoomIn]
Zoom out [buttons.zoomOut]
Reset zoom [buttons.resetZoom]
Menu [buttons.menu]
Done [buttons.done]
Edit [buttons.edit]
Undo [buttons.undo]
Redo [buttons.redo]
Reset library [buttons.resetLibrary]
Reset [buttons.reset]
Create new room [buttons.createNewRoom]
Full screen [buttons.fullScreen]
Dark mode [buttons.darkMode]
Light mode [buttons.lightMode]
System mode [buttons.systemMode]
Zen mode [buttons.zenMode]
Snap to objects [buttons.objectsSnapMode]
Exit zen mode [buttons.exitZenMode]
Cancel [buttons.cancel]
Save name(s) and exit [buttons.saveLibNames]
Clear [buttons.clear]
Remove [buttons.remove]
Toggle embedding [buttons.embed]
Rename or publish [buttons.publishLibrary]
Submit [buttons.submit]
Confirm [buttons.confirm]
Click to interact [buttons.embeddableInteractionButton]

Help

Read our blog [helpDialog.blog]
click [helpDialog.click]
Deep select [helpDialog.deepSelect]
Deep select within box, and prevent dragging [helpDialog.deepBoxSelect]
Create a flowchart from a generic element [helpDialog.createFlowchart]
Navigate a flowchart [helpDialog.navigateFlowchart]
Curved arrow [helpDialog.curvedArrow]
Curved line [helpDialog.curvedLine]

Documentation [helpDialog.documentation]
double-click [helpDialog.doubleClick]
drag [helpDialog.drag]
Editor [helpDialog.editor]
Edit line/arrow points [helpDialog.editLineArrowPoints]
Edit text / add label [helpDialog.editText]
Found an issue? Submit [helpDialog.github]
Follow our guides [helpDialog.howto]
or [helpDialog.or]
Prevent arrow binding [helpDialog.preventBinding]
Tools [helpDialog.tools]
Keyboard shortcuts [helpDialog.shortcuts]
Finish editing (text editor) [helpDialog.textFinish]
Add new line (text editor) [helpDialog.textNewLine]
Help [helpDialog.title]
View [helpDialog.view]
Zoom to fit all elements [helpDialog.zoomToFit]
Zoom to selection [helpDialog.zoomToSelection]
Lock/unlock selection [helpDialog.toggleElementLock]
Move page up/down [helpDialog.movePageUpDown]
Move page left/right [helpDialog.movePageLeftRight]
Crop image [helpDialog.cropStart]
Finish image cropping [helpDialog.cropFinish]

9. Registered action identifiers

98 literal action identifiers found in packages/excalidraw/actions. These include internal or conditional commands in addition to visible controls.

addToLibrary - actionAddToLibrary.ts
alignBottom - actionAlign.tsx
alignHorizontallyCentered - actionAlign.tsx
alignLeft - actionAlign.tsx
alignRight - actionAlign.tsx
alignTop - actionAlign.tsx
alignVerticallyCentered - actionAlign.tsx
arrowBinding - actionToggleArrowBinding.tsx
autoResize - actionTextAutoResize.ts
bindText - actionBoundText.tsx
bringForward - actionZindex.tsx
bringToFront - actionZindex.tsx
changeArrowProperties - actionProperties.tsx
changeArrowType - actionProperties.tsx
changeArrowhead - actionProperties.tsx
changeBackgroundColor - actionProperties.tsx
changeBucketFillBackgroundColor - actionProperties.tsx
changeExportBackground - actionExport.tsx
changeExportEmbedScene - actionExport.tsx
changeExportScale - actionExport.tsx
changeFillStyle - actionProperties.tsx
changeFontFamily - actionProperties.tsx
changeFontSize - actionProperties.tsx
changeFreedrawMode - actionProperties.tsx
changeOpacity - actionProperties.tsx
changeProjectName - actionExport.tsx
changeRoundness - actionProperties.tsx
changeSloppiness - actionProperties.tsx
changeStrokeColor - actionProperties.tsx
changeStrokeStyle - actionProperties.tsx
changeStrokeWidth - actionProperties.tsx
changeTextAlign - actionProperties.tsx

changeVerticalAlign - actionProperties.tsx
changeViewBackgroundColor - actionCanvas.tsx
~~clearCanvas - actionCanvas.tsx~~
copy - actionClipboard.tsx
copyAsPng - actionClipboard.tsx
copyAsSvg - actionClipboard.tsx
copyElementLink - actionElementLink.ts
copyStyles - actionStyles.ts
copyText - actionClipboard.tsx
cropEditor - actionCropEditor.tsx
cut - actionClipboard.tsx
decreaseFontSize - actionProperties.tsx
default - actionProperties.tsx
deleteSelectedElements - actionDeleteSelected.tsx
deselect - actionDeselect.ts
distributeHorizontally - actionDistribute.tsx
distributeVertically - actionDistribute.tsx
duplicateSelection - actionDuplicateSelection.tsx
elementLinkSelector - actionElementLink.ts
exportWithDarkMode - actionExport.tsx
finalize - actionFinalize.tsx
flipHorizontal - actionFlip.ts
flipVertical - actionFlip.ts
goToCollaborator - actionNavigate.tsx
gridMode - actionToggleGridMode.tsx
group - actionGroup.tsx
help - actionMenu.tsx
hyperlink - actionLink.tsx
increaseFontSize - actionProperties.tsx
linkToElement - actionElementLink.ts
loadScene - actionExport.tsx
midpointSnapping - actionToggleMidpointSnapping.tsx
objectsSnapMode - actionToggleObjectsSnapMode.tsx
paste - actionClipboard.tsx
pasteStyles - actionStyles.ts
redo - actionHistory.tsx
removeAllElementsFromFrame - actionFrame.ts
resetZoom - actionCanvas.tsx
saveFileToDisk - actionExport.tsx
saveToActiveFile - actionExport.tsx
searchMenu - actionToggleSearchMenu.ts
selectAll - actionSelectAll.ts
selectAllElementsInFrame - actionFrame.ts
sendBackward - actionZindex.tsx
sendToBack - actionZindex.tsx
stats - actionToggleStats.tsx
toggleElementLock - actionElementLock.ts
toggleLinearEditor - actionLinearEditor.tsx
togglePolygon - actionLinearEditor.tsx
toggleShapeSwitch - actionToggleShapeSwitch.tsx
toggleShortcuts - actionMenu.tsx
toggleTheme - actionCanvas.tsx
unbindText - actionBoundText.tsx
undo - actionHistory.tsx
ungroup - actionGroup.tsx
unlockAllElements - actionElementLock.ts
updateFrameRendering - actionFrame.ts
viewMode - actionToggleViewMode.tsx
wrapSelectionInFrame - actionFrame.ts
wrapTextInContainer - actionBoundText.tsx

zenMode - actionToggleZenMode.tsx
zoomIn - actionCanvas.tsx
~~zoomIn - actionCanvas.tsx~~
~~zoomOut - actionCanvas.tsx~~
zoomOut - actionCanvas.tsx
zoomToFit - actionCanvas.tsx
zoomToFitSelection - actionCanvas.tsx
zoomToFitSelectionInViewPort - actionCanvas.tsx

10. Sources and coverage notes

- Local: packages/excalidraw/components/Toolbar.tsx; Tools.tsx; Actions.tsx; LayerUI.tsx; ContextMenu.tsx; packages/excalidraw/components/main-menu/DefaultItems.tsx; packages/excalidraw/components/App.tsx; packages/excalidraw/actions/*; packages/excalidraw/locales/en.json; excalidraw-app/components/AppMainMenu.tsx.
- Local docs: dev-docs/docs/@excalidraw/excalidraw/api/children-components/main-menu.mdx and api/props/ui-options.mdx explain host menus and tool visibility. The docs themselves are integration-oriented and do not enumerate this fork's complete editing UI.
- Official online references checked: <https://docs.excalidraw.com/> and <https://excalidraw.com/> . Online material may describe a newer upstream editor; the local repository is authoritative for this PDF.
- Excluded: translated duplicates, archived Excalidraw snapshots, tldraw checkout, developer-only debug control, and every dynamic shade/color value. The exact English labels and registered action identifiers above are included to make uncommon options searchable.