
Parth Makwana (DS0722)

MACHINE LEARNING


Q1 to Q12

- 1. Which of the following is an application of clustering?
 - d. All of the above
- 2. On which data type, we cannot perform cluster analysis?
 - d. None
- 3. Netflix's movie recommendation system uses
 - c. Reinforcement learning and Unsupervised learning
- 4. The final output of Hierarchical clustering is
 - b. The tree representing how close the data points are to each other
- 5. Which of the step is not required for K-means clustering?
 - d. None
- 6. Which is the following is wrong?
 - c. k-nearest neighbour is same as k-means
- 7. Which of the following metrics, do we have for finding dissimilarity between two clusters in hierarchical clustering?
 - d. 1, 2 and 3
- 8. Which of the following are true?
 - a. 1 only
- 9. In the figure above, if you draw a horizontal line on y-axis for y=2. What will be the number of clusters formed?




- 10. For which of the following tasks might clustering be a suitable approach?
 - b.Given a database of information about your users, automatically group them into different market segments.
- 11. Given, six points with the following attributes:

Parth Makwana (DS0722)



a.

12. Given, six points with the following attributes:



13. What is the importance of clustering?

- Clustering methods helps in restarting the local search procedure and remove the inefficiency. In addition, clustering helps to determine the internal structure of the data.
- The clustering analysis has been used for model analysis, vector region of attraction.
- Clustering helps in understanding the natural grouping in a dataset.
- It plays wide role in applications like marketing economic research and weblogs to identify similarity measure, image processing, and spatial research.
- They are used in outlier detections to detect credit card fraudulence.

14. How can I improve my clustering performance?

- There are two important elements in improving the quality of clustering: improving the weights of the features in a document vector and creating a more appropriate distance measure. A good weighting technique can promote the good features of an object, and an appropriate distance measure can help bring similar features together.
- Also initialization can be key for the performance of k-means. The k-means++ algorithm is a simple
 and widely applied technique to alleviate the problems that vanilla k-means has. Some more other
 methods exist to further help with this, for example initializing the centers multiple times and
 selecting the initialization that has the lowest inertia