

INTERNSHIP REPORT

UI/UX Product Design Internship

-By Parth Dwivedi

Declaration

I (Parth Dwivedi) declare that the work documented in this report represents the UI/UX design tasks completed during my UI/UX Product Design Internship. The report summarizes the design process, Figma work, prototype development, component creation, and developer handoff preparation carried out during the internship period.

Date: 30th August , 2026

Acknowledgement

I would like to express my sincere gratitude to Just Internship for providing the opportunity to undertake the UI/UX Product Design Internship. The internship provided practical exposure to design-system creation, wireframing, component design, high-fidelity interface development, interactive prototyping, and developer handoff.

Finally, I appreciate the opportunity to apply my technical and creative skills through Figma and related design tools and to document the resulting work as part of my internship learning.

Abstract

This report presents the work completed during a UI/UX Product Design Internship conducted from 30 August. Instead of a single named project, the internship consisted of seven structured design tasks covering the major stages of a modern UI/UX workflow. The work began with the configuration of Figma workspaces, desktop frames, and an 8 point layout-grid foundation. A shared typography and color system was then developed, followed by low-fidelity wireframes for application pages. Reusable buttons and input components were created with multiple states, after which the interface was translated into a high-fidelity dashboard. The screens were subsequently connected through Figma's prototyping tools to simulate application navigation. Finally, a developer handoff specification sheet was prepared to document spacing, grids, typography, colors, components, and implementation guidance. The completed work demonstrates a progression from structural planning to visual design, interaction design, and implementation handoff. The internship strengthened practical skills in Figma operations, design systems, information architecture, component-based design, prototyping, and developer-oriented documentation.

Table of Contents

- 1. Introduction
- 2. Tools and Technologies
- 3. Task Implementation
 - 3.1 Figma Workspace & Layout Grid
 - 3.2 Design System Typography & Colors
 - 3.3 Wireframing & Page Hierarchies
 - 3.4 Reusable Buttons & Input Components
 - 3.5 High-Fidelity Dashboard Page Design
 - 3.6 Interactive Prototyping & Transitions 3.7
- Developer Handoff Preparation
- 4. Overall Design System
- 5. Prototype and User Flow
- 6. Developer Handoff Summary
- 7. Learning Outcomes
- 8. Challenges and Solutions
- 9. Conclusion

1. Introduction

1.1 Internship Overview

The UI/UX Product Design Internship provided a practical, task-based introduction to the process of designing a structured digital product interface. The assigned activities covered layout foundations, design systems, wireframes, reusable components, high-fidelity UI, interactive prototyping, and developer handoff.

1.2 Objectives

The primary objective was to develop practical competence in creating consistent and reusable digital interfaces using Figma. The tasks were designed to build skills progressively, beginning with layout architecture and ending with a handoff-ready specification.

1.3 Scope of Work

The scope included desktop layout grids, an 8-point spacing system, typography and color tokens, low-fidelity application wireframes, reusable buttons and inputs, a high-fidelity dashboard, interactive page navigation, and a developer-oriented documentation sheet.

1.4 Design Workflow

Layout foundation → Design system → Wireframing → Components → High-fidelity UI → Prototype → Developer handoff

2. Tools and Technologies

2.1 Figma

Figma was the primary design and prototyping environment. It was used for creating frames, layout grids, typography and color specifications, wireframes, reusable components, high-fidelity screens, prototype connections, and developer handoff documentation.

2.2 Google Stitch

Google Stitch was used as a supporting design-generation tool for producing visual layouts and documentation concepts. The generated designs were reviewed against the task requirements and adapted for the final design workflow.

2.3 Figma Components, Auto Layout and Prototype Tools

Component and AutoLayout concepts were applied to create reusable UI elements. Figma Prototype mode was used to connect screens and establish navigational flows. These tools helped translate static screens into a simulated application experience.

2.4 GitHub

GitHub was identified in the final submission requirements as the repository for project files and code. The repository link can be added to the appendix once the final repository is created.

3. Task Implementation

3.1 Figma Workspace & Layout Grid

The first task established the structural framework for the interface. Multiple application frames were prepared in Figma and configured with column-based layout guides. The visible workspace includes application areas such as Home, Dashboard, Analytics, Projects, Messages, and Settings. The 12-column grid provides a consistent alignment framework for responsive desktop layouts.




Figure 3.1: Figma workspace showing desktop frames configured with column layout guides.

3.2 Design System Typography & Colors

The second task established the shared visual language. A typography hierarchy was documented using multiple text styles with size, line-height, weight, and examples. A primary color scale and system colors were also defined. Accessibility examples were included using WCAG AA contrast checks, helping ensure that the selected visual combinations remain readable.




Figure 3.2: Design system sheet showing typography, color palette, system tokens, and accessibility checks.

3.3 Wireframing & Page Hierarchies

The third task focused on low-fidelity structure before visual styling. The dashboard wireframe contains navigation, a header, metric placeholders, an analytics area, quick actions, recent activity, and footer controls. Separate application areas for Home, Dashboard, Analytics, Projects, Messages, and Settings were also established in the Figma workspace.




Figure 3.3: Low-fidelity dashboard wireframe showing navigation, metrics, analytics, quick actions, and recent activity.

3.4 Reusable Buttons & Input Components

The fourth task created a reusable UI component library. Buttons were organized into Primary, Secondary, Ghost/Tertiary, and Destructive types with Default, Hover, Disabled, and Focus states. Input examples covered text, email, password, and search use cases, including validation, disabled, and focus states. This provided a reusable foundation for later application screens.




Figure 3.4: Reusable component library showing button variants and input states.

3.5 High-Fidelity Dashboard Page Design

The fifth task transformed the wireframe into a polished dashboard. The final 1400×1024 frame contains navigation, a search/header area, profile controls, a New Project action, KPI cards, a Revenue Overview chart, Recent Activity, and a Recent Projects table with statuses, progress, dates, and actions. The design applies the earlier layout and component decisions in a complete visual UI.




Figure 3.5: High-fidelity dashboard showing KPI cards, revenue visualization, recent activity, and project data.

3.6 Interactive Prototyping & Transitions

The sixth task connected the application frames in Figma Prototype mode. The prototype includes a defined starting point and navigation links between Home, Dashboard, Analytics, Projects, Messages, and Settings. Scroll behavior was configured for screens where required, including vertical overflow for the Analytics view. The resulting connections simulate a navigable web-portal experience.




Figure 3.6(a): Prototype mode showing connected Home and Dashboard frames.




Figure 3.6(b): Prototype connections between Projects and Analytics.




Figure 3.6(c): Prototype connections across Settings, Messages, and other application pages.

3.7 Developer Handoff Preparation

The seventh task consolidated the design rules into a long-form Developer Handoff Specification. The document records the 8pt spacing foundation, responsive grid information, typography, color tokens, component specifications, annotations, and a handoff checklist. This creates a structured reference for front-end implementation and reduces ambiguity between design and development.




Figure 3.7: Developer handoff specification consolidating design foundations, grids, tokens, components, and handoff status.

4. Overall Design System

4.1 Layout and Spacing

The project uses an 8-point spacing philosophy to maintain predictable relationships between elements. The handoff specification documents increments such as 8px, 16px, 24px, 32px and larger multiples for margins, gaps, and component spacing.

4.2 Typography

Typography was treated as a reusable system rather than a collection of isolated text choices. The design-system sheet demonstrates a hierarchy from large headings to body and supporting text, with documented size, line-height, and weight properties.

4.3 Color System and Accessibility

The color system includes primary, secondary, neutral, and semantic roles. Accessibility was considered through WCAG AA contrast examples. Reusable tokens make it easier to maintain consistent colors across multiple application screens.

4.4 Reusable Components

The component library establishes repeatable patterns for buttons and inputs. State variants make the components suitable for interactive interfaces and reduce visual inconsistency across screens.

5. Prototype and User Flow

The prototype stage connected the application's major sections so that the designed portal could be evaluated as a navigable experience. The Home page was used as a flow starting point, while Dashboard, Analytics, Projects, Messages, and Settings were connected through prototype links.

Representative User Flow

Home → Dashboard → Analytics → Projects → Messages → Settings

The exact navigation paths depend on the configured Figma prototype interactions. The submitted screenshots demonstrate frame-to-frame connections and scroll behavior. Smart Animate was part of the task requirements; because the screenshots do not expose the detailed transition setting, this report does not claim a specific Smart Animate configuration as independently verified.

6. Developer Handoff Summary

The developerhandoff stage converted thedesign decisionsinto implementation-oriented documentation. The final specification sheet serves as a reference for spacing, typography, colors, responsive grids, component dimensions, and asset handling.

Handoff Checklist

✓	Grid specifications documented
✓	8pt spacing system documented
✓	Typography tokens documented
✓	Color tokens documented
✓	Buttons and inputs documented
✓	Component states documented
✓	Annotations included
✓	Asset export guidance included
✓	Implementation rules documented
✓	Prototype flow prepared

7. Learning Outcomes

The internship provided practical experience across the complete UI/UX design cycle. The major learning outcomes are summarized below.

Area	Learning Outcome
Figma Operations	Created and organized frames, layers, layouts, and design documentation.
Grid Architecture	Applied column grids and an 8pt spacing approach for consistent alignment.
Design Systems	Created reusable typography, color, and component foundations.
Wireframing	Structured page content and navigation before applying high-fidelity styling.
Components	Designed reusable buttons and inputs with multiple states.
High-Fidelity UI	Translated wireframes into a polished dashboard interface.
Prototyping	Connected screens to simulate navigation and scrolling behavior.
Developer Handoff	Documented design tokens, specifications, annotations, and implementation guidance.

8. Challenges and Solutions

8.1 Maintaining Consistency Across Screens

A multi-screen interface can easily become inconsistent when spacing, colors, typography, and components are created independently. The use of a shared design system and reusable components helped establish common visual rules.

8.2 Translating Wireframes into High-Fidelity UI

The transition from low-fidelity structure to a polished dashboard required the earlier layout and component decisions to remain intact while adding visual hierarchy and data presentation. The final dashboard demonstrates how those foundations were carried forward.

8.3 Preparing Design Information for Developers

Design work is not complete when a screen looks finished; implementation details also need to be communicated. The developer handoff sheet addresses this by consolidating tokens, grids, component specifications, annotations, and implementation rules.

9. Conclusion

The UI/UX Product Design Internship provided a structured opportunity to practice the major stages of interface design. The seven tasks collectively formed a progression from foundational layout planning to a high-fidelity dashboard, interactive prototype, and developer handoff.

The work demonstrated the value of maintaining consistency through grids, design tokens, and reusable components. It also highlighted the importance of separating structural decisions from visual styling during wireframing and of documenting implementation details for developers.

Overall, the internship strengthened practical skills in Figma, design systems, information architecture, component design, visual UI development, prototyping, and handoff documentation. The completed task set provides a foundation for further work in UI/UX and product design.