LAB 05

Aim: To Implement of Data Insertion, View Creation, and Multi-Table Join Operations in SQL

Q1. Insert new player Michale Clark with player ID 300311 in the table player

```
MySQL  localhost:3306 ssl  parthmatch  SQL > INSERT INTO Player (PlayerID, FName, LName)
                                          -> VALUES (300311, 'Michael', 'Clarke');
Query OK, 1 row affected (0.0163 sec)
MySQL  localhost:3306 ssl  parthmatch  SQL > select * from player;
+----------+-------------+-------------+--------------+-------+-----------------+--------+
| PlayerID | LName       | FName       | Country      | Yborn | Bplace          | FTest  |
+----------+-------------+-------------+--------------+-------+-----------------+--------+
|    21001 | Sehwag      | Virender    | India        |  1978 | Delhi           |  2001 |
|    23001 | Singh       | Yuvraj      | India        |  1981 | Chandigarh      |  2003 |
|    24001 | Symonds     | Andrew      | Australia    |  1975 | Birmingham      |  2004 |
|    25001 | Dhoni       | MS          | India        |  1981 | Ranchi          |  2005 |
|    27001 | Kumar       | Praveen     | India        |  1986 | Meerut          |  NULL |
|    27002 | Sharma      | Ishant      | India        |  1988 | Delhi           |  2007 |
|    89001 | Tendulkar   | Sachin      | India        |  1973 | Mumbai          |  1989 |
|    90001 | Lara        | Brain       | West Indies  |  1969 | Santa Cruz      |  1990 |
|    90002 | Kumble      | Anil        | India        |  1970 | Bangalore       |  1990 |
|    91001 | Jayasuriya  | Sanath      | Sri Lanka    |  1969 | Matara          |  1991 |
|    92001 | Warne       | Shane       | Australia    |  1969 | Melbourne       |  1992 |
|    92002 | Murlitharan | Muthiah     | Sri Lanka    |  1972 | Kandy           |  1992 |
|    92003 | UI-Huq      | Inzamam     | Pakistan     |  1970 | Multan          |  1992 |
|    93002 | Streak      | Heath       | Zimbabwe     |  1974 | Bulawayo        |  1993 |
|    93003 | Kirsten     | Gary        | South Africa |  1967 | Cape Town       |  1993 |
|    94002 | Vaas        | Chaminda    | Sri Lanka    |  1974 | Mattumagala     |  1994 |
|    94004 | Fleming     | Stephen     | New Zealand  |  1973 | Christchurch    |  1994 |
|    95001 | Ponting     | Ricky       | Australia    |  1974 | Launceston      |  1995 |
|    95002 | Pollock     | Shaun       | South Africa |  1973 | Port Elizabeth  |  1995 |
|    95003 | Kallis      | Jacques     | South Africa |  1975 | Cape Town       |  1995 |
|    96001 | Dravid      | Rahul       | India        |  1973 | Indore          |  1996 |
|    96002 | Gibbs       | Herschelle  | South Africa |  1974 | Cape Town       |  1996 |
|    96003 | Ganguly     | Saurav      | India        |  1972 | Calcutta        |  1996 |
|    97004 | Vettori     | Daniel      | New Zealand  |  1979 | Auckland        |  1997 |
|    98001 | Afridi      | Shahid      | Pakistan     |  1980 | Khyber Agency   |  1998 |
|    98002 | Singh       | Harbhajan   | India        |  1980 | Jalandhar       |  1998 |
|    99001 | Lee         | Breet       | Australia    |  1976 | Wollongong      |  1999 |
|    99002 | Gilchrist   | Adam        | Australia    |  1971 | Bellingen       |  1999 |
|    99003 | Vaughan     | Michale     | England      |  1974 | Manchester      |  1999 |
|   300311 | Clarke      | Michael     | NULL         |  NULL | NULL            |  NULL |
+----------+-------------+-------------+--------------+-------+-----------------+--------+
30 rows in set (0.0006 sec)
MySQL  localhost:3306 ssl  parthmatch  SQL >
```

Q2. Insert new player Sam from India , Ahemdabad with player ID 406317 in the table player.

```
MySQL  localhost:3306 ssl  parthmatch  SQL > INSERT INTO Player (PlayerID, FName, Country, City)
                                          -> VALUES (406317, 'Sam', 'India', 'Ahmedabad');
ERROR: 1054 (42S22): Unknown column 'City' in 'field list'
MySQL  localhost:3306 ssl  parthmatch  SQL > select * from player;
+----------+-------------+-------------+--------------+-------+-----------------+--------+
| PlayerID | LName       | FName       | Country      | Yborn | Bplace          | FTest  |
+----------+-------------+-------------+--------------+-------+-----------------+--------+
|    21001 | Sehwag      | Virender    | India        |  1978 | Delhi           |  2001 |
|    23001 | Singh       | Yuvraj      | India        |  1981 | Chandigarh      |  2003 |
|    24001 | Symonds     | Andrew      | Australia    |  1975 | Birmingham      |  2004 |
|    25001 | Dhoni       | MS          | India        |  1981 | Ranchi          |  2005 |
|    27001 | Kumar       | Praveen     | India        |  1986 | Meerut          |  NULL |
|    27002 | Sharma      | Ishant      | India        |  1988 | Delhi           |  2007 |
|    89001 | Tendulkar   | Sachin      | India        |  1973 | Mumbai          |  1989 |
|    90001 | Lara        | Brain       | West Indies  |  1969 | Santa Cruz      |  1990 |
|    90002 | Kumble      | Anil        | India        |  1970 | Bangalore       |  1990 |
|    91001 | Jayasuriya  | Sanath      | Sri Lanka    |  1969 | Matara          |  1991 |
|    92001 | Warne       | Shane       | Australia    |  1969 | Melbourne       |  1992 |
|    92002 | Murlitharan | Muthiah     | Sri Lanka    |  1972 | Kandy           |  1992 |
|    92003 | UI-Huq      | Inzamam     | Pakistan     |  1970 | Multan          |  1992 |
|    93002 | Streak      | Heath       | Zimbabwe     |  1974 | Bulawayo        |  1993 |
|    93003 | Kirsten     | Gary        | South Africa |  1967 | Cape Town       |  1993 |
|    94002 | Vaas        | Chaminda    | Sri Lanka    |  1974 | Mattumagala     |  1994 |
|    94004 | Fleming     | Stephen     | New Zealand  |  1973 | Christchurch    |  1994 |
|    95001 | Ponting     | Ricky       | Australia    |  1974 | Launceston      |  1995 |
|    95002 | Pollock     | Shaun       | South Africa |  1973 | Port Elizabeth  |  1995 |
|    95003 | Kallis      | Jacques     | South Africa |  1975 | Cape Town       |  1995 |
|    96001 | Dravid      | Rahul       | India        |  1973 | Indore          |  1996 |
|    96002 | Gibbs       | Herschelle  | South Africa |  1974 | Cape Town       |  1996 |
|    96003 | Ganguly     | Saurav      | India        |  1972 | Calcutta        |  1996 |
|    97004 | Vettori     | Daniel      | New Zealand  |  1979 | Auckland        |  1997 |
|    98001 | Afridi      | Shahid      | Pakistan     |  1980 | Khyber Agency   |  1998 |
|    98002 | Singh       | Harbhajan   | India        |  1980 | Jalandhar       |  1998 |
|    99001 | Lee         | Breet       | Australia    |  1976 | Wollongong      |  1999 |
|    99002 | Gilchrist   | Adam        | Australia    |  1971 | Bellingen       |  1999 |
|    99003 | Vaughan     | Michale     | England      |  1974 | Manchester      |  1999 |
|   300311 | Clarke      | Michael     | NULL         |  NULL | NULL            |  NULL |
+----------+-------------+-------------+--------------+-------+-----------------+--------+
30 rows in set (0.0008 sec)
MySQL  localhost:3306 ssl  parthmatch  SQL >
```

Q3. Creating View for Batsman.

CREATE VIEW Batsman (PID,FName,LName,Country,MID,Score)

AS SELECT PlayerID,FName,LName,Country,MatchID,NRuns

FROM Player,Batting

WHERE PlayerID=PID;

select * from Batsman;

```
MySQL  localhost:3306 ssl  parthmatch  SQL > CREATE VIEW Batsman (PID,FName,LName,Country,MID,Score)
                                          ->  AS SELECT PlayerID,FName,LName,Country,MatchID,NRuns
                                          ->  FROM Player,Batting
                                          ->  WHERE PlayerID=PID;
Query OK, 0 rows affected (0.0175 sec)
MySQL  localhost:3306 ssl  parthmatch  SQL > SELECT * FROM Player WHERE PlayerID = 406317;
Empty set (0.0021 sec)
MySQL  localhost:3306 ssl  parthmatch  SQL > select * from Batsman;
+-------+-----------+-------------+-----------+------+-------+
| PID   | FName     | LName       | Country   | MID  | Score |
+-------+-----------+-------------+-----------+------+-------+
| 23001 | Yuvraj    | Singh       | India     | 2755 |     0 |
| 25001 | MS        | Dhoni       | India     | 2755 |    71 |
| 91001 | Sanath    | Jayasuriya  | Sri Lanka | 2755 |    60 |
| 94002 | Chaminda  | Vaas        | Sri Lanka | 2755 |    17 |
| 92002 | Muthiah   | Murlitharan | Sri Lanka | 2755 |     1 |
| 89001 | Sachin    | Tendulkar   | India     | 2689 |    91 |
| 23001 | Yuvraj    | Singh       | India     | 2689 |    38 |
| 25001 | MS        | Dhoni       | India     | 2689 |    36 |
| 99002 | Adam      | Gilchrist   | Australia | 2689 |     2 |
| 95001 | Ricky     | Ponting     | Australia | 2689 |     1 |
| 24001 | Andrew    | Symonds     | Australia | 2689 |    42 |
| 99001 | Breet     | Lee         | Australia | 2689 |     7 |
| 27001 | Praveen   | Kumar       | India     | 2689 |     7 |
| 27001 | Praveen   | Kumar       | India     | 2755 |     2 |
| 98002 | Harbhajan | Singh       | India     | 2689 |     3 |
| 98002 | Harbhajan | Singh       | India     | 2755 |     2 |
+-------+-----------+-------------+-----------+------+-------+
16 rows in set (0.0032 sec)
MySQL  localhost:3306 ssl  parthmatch  SQL > S
```

Q4. Creating View for Bowling.

CREATE VIEW Bowling2689 (PID,FName,LName,Country,NOvers,NWickets)

AS SELECT PlayerID,FName,LName,Country,NOvers,NWickets

FROM Player,Bowling

WHERE PlayerID=PID

AND MatchID=2689;

select * from Bowling2689;

```
MySQL  localhost:3306 ssl  parthmatch  SQL > CREATE VIEW Bowling2689 (PID,FName,LName,Country,NOvers,NWickets)
                                          ->  AS SELECT PlayerID,FName,LName,Country,NOvers,NWickets
                                          ->  FROM Player,Bowling
                                          ->  WHERE PlayerID=PID
                                          ->  AND MatchID=2689;
Query OK, 0 rows affected (0.0096 sec)
MySQL  localhost:3306 ssl  parthmatch  SQL > select * from Bowling2689;
+-------+----------+---------+-----------+--------+----------+
| PID   | FName    | LName   | Country   | NOvers | NWickets |
+-------+----------+---------+-----------+--------+----------+
| 99001 | Breet    | Lee     | Australia |     10 |        1 |
| 24001 | Andrew   | Symonds | Australia |      3 |        1 |
| 23001 | Yuvraj   | Singh   | India     |      3 |        0 |
| 98002 | Harbhajan | Singh  | India     |     10 |        1 |
+-------+----------+---------+-----------+--------+----------+
4 rows in set (0.0015 sec)
MySQL  localhost:3306 ssl  parthmatch  SQL >
```

Q5. Find name of all players who have scored 60 or more runs.

```
MySQL localhost:3306 ssl parthmatch SQL > select Fname,lname,NRuns from player Join batting on player.playerid=batting.pid where nruns>=60;
+--------+------------+-------+
| Fname  | lname      | NRuns |
+--------+------------+-------+
| MS     | Dhoni      |    71 |
| Sanath | Jayasuriya |    60 |
| Sachin | Tendulkar  |    91 |
+--------+------------+-------+
3 rows in set (0.0008 sec)
MySQL localhost:3306 ssl parthmatch SQL >
```

Q6. Find the names of bowlers that have not taken any wickets in ODI match 2689 .

```
MySQL localhost:3306 ssl parthmatch SQL > select Fname,lname,Nwickets from player Join bowling on player.playerid=bowling.pid where Nwickets=0 and matchid=2689;
+--------+-------+----------+
| Fname  | lname | Nwickets |
+--------+-------+----------+
| Yuvraj | Singh |        0 |
+--------+-------+----------+
1 row in set (0.0008 sec)
MySQL localhost:3306 ssl parthmatch SQL >
```

Start

Q7. Define a view NPlayer for obtaining the names of the countries & number of players from each country.

```
MySQL localhost:3306 ssl parthmatch SQL > select * from nplaers;
+--------------+-----------------------------+
| country      | num_of_players_in_country |
+--------------+-----------------------------+
| India        |                          10 |
| Australia    |                           5 |
| West Indies  |                           1 |
| Sri Lanka    |                           3 |
| Pakistan     |                           2 |
| Zimbabwe     |                           1 |
| South Africa |                           4 |
| New Zealand  |                           2 |
| England      |                           1 |
| NULL         |                           1 |
+--------------+-----------------------------+
10 rows in set (0.0037 sec)
MySQL localhost:3306 ssl parthmatch SQL >
```