Synchronisation problems

Module 4 self study material

Bounded buffer
Reader and writers
Priority inversion

Operating systems 2018

1DT044 and 1DT096

Classical problems of synchronization



The readers and writers problem

Priority inversion


Bounded

buffer

Bounded buffer

A bounded buffer lets multiple **producers** and multiple **consumers** share a single buffer. Producers write data to the buffer and consumers read data from the buffer.

- * Producers must block if the buffer is full.
- **Consumers** must block if the buffer is empty.




Implementation


Use an array of size N to store the data items in the buffer.

- Keep track of where to produce the next data item using index next_in.
- ★ Keep track of from where to consume the next data item using index next_out.


bounded buffer with capacity N




The next_in index must be incremented after every write to the buffer.




The next_out index must be incremented after every read from the buffer.







Let's make an additional write to the buffer.




The buffer wraps around in a circular manner.



Assume the buffer is in the following state. The next write will be to the last element of the array.



The next write will be to the first element of the array.



The next write will be to the second element of the array.

Wrap around

Use the modulo operator % to make the index next_in wrap around after N writes and the index next_out wrap around after N reads.

Producer

$$next_in = (next_in + 1) % N$$

Consumer

```
next_out = (next_out + 1) % N
```

Mutual exclusion

All updates to the buffer state must be done in a critical section. More specifically, mutual exclusion must be enforced between the following **critical sections**:

- A producer writing to a buffer slot and updating next_in.
- A consumer reading from a buffer slot and updating next_out

A binary semaphore or a mutex lock can be used to protect access to the critical sections.

Synchronisation

Producers must **block** if the buffer is **full**. **Consumers** must **block** if the buffer is **empty**.


Use one **semaphore** named **empty** to count the empty slots in the buffer.


- ▶ Initialise this semaphore to N.
- A producer must wait on this semaphore before writing to the buffer.
- A consumer will signal this semaphore after reading from the buffer.

Use one **semaphore** named **data** to count the number of data items in the buffer.

- Initialise this semaphore to 0.
- A consumer must wait on this semaphore before reading from the buffer.
- A producer will signal this semaphore after writing to the buffer.


P producers and C consumers using a shared bounded buffer of size N. Producers writes to buffer at index next_in and consumer reads at index next_out.






```
produce(buffer, *data) {
 wait(empty)
 wait(mutex)
 buffer[next_in] = copy(data)
 next_in = nexp_in + 1 % N
 signal(mutex)
 signal(data)
```

- 1. **Block** if buffer is **full**, otherwise atomically decrement the empty counter.
- 2. **Enter critical section**, i.e., make sure no other producer or consumer updates the buffer at the same time.
- 3. Copy data to slot in buffer.
- 4. Update next_in.
- 5. Leave the critical section.
- 6. Atomically increment the data counter.



```
consume(buffer, *data) {
 wait(data)
 wait(mutex)
 data = copy(buffer[next out])
 next_out = next_out + 1 % N
 signal(mutex)
 signal(empty)
```

- 1. **Block** if buffer is **empty**, otherwise atomically decrement data counter.
- 2. **Enter critical section**, i.e., make sure no other producer or consumer updates the buffer at the same time.
- 3. **Copy** data **from** slot in **buffer**.
- 4. Update next_out.
- 5. **Leave** the **critical section**.
- 6. Atomically increment the **empty counter**.



```
produce(buffer, *data) {
  wait(empty)
  wait(mutex)
  buffer[next_in] = copy(data)
  next_in = next_in + 1 % N
  signal(mutex)
  signal(data)
```

```
consume(buffer, *data) {
  wait(data)
  wait(mutex)
  data = copy(buffer[next_out])
  next_out = next_out + 1 % N
  signal(mutex)
  signal(empty)
```



A pipe is a bounded buffer

ls grep .txt wc

Concurrent writes to a pipe

Is a single write to a pipe atomic, i.e., is the whole amount written in a single write operation not interleaved with data written by any other process?

POSIX.1-200

- Using write() to write less than PIPE_BUF bytes must be atomic: the output data is written to the pipe as a contiguous sequence.
- Writes of more than PIPE_BUF bytes may be nonatomic: the kernel may interleave the data, on arbitrary boundaries, with data written by other processes.

The value if PIPE_BUF is defined by each implementation, but the minimum is 512 bytes (see limits.h).

On Linux:

- PIPE_BUF = 4096.
- The value of PIPE_BUF is a consequence of other logic in the kernel, it is not a configuration parameter.


Readers and writers

Readers-Writers Problem


A data set is shared among a number of concurrent processes. Readers only read the data set; they do not perform any updates. Writers can both read and write.

Only one single writer can access the shared data at the same time, any other writers or readers must be blocked.






Allow multiple readers to read at the same time, any writers must be blocked





R readers and W writers access the same shared data set. Allow multiple readers to read at the same time. Only one single writer can access the shared data at the same time.



Shared

Shared data accessed by readers and writers

Semaphores used to synchronize readers and wirters

Mutual exclusion among writers.

wrt

•

Mutual exclusive updates of readcount

mutex

Integer

Count the number of active readers.

readcount

```
write(buffer, *data) {
  wait(wrt);
```

- 2 // Write shared data
- signal(wrt);

- 1. Enter critical section, block if other task is writing.
- 2. Inside critical section, write to shared data structure.
- 3. Leave critical section.

```
read(buffer, *data) {
 wait(mutex);
 readcount++;
 if readcount == 1:
     wait(wrt);
 signal(mutex);
 // Read shared data
 wait(mutex);
 reacount --;
 if readcount == 0:
     signal(wrt);
 signal(mutex);
```

Semaphores

mutex

wrt

Integral counter

readcount

Entering

All readers need to mutually exclusively increment readcount when entering.

The first reader also need to block if a writer is active.

Leaving

All readers need to mutually exclusively decrement readcount when leaving.

The last reader also need to unblock any waiting writer.

Readers-Writers Problem

A data set is shared among a number of concurrent processes.

- Only one single writer can access the shared data at the same time, any other writers or readers must be blocked.
- Allow multiple readers to read at the same time, any writers must be blocked.

Semaphores mutex and **wrt**, both initialized to 1.

Integer readcount initialized to 0.

```
write(buffer, *data) {
  wait(wrt);

// Write shared data

signal(wrt);
}
```

```
read(buffer, *data) {
 wait(mutex);
 readcount++;
 if readcount == 1:
    wait(wrt);
 signal(mutex);
 // Read shared data
 wait(mutex);
 reacount --;
 if readcount == 0:
    signal(wrt);
 signal(mutex);
```


Priority

inversion

Scenario

A high priority task H is blocked due to a low priority task L holding a **shared resource** R (for example a binary semaphore) task H wants to acquire.

- 1) Consider two tasks H and L, of high and low priority respectively, either of which can acquire exclusive use of a shared resource R.
- Lacquires R.
- 3) If H attempts to acquire R after L has acquired it, then H becomes blocked until L relinquishes the resource.



Sharing an exclusive-use resource (R in this case) in a well-designed system typically involves L relinquishing R promptly so that H (a higher priority task) does not stay blocked for excessive periods of time.


Scenario

(2)

Let's introduce a third task M with medium priority, i.e., a priority between high priority task H and low priority task L.

Task M becomes ready (to run) during L's use of R.

- 1) M being higher in priority than L preempts R, causing L to not be able to relinquish R promptly.
- 2) H becomes ready to run.
- 3) H request to acquire R.
- 4) H (the highest priority process) becomes blocked since H cannot acquire R hold by L but L is not running (preempted by M).




Priority inversion

A higher priority task is "preempted" by a lower priority one.

A medium priority task M preempts a low priority task L holding a shared resource R. A high priority task H is not able to run, although it has higher priority than M and H and M does not compete for R.

Solution to the priority inversion problem?



Source: https://en.wikipedia.org/wiki/Priority_inversion

Priority inheritance protocol

When a task blocks one or more high-priority tasks, it ignores its original priority assignment and executes its critical section at an elevated priority level. After executing its critical section and releasing its locks, the process returns to its original priority level.

- \star Suppose **H** is blocked by **L** for some shared resource **R**.
- The priority inheritance protocol requires that **L** executes its critical section at **H**'s (high) priority.
- \star As a result, **M** will be unable to preempt **L** and **M** will be blocked.
- \star That is, the higher-priority job **M** must wait for the critical section of the lower priority job L to be executed, because L has inherited H's priority.
- 🜟 When L exits its critical section, it regains its original (low) priority and awakens **H** (which was blocked by **L**).
- \star H, having high priority, preempts L and runs to completion. This enables **M** and **L** to resume in succession and run to completion.

Priority inheritance and mutexes

What if a higher priority task is blocked on a mutex hold (owned) by a lower priority task?



By default, if a task with a higher priority than the mutex owner attempts to lock a mutex, then the effective priority of the current owner is increased to that of the higher-priority blocked thread waiting for the mutex.



The current owner's effective priority is again adjusted when it unlocks the mutex; its new priority is the maximum of its own priority and the priorities of those threads it still blocks, either directly or indirectly.