


2018

02

Cultural Centre

Academic




2020

10

Circuit House

Professional



2020

14

The Little Big Loo

Architectural Competition



2019

16

Earthen Building Workshop

Hands-on workshop & volunteering



2015

18

Unknown Crafts Person

Co-curricular - Architectural Competiton



20

Sketchlogue & Photography

Compiled works

Nishabh Polke

Portfolio

nishabhpolke@gmail.com
+91 9881473500

01

CULTURAL CENTRE , PUNE , INDIA


Academic | Individual

2018 | THESIS | FINAL YEAR B.ARCH | B.K.P.S COLLEGE OF ARCHITECTURE | SAVITRIBAI PHULE PUNE UNIVERSITY | PUNE | INDIA

Thesis Guide : Ar.Sushama Parashar
Email : sushamaparashar@gmail.com

Role : Setting the design objectives to execution of the same in an Architectural Design with the support of required drawings such as Plans, Sections, Elevations and 3D visualization for better understanding.

The Cultural Centre is proposed in the City of Pune , India with a purpose of giving back to the city in terms of preserving its rich heritage and providing a platform for artists to exhibit their traditional skills and talents to a larger audience.
Also, at an urban level it is a place carved out for the neighborhood to enjoy some community time. Since the space is shared, opportunity is available for everybody to learn, understand and to some extent be inspred enough to pick something up for themselves which would give them joy and in return would contribute to the development of the artists society of Pune, if they decide to keep doing what they like.




BACKGROUND :


Pune is a city enriched with a strong historical background supported by the Maratha and the British rule. The influence of the two has played a major role in shaping Pune. With time, as the **city progressed towards development, the lifestyle of people has changed** drastically in terms of work and recreation. Keeping up with the pace of development now, the **cultural rootedness to the city seems to be fading away** in order to catch up with the more modern lifestyle that people seek. Knowing about the historical and cultural background which entails traditional music, dance forms, art forms, drama, plays and other forms of entertainment can help one **experience the past and feel rooted to the place**. Also indulging in these activities helps one to **look beyond the monotony** of everyday life and the experiences maybe life changing.

We live in a world where nuclear families are emerging and community living is seen in multi-level housing schemes. In such environments, community gathering space becomes very important. The children grow up in a more **educative environment** where they are introduced to **new possibilities of exploration and newer perspectives on life**, enhancing their personalities.


Aim of proposing this Cultural Center in Pune :



Enlightening the masses about the strong background of the city.



Keep the culture intact & formulate a wholesome idea of Pune City.



Creating a platform for the artists and the crafts person of Maharashtra and, on a larger scale i.e India, to have a bold image in the current times.




To create an understanding and appreciation of Indian traditional arts and culture.



A source of knowledge through education and participatory activities.




A source of employment.



A source or neighborhood development.




An iconic structure for the city of Pune.




Map depictiing the city of Pune.

- Highway Routes
- City Roadways
- Water Bodies
- Land



BANGALORE


Since the proposed project lies in the suburban area of Pune , it can either be **accessed by the highways** (for people travelling from other cities) or can be **reached by internal roads** (for locals)



Population and infrastructure development status of Pune.


The plot chosen for the development of the project is in the suburban area of Pune which allows for proper planning of a bulding without compromising the space quality

- Densely populated and most occupied area
- Developing area around the city
- Suburbs of Pune
- Outskits of Pune




The 4 zones in the map show the four areas of the city which can be travelled in approximately 10 mins with respect to each zone.

For the locals who wish to visit the center, can do so in a time frame of approximately 30 minutes.





SITE PLAN



ACCESS LEVEL PLAN


METERS
0 6 12 18 24






ACCESS


The **public plaza is the focus of the entire campus.**The access to various spaces has been planned linked to this plaza.



POINT 1 connects the **parking and the main plaza** through which the auditorium is also accessible.



POINT 2 serves as the **main entry point to the administration, café, museums & auditorium.**



POINT 3 connects the **plaza to the rear open paved area** and **POINT 4** is an idependant access to the **Library**.

MOVEMENT OF THE PUBLIC

Measures have been taken to **design permeable spaces to encourage pedestrian movement throughout.**

- Care has been taken that **no unsupervised open spaces** occur during planning so that there is **visual surveillance ensuring safety always.**


From the parking to the public plaza


To the service plaza and further to the open paved area

From the plaza to the administration block and the museum

Form the plaza to the rear open paved areas

Within the plaza





VEHICULAR MOVEMENT

Planning of the blocks is done such that, with **minimum of resources maximum areas can be served** without visitor interference of pedestrians and away from the eye of the public.

·**POINT 1** becomes the drop off point for the people wishing to visit the Auditorium. Provision of the less-abled-friendly ramp is also made at this point to facilitate convenience.
·**POINT 2** becomes the drop off to the Main entrance.
·**POINT 3** becomes the drop off point for the artists as well as guests visiting the Multipurpose hall or Accommodation
·**POINT 4** serves a service entry for events which will be hosted in the open paved area.
·**POINT 5** is where the administrative entry is.
·**POINT 6** is the point where service to the café kitchen can be provided.

CONTROL OVER SPACES


· The **administration being the main area which controls the Institute**, it is planned in the center which would help serve all the blocks, i.e. Auditorium, Museum & Art gallery and Accommodation with ease.
· The **library block can function independently** and may not require the vigilance of the administration.

1 - Administration Area
2 - Auditorium
3 - Accomodation
4 - Museum & Art Gallery
5 - Library




VISUAL CONTROL OVER OPEN SPACES

· When it comes to **large open spaces, survelliance becomes an important factor** in the safety and security of that space through which misuse can be avoided.
· The diagram shows how the **spaces are connected visually** which would become an important factor in the security of that space as **constant pedestrian movement would restrict the occurrence of misbehavior.**.



Section AA'




PLAN : GROUND FLOOR

1 AUDITORIUM
2 ENTRY FROM THE MAIN PLAZA
3 ENTRY FROM THE REAR PLAZA
4 CAFE


5 TOILETS
6 RECEPTION AND BAGGAGE COUNTER
7 ADMINISTRATION
8 ADMINISTRATION & WAITING AREA

9 CONSERVATION LABORATORY
10 TEMPORARY ART GALLERY
11 SCULPTURE EXHIBIT AREA
12 MUSEUM

13 LIBRARY
14 MULTI-PURPOSE HALL
15 ARTIST'S ACCOMMODATION
16 WORKSHOP STUDIOS



PLAN : FIRST FLOOR



PLAN : SECOND FLOOR

REAR ENTRY
From the Service Plaza


PAVED AREA
Flexible user dependant space with no designated purpose of use.

OPEN SPACE
Scope for future expansion. Also can be utilized to host events to generate some additional revenue.

PARKING AREA
For people visiting the Museum and the Auditorium.

BARRIER FREE MOVEMENT
The absence of a typical compund wall allows for unrestricted pedestrian movement in the campus.

BIRD'S EYE VIEW



PART PLAN : NEAR ACCOMMODATION

THE SERVICE ROAD CUL-DE-SAC :

The service road culminates in a cul-de-sac. This space is **designed for vehicular movement** for catering the service areas. Besides that being the only purpose of the space, **it is also designed as an interaction place** for the artists/tenants who are using the accommodation facility. Light Recreational activities can be conducted too, at times when the service road is not in use.


Multifunctional use of space has been the key criteria in designing these spaces.



View : People utilizing the cul-de-sac for other activities

THE BUS PARKING BAY :

The bus parking bay has been provided to **accommodate the city tour buses** which would have a specific time of arrival and departure. In the day time, the space will be used for its dedicated purpose. In the evening, when the space is free, it **can be utilized by street side vendors** or food trucks to set up shop and cater to the people spending time in the public plaza.




PART PLAN : BUS PARKING BAY



View : Space being utilized for parking tourist buses.



View : Alternative use of the space by food trucks catering the passersby.




PART PLAN : FRONT PLAZA

THE FRONT PLAZA :

The Front Plaza has been designed both as an architectural need of the project and on a larger scale to **promote neighbourhood development**. The plaza also acts as a **foreground to the structure**. It allows for unrestricted movement in and around the space which gives the public a chance for recreation and use the space at their will. The vast open space can be used as a gatering space for small scale political events, as exhibit area,etc. **The possibilities are endless and are solely dependant on the user.**



VIEW : Showing a barrier free transition.




VIEW : The Front Plaza acting as a foreground to the structure as well as a leisure space for the people visiting.

THE OPEN AREA:

There are two masses of land on either side of the site set aside for **future development** of the Campus. Structures may or may not come up as part of the extension of the campus. This open space can thus be used for a **variety of purposes**.

The view below suggests the use of the space for gathering purposes for events like concerts, Music Festivals, Product Exhibitions, etc. and when not used for such events, it can be used by the people as just a picnic spot with their families and loved ones.



PART PLAN : OPEN AREA



VIEW : Open space being utilized for a Music Festival.

User defined spaces gives an opportunity to the people to utilize the space to their will. Aditionally, the space is being supervised by the pedestrans at all times.

02

EXTENSION OF CIRCUIT HOUSE, SATARA, INDIA

Professional | Team


2020 | ARCHITECTURAL PLANNING STAGE | SUNIL PATIL & ASSOCIATES | PUNE OFFICE | INDIA

Project Head : Ar.Siddhita Salunke
Email : siddhita.salunke@gmail.com

Role : Developing the Architectural Plan as per the client requirements. Preparing Plans, Sections, Elevations along with 3D visualization for presentation

A Circuit House is a Government owned Rest House which serves the VIP, VVIP, Politicians of the Counrty when they plan to visit a certain area. Besides being a source of accomodation ,it also has the facilities to hold meetings, conferences, press statements,interviews,etc. during times of political importance.


Other services include a Dining Hall with Kitchen, Common Toilets, Administration areas, Service Areas (which includes pantries, laundry services and linen storage) and Waiting areas which are part of the common, accessible to all areas.




SITE PLAN

The passage becomes the main spine of the project which is connected to the courtyard and in turn to the outdoor existing garden keeping the user constantly in touch with the surroundings elevating the expereince of walking in a passage. This mode of planning also allows the user to step out and expereince the gardens as they please.


MODULE PLANNING : The approach for design was to plan the rooms in modules. The regular suites on the ground floor made of one module which was mirrored and repeated. Keeping in mind the central courtyard extending to the exising garden, the other spaces such as the multipurpose hall and dining areas were designed around it. On the first floor the basic module of the regular suite can be seen transformed into VIP AND VVIP Suites.



Plan : Ground Floor




Plan : First Floor



Superimposed Plans





PLAN : GROUND FLOOR

- Regular Suite
- Attached Toilets
- Kitchen
- Dining Hall
- Common Toilets
- Multipurpose Hall
- Administration Areas
- Common Areas

Planning of each module along with the furniture layouts is shown below, to understand the utility of each space and how it functions. Co-relation of the spaces on the Ground and the First Floor can be seen in terms of functionality as well as structural stability.



PLAN : FIRST FLOOR

- V.I.P Suite
- Attached Toilets
- Terrace
- Supporting Service Area
- V.V.I.P Suite
- Conference Room
- General Storage Area
- Common Areas



Pennisetum Alopecuroides



Zoysia Grass



Nymphaea Rubra

Groundcovers

Lily Pond



Chamaedorea Cataractarum



Plumeria Obtusa



Petunia



Ophiopogon Japonicus



Aspidistra Elatior



Pritchardia Grandis



Alocasia Sanderiana




Bougainvillea Glabra



Heliconia Psittacorum

The idea of the landscape is to grow with what exists.The existing trees on site were crucial in determining the Architectural as well as the Landscape design. The design approach for the landscape was to build around the existing tress on site. The hard paved areas are a response to those exsting trees making the user feel one with nature as they take a stroll in the designed space.



PLAN : LANDSCAPE LAYOUT

- EXISTING TREES
- WATER BODY
- HARD PAVED AREA

ELEMENT 1

Introducing a planter box around existing trees.

ELEMENT 2

Paved areas with steps to move in and around the space.

ELEMENT 3

Lily Ponds with fish add to the visual liveliness of the space.

ELEMENT 4

Stone pavers arranged organically in a gradient pattern abstractly resemble the creation of space from the small building elements.

ELEMENT 5

Gazebo for a sheltered space when the elements are harsh.
Also a semi-furnished space for the luxury and comfort of the Elite visiting.

ELEMENT 6

Free standing walls spaced closely create a sense of privacy and enclosure while not entirely cutting off the visual connection between the space divided.

The use of plants is such that they thrive in the tropical climate of India. Apart from the existing trees on site, plants like the Bouganvillea Glabra, Plumeria Obtusa which are **low maintenance and have flowers almost all throughout the year have been encorporated in the design**. Complementing these, plants like Pritchardia Grandis, Aspidistra Elatior, Alocasia Sanderiana, Heliconia Psittacorum, Chamaedorea Cataractum have been used because of their **ornamental beauty to elevate the atmosphere of the garden**. Plants like Pennisetum Alopecuraides, Petunia, Ophiopogon Japonicus, Zoysia Grass have been used as **groundcovers to prevent soil erosion**.



VIEW 1



VIEW 2



View from the existing structure looking towards the proposed structure. The garden is like a transition space.



View from Pathway in the garden looking onto the gazebo and the existing structure.



View 5 and 6 show the transition from the built enviornment to the open space i.e the garden.



3D VISUALIZATION OF THE STRUCTURE AND THE SURROUNDINGS



03

THE LITTLE BIG LOO
RETHINKING PUBLIC TOILETS 2020

Competition | Team VZPT78825

2020 | ARCHITECTURAL COMPETITION | VOLUME ZERO COMEPETITION | ONLINE ENTRY | PUNE | INDIA

Participant 1 : Ar.Nishabh Polke
Email : nishabhpolke.9@gmail.com
Participant 2 : Ar.Atharva Joshi
Email : tta.atharvajoshi@gmail.com

Role : Developing a wokable solution for the competition entry with respect to the site selected. Developing Plans, Sections, 3D Visualization for the same and generating graphics to convey our thoughts.

The competition brief was to propose a design solution for a public toilet in either a rural or urban context with a footfall of not more than 500 persons and site area not exceeding more than 100 sq.m.

We proposed our design solution in the urban context of Pune.The site situated under a flyover was an Urban Paradox with slums on one side and a developed area of the city, on the other. Analyzing the site and observing the pre-existing conditions, we proposed the toilets in such a manner that it would sever its main purpose of providing a clean, hygenic sanitary facility and also a space for bonding for the community nearby.

THE URBAN PARADOX

The proposal is to **bridge the gap between the type of communities** that have emerged in the urban environment of Pune, India.
The identified site for the project is located underneath a flyover called the Sangamwadi Bridge.
- One side stands the slum of Patil Estate and on the other, commercial development. This urban paradox has become an opportunity for design allowing to create a space which **caters to the slum community & elevates the urban fabric of Pune.**
- The poor conditions on the site became the driving force for the design. The site currently is being used for illegal parking, as a dump-yard, for open urination and by hawkers to set up shop.

The design for this space is a response to all these problems:
- Dedicated Parking spaces have been designed for **"quick access"** of the public to the site.
- Care has been taken to create a space with **proper public vigilance.**
- Prevent any sorts of ill activities compromising the use of space.
- Dedicated area has been allotted for hawkers **preventing illegal hawking.**
Outcome: Maintains the sanitary aspect of the brief. **"Access for all"** has been the key planning criteria.
Separate Male\Female toilets work as a design approach creating place between and around them in an **attempt to eradicate the stigma associated with toilets.**


An overlooked space under the flyover prone to misuse.


Space used for illgegitimate and unorganized parking.



A by-product of "urban development".


Lack of supervision leads to a space open to easy misuse.



Gathering point - Space used for events on occasions for celebrations.


The open as well as sheltered characteristic of the space made, allows for free will to dump garbage as one pleases.


Since majority of the times vehicles are parked under the flyover, the space becomes a vantage point leading the premise to be misconducted.




SECTION




PLAN

The Site chosen for the public toilets lies in the developing part of the city of Pune. Being aware of the upcoming buildings in the neighbourhood, shed light into the subject of **“waste” from all the excavation for the footings**. Often these materials which are excavated from the active sites are loaded into a truck and shipped off to the outskirts and then dumped or are used in landfills. **Sourcing the stone from these sites would result in use of materals there and then thus reducing the embodied enegry.**

When it came to choosing materials for construction , a decison was made to **source the materials within a 30 minute radius of the site**. This gave us an opportunity to look for materials which were available easily and could be sourced without any hassel.



Adapting to this method of sourcing materials would be ideal as it reduces the embodied enegry associated with transportation of the material and reduces the carbon footprint. A small **concious effort** on our part.





VIEW 1 : Stone Seating with leftover debris as a monument to discarded materials termed as waste.



VIEW 2 : Connectivity between spaces to maintain a vigilant enviornment in a public space to ensure security at all times.



VIEW 3 : A space carved out for parking and street side vendors to have a dedicated space for business and when not in use can transform into gathering space.

04

EARTHEN BUILDING WORSHOP

Wokshop | Group | Volunteer

2019 | BUILDING WORKSHOP | VOLUNTEER | BIR | HIMACHAL PRADESH | INDIA

ORGANIZER : DHARMALAYA INSTITUTE FOR COMPASSIONATE LIVING

Role : Understanding how Earthen Buildings work with respect to structure and its impact on the enviornment. Working with the other members in the workshop to make bricks from scratch, plaster buildings and participate in the hands on activities organized.

This workshop at Dharmalaya focused on the elements of Earthen Buildings. Sessions were organized by the group guides to interact and work with the masons and understand how each material was made or sourced for construction. The main idea of the workshop was to teach the people involved what it meant to build consciously and think about sustainibility in a different way.

Apart from the main purpose of the workshop which was learning about Earthen buildings; importance was also given to personal growth. Meditation and the evening sessions organized helped us express ourselves better.

MAKING THE MUD BRICKS. : On testing via various methods it was observed that the soil here is good for construction. The soil on site has approximately 90% clay content which is good for making bricks with the help of some additional reinforcement.



Soil identified for making the bricks. The top soil is seggregated and kept aside to be used elsewhere for landscaping or composting.



The soil below is excavated and is passed through a sieve with a chicken mesh to get rid of unwanted materials present in the soil.



The sieved soil is gathered in a heap. Rice husk (for insulation) & pine needles from nearby trees (for reinforcement) are added to the heap.



A small trench is made on the periphery of the heap and water is introduced to the mix.



With the help of a shovel and some light pugging, the mix is binded together.



The mix is piled up in one spot so that the water and mud bind overnight. Water is added in a small trench on top to pevent it from drying.



The ready pile is then covered with a plastic sheet to protect it from the elements since the weather there was unpredictable.



The next day , with the help of a shovel the heap is seperated and more water is added to the mix.



The process of pugging takes place where volunteers work the soil with with their feet and shovels. This helps the water to bind with the soil and create a stronger bond. The process is repeated for 3 days.



After 3 days of pugging the mix, it is ready for making the bricks.
The mix is shoved into a container and transported to a plain piece of land where the bricks can be laid.



The mould for the bricks is soaked in water and then used for shaping the bricks. It is laid on the ground and small portions of the mixture are thrashed with force into the mould for binding purposes.



After the mould is filled with the mix, a layer of water is applied to smoothen the surface and a frog is introduced in the wet bricks. The mould is then removed,washed and used for the next brick.



The process is repeated till the pugged pile mixture is over.Different moulds are used for different sizes of bricks



The bricks are sun dried for a period of 3 days or untill the visually appear to be dried. Everyday the bricks are flipped to ensure they dry from every side.





- After the bricks are prepared , they are transported to the active site. Mortar is made in situ by adding water to the finely sieved soil.
- The mortar is then placed on the stone masonary that was done upto the cill level.
- The sun-dried bricks are then arranged in a staggered manner to aviod joints , both in plan and elevation.
- Mortar is filled into the gaps to bond the bricks.





Care is taken to include the doors and window frames simultaneosuly as the brick work proceeds to accomodate the holdfasts.


Chashra being made


Chashra mat


Chashra mat utilized

MAKING THE *CHASHRA* :

- The Chashra is made from bamboo.
- The Bamboo is split open by aiming at the nodes first.
- Once the bamboo is roughly open, it is further split till the bamboo forms a mat which is held together and is still in one piece.
- This matting is used above the rafters to have a visually clean look inside.
- Also the texture helps bond the ferrocrete layer above the mat.


Scrubbing the rafters

POLISHING THE ROOFING MEMBERS:

- The Rafters and the Purlins need to be treated for long term preservation.
- First the members are scrubbed with a high grade sandpaper to achieve smoothness.
- Once the desired surface is achieved, coats of Varnish are applied on the members to protect it.


Finishing tiles with varnish

TILE FINISHING :

- The stone tiles used for the flooring are laid in a PCC bed.
- The tiles are smoothened before fixing.
- A layer of Varnish is appled on the stone tiles for a smooth finish and glaze.


Making the plaster


Plastering the walls


Plastered walls with fine texture


COWDUNG PLASTER :


- The cowdung plaster is made from fresh cowdung which is collected from the cowshed in the morning.
- In a container, 2 parts of finely sieved mud is mixed with 1 part of Cowdung and 1 part of water. The dung is made fine by squeezing the big chunks by hand. The fibrous nature of the dung helps bind the mixture.
- After this process , water from soaked linseeds is added as it is oily in nature and helps form a uniform layer on the plaster to protect it from the elements.
- Then, equal parts of lime water is added to make the plaster insect repelent.
- The entire mixture is once again stirred by hands to form the plaster paste.
- The wall to be plastered is slighlty made moist by applying little water.
- A piece of cloth is then dipped into the plaster and applied on the walls manually which creates intresting patterns on the wall. A final layer of only cowdung and water is applied in the end.


Adding manure to the pile

COMPOSTING :

- In a pit, layers of pine needles, straws, cowdung , dried leaves form the trees on the plot and kitchen waste sprinkled with water are staked one above the other and left to decompose and form compost.


Brickwork on site


Site visit

SITE VISITS :

A small trek/Site visit to ongoing construction sites was organized for the participants in the workshop to learn more about the Earthen Building Construction methods that are practised in the villages nearby.

05

UNKNOWN CRAFTSPERSON TROPHY

Academic | Competition | Group

2014 | UCP TROPHY | NASA | B.K.P.S COLLEGE OF ARCHITECTURE | INDIA

ORGANIZER : NASA (NATIONAL ASSOCIATION OF STUDENTS OF ARCHITECTURE)

RECOGNITION : TOP 10

TROPHY HEADS :
Nishabh Polke
Email : nishabhpolke@gmail.com
Amruta Naidu
Email : amruta.naidu@yahoo.in
Priya Bukte
Email : priya.bukte@gmail.com

Other Participants : Dhiraj Patil , Aniket Gawali , Aishwarya Barve


Role : Primary documentation of the craft which included going to the site, interacting with the craftsperson, understanding the process and documenting with the help of photos, videos and an interview.
Finalizing the sheet layout, content and design proposals with the help of the team.

Trophy Brief : The intent of the trophy is to encourage students to appreciate the process and skills that go into making a product which is worthy of being included in India's Built Heritage. Also a general awareness of the craft is created and equal importance is given to the Cratsperson for his skills and hard work. Alterior motive is to educate the masses about these slowly dying traditions of India to trigger the process of rejuvination.


CRAFT DOCUMENTED : ATHANGUDI TILES

Athangudi is a small village 41 km away from Sivaganga. The **main occupation of the people is tile making** followed by Wood carving and Agriculture. **Athangudi Tiles are named after the place of manufacture i.e Athangudi Village**, Chettinad, Tamil Nadu. These tiles come in myraid colours which draw inspiration from the rich cultural heritage sites such as the Athangudi Anthamachi temple and the Chettinad Palace located in close vicinity. The tile making occupation practised is proof of the inherited tradition of the Chettiyar Community.

INFLUENCE : Trading resulted in Eupopean and other Asian items finding their way into the Chettiyar Community. Influnced by the products traded, the craft originated in Athangudi Village.









The Athangudi Tiles are Hand-made decorative floor tiles made from locally available materials.

Raw Materials :
- **Laterite Soil :** The soil is red in colour due to the presence of Iron-oxide. It is used in making the colour, dry mortar and wet mortar.
- **Chettinad Cement :** Locally available cement is used in the preperation of the colour, wet and drymortar.
- **Mortar :** Dry and Wet mortar is prepared in the proportion 3:1 (local seived soil : cement)
- **Colous :** Motifs are created using colours which are chemical oxides mixed with cement to add viscosity. Vibrant colours like blue, red, green, ochre and white are used.
- **Other Colours :** 1:2:3 (colour powder:local soil:ordinary cement)
- **White Colour :** 2:1:1 (white cement:local soil: ordinary cement)
- **Lubricant :** Two-wheeler waste oil is used to grease the mould for easy removal of tile.


PROCESS :



Step 1 : The glass surface is cleaned and placed on the stand. The size of this glass is slighlty larger than the desired size for the tile.



Step 2 : Two-wheeler waste oil is applied on the inner sides of the metal mould and then is paced on the glass




Step 3 : A metal stencil is then placed on the glass to obtain the required designs. Different colours are poured on to the stencil. The stencil is then removed and the tile is shaken slightly for the colours to set.

OR




The drops of colours are swirled manually using the wooden drawing tool to obtain a unique design.




Step 4 : Dry mortar is sprinkled over the colours to consolidate the pattern of the tile. A layer of wet mortar is then evenly spread and the excess is removed using a jigsaw blade. It is given a smooth finish with a trowel.




Step 5 : The press is then placed on the tile and slight pressure is applied. The mould is then removed. After allowng the tile to dry for a whole day, it is ready for curing




Curing : The tiles are immersed in water for 7 days. This helps in increasing the strength of the tiles.



Stacking : After curing, the tiles are removed from the water tank and stacked for drying in the warehouse. The tiles are stacked vertically on the floor.




Finishing : The glass on the tile surface is removed and a smooth glazed surface is obtained. The tiles are then finished by scraping off any rouge edges on a flat stone surface.




Laying : Laying of the tiles involves a special team of masons. Taking into account the design, size and proportions of the tiles as well as the room, the tiles are laid skillfully.


DESIGN PROPOSALS : As sututents of Architecture, it was expected from us to come up with design proposals in an attempt to make use of the craft in a new way and keep the craft alive.




Curved Tiles :
Curved tiles can be made by following the same prcedure as the flat tiles. The glass surface and the moulds will have to be coustomised accord-



Light weight tiles :
By reducing the mortar layer behind the tiles, light weight tiles can be achieved which can be used as decorative external wall cladding.
Patterns could be contemporary and other materials such as brass strips could be introduced while making the tiles to give it a new look.



Slab Treatment :
- Acrylic sheets would be placed above the sht
- Colours would then be poured to create the desired pattern.
- Dry mortar would be dusted on for consolidation of the colours.
- The effect for the slab would be the same as that of a tile but used differently.
- The slab would be then cured and the acrylic sheet would be removed after curing process is complete.



References :
1) The Craftsperson - Mr.Nachiyappan, Siva Shakti Tiles, Athangudi, Tamil Nadu, India.
2) Arcicle 'Rare Blend of East & West' by Architect Satyaprakash Varanasi
3) dsource.com
4) www.scribd.com

SKETCHLOGUE & PHOTOGRAPHY


06

Individual


Art helps me think.



Untangle to Unravel
Unlearning in an attempt to gain a fresher perspective and see beyond.




Torn apart in misery
Change is not easy. It is something we have to go through with a process of adding and discarding to create comething unique for ourselves.It leaves us with bitter-sweet memories.



What consumed you, consumed me
Leading similar lives, humans trapped in an unseen limbo. Is there a way out ?

Said Unsaid
Frustration of having said or not said something in the moment. The outcome can only be imagined.

Teeth
A promt from INKtober 2020.







LEFT
What must it feel like to part or drift away into the abyss ?



IIM, Ahmedabad, India



Govt.Museum & Art Gallery, Chandigarh, India ©nishabhpolke



Hooghly River, Kolkata, India




Tsomgo Lake, Sikkim, India



Kangra Airport, India



Rani ki Vav, Patan, India



Kodaline Concert, Pune, India