

Examinee : HARI SANKAR A	Referred By : SELF	
Lab No. : HDTMNM429	Sample Coll. Time : 17-Apr-2026 08:46 am	
Sex/Age : 21 Years / Male	Auth. Date Time : 17-Apr-2026 12:31 pm	
Reg. Date : 17-Apr-2026	Printed on : 17-Apr-2026 02:52 pm	

Test	Observed Value & Units	Biological Reference Range
------	------------------------	----------------------------

COMPLETE HAEMOGRAM + ESR

HAEMOGLOBIN (HB) Method : Cyanide-free SLS-haemoglobin Sample : EDTA Whole blood	14.8	gm/dL	Birth :18.0 +/-4.0, Day 3:18.0+/-3.0, 1 month:14.0+/-2.5, 2 months 11.2+/-1.8, 3 months - 6 years 12.6 +/- 1.5, 6 - 12 years:13.5+/-2.0, Adults : Male:13.0 -17.0; Female:12.0-15.0 g/dl
TOTAL WBC COUNT (TC) Method : Flow Cytometry Sample : EDTA Whole blood	11,050	/cumm	Upto1 year : 6000-16000 2-6 Years :5000-15000 6-12 Years :5000-13000 Adults : 4000-10000
<u>DIFFERENTIAL COUNT (DC)</u>			
NEUTROPHILS Method : Flow Cytometry Sample : EDTA Whole blood	54.8	%	Upto 1 year : 17-47% 2 - 6 years : 15- 65 % 6 - 12 year : 35 - 70 % Adults: 40-80%
LYMPHOCYTES Method : Flow Cytometry Sample : EDTA Whole blood	38.0	%	Upto 6 year : 45-75% 6 - 12 year : 25- 54 % Adults: 20-40%
EOSINOPHILS Method : Flow Cytometry Sample : EDTA Whole blood	4.4	%	Upto 12 year : 0 - 6 % Adults : 0 - 6 %
MONOCYTES Method : Flow Cytometry Sample : EDTA Whole blood	2.1	%	Upto 1 year : 0-8% 2 - 6 years : 0- 7 % 6 - 12 year : 0 - 6 % Adults: 0-10 %
BASOPHILS Method : Flow Cytometry Sample : EDTA Whole blood	0.7	%	0-2 %
ERYTHROCYTE SEDIMENTATION RATE (ESR) Method : Westergren Method Sample : EDTA Whole blood	18	mm/hr	Male 0-10 mm/hr Female 0-20 mm/hr
RBC Method : Hydrodynamic focusing DC detection Sample : EDTA Whole blood	5.03	mill/cumm	Upto1 year : 3.9-5.1 2 -12 years : 4.0-5.2 Adult male :4.5-5.5 Adult female : 3.8-4.8

FULLY AUTOMATED LABORATORY

- Digital X-RAY
- Ultrasound Scanning
- Liver Elastography
- Mammography
- NCV • EEG
- Digital ECG
- Echocardiogram
- Treadmill Test
- Pulmonary Function Test
- Mobile Blood Collection

Lab Director & Pathologist
Dr.Elizabeth George MBBS,MD

Chief Technician
Mrs. Valsa Varghese CMAI

Consultant Radiologists
Dr.Sreedevi Varun MBBS,DMRD,DNB
Dr.Faiza N MBBS,DMRD,DNB
Dr.Teena Kurian MBBS,DMRD
Dr.Nithya Chandrasekhar MBBS,MD

OPEN ALL DAYS

5 AM - 10 PM

Booking Number -
0484 2 333 888

Customer Care Assistant -
94477 12300

Near International Stadium
Metro Pillar Number : 548
Palarivattom, Kochi - 25



Examinee : HARI SANKAR A	Referred By : SELF	
Lab No. : HDTMNC429	Sample Coll. Time : 17-Apr-2026 08:46 am	
Sex/Age : 21 Years / Male	Auth. Date Time : 17-Apr-2026 12:31 pm	
Reg. Date : 17-Apr-2026	Printed on : 17-Apr-2026 02:52 pm	

Test	Observed Value & Units	Biological Reference Range
------	------------------------	----------------------------

PLATELET COUNT Method : Hydrodynamic focusing DC detection Sample : EDTA Whole blood	2.49 Lakhs/Cumm	Upto 1 year : 2.0 - 5.5 Lakhs/cumm 2-6 years :2.0- 4.9 Lakhs/cumm 6-12 Years - 1.7-4.5 Lakhs/cumm adults 1.5 - 4.1 Lakhs/cumm
PACKED CELL VOLUME (PCV) Method : Flow Cytometry Sample : EDTA Whole blood	45.1 %	Upto1 year : 30-38 2-6 years :34-40 6-12 Years - 35-45 Adults male :40-50 Adults Female:36-46
MCV Method : Derived Parameter Sample : EDTA Whole blood	89.6 cubic/micro	Upto1 year : 72-84 2-6 years : 75-87 6-12 years :77-95 Adults :83-101
MCH Method : Calculated Parameter Sample : EDTA Whole blood	29.4 pico gram	Upto 1 Year : 25-29 2-6 Years :24-30 6-12 Years :25-33 Adults :27-32
MCHC Method : Calculated Parameter Sample : EDTA Whole blood	32.8 %	Upto 1 Year : 32-36 2-6 Years :31-37 6-12 Years :31-37 Adults : 31.5-34.5
RDW-SD Method : Derived Parameter Sample : EDTA Whole blood	46.3 FL	[39-46]
RDW-CV Method : Derived Parameter Sample : EDTA Whole blood	13.8	[11.6-14.0]
NEUT-TC Method : Flow Cytometry Sample : EDTA Whole blood	6,060 /cumm	Upto 1 years [1000 - 7,000] 2 - 6 years [1,500 - 8,000] 6- 12 years [2,000 - 8,000] Adult [2000 - 7,000]
LYM-TC Method : Flow Cytometry Sample : EDTA Whole blood	4,190 /cumm	Upto 1 years [3500 - 11,000] 2 - 6 years [6000 - 9,000] 6- 12 years [1000 - 5,000] Adult [1000 - 3,000]
EOS-TC Method : Flow Cytometry Sample : EDTA Whole blood	490 /cumm	[0 - 500]
MONO-TC Method : Flow Cytometry Sample : EDTA Whole blood	230	[0-1000]

FULLY AUTOMATED LABORATORY

- Digital X-RAY
- Ultrasound Scanning
- Liver Elastography
- Mammography
- NCV • EEG
- Digital ECG
- Echocardiogram
- Treadmill Test
- Pulmonary Function Test
- Mobile Blood Collection

Lab Director & Pathologist
Dr.Elizabeth George MBBS,MD

Chief Technician
Mrs. Valsa Varghese CMAI

Consultant Radiologists
Dr.Sreedevi Varun MBBS,DMRD,DNB
Dr.Faiza N MBBS,DMRD,DNB
Dr.Teena Kurian MBBS,DMRD
Dr.Nithya Chandrasekhar MBBS,MD

OPEN ALL DAYS

5 AM - 10 PM

 **0484 2 333 888**
Booking Number -

 **94477 12300**
Customer Care Assistant -

 Near International Stadium
Metro Pillar Number : 548
Palarivattom, Kochi - 25



Examinee : HARI SANKAR A	Referred By : SELF	
Lab No. : HDTMNM429	Sample Coll. Time : 17-Apr-2026 08:46 am	
Sex/Age : 21 Years / Male	Auth. Date Time : 17-Apr-2026 12:31 pm	
Reg. Date : 17-Apr-2026	Printed on : 17-Apr-2026 02:52 pm	

Test	Observed Value & Units		Biological Reference Range
BASO-TC Method : Flow Cytometry Sample : EDTA Whole blood	80		[0-100]
MPV Method : Derived Parameter Sample : EDTA Whole blood	8.6	FL	[8.5 - 13.3]
PDW Sample : EDTA Whole blood	16.5	FL	9 -17 FL
P-LCR Sample : EDTA Whole blood	17.6	%	15 - 35 %
PCT Sample : EDTA Whole blood	0.214	%	0.15 - 0.62

----- End of HAEMATOLOGY Report -----

Reviewed by:

ARCHANA JOSE

DMLT



Authorized by:



DR.ELIZABETH GEORGE
M.B.B.S,MD Pathology

FULLY AUTOMATED LABORATORY

- Digital X-RAY
- Ultrasound Scanning
- Liver Elastography
- Mammography
- NCV • EEG
- Digital ECG
- Echocardiogram
- Treadmill Test
- Pulmonary Function Test
- Mobile Blood Collection

Lab Director & Pathologist
Dr.Elizabeth George MBBS,MD

Chief Technician
Mrs. Valsa Varghese CMAI

Consultant Radiologists
Dr.Sreedevi Varun MBBS,DMRD,DNB
Dr.Faiza N MBBS,DMRD,DNB
Dr.Teena Kurian MBBS,DMRD
Dr.Nithya Chandrasekhar MBBS,MD

OPEN ALL DAYS

5 AM - 10 PM

 **0484 2 333 888**
Booking Number

 **94477 12300**
Customer Care Assistant

 Near International Stadium
Metro Pillar Number : 548
Palarivattom, Kochi - 25



Examinee : HARI SANKAR A	Referred By : SELF	
Lab No. : HDTMNM429	Sample Coll. Time : 17-Apr-2026 08:46 am	
Sex/Age : 21 Years / Male	Auth. Date Time : 17-Apr-2026 02:19 pm	
Reg. Date : 17-Apr-2026	Printed on : 17-Apr-2026 02:52 pm	

Test	Observed Value & Units	Biological Reference Range
------	------------------------	----------------------------

GLUCOSE PLASMA FASTING Method : GOD-POD Sample : PLASMA	76 mg/dL	Normal: 70-99 Prediabetes: 100-125 Diabetes mellitus: >= 126 (on more than one occasion) (American diabetes association guidelines 2024)
Technology used : Samples tested on VITROS - Drychemistry Analyzers with intellicheck technology		

LIPID PROFILE

CHOLESTEROL Method : Cholesterol oxidase Sample : SERUM	144 mg/dL	Less than 200 mg/dl - Desirable 200 - 239 mg/dl - Borderline high More than 239 mg/dl - High
TRIGLYCERIDES Method : Enzymatic Sample : SERUM	317 mg/dL	Less than 150 mg/dl - Normal 150-199 mg/dl - Borderline high 200-499 mg/dl - High More than 500 mg/dl - Very high
HDL CHOLESTEROL Method : Direct PTAMgCl2 Sample : SERUM	25 mg/dL	Females: Low risk > 65 Moderate risk - 45 - 65 High risk < 45 Males: Low risk > 55 Moderate risk - 35 - 55 High risk < 35
LDL CHOLESTEROL Method : Calculated Parameter Sample : SERUM	56 mg/dL	<100 - Optimal 100 - 129 - Near Optimal 130 - 159 - Borderline High 160 - 189 - High More than 190 - Very High
VLDL CHOLESTROL Method : Calculated Parameter Sample : SERUM	63 mg/dL	[5 - 40]
TC/HDL Cholesterol Ratio Method : Calculated Parameter Sample : SERUM	5.8 RATIO	[3 - 5]
LDL/HDL Ratio Method : Calculated Parameter Sample : SERUM	2.2 RATIO	[1.5 - 3.5]
Technology used : Samples tested on VITROS - Drychemistry Analyzers with intellicheck technology		

FULLY AUTOMATED LABORATORY

- Digital X-RAY
- Ultrasound Scanning
- Liver Elastography
- Mammography
- NCV • EEG
- Digital ECG
- Echocardiogram
- Treadmill Test
- Pulmonary Function Test
- Mobile Blood Collection

Lab Director & Pathologist
Dr.Elizabeth George MBBS,MD

Chief Technician
Mrs. Valsa Varghese CMAI

Consultant Radiologists
Dr.Sreedevi Varun MBBS,DMRD,DNB
Dr.Faiza N MBBS,DMRD,DNB
Dr.Teena Kurian MBBS,DMRD
Dr.Nithya Chandrasekhar MBBS,MD

OPEN ALL DAYS

5 AM - 10 PM

 **0484 2 333 888**
Booking Number -

 **94477 12300**
Customer Care Assistant -

 Near International Stadium
Metro Pillar Number : 548
Palarivattom, Kochi - 25



Examinee : HARI SANKAR A	Referred By : SELF	
Lab No. : HDTMNM429	Sample Coll. Time : 17-Apr-2026 08:46 am	
Sex/Age : 21 Years / Male	Auth. Date Time : 17-Apr-2026 02:19 pm	
Reg. Date : 17-Apr-2026	Printed on : 17-Apr-2026 02:52 pm	

Test	Observed Value & Units	Biological Reference Range
------	------------------------	----------------------------

CREATININE Method : Enzymatic Sample : SERUM Technology used : Samples tested on VITROS - Drychemistry Analyzers with intellicheck technology ** Please Note Changes in Reference range ** NOTE: Several factors may influence serum creatinine independent of changes in GFR. Decreased levels are seen in individuals with small stature, elderly persons with decreased muscle mass, cachexia, amputation or muscle diseases and pregnancy. Because some renal clearance of creatinine is due to tubular secretion, drugs that inhibit this secretory component (eg, cimetidine and trimethoprim) may cause small increases in serum creatinine without an actual decrease in GFR. Patients on long term lidocaine therapy may show an increase in serum creatinine levels.	0.81	mg/dL	Newborn (1-7 days) : 0.6 - 1.1 Infant (8-31 days) : 0.3 - 0.7 Children (31 days-1yr) : 0.4 - 0.7 Children (1 yr - 14 yrs) : 0.2 - 0.7 Adult: Male : 0.7 - 1.3 Female : 0.5 - 1.1
--	------	-------	--

SGOT (AST) Method : Enzymatic,dye , with P5P Sample : SERUM Technology used : Samples tested on VITROS - Drychemistry Analyzers with intellicheck technology	26	U/L	Female: 14 - 36 Male : 17 - 59
--	----	-----	-----------------------------------

SGPT (ALT) Method : UV with P5P Sample : SERUM Technology used : Samples tested on VITROS - Drychemistry Analyzers with intellicheck technology	27	U/L	Female : < 35 Male : < 50
---	----	-----	------------------------------

----- End of BIOCHEMISTRY Report -----

Reviewed by:

Mrs.VALSA SAJI

CMAI



MC-2293



[Download the Report]

Authorized by:

DR. ELIZABETH GEORGE

DR.ELIZABETH GEORGE
M.B.B.S,MD Pathology

FULLY AUTOMATED LABORATORY

- Digital X-RAY
- Ultrasound Scanning
- Liver Elastography
- Mammography
- NCV • EEG
- Digital ECG
- Echocardiogram
- Treadmill Test
- Pulmonary Function Test
- Mobile Blood Collection

Lab Director & Pathologist
Dr.Elizabeth George MBBS,MD

Chief Technician
Mrs. Valsa Varghese CMAI

Consultant Radiologists
Dr.Sreedevi Varun MBBS,DMRD,DNB
Dr.Faiza N MBBS,DMRD,DNB
Dr.Teena Kurian MBBS,DMRD
Dr.Nithya Chandrasekhar MBBS,MD

OPEN ALL DAYS

5 AM - 10 PM

0484 2 333 888
Booking Number

94477 12300
Customer Care Assistant

Near International Stadium
Metro Pillar Number : 548
Palarivattom, Kochi - 25

