

Git and GitHub for Authors

TM Coker

July 10, 2020

1 Introduction

1.1 What is Git and GitHub

Git is a software source control system, initially written by Linus Torvalds specifically to support Linux kernel development, the assessment being that other systems then available were not up to the demands of Linux development. Development was started in 2005 and Git is now open-source software distributed under the GNU GPL.

In common with other systems Git provides the means for:

- Many programmers to collaborate on a single software application.
- Manage release and software version control.
- Track changes to software as it is developed.
- Branch a code base to allow specific issues to be worked on in parallel.
- Merge branches back into the main code base.

Git also has a similar top level structure to other solutions – projects or applications roughly correspond to ‘repositories’ (often called ‘repos’). Within any one repo there will exist a number of branches, and typically in software development a branch represents a version of the code being developed to address one specific issue, which could be a new feature or fixing a bug. The key feature of such systems is that they maintain a full record of changes to all files that are held within the repo, for software this is required for tracking purposes, e.g. who made what change when, but it also provides a complete history of the software as it has been developed.

GitHub is effectively a cloud based implementation of Git, with a browser based interface into the more sophisticated functions, such as ‘pull requests’, code reviews, merging, release management and so on (none of which really concern authors). However GitHub cannot effectively be used on it’s own, it really needs a local Git implementation and as such, for our needs, Git Hub is really just cloud storage (although it does offer some facilities that your local Git application doesn’t have).

1.2 Relevance to Authors

Authors, although they are not writing software, have similar requirements to software engineers:

- They develop source material in an incremental way, keeping track of changes and version information.
- In many cases, particularly in the sciences, several authors will be collaborating on a single book, article or paper, in which case simple word processing software such as Word is limited, as is LaTeX. Although alternatives such as Google Docs can be used, even these have their limits, particularly for laying out scientific papers with cross-referencing, citations and so on.
- For authors using LaTeX, because of its sophistication, other than file backup software, there is no obvious solution to the need for revision control, archiving and so on.
- Authors need to periodically archive and/or back up their material.
- They would preferably back up to cloud storage as well as any local media - local hard-drives, additional home file storage and so on.
- If necessary they may want to work on two or more versions of essentially the same document.
- They may want to retrieve an older version of the source material, either by rolling back changes or retrieving a complete set of source material that has been suitably labelled.

All these requirements are essentially the same as the ones software engineers have when writing code, although authors only need a modest subset of the full set of features that Git or any other source control system provides. However the general message is that a system like Git/GitHub has many of the features that authors look for, indeed (as we'll see below) there are setup files designed specifically for Tex/LaTeX, which is a document authoring system many authors, particularly in the sciences, use.

1.3 Technical Description

This is not in any way a full description of the inner workings of Git, but part of the purpose of this document is to explain why you might want to use Git/GitHub when you aren't already.

Unlike many equivalent systems, Git does not primarily use a client/server model, the entire system can be deployed to a single machine, although collaboration facilities would clearly be limited. In practice Git can be considered as a private file system with a set of coded utilities running on top. The utilities manage files within repos and branches, storing files, tracking changes and so on. Git has been primarily written to run on Linux and the actual user interface has always been the command line. However the system has become so successful that there are many third party applications that provide a traditional window based GUI. A little bit of web searching will quickly lead you to many examples, e.g. GitKraken, SmartGit, Fork and so on. A quick online search for 'git gui' will quickly lead you to a plethora of alternatives, but be aware many are not free, or have proprietary licences or hidden drawbacks.

Notwithstanding the above, two particular implementations should be considered:

- Git For Windows – this is effectively the 'official' Windows version from the open-source collaboration that maintains and develops Git.
- GitHub Desktop - assuming that you're intending to use GitHub, then GitHub Desktop seems an obvious solution for ease of integration. Open source, free and available under the MIT Licence, with reasonably good support and also a thriving community.

As a little bit of context, I'd not suggest GitHub Desktop as first choice client for actual coding. When I was last running a software team, we actually settled on Fork (which is not free). However for the more limited needs of authors I'd suggest that GitHub Desktop is more than adequate. As you'll see below, this is the solution that has been used by the author for this document.

2 Getting Setup with Git

There are two principle steps to getting set up – registering and creating a GitHub account, and installing your local Git application. These two can actually be done quite independently and I'd suggest you get up and running with your local Git application before setting up on Git Hub. This is particularly the case if you decide to use GitHub Desktop as this makes for a very easy process to 'push' your local repos up to GitHub. The alternative workflow is to create repos on GitHub then clone them to your local machine, which works fine and is only marginally more complex. Whichever way you end up doing it, there is a process to link your Git application to GitHub, this is fairly straightforward if you're using GitHub desktop and is another reason to use this application.

2.1 Assumptions

For the rest of this guide, it is assumed that:

- You are running Windows 10.
- You have chosen GitHub Desktop.
- You are using LaTeX to create your documents, MiKTeX version 2.9.
- And you are setting up GitHub desktop before registering on GitHub.

If that is not the case, it doesn't necessarily mean that you can't use this guide, the broad steps to take should be the same regardless of actual implementation, but the screenshots in particular may be of limited use.

2.2 Installing and Running GitHub Desktop

Once you've downloaded the installer run it as normal, the installation process is simple and direct and should launch the application straight away. Once its running you should see the following window (Figure 1) The following steps will set up a repo, initialise it with a tex file, make the initial 'commit', build the document and make a second 'commit' after the build.

1. Click the 'Create New Repository' option, this will give you a new dialogue – Figure 2. Fill in the details as required. Initialising with a README file is not essential but good practice. If you are using LaTeX then click the drop down against 'GitIgnore' and select 'Tex'. Click the 'Create repository' button. This will lead you to the next screen – Figure 3.
2. If you look in Windows Explorer you should see a folder with three files and one subfolder – Figure 4. The '.git' folder is hidden so may not be visible, but this is where all the information for the repo is stored, including the actual files, although not in a format




Figure 1: Start screen for GitHub Desktop

that allows you to view them. If you open the `.gitignore` file, you will see that it lists out a large number of file types that Git will ignore. At this stage there is only one branch in this repo – called ‘master’ – and in most cases you will probably only need this one branch. If you click on the ‘History’ tab, you will see that Git has recorded the initial creation of the Git files, this is the initial ‘commit’.

3. Create a tex file in this folder and edit it. Git will pick up the new file and you should see it in the repo view – Figure 5.
4. Create your first commit. A commit is the process of actually getting Git to create internal file objects and track changes, effectively making a snapshot. The boxes in the lower left of the screen should be filled in, the desktop will fill in the small summary description box (you can overwrite this if you wish), but it’s good practice to add more to the description box too. You can still make changes at this stage and Git will display them for you, but until they are committed Git won’t be tracking anything you do. Click the ‘Commit to master’ button bottom left.
5. Once the commit is complete, the view will revert essentially to that of Figure 3, with no local changes being displayed. If you now edit the tex file, you will see how Git records and displays changes – Figure 6. There are a few options as this stage:
 - Continue editing.
 - Do another commit.
 - Discard the changes - if you right click the small yellow circle-in-a-square by the file name, this gives you further options, for example to ignore this file, but the first one is to discard the changes. Note that if you do discard changes, Git will




Figure 2: Dialogue to create a new repo.

edit the file for you on disk, so make sure that's what you really want to do. If you go to the History tab you will see how your commit has been recorded – Figure 7.

6. Edit the tex file such that it will build, then build the document. This will create the usual plethora of LaTeX working files, but these should all be ignored except for the final output (which we assume is a pdf file) – Figure 8 where we can see that all Git has registered is the new pdf file.
7. Do another commit so that Git records the pdf file. In this case the summary description may not be filled in for you, so that needs to be done before Git will allow you to do the commit. Once the commit completes, you will be back to Figure 3 again.

If you have got this far, then you have basically learnt how to edit and build LaTeX whilst recording your changes with Git. If that is all you want to do, i.e. you don't need to use the cloud facilities of GitHub, then, whilst there are some slightly more advanced features described below, you are essentially done.

3 Setting Up and Using GitHub

You will see in the Desktop that you are being given the option to 'publish' your repo to GitHub, there are basically three steps to this – create an account on GitHub, link it to GitHubDesktop, publish.




Figure 3: Desktop view after creating the repo.




Figure 4: Explorer view after creating the repo.




Figure 5: Desktop view after creating the first file.




Figure 6: Desktop view after editing the first file.




Figure 7: Desktop view of the History tab.




Figure 8: Desktop view after building the document.

1. Create your GitHub account. This is fairly straight forward, requiring all the usual things you need to create accounts on websites.
2. Click the ‘Publish’ button, this will give you a dialogue asking you to log into GitHub. Ignore the Enterprise Server option and sign in. In the following screen you get the option to sign in with the dialogue or through your browser. If you use the dialogue then the process completes more or less automatically, but you should get a message to your GitHub registered email address saying:

[GitHub] A first-party GitHub OAuth application has been added to your account.

This is how GitHub links your desktop application to your GitHub account. If you instead use the ‘sign in using your browser’ button, this achieves the same end, but with a bit more transparency as to what GitHub is doing.

3. If you now go to your GitHub account in your browser (you may need to log in), you will see that the repo we created above has been published to GitHub, including all the commits we did.

If you now make further changes and commit them, using the same process as above, the next screen is slightly different to Figure 3. Here we see that the option now is to ‘Push’ our latest changes to GitHub, see Figure 9. How often you push changes to GitHub is up to you, it could be every commit, perhaps if you are making some crucial changes you really don’t want to lose, or it could be daily or longer intervals.

Note that when you do push, it effectively clones your local repo onto the GitHub remote repo, so *all* your commits, not just the last one, will be pushed.




Figure 9: Desktop view after publishing the repo.