



PARUL SINGHAL

Pizza Sales - SQL

[Home](#)


[About](#)

[Contact](#)

PIZZA HOUSE PROJECT - SQL


● A SQL PROJECT BASED ON PIZZA SALES



[Home](#)[About](#)[Contact](#)

ABOUT PROJECT

Performed SQL-based analysis on pizza sales data to identify top categories, top pizzas, average pizzas selling per day, revenue patterns, and customer preferences using joins, subqueries, and aggregate functions.



Queries Pizzas

```
1 • Use PizzaHouse;
2 • Select * from pizzas;
```

Result Grid

	pizza_id	pizza_type_id	size	price
▶	bbq_ckn_s	bbq_ckn	S	12.75
	bbq_ckn_m	bbq_ckn	M	16.75
	bbq_ckn_l	bbq_ckn	L	20.75
	cali_ckn_s	cali_ckn	S	12.75
	cali_ckn_m	cali_ckn	M	16.75
	cali_ckn_l	cali_ckn	L	20.75
	ckn_alfredo_s	ckn_alfredo	S	12.75

SCHEMAS

Queries Pizzas Pizza_types

```
1 • Use PizzaHouse;
2 • Select * from pizza_types;
```

Result Grid

	pizza_type_id	name	category	ingredients
▶	bbq_ckn	The Barbecue Chicken Pizza	Chicken	Barbecued Chicken, Red Peppers, Green Peppe...
	cali_ckn	The California Chicken Pizza	Chicken	Chicken, Artichoke, Spinach, Garlic, Jalapeno P...
	ckn_alfredo	The Chicken Alfredo Pizza	Chicken	Chicken, Red Onions, Red Peppers, Mushrooms...
	ckn_pesto	The Chicken Pesto Pizza	Chicken	Chicken, Tomatoes, Red Peppers, Spinach, Garl...
	southw_ckn	The Southwest Chicken Pizza	Chicken	Chicken, Tomatoes, Red Peppers, Red Onions, ...
	thai_ckn	The Thai Chicken Pizza	Chicken	Chicken, Pineapple, Tomatoes, Red Peppers, T...
	big_meat	The Big Meat Pizza	Classic	Bacon, Pepperoni, Italian Sausage, Chorizo Sau...
	classic_dlx	The Classic Deluxe Pizza	Classic	Pepperoni, Mushrooms, Red Onions, Red Peppe...
	hawaiian	The Hawaiian Pizza	Classic	Sliced Ham, Pineapple, Mozzarella Cheese
	ital_cpdllo	The Italian Capocollo Pizza	Classic	Capocollo, Red Peppers, Tomatoes, Goat Chee...
	napolitana	The Napolitana Pizza	Classic	Tomatoes, Anchovies, Green Olives, Red Onion...

Queries Pizzas Pizza_types orders

```
1 • Use PizzaHouse;
2 • Select * from Orders;
```

Result Grid

	order_id	order_date	order_time
▶	1	2015-01-01	11:38:36
	2	2015-01-01	11:57:40
	3	2015-01-01	12:12:28
	4	2015-01-01	12:16:31
	5	2015-01-01	12:21:30
	6	2015-01-01	12:29:36
	7	2015-01-01	12:50:37
	8	2015-01-01	12:51:37
	9	2015-01-01	12:52:01

Queries Pizzas Pizza_types orders orders_details

```
1 • Use PizzaHouse;
2 • Select * from orders_details;
```

Result Grid

	order_details_id	order_id	pizza_id	quantity
▶	1	1	hawaiian_m	1
	2	2	classic_dlx_m	1
	3	2	five_cheese_l	1
	4	2	ital_supr_l	1
	5	2	mexicana_m	1
	6	2	thai_ckn_l	1
	7	3	ital_supr_m	1
	8	3	prsc_argla_l	1
	9	4	ital_supr_m	1
	10	5	ital_supr_m	1



```
16  -- Retrieve the total number of orders placed.
17 • SELECT COUNT(order_id) as Total_orders
18 FROM orders;
```


Result Grid	
	Total_orders
▶	21350

```
20  -- Calculate the total revenue generated from pizza sales.
21 • SELECT SUM(od.quantity*p.price) AS total_revenue
22 FROM orders_details od
23 JOIN pizzas p on p.pizza_id = od.pizza_id;
```

Result Grid	
	total_revenue
▶	817860.0499999993

```
25  -- Identify the highest-priced pizza.
26 • SELECT pt.name, p.price
27 FROM pizzas p
28 JOIN pizza_types pt on pt.pizza_type_id = p.pizza_type_id
29 ORDER BY p.price DESC
30 LIMIT 1;
```

Result Grid		
	name	price
▶	The Greek Pizza	35.95




```
32  -- Identify the most common pizza size ordered.
33 • SELECT p.size, SUM(od.quantity) AS Total_quantity
34  FROM orders_details od
35  JOIN pizzas p using(pizza_id)
36  GROUP BY p.size
37  ORDER BY Total_quantity DESC
38  LIMIT 1;
```

Result Grid			Filter Rows:
	size	Total_quantity	
▶	L	18956	

```
40  -- List the top 5 most ordered pizza types along with their quantities.
41 • SELECT pt.name, SUM(od.quantity) AS Total_quantity
42  FROM pizza_types pt
43  JOIN pizzas p ON p.pizza_type_id = pt.pizza_type_id
44  JOIN orders_details od ON od.pizza_id = p.pizza_id
45  GROUP BY pt.name
46  ORDER BY Total_quantity DESC
47  LIMIT 5;
```

Result Grid			Filter Rows:
	name	Total_quantity	
▶	The Classic Deluxe Pizza	2453	
	The Barbecue Chicken Pizza	2432	
	The Hawaiian Pizza	2422	
	The Pepperoni Pizza	2418	
	The Thai Chicken Pizza	2371	





```
49 -- Intermediate:
50 -- Join the necessary tables to find the total quantity of each pizza category ordered.
51 • SELECT pt.category, SUM(od.quantity) AS quantity
52 FROM pizza_types pt
53 JOIN pizzas p ON p.pizza_type_id = pt.pizza_type_id
54 JOIN orders_details od ON od.pizza_id = p.pizza_id
55 GROUP BY pt.category
56 ORDER BY quantity DESC;
```

Result Grid			Filter Rows:
	category	quantity	
▶	Classic	14888	
	Supreme	11987	
	Veggie	11649	
	Chicken	11050	

```
58 -- Determine the distribution of orders by hour of the day.
59 • SELECT COUNT(order_id) AS Total_orders, HOUR(order_time) AS Hour_of_the_day
60 FROM orders
61 GROUP BY Hour(order_time)
62 ORDER BY Total_orders DESC;
```

Result Grid			Filter Rows:
	Total_orders	Hour_of_the_day	
▶	2520	12	
	2455	13	
	2399	18	
	2336	17	
	2009	19	
	1920	16	
	1642	20	
	1472	14	
	1468	15	
	1231	11	
	1198	21	
	663	22	
	28	23	
	8	10	
	1	9	




```

70 -- Group the orders by date and calculate the average number of pizzas ordered per day.
71 • SELECT AVG(F.pizzas) AS Average_pizzas
72 FROM (SELECT o.order_date, SUM(od.quantity) AS pizzas
73        FROM orders_details od
74        JOIN orders o USING(order_id)
75        GROUP BY o.order_date) F;

```

Result Grid	
	Average_pizzas
▶	138.4749

```

63
64 -- Join relevant tables to find the category-wise distribution of pizzas.
65 • SELECT category, COUNT(pizza_type_id) AS Total_pizzas
66 FROM pizza_types
67 GROUP BY category
68 ORDER BY Total_pizzas DESC;

```


Result Grid		Filter Rows:
	category	Total_pizzas
▶	Supreme	9
	Veggie	9
	Classic	8
	Chicken	6

```

77 -- Determine the top 3 most ordered pizza types based on revenue.
78 • SELECT pt.name, SUM(od.quantity*p.price) AS Total_revenue
79 FROM pizza_types pt
80 JOIN pizzas p ON p.pizza_type_id = pt.pizza_type_id
81 JOIN orders_details od ON od.pizza_id = p.pizza_id
82 GROUP BY pt.name
83 ORDER BY Total_revenue DESC
84 LIMIT 3;

```

Result Grid		Filter Rows:
	name	Total_revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5



```
87  -- Calculate the percentage contribution of each pizza type to total revenue.
88 • SELECT pt.category,
89  ROUND((SUM(od.quantity*p.price)/
90  (SELECT SUM(od.quantity*p.price) FROM orders_details od JOIN pizzas p USING(pizza_id))) * 100)
91  AS Percent_distribution
92  FROM pizza_types pt
93  JOIN pizzas p ON p.pizza_type_id = pt.pizza_type_id
94  JOIN orders_details od ON od.pizza_id = p.pizza_id
95  GROUP BY pt.category
96  ORDER BY Percent_distribution DESC;
```

Result Grid			Filter Rows:
	category	Percent_distribution	
▶	Classic	27	
	Supreme	25	
	Veggie	24	
	Chicken	24	





```
L06  -- Determine the top 3 most ordered pizza types based on revenue for each pizza category.
L07 • SELECT * FROM
L08  (SELECT category, name, revenue,
L09          RANK() OVER (PARTITION BY category ORDER BY revenue DESC) AS Top_pizzas
L10  FROM (SELECT pt.category, pt.name, ROUND(SUM(od.quantity*p.price),2) AS revenue
L11        FROM orders_details od
L12        JOIN pizzas p ON p.pizza_id = od.pizza_id
L13        JOIN pizza_types pt ON pt.pizza_type_id = p.pizza_type_id
L14        GROUP BY pt.category, pt.name
L15        ORDER BY pt.category) F) AS R
L16  WHERE Top_pizzas <= 3;
```

Result Grid				
		Filter Rows:	Export:	Wrap
	category	name	revenue	Top_pizzas
▶	Chicken	The Thai Chicken Pizza	43434.25	1
	Chicken	The Barbecue Chicken Pizza	42768	2
	Chicken	The California Chicken Pizza	41409.5	3
	Classic	The Classic Deluxe Pizza	38180.5	1
	Classic	The Hawaiian Pizza	32273.25	2
	Classic	The Pepperoni Pizza	30161.75	3
	Supreme	The Spicy Italian Pizza	34831.25	1
	Supreme	The Italian Supreme Pizza	33476.75	2
	Supreme	The Sicilian Pizza	30940.5	3
	Vannie	The Four Cheese Pizza	32265.7	1



```
98  -- Analyze the cumulative revenue generated over time.
99 • SELECT order_date, revenue, ROUND(SUM(revenue) OVER (ORDER BY order_date),2) AS Cumulative_r
100 FROM (SELECT o.order_date, ROUND(SUM(od.quantity*p.price),2) AS revenue
101        FROM orders o
102        JOIN orders_details od ON od.order_id = o.order_id
103        JOIN pizzas p ON p.pizza_id = od.pizza_id
104        GROUP BY o.order_date) F;
```

Result Grid Filter Rows:			
	order_date	revenue	Cumulative_r
▶	2015-01-01	2713.85	2713.85
	2015-01-02	2731.9	5445.75
	2015-01-03	2662.4	8108.15
	2015-01-04	1755.45	9863.6
	2015-01-05	2065.95	11929.55
	2015-01-06	2428.95	14358.5
	2015-01-07	2202.2	16560.7
	2015-01-08	2838.35	19399.05
	2015-01-09	2127.35	21526.4
	2015-01-10	2463.95	23990.35
	2015-01-11	1872.3	25862.65
	2015-01-12	1919.05	27781.7
	2015-01-13	2049.6	29831.3



PARUL SINGHAL

Pizza Sales - SQL

[Home](#)

[About](#)

[Contact](#)

THANK YOU