


Cylindrical Coordinates

$$0 \leq s \leq \infty$$

$$0 \leq \varphi \leq 2\pi$$

$$-\infty \leq z \leq \infty$$



s

 φ

z

$$x = s \cos \phi, \quad y = s \sin \phi, \quad z = z$$

$$s = \sqrt{x^2 + y^2} \quad \varphi = \tan^{-1} \left(\frac{y}{x} \right) \quad z = z$$

Unit Vectors

$$\vec{r} = x\hat{i} + y\hat{j} + z\hat{k}$$

$$\hat{s} = \frac{\frac{\partial \vec{r}}{\partial s}}{\left| \frac{\partial \vec{r}}{\partial s} \right|} \quad \hat{\phi} = \frac{\frac{\partial \vec{r}}{\partial \phi}}{\left| \frac{\partial \vec{r}}{\partial \phi} \right|} \quad \hat{z} = \frac{\frac{\partial \vec{r}}{\partial z}}{\left| \frac{\partial \vec{r}}{\partial z} \right|}$$

$$\vec{r} = s \cos \phi \hat{i} + s \sin \phi \hat{j} + z\hat{k}$$

$$\hat{s} = \cos \phi \hat{i} + \sin \phi \hat{j}$$

$$\hat{\phi} = -\sin \phi \hat{i} + \cos \phi \hat{j}$$

$$\hat{z} = \hat{k}$$

$$\vec{A} = a_x \hat{x} + a_y \hat{y} + a_z \hat{z}$$

$$\vec{A} = a_s \hat{s} + a_\phi \hat{\phi} + a_z \hat{z}$$

$$a_x = a_s \cos \phi - a_\phi \sin \phi$$

$$a_y = a_s \sin \phi + a_\phi \cos \phi$$

$$a_z = a_z$$

$$\begin{bmatrix} a_x \\ a_y \\ a_z \end{bmatrix} = \begin{bmatrix} \cos \phi & -\sin \phi & 0 \\ \sin \phi & \cos \phi & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} a_s \\ a_\phi \\ a_z \end{bmatrix}$$

$$a_\rho = a_x \cos \phi + a_y \sin \phi$$

$$a_\phi = -a_x \sin \phi + a_y \cos \phi$$

$$a_z = a_z$$

$$\begin{bmatrix} a_\rho \\ a_\phi \\ a_z \end{bmatrix} = \begin{bmatrix} \cos \phi & \sin \phi & 0 \\ -\sin \phi & \cos \phi & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} a_x \\ a_y \\ a_z \end{bmatrix}$$

$$dl_s = ds, \quad dl_\phi = s d\phi, \quad dl_z = dz.$$

$$d\mathbf{l} = ds \hat{\mathbf{s}} + s d\phi \hat{\boldsymbol{\phi}} + dz \hat{\mathbf{z}}$$

The infinitesimal volume element $d\tau$


$$d\tau = s ds d\phi dz$$

The infinitesimal surface elements


$$d\vec{a}_1 = dI_z \hat{\mathbf{z}} \times dI_\rho \hat{\boldsymbol{\rho}} = dz d\rho \hat{\boldsymbol{\phi}}$$

$$d\vec{a}_2 = dI_\rho \hat{\boldsymbol{\rho}} \times dI_\phi \hat{\boldsymbol{\phi}} = \rho d\phi d\rho \hat{\mathbf{z}}$$


$$d\vec{a}_3 = dI_z \hat{\mathbf{z}} \times dI_\phi \hat{\boldsymbol{\phi}} = \rho d\phi dz \hat{\boldsymbol{\rho}}$$



$$da_1 = dI_z dI_\rho \hat{\phi} = dz d\rho d\phi$$




$$da_2 = dI_\phi dI_\rho \hat{z} = \rho d\phi d\rho \hat{z}$$




$$da_3 = dI_z dI_\phi \hat{\rho} = \rho d\phi dz \hat{\rho}$$

Volume element in cylindrical coordinate system




$$\vec{V} = \hat{\phi}$$



$$\vec{V} = \hat{\rho} + \sin \phi \hat{\phi} + z \hat{z}$$

$$\vec{V} = \rho \hat{\rho} + \hat{\phi} + z \hat{z}$$



$$\nabla T = \frac{\partial T}{\partial s} \hat{\mathbf{s}} + \frac{1}{s} \frac{\partial T}{\partial \phi} \hat{\boldsymbol{\phi}} + \frac{\partial T}{\partial z} \hat{\mathbf{z}}.$$

$$\nabla \cdot \mathbf{v} = \frac{1}{s} \frac{\partial}{\partial s} (s v_s) + \frac{1}{s} \frac{\partial v_\phi}{\partial \phi} + \frac{\partial v_z}{\partial z}$$

$$\nabla \times \mathbf{v} = \left(\frac{1}{s} \frac{\partial v_z}{\partial \phi} - \frac{\partial v_\phi}{\partial z} \right) \hat{\mathbf{s}} + \left(\frac{\partial v_s}{\partial z} - \frac{\partial v_z}{\partial s} \right) \hat{\boldsymbol{\phi}} + \frac{1}{s} \left[\frac{\partial}{\partial s} (s v_\phi) - \frac{\partial v_s}{\partial \phi} \right] \hat{\mathbf{z}}$$


$$\nabla^2 T = \frac{1}{s} \frac{\partial}{\partial s} \left(s \frac{\partial T}{\partial s} \right) + \frac{1}{s^2} \frac{\partial^2 T}{\partial \phi^2} + \frac{\partial^2 T}{\partial z^2}.$$

Spherical Co-ordinate System

$$r = \sqrt{x^2 + y^2 + z^2} \quad (r \geq 0)$$

$$\theta = \cos^{-1} \frac{z}{\sqrt{x^2 + y^2 + z^2}} \quad (0^\circ \leq \theta \leq 180^\circ)$$

$$\phi = \tan^{-1} \frac{y}{x}$$



Point P has coordinates
Specified by $P(r, \theta, \phi)$

$$x = r \sin \theta \cos \phi$$

$$y = r \sin \theta \sin \phi$$

$$z = r \cos \theta$$

$$\vec{A} = a_x \hat{x} + a_y \hat{y} + a_z \hat{z}$$

$$\vec{A} = a_r \hat{r} + a_\theta \hat{\theta} + a_\phi \hat{\phi}$$


$$a_x = a_r \sin \theta \cos \phi + a_\theta \cos \theta \cos \phi - a_\phi \sin \phi$$

$$a_y = a_r \sin \theta \sin \phi + a_\theta \cos \theta \sin \phi + a_\phi \cos \phi$$


$$a_z = a_r \cos \theta - a_\theta \sin \theta$$

$$\begin{bmatrix} a_x \\ a_y \\ a_z \end{bmatrix} = \begin{bmatrix} \sin \theta \cos \phi & \cos \theta \cos \phi & -\sin \phi \\ \sin \theta \sin \phi & \cos \theta \sin \phi & \cos \phi \\ \cos \theta & -\sin \theta & 0 \end{bmatrix} \begin{bmatrix} a_r \\ a_\theta \\ a_\phi \end{bmatrix}$$


$$\begin{bmatrix} a_r \\ a_\theta \\ a_\phi \end{bmatrix} = \begin{bmatrix} \sin \theta \cos \phi & \sin \theta \sin \phi & \cos \theta \\ \cos \theta \cos \phi & \cos \theta \sin \phi & -\sin \theta \\ -\sin \phi & \cos \phi & 0 \end{bmatrix} \begin{bmatrix} a_x \\ a_y \\ a_z \end{bmatrix}$$



$$dl_r = dr$$




$$dl_\theta = r d\theta.$$



$$dl_\phi = r \sin \theta d\phi$$


$$d\mathbf{l} = dr \hat{\mathbf{r}} + r d\theta \hat{\boldsymbol{\theta}} + r \sin \theta d\phi \hat{\boldsymbol{\phi}}$$



The infinitesimal volume element $d\tau$

$$d\tau = dl_r dl_\theta dl_\phi = r^2 \sin \theta dr d\theta d\phi$$

The infinitesimal surface elements



$$d\mathbf{a}_1 = dl_\theta dl_\phi \hat{\mathbf{r}} = r^2 \sin \theta d\theta d\phi \hat{\mathbf{r}}$$

$$d\mathbf{a}_2 = dl_r dl_\phi \hat{\boldsymbol{\theta}} = r dr d\phi \hat{\boldsymbol{\theta}}$$

$$d\mathbf{a}_3 = dl_r dl_\theta \hat{\boldsymbol{\phi}} = r dr d\theta \hat{\boldsymbol{\phi}}$$

$$\nabla T = \frac{\partial T}{\partial r} \hat{\mathbf{r}} + \frac{1}{r} \frac{\partial T}{\partial \theta} \hat{\boldsymbol{\theta}} + \frac{1}{r \sin \theta} \frac{\partial T}{\partial \phi} \hat{\boldsymbol{\phi}}$$

$$\nabla \cdot \mathbf{v} = \frac{1}{r^2} \frac{\partial}{\partial r} (r^2 v_r) + \frac{1}{r \sin \theta} \frac{\partial}{\partial \theta} (\sin \theta v_\theta) + \frac{1}{r \sin \theta} \frac{\partial v_\phi}{\partial \phi}$$

$$\begin{aligned} \nabla \times \mathbf{v} &= \frac{1}{r \sin \theta} \left[\frac{\partial}{\partial \theta} (\sin \theta v_\phi) - \frac{\partial v_\theta}{\partial \phi} \right] \hat{\mathbf{r}} + \frac{1}{r} \left[\frac{1}{\sin \theta} \frac{\partial v_r}{\partial \phi} - \frac{\partial}{\partial r} (r v_\phi) \right] \hat{\boldsymbol{\theta}} \\ &+ \frac{1}{r} \left[\frac{\partial}{\partial r} (r v_\theta) - \frac{\partial v_r}{\partial \theta} \right] \hat{\boldsymbol{\phi}}. \end{aligned}$$

$$\nabla^2 T = \frac{1}{r^2} \frac{\partial}{\partial r} \left(r^2 \frac{\partial T}{\partial r} \right) + \frac{1}{r^2 \sin \theta} \frac{\partial}{\partial \theta} \left(\sin \theta \frac{\partial T}{\partial \theta} \right) + \frac{1}{r^2 \sin^2 \theta} \frac{\partial^2 T}{\partial \phi^2}$$