Multi-Processor Scheduling :

→ We need to handle some more complexities along with earlier ones

1) Processor affinity : Imbalance of load in multi-processors. can migrate some processes to increase efficiency.

   1) clean cache of prev. processor
   2) load into cache of new processor

   they try to avoid. ie,
   process gets affinity to processor which, is keep trying to get same process so that migration is not needed.

2) Load Balancing : A component to maintain load in all processors.

migration

Push   Pull
Push load to   Pull load to
another CPU   another CPU

Real Time Scheduling :
Only aim is to meet the deadlines
Properties of process :   (Besides Burst time)

1) Periodicity :
2) Deadline :

→ For every process, we'll have atleast 2 parameters
→ We don't consider arrival time here

Before 50th unit, this (1st instance) should be completed

Before arrival of next instance (100th unit)

P₂'s 1st instance should be finished.

	P₁	P₂
Periodicity	50	100
Burst time	20	35

Both P₁ & P₂ arrive at time t=0

P₁	

0	50	100	This way, it works
P₁	P₁'	P₁''	in periodic manner.
P₂	P₂'	P₂'	

→ If the algo can't able to meet the deadline ∴ it' will be considered as a failure.

CPU utilization for P₁ = $\frac{20}{50}$ = 0.4 = 40%

P₂ = $\frac{35}{100}$ = 0.35 = 35%

Admission Control: Scheduler decides whether to accept a process or send it to ready Queue based on a process's CPU utilization

Total : 75% utilization ⟶ We may able to meet the deadline

1) Static Priority Algorithm
   Each Process has priority

→ If in earlier eg. Pr(P₂) > Pr(P₁)

0	35	50 55	
	P₂	P₁	

But. it's deadline was 50.
So, this is not able to meet the deadline

if $Pr(P_1) > Pr(P_2)$

↑
P_1' arrives
& it's priority
is more

CPU will
be idle

↳ May meet deadline sometimes, may miss deadline sometimes.

2.) Rate Monotonic Priority Algorithm

Rate of arrival : $P_1 \rightarrow 50$

$P_2 \rightarrow 100$

↳ Process with lower periodicity should 've high priority. (they'll
will come & more frequently)

eg.	P_1	P_2	CPU Utilization
Periodicity	50	80	50%
Burst time	25	35	46%

96% ⇒ still, we
may able
to meet
deadline
with some
algo

P_1' P_2' arrives → Deadlines are
not met.

3) Earliest Deadline First (EDF)

Priority is assigned dynamically based on deadline

	P_1	P_2
	50	80
	25	35

```
        0           50      60      80  85      100
      ┌──────┬──────────┬────────┬──────────────┐
      │  P₁  │    P₂    │  P₁'   │ ////idle//// │
      └──────┴──────────┴────────┴──────────────┘
           25                              P₂'
```

earliest deadline : 50   deadline $P_1'' \to 100$ $P_1''' \to 150$
                          $P_1' \to 100$ $P_2'' \to 160$ $P_2' \to 160$
                          $P_2 \to 80$
                            ⇓
                        continue's

```
  0       25        50  60    80 85    85  100  120    125    145
┌──────┬──────────┬──────┬──────┬────────┬──────┬──────┐
│  P₁  │    P₂    │  P₁  │  P₂' │  P₁''' │ P₁'' │ P₂'' │
└──────┴──────────┴──────┴──────┴────────┴──────┴──────┘
```
                            ↓
                वहाँ 24व्वें करेंगे (85 tak jaayega)
                phir P₁. deklenge.
                (arrival par hi priority check karna h)