

Optimizing Grape Quality Prediction Using Machine Learning and Image Processing Techniques

Hareni M

Department of Computing Technologies
College of Engineering and Technology
SRM Institute of Science and Technology
Kattankulathur, Chengalpattu, Tamilnadu,
India-603203

hm5547@smist.edu.in

P Sneha Latha Reddy

Department of Computing Technologies
College of Engineering and Technology
SRM Institute of Science and Technology
Kattankulathur, Chengalpattu, Tamilnadu,
India-603203

pp9326@smist.edu.in

Kowsigan M

Department of Computing Technologies
College of Engineering and Technology
SRM Institute of Science and Technology
Kattankulathur, Chengalpattu, Tamilnadu,
India-603203

kowsigan@smist.edu.in

Ramamoorthy S

Department of Computing Technologies College
of Engineering and Technology SRM Institute of
Science and Technology Kattankulathur,
Chengalpattu, Tamilnadu, India-603203

ramamoos@smist.edu.in

Madhavan P

Department of Computing Technologies College of
Engineering and Technology SRM Institute of
Science and Technology Kattankulathur,
Chengalpattu, Tamilnadu, India-603203

madhavap@smist.edu.in

Abstract— Among several factors, the quality of the grapes determines the excellence of wine. Defects present in grapes, like insufficient sugar content, high acidity levels, diseases, hybrid characteristic traits, or immaturity, do not favor the winemaking process. This paper targets the optimization of grape quality predictions using advanced machine learning techniques and image processing techniques. The system uses a Graph Convolutional Network (GCN) to classify grapes based on the key quality factors. It uses texture features like contrast, homogeneity, area, perimeter, and eccentricity. These features are extracted from the grape images and are used to train the GCN model, which then shows a high accuracy in predicting grape quality. Beyond the predictive model, the paper presents the development of an easy-to-use web application with Streamlit, from which real-time grape quality prediction is made available for vineyard application. This research aims to facilitate fast and real-time grape selection towards the enhancement of efficiency as well as quality in wine production.

Keywords— *Image Processing, Graph Convolutional Networks (GCN), Machine Learning, Feature Extraction, Streamlit Web Application.*

I. INTRODUCTION

The quality of grapes is a critical factor that determines the excellence of wine. In winemaking, defects such as low sugar content, high acidity, diseases, and immaturity can significantly affect the final product. Traditionally, grape quality assessment relies on manual inspection by experienced workers, which is time-consuming, subjective, and often inconsistent, especially in large-scale vineyards. As the demand for higher-quality wine is increasing, a more accurate, efficient, and scalable method of grape quality assessment is becoming increasingly necessary.

Recent advancements in machine learning and image processing provide promising solutions to automate and optimize this process. By leveraging techniques such as Graph Convolutional Networks (GCNs)—which are particularly effective for capturing complex relationships in data—it is possible to classify grapes based on key quality factors like texture, size, shape, and ripeness. Features such as contrast, homogeneity, area, perimeter, and eccentricity, extracted from grape images, serve as inputs to machine learning models, enabling them to predict grape quality with high accuracy.

Additionally, this research discusses the development of a Streamlit-based web application for real-time grape quality prediction. This easy-to-use tool is designed to aid vineyard management by improving the efficiency of grape selection, reducing human error, and enhancing the overall quality of wine production.

II. LITERATURE REVIEW

The integration of technology in viticulture and winemaking has changed how grape quality is assessed entirely, making the selection process more efficient and accurate. Several studies have utilized techniques of machine learning and image processing, each applying specific methodologies, extracting different features, and achieving varying success in predicting grape quality. All these advancements hint toward the possibilities of technology and overcoming challenges that are related to heavy labor, assessment discrepancies, and the inefficiencies seen in the large vineyard scenario.

Graph Convolutional Networks (GCNs) and Deep Learning Models in Viticulture

Graph Convolutional Networks (GCNs) and deep learning models, such as Convolutional Neural Networks (CNNs), have been studied for automating tasks such as grapevine pruning and structural detection.

These methods have been used to optimize vineyard management and improve the accuracy of quality assessments by detecting grapevine components like trunks, branches, and leaves [1][5]. Although such models have been effective, they are still handicapped concerning generalization across different grapevine varieties as well as environmental conditions. Adaptability will therefore require further research.

Automated Pruning and Grapevine Structure Detection

Automated grapevine pruning systems using machine learning models and robotic arms have been proposed to minimize human intervention and improve the accuracy of pruning. These models are based on deep learning, which can be used to detect and segment structures such as branches and leaves of the grapevine to make automated pruning decisions [4][6]. Promising, these systems still suffer from high computational costs and scalability issues, mainly in large vineyards where terrain and climate conditions change.

Fusion Deep Learning for Grape Quality Prediction

Several studies have integrated multiple deep learning techniques, including CNNs and Support Vector Machines (SVMs), to predict grape quality based on image data. These fusion models analyze various grape characteristics, such as ripeness and external defects, to assess quality. While these methods show high accuracy, they often overlook environmental factors such as weather conditions or soil quality, which could further improve prediction reliability [2][7].

Imaging Technologies for Grape Quality Analysis

Hyperspectral and visible spectrum imaging technologies have widely been applied in the analysis of grape quality for ripeness, sugar content, and defects such as rot or disease [3]. Such imaging methods, when integrated with machine learning algorithms, can provide a non-invasive and accurate assessment of grape quality. However, their practical implementation is limited due to high equipment costs and processing restrictions [9].

Machine Learning for Estimating Grapevine Maturity

Machine learning techniques, such as CNNs and SVMs, have been used to predict grape ripeness from images. The models classify grapes as ripe or unripe and are used to make decisions about harvest. These methods are often not validated with a sufficient number of varieties and, therefore, are only applicable in controlled environments [8].

Challenges and Limitations in Current Models

While many of the discussed methods show promising results for grape quality prediction and vineyard management, there are still challenges. These include problems with model scalability, real-time application in diverse vineyard environments, and a stronger integration of environmental data, such as climate and soil conditions, to improve model accuracy. The computational cost and the infrastructure requirements for the large-scale deployment of these systems in real-world vineyards remain significant barriers.

Evolution of Grape Quality Assessment Methods

The progression of grape quality assessment techniques chronologically shows an evolution of less sophisticated, more labor-intensive practices to more technologically complex data-oriented systems. In the past, say back in the 1990s, grape quality evaluation relied majorly on inspection and it led to inconsistent, subjective findings.

With improvement in automatic assessment methods, beginning with the earliest image processing, machine learning started to be deployed in increasing the consistency of assessment but also in terms of the scale. In more recent years, Machine Learning (ML) with Graph Convolutional Networks (GCNs) applied, has added precision and speed to grape quality prediction.

The following graph depicts how this was developed:




Figure 1: Comparison between the traditional, Early Automated and Machine Learning -Based Methods

The graph illustrates the evolution from traditional methods to automated and machine learning-based systems in the course of time. Increasing adoption of machine learning techniques points toward a huge shift in using data-driven approaches with more reliable and scalable grape quality assessment.

III.METHODLOGY

Modern winemaking is moving rapidly to technology applications for enhancing the selection and quality of the grapes. The older way of testing the grape's quality, however, includes visual assessment and manual scoring that can take time and lead to inconsistency as well as a high level of human error. With such growing demand for precision and efficiency, it becomes really hard for such archaic ways to fulfill the expectation of the industry.

In response to these challenges, there has been a growing interest in the use of image processing and machine learning to automate the grape quality prediction process. Image processing techniques provide a fast and objective means of analyzing grape characteristics such as shape, texture, and size, which are all important indicators of quality.

Machine learning models can then be used to predict the quality of the grapes based on these visual features, ensuring accuracy and consistency. It is not without challenges that the transition to automated grape quality prediction is being made. Even though the improvements in image analysis and machine learning are quite high, the complexity of grape varieties and environmental factors makes it difficult.

For example, grapes can appear different in color, depending on whether they are ripe, under which weather conditions, or affected by disease. This calls for the development of robust models that can adapt to various types of grapes and growing conditions.

The proposed approach addresses these issues by combining advanced image processing techniques with machine learning models to ensure high accuracy in predicting grape quality. The automation of the assessment process will allow wineries to reduce the time spent on manual inspection and improve the consistency of their quality assessments. Moreover, this technology can assist wineries make better choices about grape variety selection and harvesting, which will subsequently enhance better quality output of wine.

This new technology will revolutionize the assessment of grape quality in a much more efficient, reliable, and scalable manner than can winemakers use for assessing grapes, thereby changing the production and delivery processes and the quality of the final product.

IV. PROPOSED SYSTEM

The proposed system introduces an innovative approach in the quality prediction of grapes by making use of techniques of machine learning and image processing. The new technique automatically assesses grape quality, eliminating manual inspection and hence human error. The use of image processing techniques makes the system automatically detect and classify grapes as good, average, or bad, based on features such as color and size.

The core of the system utilizes a data-driven approach with the help of a Convolutional Neural Network (CNN) model to classify the images of grapes. The functioning of the system is implemented in several phases, from image acquisition to feature extraction and graph construction, followed by training and evaluation of the model.

Image Acquisition

A high-resolution camera is used to capture images of grape bunches under varying conditions (light, angle, etc.). This provides a diverse dataset for training the model, ensuring that the system is robust under real-world conditions.

Feature Extraction

The following features of the grape images are extracted: shape (eccentricity, perimeter, area), texture (contrast, homogeneity), and color characteristics. These features are very significant in distinguishing grapes of various qualities.

Contrast enhancement by a CLAHE algorithm is followed by a mean filter to calculate homogeneity. These extracted features are saved in a dataset and stored in an Excel file for easy management and further analysis. This dataset would then be used as input by the machine learning model, which could then learn the patterns that defined good grapes.

Graph Construction

In the graph construction phase, a K-Nearest Neighbors (KNN) algorithm is used to construct a graph where each node represents a grape and edges represent similarities in features. A cosine similarity measure is applied to define the proximity between the grapes based on extracted features.

The Louvain algorithm is then applied for community detection, clustering grapes with similar features.

Graph Visualization with Louvain Communities (Selected Nodes Highlighted)




Figure 2: Graph Visualization with Louvain Communities

The above structure of the graph helps improve feature learning because the model would understand better relationships between different grapes and their features.

Machine Learning Model

The system trains and classifies samples using a Graph Convolutional Network (GCN). GCNs are perfectly suited for graph-structured data, where the node features are aggregated from neighboring nodes, allowing the model to understand relationships between grapes with similar characteristics. A multi-layer graph convolution mechanism facilitates information propagation and feature refinement throughout the graph.

The model is trained using a labeled dataset, where the quality of grapes is classified as Good, Average, or Bad. For optimization during training, backpropagation with the Adam optimizer is used.

After 10 epochs, there was a loss achieved going from 1.00 down to 0.079 as an excellent convergence by the model. Testing on testset gave an accuracy of 95%; clearly, the system is correct to classify grape quality under lab-based conditions.

This high accuracy underscores the strength of GCN to capture the inherent relationship between the features of a grape and ensure reliable prediction for practical use.

Model Deployment

Once trained, the model can be deployed for real-time grape quality assessment. Whenever a new image is captured, the system will extract features, construct the graph, and apply the trained GCN model to classify the grape quality. This will give quick and reliable assessments and improve efficiency while reducing manual labor typically involved in grape sorting.

Web Interface for Real-Time Interaction

The real-time quality assessment of grapes is done through an interactive web interface developed using Streamlit.




Figure 3: User Interface

This user-friendly platform allows users to upload images of grape bunches for immediate analysis. The process starts with the user clicking on the "Start Analysis" button on the homepage, which leads to a new page where they can upload their selected image.

Once the image is uploaded, the system automatically processes it by extracting key features such as shape, texture, and color, which are essential for assessing the quality of grapes. These features are then used to construct a graph structure where each grape is represented as a node. The proximity between grapes is determined by using a cosine similarity measure, which helps organize grapes based on their shared features. The Graph Convolutional Network (GCN) model is trained on the extracted features and then used to classify the grapes into quality categories such as "Good," "Average," or "Bad." Once the image is processed, the web interface displays the quality classification result of whether the grapes are good for winemaking. In case the grapes are classified as "Good," the system will confirm that the grapes are good for winemaking.

System Benefits

The proposed system offers several advantages:

- **Automation:** It automates the process of grape quality assessment, saving time and reducing human error.
- **Scalability:** The system is scalable. It can easily accommodate large datasets and add more varieties of grapes or features to the model.

The system is designed for real-time usage to provide immediate feedback and allow immediate decisions.

The system is highly flexible and can be integrated into the existing grape sorting and processing workflows. The ease of use and the automated approach it provides will offer great potential to the wine industry and agricultural sectors that seek to enhance the quality control process.




Figure 4: Architecture diagram

V. RESULT AND DISCUSSION

The grape quality prediction system developed in this project performed successfully when tested with a variety of grape images. When an image is uploaded, the system analyzes the quality of the grape correctly, based on features such as ripeness, potential diseases, and suitability for winemaking.

Website Output

The web interface was developed to make uploading pictures of grapes as easy as possible without requiring technical knowledge. Once a picture was uploaded, the system processed it rapidly and presented the quality of the grape. The output will be displayed like "The quality of the grape is: Good", "This grape is ideal for winemaking!"



Figure 5: Output display for Grape Quality Analysis

This was displayed on the interface in such a manner that users received immediate feedback regarding how suitable the grape was for wine production. The time response between uploading the image and receiving results was minimal; hence, the system could be termed efficient for real-time use.

Advanced image processing and machine learning are employed in the system to assess the quality of the grape as a product for winemaking. Features such as color, size, and texture were used to determine if the grape is "Good," "Average," or "Bad" and if it would qualify for winemaking.

It performed perfectly well on any device and, thus, was a cross-platform solution for quality assessments. Currently, it supports image-based analysis; however, the real-time video analysis or processing of multiple images at one time would be possible in the future, making it more scalable and useful for winemaking operations.

The grape quality prediction system is a very useful tool by which winemakers can now make data-driven decisions about what grapes to select. Continued refinement could expand this type of system to handle increased datasets and integrate with far more sophisticated systems for comprehensive control over quality.

VI. PERFORMANCE COMPARISON WITH STATE OF THE ART ARCHITECTURE

To evaluate the performance of the proposed GCN-based system, a comprehensive comparison against the prior art was performed toward grape quality prediction. The below table lists the methods, accuracies, and limitations of these techniques with corresponding citations.

Study	Methodology & Accuracy	Limitations
Proposed System	Graph Convolutional Network (95%)	None noted; scalable, efficient, and robust.
Patil et al. (2023)	Hybrid CNN-SVM (92.5%)	Struggles with environmental variability.
Kangune et al. (2019)	CNN (89.4%)	Moderate accuracy, not robust for diverse datasets.
Bai et al. (2021)	Image Processing + ML Models (87%)	High equipment cost; limited to controlled conditions.
Singh & Verma (2020)	Multispectral Imaging (91.2%)	High computational cost and complex setup.
Rodríguez-Pulido et al. (2022)	Hyperspectral Imaging (94.9%)	Expensive hardware; scalability issues in large vineyards.

Figure 6: Performance Metrics A table based on previous work metrics along with citations

- **Higher Accuracy:** The proposed GCN-based system shows a higher accuracy rate of 95% compared to CNN (89.4%) and hybrid CNN-SVM (92.5%) models
- **Cost-Effectiveness:** Imaging-based methods such as hyperspectral (94.9%) and multispectral (91.2%) imaging are bound by high costs and hardware dependencies

- **Scalability and Robustness:** Unlike other approaches, the GCN model effectively adapts to various datasets and environmental factors, making it more practical for real-world applications

This comparative analysis underlines the advantages of the proposed GCN-based system in terms of accuracy, cost-efficiency, and scalability. These attributes make it a state-of-the-art solution for grape quality prediction, addressing key limitations in existing methods and offering a scalable pathway for vineyard management.

VII. CONCLUSION

This integration of machine learning and image processing offers an unique approach to assessing the quality of grapes for winemaking by using advanced algorithms in grape images. The amount of inspection required is largely reduced to provide quicker and highly accurate results. This automated procedure enhances significantly the efficiency with which winemaking operates on its quality control level, decreasing human error and hence giving better assessments of grape quality.

The proposed system is an innovative solution in the field of winemaking, offering a sophisticated method to evaluate grapes based on various factors such as ripeness, disease presence, and overall suitability for winemaking.

Through the web application interface, users can easily upload images and receive real-time feedback, which is crucial for making informed decisions during the harvest.

This system compared to the traditional manual methods shows a great improvement in time and cost efficiency. Instant evaluation of grape quality will enhance decision-making and make the system more scalable for wineries, especially during the busy harvest season. Moreover, the system's potential for integration with more advanced features such as database storage or real-time video analysis opens the door for wider applications and improvements in the future.

Additionally, the system provides an eco-friendly alternative in that it reduces the need for physical inspections and manual record-keeping. With the winemakers' shift toward automation, the grape quality prediction system becomes a critical tool in the quest for more accurate and sustainable winemaking practices.

In conclusion, the grape quality prediction system provides a significant advancement in the winemaking industry, with the combination of machine learning and image processing technologies to make an efficient, reliable, and user-friendly solution for grape quality assessment. With future enhancement, this system could change the way wineries check their crops, ensuring that better quality wine is produced while increasing operational efficiency.

REFERENCES

- [1] Z. Wu, S. Pan, F. Chen, G. Long, C. Zhang, and P. S. Yu, "A Comprehensive Survey on Graph Neural Networks," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 32, no. 1, pp. 4-24, Jan. 2021.
- [2] Patil N, Bhise A, Tiwari RK, "GRAPE QUALITY PREDICTION IN PRE-POST HARVESTING WITH IMPLEMENTATION OF FUSION DEEP LEARNING," *Journal of Analysis & Computations*, 2023.
- [3] Rodríguez-Pulido, F.J., Mora-Garrido, A.B., González-Miret, M.L., Heredia, F.J., "Research Progress in Imaging Technology for Assessing Quality in Wine Grapes and Seeds," *Foods*, vol. 11, pp. 254, 2022.
- [4] Botterill, T., Mills, S., Green, R., and William, G., "Robotic System for Automated Grapevine Pruning," *Journal of Precision Agriculture*, 2020.
- [5] Fourie, R., Smith, L., and Brown, T., "Recurrent Graph Neural Networks for Grapevine Pruning Scheme Generation," *Computer Vision and Agriculture*, 2022.
- [6] Gentilhomme, P., Dubois, C., and Thomas, J., "ViNet: Deep Learning Approach for Grapevine Structure Detection," *Journal of Applied Deep Learning*, 2021.
- [7] Majeed, A., Hussain, R., and Ali, T., "Semantic Segmentation of Dormant Apple Trees Using Depth Information," *Agricultural Machine Vision*, 2023.
- [8] K. Kangune, V. Kulkarni and P. Kosamkar, "Grapes Ripeness Estimation Using Convolutional Neural Network and Support Vector Machine," 2019 Global Conference for Advancement in Technology (GCAT), Bangalore, India, 2019, pp. 1-5, doi: 10.1109/GCAT47503.2019.8978341.
- [9] K. P. Seng, L. -M. Ang, L. M. Schmidtke and S. Y. Rogiers, "Computer Vision and Machine Learning for Viticulture Technology," in *IEEE Access*, vol. 6, pp. 67494-67510, 2018, doi: 10.1109/ACCESS.2018.2875862.
- [10] Bai, X., Cao, Z., Liu, X., & Lu, Y., "Fruit Sorting System Using Image Processing Techniques," *International Journal of Agricultural Technology*, vol. 18, no. 1, pp. 21-30, 2021.
- [11] Kumar, S., Mehta, P., & Sharma, R., "Detection of Defected Grapes Using Image Processing Techniques," *International Conference on Computer Vision Applications*, pp. 234-240, 2022.
- [12] Wang, J., Zhou, X., & Li, Y., "Real-Time Grape Quality Monitoring with AI-Powered Edge Devices," *IEEE Journal of Sensors*, vol. 9, no. 3, pp. 451-458, 2021.
- [13] Singh, R., & Verma, P., "Prediction of Optimal Harvest Time for Grapes Using Multispectral Imaging," *Journal of Agricultural Informatics*, vol. 12, no. 4, pp. 105-112, 2020.
- [14] Pradhan, A., Mishra, S., & Gupta, M., "Hybrid CNN-SVM Approach for Grapevine Disease Detection," *Procedia Computer Science*, vol. 197, pp. 429-436, 2022.
- [15] Tiwari, K., & Nair, P., "Analysis of Machine Vision Techniques for Grape Ripeness Assessment," *Advances in Machine Vision*, vol. 8, no. 2, pp. 83-95, 2023.