

Lab Guide: RVW 2.0 - Deployment

Deployment:

Deploy the component in server

Steps:

1. Copy Activity DLL from local system to server

Source :

Deliverable path\dotnet\Customer name\Project Name\ECR\Updated\Component name \Release\ILBO

Destination:

\\SERVER NAME\VirtualWorks\IIS\ActivityAssemblies

Copy paste Activity DLL

2. Copy HTML and JS File from local system to server(for ExtUI)

Source:

Deliverable path\dotnet\Customer name\Project Name\ECR\Updated\Component name \Release\ExtUI\ILBO

Destination:

\\SERVER NAME\VirtualWorks\IIS\ExtUi\<ComponentName> (Create a folder in the name of component)

And paste all HTML and JS Files

3. Copy the component named folder which contains JSON file from local system to server(for hub)

Source:

Deliverable path\dotnet\Customer name\Project Name\ECR\Updated\Component name \Release\hub\app\classic

Destination:

\\SERVER NAME\VirtualWorks\IIS\hub\app\classic

And paste the component named folder

4. Copy Service DLL from local system to server

Source:

Deliverable path\dotnet\Customer name\Project Name\ECR\Updated\Component name \Release\Service

Destination:

\\SERVER NAME\VirtualWorks\ServiceDlls\<ComponentName> (Create a folder in the name of component)

Copy and Paste the Service DLL

5. Register the Service DLL and add it to the GAC


Use GACUTIL.EXE for adding assembly to cache

In command prompt:

```
D:\Program Files (x86)\VirtualWorks\RT2>gacutil /i "D:\Program Files (x86)\VirtualWorks\ServiceDlls\NewEmployee\NewEmployee.dll"
```


Do the same for resource.dll also as below:

```
D:\Program Files (x86)\VirtualWorks\RT2>gacutil /i "D:\Program Files (x86)\VirtualWorks\ServiceDlls\NewEmployee\NewEmployee.resources.dll"
```



6. Execute Metadata Script

Source Deliverable path\dotnet\Customer name\Project Name\ECR\Updated\Component name \Release\\Depmetadata\SQL




Name	Date modified	Type	Size
invoice_comp_mar19_depmetadata	3/19/2019 6:04 PM	Microsoft SQL Ser...	41 KB
invoice_comp_mar19_depmetadata_Language	3/19/2019 6:04 PM	Microsoft SQL Ser...	2 KB

Connect with Server

Server Name : SERVER NAME

Username & Password : Relevant credentials


Database : DepDB



```
1 IF EXISTS (SELECT 'X' FROM SYSOBJECTS WHERE NAME='invoice_comp_mar19_Metadata')
2 BEGIN DROP PROC invoice_comp_mar19_Metadata
3 End
4 GO
5 Create Procedure invoice_comp_mar19_Metadata
6     @ActivityOffset numeric(10,0) = 0,
7     @UpdateFlag integer = 0
8 As
9 Begin
10 SET NOCOUNT ON
11 -- This Deployment script is generated from Platform Model Server : LDWARCNO2 Database Nan
12 create table #fw_admin_activity_offset (ComponentName nvarchar(40), ActivityOffset int, UpdUs
13 create table #fw_admin_dep_components_tmp (ComponentName nvarchar(40), DepComponentI
14 create table #fw_req_process_component (ComponentName nvarchar(40), ComponentDesc nvarc
15 create table #fw_req_activity (ActivityId int, ActivityName nvarchar(40), ActivityDesc nvarchar(25
16 create table #fw_req_ilbo (ilbocode nvarchar(200), description nvarchar(510), ASPOFilePath nva
```

Query executed successfully.


Run Metadata Script in the Server



7. Login as Admin in server url.

8. Map component to OU

Deployment Process -> Deployment Admin -> Organization unit Instance Details



- Click components in relevant OU
- Fetch the component
- Click map to map the component
- Click save to save the information

VirtualWorks™ - Google Chrome

Not secure | 172.16.15.21/RVW/extui/vwrt/LaunchPanel.htm

ADMIN/USER - Administration Unit - admin

Organization Unit Details

OU InstanceName:

OU Instance Description:

Fetch

#	ID	OU Instance Name	OU Description	Address	Components	Users	TimeZone	Remarks
1	1	AdminOU	Administration Unit	NONE				
2	2	rvw20ou	rvw20ou	ramco				
3	3	iedkou	iedkou	ramco				
4	4	depou	depou	ramco				
5	5	edkou	edkou	ramco				
6	6	reportou	reportou	ramco				
7	7	user100	user100	ramco				
8	8	user111ou	user111ou	ramco				

Save

Activate Windows
Go to Settings to activate Windows.

Type here to search

11:11 AM
3/20/2019

VirtualWorks™ - Google Chrome

Not secure | 172.16.15.21/RVW/extui/vwrt/LaunchPanel.htm

ADMIN/USER - Administration Unit - admin

Map Components To Organization Unit

OU Instance ID: 4

OU Instance Name: depou

Address: ramco

Show: All

Component Name:

Component Description:

Fetch Details


#	Component Name	Description	Map
1	emp_jan_p1576	emp_jan_p1576	☒
2	emp_jan_p1690	emp_jan_p1690	☒
3	emp_management	emp_management	☒
4	EMP_MAY_2017	Employee Management	☒
5	EMP_MG_12285	EMP_MG_12285	☒
6	Emp_Mgmt_13052	Emp_Mgmt_13052	☒
7	Emp_Mgt_13078	Emp_Mgt_13078	☒
8	EMP_MNGEMINT	emp_mngemint	☒
9	emp121	emp121	☒
10	EMP30COM	emp30com	☒

Save

Activate Windows
Go to Settings to activate Windows.


Type here to search

11:12 AM
3/20/2019




9. Map RM server and APP server


Deployment Process->Deployment Admin->Resource Details



Click Component under the Resource type RM Server



- Select OU
- Select the component
- Provide the primary Database – Product database
- Select map
- Click save to save the information



VirtualWorks™ - Google Chrome
Not secure | 172.16.15.21/RVW/extui/vwrt/LaunchPanelLhtml

ADMINUSER - Administration Unit - admin

Map Components To RM Server

RM Server ID: ttdivarcnv03 RM Server Name: TTDWARCNV03 Instance/Server Name:
OU Instance Name: depou Description: depou OU Instance ID: 4
Show: All
Component Name: %mar13% Component Desc: Fetch Details

#	OU Instance Name	OU Description	Component Name	Component Description	Primary DB Name	Map
1	depou	depou	_empdt83	83_empdt	ramco	☒
2	depou	depou	_NewEmpCreation13016	13016_NewEmpCreation	ramco	☒
3	depou	depou	_prod_details12295	12295_prod_details	ramco	☒
4	depou	depou	AAIRAMCO_COMP	aairamco_comp	ramco	☒
5	depou	depou	AASDI	AASDI	scmdb	☒
6	depou	depou	Advertising_Function	Description		☐
7	depou	depou	Akki_function	Tech Employee function details		☐
8	depou	depou	apr_bank_details	apr_bank_details	ramco	☒
9	depou	depou	Apr_TP1875_FunName	Apr_TP1875_FunDesc		☒
10	depou	depou	AprilPurchaseOrder	AprilPurchaseOrder	ramco	☒

Save

Activate Windows
Go to Settings to activate Windows.

Type here to search

11:15 AM 3/20/2019

VirtualWorks™ - Google Chrome
Not secure | 172.16.15.21/RVW/extui/vwrt/LaunchPanelLhtml

ADMINUSER - Administration Unit - admin

Map Components To RM Server

RM Server ID: ttdivarcnv03 RM Server Name: TTDWARCNV03 Instance/Server Name:
OU Instance Name: depou Description: depou OU Instance ID: 4
Show: All
Component Name: %mar19% Component Desc: Fetch Details


#	OU Instance Name	OU Description	Component Name	Component Description	Primary DB Name	Map
1	depou	depou	invoice_comp_mar19	invoice_comp_mar19	ramco	☒
2						☐

Save


Activate Windows
Go to Settings to activate Windows.

Type here to search

11:16 AM 3/20/2019



- Go back
- Click Component under the Resource type App Server



- Select OU
- Select the component and click map
- Click save to save the information

VirtualWorks™ - Google Chrome

Not secure | 172.16.15.21/RVW/extui/vwrt/LaunchPanel.htm

ADMINUSER - Administration Unit - admin

Map Components To APP Server

Application Server ID: ttdwarcv03 Application Server Name: TTDWARCV03

OU Instance Name: depou Description: depou OU Instance ID: 4

Show: All

Component Name: %mar% Component Description: Fetch Details

#	OU Instance Name	OU Description	Component Name	Component Description	Map
1	depou	depou	invoice_comp_mar19	invoice_comp_mar19	☒
2	depou	depou	Invoice_Detailsmarch	Invoice_Details march	☐
3	depou	depou	MAR_NEW_COMP	mar_new_comp	☒
4	depou	depou	PURCHASE_NEW_MAR	purchase_new_mar	☒
5					☐

Save

Activate Windows
Go to Settings to activate Windows.

Type here to search

11:17 AM 3/20/2019

VirtualWorks™ - Google Chrome

Not secure | 172.16.15.21/RVW/extui/vwrt/LaunchPanel.htm

ADMINUSER - Administration Unit - admin

Map Components To APP Server

Application Server ID: ttdwarcv03 Application Server Name: TTDWARCV03

OU Instance Name: depou Description: depou OU Instance ID: 4

Show: All

Component Name: %mar% Component Description: Fetch Details

#	OU Instance Name	OU Description	Component Name	Component Description	Map
1	depou	depou	invoice_comp_mar19	invoice_comp_mar19	☒
2	depou	depou	Invoice_Detailsmarch	Invoice_Details march	☐
3	depou	depou	MAR_NEW_COMP	mar_new_comp	☒
4	depou	depou	PURCHASE_NEW_MAR	purchase_new_mar	☒
5					☐

Save

VirtualWorks™ Message

Record Saved Successfully.

Close


Activate Windows
Go to Settings to activate Windows.

Type here to search

11:17 AM 3/20/2019

10. Map roles

Deployment Process ->Deployment Admin ->Role Master




The screenshot shows the 'Map Components To APP Server' interface. The 'Deployment Admin' menu is open, and 'Role Master' is selected. The main table displays the following data:

#	OU Instance Name	OU Description	Component Name
1	depou	depou	invoice_comp_mar19
2	depou	depou	Invoice_Detailsmarch
3	depou	depou	MAR_NEW_COMP
4	depou	depou	PURCHASE_NEW_MAR
5			

At the bottom, there is a 'Save' button.

Select the Role and click Enterprise role



The screenshot shows the 'Role Master' interface. The table lists the following roles:

#	Role Name	Description	System Role	Enterprise Roles	Task Privileges	Map User Role Ou
1	admin	admin	DefaultSysRole			
2	adminrole	adminrole	DefaultSysRole			
3	demorole	DemoRole	DefaultSysRole			
4	deprole	deprole	DefaultSysRole			
5	edkrole	edkrole	DefaultSysRole			
6	iedkrole	iedkrole	DefaultSysRole			
7	reportrole	reportrole	DefaultSysRole			
8	rvw20role	rvw20role	DefaultSysRole			
9	User100	User100	DefaultSysRole			
10	user111role	user111role	DefaultSysRole			

At the bottom, there is a 'Save' button.

Select OU and select the component name

VirtualWorks™ - Google Chrome
Not secure | 172.16.15.21/RVW/extui/vwrt/LaunchPanel.htm

ADMIN/USER - Administration Unit - admin

Map Enterprise Role

Role Name: deprole Role Description: deprole

OU Instance Name: AdminOU OU Instance ID: 1

OU Instance Description: NONE

Show Activity:

Component Name:

Activity Name:

Fetch

OU Instance Name	ID	Description	Address
AdminOU	1	Administration Unit	NONE
rvw20ou	2	rvw20ou	ramco
iedkou	3	iedkou	ramco
depou	4	depou	ramco
edkou	5	edkou	ramco
reportou	6	reportou	ramco
user100	7	user100	ramco
user111ou	8	user111ou	ramco

#	Component Name	Component Description
1	DepAdmin	Deployment Admin
2	DepAdmin	Deployment Admin
3	DepAdmin	Deployment Admin
4	DepAdmin	Deployment Admin
5	DepAdmin	Deployment Admin
6	DepAdmin	Deployment Admin
7	DepAdmin	Deployment Admin
8	DepAdmin	Deployment Admin
9	DepAdmin	Deployment Admin
10	DepAdmin	Deployment Admin

Save

Activate Windows
Go to Settings to activate Windows.

VirtualWorks™ - Google Chrome
Not secure | 172.16.15.21/RVW/extui/vwrt/LaunchPanel.htm

ADMIN/USER - Administration Unit - admin

Map Enterprise Role

Role Name: deprole Role Description: deprole

OU Instance Name: depou OU Instance ID: 4

OU Instance Description: ramco

Show Activity: All

Component Name: invoice_col

Activity Name:

Fetch

Component Description	Component Name
invoice_comp_mar19	invoice_comp_mar19
Invoice_comp_sep	Invoice_comp_sep18
Invoice_Comp_sept	Invoice_Comp_sept

#	Component Name	Component Description
1	_empdt83	83_empdt
2	_NewEmpCreation13016	13016_NewEmpCreation
3	_prod_details12295	12295_prod_details
4	AAIRAMCO_COMP	airamco_comp
5	AASDI	AASDI
6	Advertising_Function	Description
7	Akki_function	Tech Employee function details
8	apr_bank_details	bankdetails
9	Apr_TP1875_FunName	Apr_TP1875_ActivName
10	AprilPurchaseOrder	AprCreatePO

Save

Activate Windows
Go to Settings to activate Windows.

- Click map and Launching activity for the component
- Click save to save the information

Map Enterprise Role

Role Name: deprole Role Description: deprole

OU Instance Name: depou OU Instance ID: 4

OU Instance Description: depou Address: ramco

Show Activity: All

Component Name: invoice_comp_mar19 Component Description: invoice_comp_mar19

Activity Name: Activity Description:

#	Component Name	Component Description	Activity Name	Activity Description	Map	Linked Activity	Launching Activity
1	invoice_comp_mar19	invoice_comp_mar19	invoiceactmar19	invoiceactmar19	☒	☐	☒
2					☐	☐	☐

Activate Windows
Go to Settings to activate Windows.

Map Enterprise Role

Role Name: deprole Role Description: deprole

OU Instance Name: depou OU Instance ID: 4

OU Instance Description: depou Address: ramco

Show Activity: All

Component Name: invoice_comp_mar19 Component Description: invoice_comp_mar19

Activity Name: Activity Description:

#	Component Name	Component Description	Activity Name	Activity Description	Map	Linked Activity	Launching Activity
1	invoice_comp_mar19	invoice_comp_mar19	invoiceactmar19	invoiceactmar19	☒	☐	☒
2					☐	☐	☐


Activate Windows
Go to Settings to activate Windows.

VirtualWorks™ Message

Record Saved Successfully.


11. Create Business Process Chain (BPC)

Deployment Process->Deployment Admin-> Business Process Chain Definition



In Business process chain definition screen

- Create a parent node and save the information
- Provide parent ID and click fetch
- Add the component name as node name and provide node description
- Click save to save the information



VirtualWorks™ - Google Chrome
Not secure | 172.16.15.21/RVW/extui/vwrt/LaunchPanel.htm

BPC Recent Activities

ADMINUSER - Administration Unit - admin

Business Process Chain Definition

Parent Node ID: Parent Node Name: Parent Node Type:

#	Node Id	Node Name	Node Description	Node Type	Parent Node Id	Component Sequence
336	797	INAYA_Appointment...	INAYA Appointment Screen	Root	0	0
337	798	Inayaprocess	Inaya Process	Root	0	0
338	800	NewEmp	NewEmp	Root	0	0
339	803	empdt	empdt	Root	0	0
340	808	9Invoice_Mgmt	Invoice Management sept	Root	0	0
341	810	Employee_sept	11EDKEmployee_sept	Root	0	0
342	816	InvoiceProcessNov	Invoice Process Nov	Root	0	0
343	832	InvoiceProcessFeb	InvoiceProcessFeb	Root	0	0
344	842	EmployeeDetails	empl	Root	0	0
345	845	InvoiceDetailsMarch	Invoice Details March	Root	0	0

Activate Windows
Go to Settings to activate Windows.

Type here to search

11:22 AM
3/20/2019

VirtualWorks™ - Google Chrome
Not secure | 172.16.15.21/RVW/extui/vwrt/LaunchPanel.htm

BPC Recent Activities

ADMINUSER - Administration Unit - admin

Business Process Chain Definition

Parent Node ID: Parent Node Name: Parent Node Type:

[No records to display]

#	Node Id	Node Name	Node Description	Node Type	Parent Node Id	Component Sequence
1				Root		

Activate Windows
Go to Settings to activate Windows.

Type here to search

11:23 AM
3/20/2019

Business Process Chain Definition

Parent Node ID: 845 Parent Node Name: InvoiceDetailsMarch Parent Node Type: Root

#	Node Id	Node Name	Node Description	Node Type	Parent Node Id	Component Sequence
1	845	Invoice_comp_mar19	Invoice Details Main	Leaf		
2		Invoice_comp_mar19	Invoice Details Main	Root		

Save

Business Process Chain Definition

Parent Node ID: 845 Parent Node Name: InvoiceDetailsMarch Parent Node Type: Root

#	Node Id	Node Name	Node Description	Node Type	Parent Node Id	Component Sequence
1	846	Invoice_comp_mar19	Invoice Details Main	Leaf	845	
2		Invoice_comp_mar19	Invoice Details Main	Root		

VirtualWorks™ Message: Record Saved Successfully. Close

Save

Now launch the Runtime environment with relevant user and work with the mapped component.

