PlanArena: an integrated land-use optimizer with empirical evaluation

Measuring the multidimensional impact of land-use decisions, with stakeholder interests as votes, on official data for ten US cities

Parya Payami

Department of Architecture, University of Wisconsin–Milwaukee

Draft, October 20, 2026

Abstract

Deciding which land uses go where is a location-allocation problem with multidimensional effects: a change alters homes, jobs, access to services, the tax base, emissions and runoff, interacts with neighbouring parcels, and may never be built. US cities decide such changes at public hearings, where residents testify but do not vote. PlanArena is an open land-use optimizer that measures these effects and represents stakeholder interests as votes. It scores any parcel-level change on 11 indicators with sensitivity ranges in 46 ms (Manhattan) to 0.58 s (New York City), estimates how likely a change is, recommends plans within zoning and precedent, and compares nine voting rules over simulated stakeholders, on official data for 4,995,208 parcels in ten US cities. On held-out Manhattan lots, given what was built, predicted changes correlated with recorded homes ($r = 0.79$) and emissions ($r = 0.60$), above a gradient-boosted baseline, but overstated total homes 1.47-fold and had no skill for jobs. Redevelopment was ranked out of time with AUC 0.851–0.902, but observed-to-predicted event ratios ranged 0.07–1.70 across years. Likelihood weighting brought housing projections from 76–193 to 0.80–2.60 times what was built; a five-year trend ranked districts better than build-out projections. Searches were checked against exhaustive enumeration; the votes are illustrative.

Keywords: land-use optimization; location allocation; impact assessment; planning support systems; computational social choice; model validation

1 Introduction

Deciding which land uses go where (housing, jobs, services, open space) is a location-allocation problem [1, 2]. Its effects are hard to measure for four reasons.

- **Many dimensions.** One change alters homes, jobs, access to shops, parks and facilities, the tax base, energy use and runoff, and these trade off against each other [3, 4].
- **Spatial interaction.** Effects spread to neighbouring parcels through walking distance, land-use mix and competition for development [5].
- **Uncertainty.** A permitted change may never be built. In three Manhattan rezonings replayed here, capacity projected 8,423 homes on development sites; 561 were built by 2025.
- **Competing interests.** Residents, developers, businesses, environmental advocates and city finances weigh these effects differently, and no single answer is correct [6].

How decisions are made today. In US cities, rezonings and plan amendments are decided at public hearings.

- **The process.** Planning staff prepare a report, and large rezonings, such as those replayed here, add an environmental review that projects development on identified sites. Residents and advocates testify; the planning commission and the council vote.
- **Testimony is advisory.** Residents are heard but do not vote. Speakers at planning and zoning meetings are disproportionately older, male, long-time homeowners [7], and legally required hearings meet few goals of participation [8–10].
- **Fragmented evidence.** Environmental, fiscal and access effects arrive as separate studies, if at all, and are rarely weighed together.

What computation can measure. Each part of the problem now has a technical tool:

- **parcel-level impact models** calibrated on observed records, which measure many indicators at once;
- **supervised learning on parcel histories**, tested out of time, which estimates how likely a change is [11, 12];
- **graph neural networks** over parcel adjacency, which represent spatial dependence;
- **many-objective evolutionary search** [13], which explores the combinatorial space of plans;
- **computational social choice and bargaining** [14, 15], which turn stakeholder preferences into a decision. Game-theoretic simulation has been applied to collective land-use decisions [16].

Planning support systems (PSS) and urban digital twins aim to combine such tools [17–20]. Three gaps remain:

- **Untested outputs.** Their outputs are seldom tested against outcomes [21–24].
- **Optimization.** It rarely asks whether recommended changes are plausible, or how the choice depends on the decision rule [25–27].

- **Fragmented data.** The data are spread across agencies and schemas, some only as documents: Philadelphia's land-use plan exists only as maps in 17 PDF district plans.

This paper. PlanArena is an open land-use optimizer that measures the impact of any parcel-level change and makes stakeholder interests part of the decision. It contributes:

1. **Measurement.** Any edit is scored on 11 indicators in three pillars, with sensitivity ranges, at interactive speed. Each edit also shows what exists, what zoning permits, what the plan intends and how likely the change is.
2. **Optimization and decision.** The optimizer recommends plans within zoning and precedent. Resident, environmental, business, developer and fiscal interests vote on candidate plans under nine rules, and residents also vote block by block.
3. **Official data for ten cities.** Existing use, plan and zoning for 4,995,208 parcels are on one schema, with a validated method to digitise plans published as vector PDF maps.
4. **Empirical evaluation where data allow** (Table 3): held-out and out-of-time tests of impacts, likelihood and projections, exhaustive checks of the searches, and the type of evidence behind each claim, with design guidance drawn from the results.

Scope. Impacts are evaluated in Manhattan only; elsewhere coefficients are national or regional. Zoning is represented by use permissions and maximum floor-area ratios, access by straight-line distance. Votes rest on assumed utilities, not elicited preferences, and usability with planners is not evaluated. A technical supplement specifies every model and test.

2 Related work

PSS and urban digital twins. PSS combine suitability, demand projection and allocation for scenario planning [17, 18], often in a geodesign workflow linking representation, change, impact and decision [28]. Their limited use and uncertain usefulness are long-standing concerns [21, 29, 30]. Digital twins extend them to integrated, updatable city models [19, 20, 31–33]. Reviews report technical and organisational barriers [22, 34], and ambitions ahead of demonstrated contributions [23, 24, 35]. PlanArena attaches a test against observed data to each output.

Optimization and collective decisions. Location-allocation models site facilities and uses [1, 2]; multicriteria analysis and multi-objective optimization generate and rank land-use alternatives [3, 4]. Recent work uses deep reinforcement learning [25] and explicit stakeholder interests [26, 27]. Planning problems have no single correct solution [6], so the rule that turns preferences into a choice matters. Bargaining [14] and voting rules [15, 36] have different properties, and bargaining has been combined with land reallocation [37]. Simulated votes are not participation [8]; PlanArena uses them only to show how a choice depends on its rule.

Predicting development, and regulation. Urban change models range from cellular automata [38] and statistical site models [39] to behavioural [40, 41] and agent-based simulation [42], with neighbourhood and temporal effects as priorities [5, 43].

- **Parcel models** capture existing and historical neighbourhood conditions [11], and machine learning complements econometrics [12].
- **Redevelopment** depends on land value relative to the structure [44, 45]. In Chicago, smaller and older buildings with less lot coverage are replaced more often [46, 47].
- **Regulation is not exogenous.** Rezoning follows development opportunity [48], studies differ on upzoning's short-run effect on construction [49–51], and plans are only partly implemented [52–56].
- **Regulation in models.** Recent land-change models integrate zoning and planning rules [57–59] but do not test what they add to prediction on held-out history.

Validation. Land-change predictions should be compared with persistence at several resolutions [60, 61], and their transition probabilities validated directly [62]. Under spatial and temporal dependence, random cross-validation overstates skill [63, 64], and models apply only where new data resemble the training data [65]. Uncertainty from many coefficients is better assessed by varying them jointly [66].

3 The system

A parcel twin holds each city's official layers (Figure 1). Four engines answer the planner's questions:

- the **impact engine**: what would a change do?
- the **likelihood models**: is it likely?
- the **optimizer**: what would do better?
- the **decision module**: who would choose it, and under which rule?

In the Studio, a browser application, a planner paints uses and floor-area ratios on parcels and sees every indicator, flag and recommendation update (Figure 2).

Parcel twin and official layers. The twin covers the nine largest US cities except San Jose, plus Milwaukee (Table 1).




Figure 1: Architecture. Every number the system shows comes from one of these components, each tested on observed data (Table 3).

Table 1: The ten cities: official parcel layers on one schema. Shares are of the city's parcels.

City	Parcels	Existing use (source)	Share	Adopted plan	Share	Zoning	Homes / Census
New York	856,634	MapPLUTO (City Planning)	100%	none citywide	–	100%	1.03
Los Angeles	672,444	SCAG 2020; county assessor	100%	General Plan (SCAG 2019)	100%	100%	0.99
Chicago	606,894	CMAP 2023; county assessor	100%	none citywide	–	96%	1.05
Houston	630,525	City (appraisal codes)	97%	none	–	–	0.95
Phoenix	510,871	County assessor; MAG	100%	General Plan	100%	99%	0.99
Philadelphia	547,410	City Planning Commission; OPA	100%	district plans (digitised PDF)	83%	100%	0.99
San Antonio	438,009	Bexar Appraisal District	100%	adopted area plans	61%	82%	0.99
San Diego	272,948	SANDAG 2025; county assessor	100%	General and community plans	100%	94%	1.02
Dallas	311,431	City 2026; DCAD	100%	forwardDallas! 2.0	99%	79%	0.98
Milwaukee	148,042	MPROP	100%	PDF only (not included)	–	99%	1.06
All	4,995,208						

Existing use is the city's or regional agency's parcel land use, refined by assessor records where the layer groups uses. Homes / Census: homes in the twin over Census 2020 housing units. Houston has no zoning. Milwaukee's area plans are published as PDFs that could not be downloaded by script.

- **Existing land use** is the parcel land use the city or its regional planning agency publishes, refined with assessor records where the layer groups uses.
- **The adopted plan** (future land use) and **zoning** are separate layers.
- **Classes.** Explicit crosswalks map every source code to 16 classes: three housing types, mixed use, retail, office, hotel, industry, warehousing, education, health, civic, open space, transportation, parking and vacant land. The classes nest in nine analysis groups.
- **Records.** Floor area, homes, year built and assessed value come from assessor or city records, with estimated fields flagged. Jobs are fitted to LEHD block counts.
- **Provenance.** Inputs are downloaded by script, with URL and SHA-256 hash recorded.
- **Philadelphia's plan**, published only as PDF maps, is digitised (Appendix A): 15 of 17 plans, covering 83% of parcels, with median registration errors of 1.1–7.2 ft, each checked against a shifted-map control.
- **Missing plans.** Where a city publishes no plan as data, the layer is absent, not estimated.

Impact engine. An edit sets a parcel's use and, optionally, its floor-area ratio (FAR). The engine computes the 11 indicators of Table 2 within a ten-minute walk and citywide.

- **Unchanged parcels** keep their observed values, so the baseline reproduces the records exactly.
- **Changed parcels** follow a hybrid delta rule. A density-only change on a consistent record scales the observed composition; a use change removes the observed old use and adds the modelled new one (Supplement S3).
- **Derived quantities.** Homes follow from residential floor area and the parcel's floor area per home. Jobs follow from floor-area components and rates fitted to LEHD counts. Emissions follow from energy intensities and emission factors derived from New York's benchmarking data (Local Law 84) and emission limits (Local Law 97). Runoff follows from surface coefficients, and value from the difference between modelled values.
- **Access, mix and green cover** are recomputed on a 50 m raster within straight-line radii of 400 m and 800 m, not along




Figure 2: The Studio in Manhattan: thirty parking lots and vacant parcels in East Harlem painted as housing (outlined). Right: plan score, social, economic and environmental pillars, and each indicator's change within a ten-minute walk with its sensitivity range. Top: switches between the plan being edited and the city's existing, planned and zoned use. The use palette, left of the map, is not shown.

walking routes.

- **Ranges.** Every coefficient has a source and a status, and low and high variants give each indicator a sensitivity range. A range has no probability attached and is not a prediction interval.

Indicator scores are per cent changes (totals) or percentage points (shares) against the scope's baseline, clipped to ± 100; a pillar is the mean of its indicators, and the overall score a weighted mean of pillars with weights the planner sets. Scoring a 50-parcel edit, ranges included, takes 46 ms on Manhattan's 42,075 parcels and 0.58 s on New York City's 856,634. Impacts are computed for the nine analysis groups, for which the coefficients are calibrated and validated.

Likelihood, precedent and pattern. Three models judge plausibility.

- **Redevelopment.** A gradient-boosted model (LightGBM), trained only on outcomes known at the decision year, gives each lot's probability of redevelopment within one, three or five years and its likely new use. Its inputs are the lot's use, size, built and permitted floor area, age and land share of value, its neighbourhood and its zoning.
- **Precedent.** A conversion is flagged if buildings of that use and size were not converted to the proposed use in the past decade.
- **Pattern.** A graph neural network over parcel adjacency, combined with LightGBM, describes how well a use fits its surroundings: an existing pattern, not a norm.

Edits that depart from the plan or from what zoning allows are flagged (Figure 3).

Optimizer. The optimizer maximizes the overall score minus a penalty per conversion, under a budget of changes. The uses zoning permits are a hard constraint, existing homes and protected sites are kept, conversions without precedent are skipped, and candidates can be restricted to the parcels most likely to be redeveloped. Two searches are offered:

- iterated best response over first-order move estimates, with exact re-scoring of the best moves;
- NSGA-III [13], which returns a Pareto set across the three pillars, re-scored exactly.

Table 2: Indicators computed for every edit, and how each is tested (Manhattan).

Indicator	Pillar	Unit	Better	Test
Homes	economic	units	higher	held-out change
Jobs	economic	jobs	higher	existing; change: no skill
Tax base (assessed value)	economic	USD	higher	held-out change
Park within 5-min walk	social	% of residents	higher	not validated
Shops & services within 5-min walk	social	adequacy 0-1	higher	not validated
Community facilities within 10-min walk	social	adequacy 0-1	higher	not validated
Land-use mix around homes	social	index 0-1	higher	not validated
Green & open space	environmental	acres	higher	direct accounting
Stormwater runoff	environmental	impervious-equiv. acres	lower	not validated
Building emissions	environmental	tCO2e / yr	lower	existing; held-out change
Green cover near homes	environmental	% of land within 400 m	higher	not validated

Unchanged parcels keep their observed values; changed parcels follow the delta equations. Each indicator carries a sensitivity range from low and high coefficient variants. Access, mix, green cover and runoff are recomputed from the resulting state but have no observed after-change data to test against.

Both report the best plan found, not a proven optimum (Supplement S6).

Decision module. Choices are contested [6], so the module shows how the chosen plan depends on the decision rule.

- **Agents.** Five stakeholder agents (residents, business, developers, environmental and city-finance interests) score candidates from assumed utilities over the indicators.
- **Rules.** Nine voting rules are compared with the Nash bargaining solution [14] and a residents' referendum by block. Schulze's method [36] decides.
- **Reports.** Whether a Condorcet winner exists, whether one insincere ballot could change the outcome, and the winner's robustness to coefficients and seats.

Unlike hearing testimony, these interests are votes: each agent holds one seat on a simulated council, and residents also vote block by block. The agents stand for interests, not for people, and one agent per interest does not capture the variety within it. Utilities are editable assumptions, and the output is a simulated scenario, not public support [8] (Figure 4).

Interface. Planners can edit parcels by click, box, lasso or search, or upload plans as tables or GIS files, which are reviewed before they are applied. Studies are stored with a hash-chained audit log. Exports include a staff-report draft, CSV and GeoJSON files, and the provenance of every coefficient. A phone version presents the engine as a game. Any city or district exports to ArcGIS Urban: space-use, zoning and land-use types, boundaries, and parcels with a PlanArena scenario.

4 Validation design

The claims rest on four kinds of evidence (Table 3): *empirical predictive tests*, in which a prediction made with earlier information is compared with a later outcome on observations not used to build or select the model; *accounting checks*, in which the twin reproduces records it was built from; *algorithmic verification* of the searches against exhaustive enumeration; and *illustrative simulation* for the decision module, which has no observed counterpart.

- **Time.** Predictions are trained on one period and tested on a later one; uncertainty comes from resampling spatial tiles [67], never from random splits [63]. The cross-city test uses seven cities with parcel histories (Appendix Table 11).
- **Development** is defined as each source records it: a new building or large floor-area increase (Los Angeles, Dallas, New York), a new building (Milwaukee), a change of use class between land-use inventories (Phoenix, San Diego), or a new-construction permit (Chicago). A building already on the starting record is never counted as new.
- **Blocks.** Four feature blocks are added in turn: existing conditions (E), context within 400 m (C), zoning (Z) and plan (P).
- **Leakage control.** Every feature family is dated against the decision year (Supplement S2). Where a current zoning or plan layer has dated changes, a conservative variant drops lots whose zoning or plan dates from the window's start or later; lots that merge or split are followed by their representative point.

5 Results

5.1 Existing conditions and planning calculations

The twin reproduces Manhattan's existing conditions (accounting checks).

- **Emissions.** Modelled emissions match 6,234 benchmarked buildings in a year not used for fitting (log–log $r = 0.807$, median error 31%, total 1.04 times metered).
- **Jobs** correlate with LEHD counts at tract level ($r = 0.843$) and block level ($r = 0.727$).
- **Homes.** Given observed use and floor area, homes on 295 lots developed in 2015–2025 total 1.04 times the recorded count ($r = 0.903$).
- **Environmental reviews.** Given two rezoning reviews' own sites, floor area and uses, PlanArena reproduces their projected



Figure 3: Parcel inspector on the adopted-plan layer (Dallas). For a vacant lot the plan designates Community Mixed-Use, it lists existing use, plan designation (flagged as differing), zoning, the uses zoning allows, and what each new use would yield in homes, jobs and assessed value.

homes at 0.86 and 1.00 times the review figures.

5.2 Effects of observed change

3,350 Manhattan lots changed use or floor area substantially between 2015 and 2025. Each was given its 2015 state and its observed new use and floor area, with coefficients from 2015 data. The test is conditional: it checks the engine given what was built, not whether the change would happen. The delta form, the unit-size rule and a scale factor were chosen on 1,314 lots in two of five spatial folds; results are for the other 2,036 (Table 4; Supplement S4).

- **Homes**: predicted change correlates with recorded change at $r = 0.79$, against 0.68 for gradient-boosted regression and 0.39 for the mean change of the same transition, both fitted on the selection lots with the same information. The mean absolute error is 12.5 homes per lot, against 16.5 for predicting no change.
- **Value**: $r = 0.74$, against 0.57, but the direction of the change (relative to the district trend) is right for only 60% of lots, against 88% for homes; **emissions** of 115 benchmarked buildings: $r = 0.60$, against 0.36.
- **Bias.** The engine overstates total homes added 1.47-fold (the regression baseline 1.24-fold). A scale factor fitted on the selection lots brings this to 1.35. Conversions to mixed use account for 70% of the excess; commercial-to-mixed conversions alone overstate by 28 homes per lot.
- **Jobs.** By census block, predicted job change does not correlate with the change in LEHD counts ($r = 0.05$): the engine has no skill for job change at this scale.

Access, mix, green cover and runoff have no after-change data, and the Studio marks them as not validated.

5.3 Likelihood of redevelopment

Trained on 2015–2020 outcomes and tested on 2020–2025, the redevelopment model reaches AUC 0.855, against 0.802 for the best simple baseline and 0.833 for a graph neural network, with 26% redeveloped among its top 1% of lots against a base rate of 1.23%. Across 15 rolling origins (2016–2025; horizons of one, three and five years), its out-of-time AUC is 0.851–0.902, above the best baseline at every origin.




Figure 4: Optimizer and decision module for one Manhattan district. Left: the recommended plan, its change in each pillar and its conversions. Right: the simulated council's decision under Schulze's rule, whether the winner is a Condorcet winner with a double majority, and how many of the nine rules it wins.

Calibration (Supplement S5). The model ranks lots better than it predicts how many redevelop.

- **Totals shift with the cycle.** Observed over predicted redevelopments ranged from 0.07 to 1.70 across origins, and in the seven cities' test windows from 0.42 to 1.60.
- **Spread.** Calibration slopes were 0.59–0.95: the probabilities are too spread out.
- **Skill.** Against a constant forecast of the training-period rate, Brier skill was −0.97 to 0.15, negative at three of 15 origins.
- **Recalibration** on out-of-fold training probabilities corrects the spread (slopes 0.74–1.05) but not the totals, which still range 0.06–1.31 in Manhattan and 0.41–1.24 in the cities: the rate of development changes between windows in ways a model trained on earlier windows does not anticipate.

The probabilities are used to rank sites and to weight projections whose totals are compared with observed rates, not as forecasts of how many lots will redevelop.

5.4 What zoning and plans add, across seven cities

Existing conditions alone rank developed lots with out-of-time AUC 0.824–0.911 in six cities, and 0.571 in San Diego, whose one-year window recorded few changes (Appendix Table 12). Adding blocks:

- **Context** adds the most: +0.021 to +0.116, significant in five cities (Table 5, Figure 5). Phoenix is the exception: its land-use series starts in 2022, so recent change is unknown in its training window.
- **Zoning** carries its own signal. Without context, it raises AUC significantly in five of seven cities, and developed lots were 2.1–9.5 times as likely as others to have a zoning class outside their existing use group.
- **Overlap.** Most of that signal is shared with existing conditions and context: developed lots were also 3.5–19 times as likely to be vacant. Over context, zoning adds a significant gain in five of seven cities and the plan in three of four, at most +0.021 outside Phoenix.
- **Phoenix.** Zoning adds +0.049 and the plan +0.054, and 45% of developed lots were vacant.
- **Conservative variant.** The plan gain in San Diego and the zoning gain in Chicago do not survive it: those gains came from

Table 3: Evaluation design: each component, its question, data and type of evidence.

Component	Question	Data	Evidence	Section
Existing conditions	Does the twin reproduce what is there?	LL84 energy, LODES jobs, recorded homes	accounting	5.1
Planning calculations	Does it reproduce a review's projection from the review's own inputs?	FEIS site tables (two rezonings)	accounting	5.1
Effects of change	Given an observed change, does it predict the effect?	MapPLUTO 2015 vs 2025, held-out folds	empirical	5.2
Likelihood	Does it rank lots that redevelop, and how many, forward in time?	Rolling origins 2016–2025	empirical	5.3
Official layers	What do zoning and plans add, in other cities?	Seven city panels	empirical	5.4
Housing projections	Are projected homes close to what was built?	Four cities; three rezonings	empirical	5.5
Optimizer	How close is the best plan found to the best plan?	Exhaustive search; 12 districts	algorithmic	5.6
Pareto explorer	Does NSGA-III find the trade-off front?	Exhaustive enumeration of blocks	algorithmic	5.6
Realism	Are recommended changes plausible?	2020 plans vs 2025 outcomes	empirical	5.6
Decision module	How does the choice depend on rule, seats and candidates?	Assumed utilities	illustrative	5.7

Table 4: Effects of observed change on 2,036 held-out Manhattan lots, 2015–2025: given the 2015 state and the observed new use and floor area, predicted against recorded change (Pearson r; mean absolute error and mean bias in homes per lot; predicted over observed total).

Method	Homes r	MAE	Bias	Total	Value r	Total	Emis. r	Total
PlanArena (deployed form)	0.79	12.5	5.6	1.47	0.74	0.70	0.60	1.24
PlanArena (form chosen on selection lots)	0.79	12.7	6.1	1.51	0.74	0.70	0.60	1.24
$\times$ selection-lot scale	0.79	11.8	4.2	1.35	0.74	1.09	0.60	1.06
Gradient-boosted regression	0.68	15.4	2.9	1.24	0.57	1.19	0.36	1.10
Mean change of the same transition	0.39	22.3	1.5	1.12	0.10	1.07	0.26	2.26

Selection lots (1,314, two of five spatial folds) chose the form and fitted the baselines and the scale. Predicting no change gives a homes MAE of 16.5. Emissions: 115 benchmarked buildings.

lots rezoned or re-planned during the study. Dallas's zoning and plan are undated current layers (the plan was adopted after the window's start), so its zoning and plan results may contain post-decision information.

The layers matter more for what developing lots become (Table 6).

- **Zoning class.** In all six cities with a destination, it names the new class correctly more often than the existing use does, by 12–64 percentage points. In Phoenix and San Diego, development is a change of class by definition, so the existing use is never right at class level.
- **Plan class.** In Dallas it is right for 80% of developed lots, against 61% for zoning.
- **Transfer.** Models fitted on other cities predict worse than the city's own in four of five cities (Appendix Table 13).

5.5 Housing projections

Projections and observations differ in kind: build-out is an end state, while the observed count is the gross number of homes added in a two- or four-year window (Table 7).

- **Ranking districts.** A five-year trend ranks districts better than build-out and likelihood $\times$ build-out in all four cities: Spearman 0.51 to 0.81, against -0.37 to 0.55. Likelihood $\times$ empirical yield (below) reaches -0.28 to 0.83, as well as the trend or better in three of four.
- **Build-out.** A proxy of zoning and plan build-out (each lot at the density that lots of its zoned or planned class reach today, not legal capacity) exceeds the homes added in the window 76- to 193-fold.
- **Totals.** Likelihood weighting brings totals to 0.80–2.60 times the observed. Using the homes that developing lots of the same class and size added in the training window instead of build-out gives 0.12–0.45: it ranks districts well but underestimates how many homes are built.
- **Manhattan rezonings** (Table 8, Figure 6). Capacity projected 8,423 homes on development sites, or 5,207 pro-rated to 2025; 561 were built. Probability $\times$ capacity gave 607, but the close total comes from errors that cancel: 0.84 and 0.87 times the observed in East Harlem and Inwood, and 44 times in SoHo/NoHo, where 3 homes were built. Soft sites redeveloped in the training years added 38%–102% of their capacity homes on average; scaling by that share gives 352 in total and a larger summed error across the three (471 homes, against 212), so the empirical yield did not improve these projections. The observed count lies within the 95% range of probability $\times$ capacity in two of three rezonings; the ranges are conditional on the model's probabilities and omit model error.

5.6 Optimizer and plausibility

Optimality (algorithmic verification). In 20 small areas (one tax block each) every plan with up to two changes was enumerated, and 15 had a plan better than no change. First-order search found the optimum in 14 of 15 of these, and with exact re-scoring in all 15 (median 0.51 s). At district scale no method guarantees an optimum, so methods are compared with the best plan any of them found (Table 9): exact greedy search found it in all 12 districts but took a median 36.15 s; first-order

Table 5: Gain in out-of-time AUC from adding a block, with 95% bootstrap intervals over 2 km tiles. Bold: the interval excludes zero.

City	C over E	Z over E+C	P over E+C	Z, conservative	P, conservative
Los Angeles	**+0.027 [0.020, 0.034]**	**+0.005 [0.001, 0.008]**	+0.002 [−0.002, 0.006]		
Dallas	**+0.021 [0.016, 0.026]**	**+0.003 [0.002, 0.005]**	**+0.002 [0.001, 0.003]**		
New York	**+0.023 [0.018, 0.029]**	**+0.004 [0.003, 0.007]**	–		
Milwaukee	−0.015 [−0.079, 0.048]	+0.029 [−0.031, 0.075]	–		
Phoenix	−0.066 [−0.139, 0.001]	**+0.049 [0.009, 0.091]**	**+0.054 [0.005, 0.100]**	**+0.055 [0.017, 0.088]**	**+0.041 [0.004, 0.073]**
San Diego	**+0.116 [0.053, 0.170]**	−0.003 [−0.022, 0.018]	**+0.021 [0.003, 0.039]**	−0.009 [−0.029, 0.015]	−0.011 [−0.033, 0.007]
Chicago	**+0.063 [0.049, 0.078]**	**+0.004 [0.001, 0.007]**	–	−0.001 [−0.005, 0.003]	–

Conservative: in each window, lots whose zoning or plan dates from the window's start or later are left out; possible where a current layer records those dates (Phoenix, San Diego, Chicago). Dallas's current layers carry no dates, so its zoning and plan gains may include post-decision information.




Figure 5: Gain in out-of-time AUC from each block, with 95% tile-bootstrap intervals.

search with re-scoring reached a median 95.7% of it in 1.88 s, the speed used in the Studio.

Trade-off front. On ten tax blocks with 24,576–327,680 possible plans each, the NSGA-III explorer's front covered a median 100.0% (minimum 98.6%) of the hypervolume of the exhaustive front, against 96.4% for random search with as many evaluations; on ten smaller blocks scored exactly, it recovered the exact front. The test exposed terms missing from the first-order model, since added (Supplement S6).

Plausibility (Table 10). Plans were recommended on the 2020 snapshot and compared with 2025, with the same number of recommended parcels in each setting and one objective.

- **Precedent.** Without realism layers, 17% of recommended changes had no precedent.
- **Redevelopment.** Recommended parcels were redeveloped by 2025 at 11% without realism layers, 15% with the precedent filter and 21% with the likelihood layer, against 1.2% of all lots and 5.0% of the likeliest fifth.
- **Redevelopment is not implementation.** None of the recommended parcels became the recommended use.
- **The cost.** The objective fell by 3% with the precedent filter and 48% with the likelihood layer: the filter removes implausible conversions at little cost, while restricting candidates to likely sites trades much of the objective for plausibility.

5.7 Decision rules (illustrative)

The decision module has no observed counterpart: its outputs follow from assumed utilities, one seat per agent and the generated candidates. In the simulated scenario for 12 Manhattan districts:

- the nine rules never all agree, and a Condorcet winner exists in seven;
- the residents' referendum picks the council's plan in one district, and the council's winner is never the Nash bargaining solution;
- one insincere ballot could change the Schulze result in eight districts;
- the winner survives a median 68% of joint perturbations of coefficients and seats, and 58% of redrawn agent weights;
- the candidates matter: the nine rules pick a median of four distinct winners on the generated ballot, three on the agents' ideal plans alone and two on random feasible plans;
- with resident weights drawn independently for each block, the residents' winner is unchanged in a median 100% of draws.

These describe the simulated scenario, not public opinion. They make explicit what a hearing leaves implicit: resident and environmental interests are inputs to the decision, and a recommendation should be reported with its rule, its candidates and how it changes under others.

Table 6: What developed lots became: share named correctly, as one of 16 classes / one of nine groups.

City	Developed	No change	Zoning class	Plan class	Model (blocks)
Los Angeles	1,877	57% / 79%	70% / 87%	70% / 87%	75% / 89% (E+C+Z+P)
Dallas	3,886	37% / 40%	61% / 65%	80% / 90%	86% / 96% (E+C+Z+P)
New York	4,002	24% / 37%	49% / 65%	–	54% / 70% (E+Z)
Milwaukee	78	18% / 18%	37% / 77%	–	63% / 76% (E+Z)
Phoenix	1,835	0% / 35%	64% / 74%	47% / 62%	75% / 81% (E+C+Z+P)
San Diego	202	0% / 52%	14% / 74%	27% / 70%	64% / 75% (E+C+Z+P)

In Phoenix and San Diego development is a change of class (to another group, or to more homes), so "no change" is never right at class level there. Models are cross-fitted over 2 km tiles among the developed lots. Chicago's permits do not record the new use.

Table 7: Homes added in the test window: projection over observed total (Spearman correlation across districts).

City	Observed	Zoning build-out	Plan build-out	Likely × zoning	Likely × plan	Likely × yield	Five-year trend
Los Angeles	22,853	193× (0.10)	189× (0.24)	0.80× (0.51)	0.81× (0.54)	0.33× (0.79)	0.59× (0.70)
Dallas	10,926	141× (0.00)	127× (0.34)	2.60× (−0.05)	1.59× (0.33)	0.45× (0.73)	1.25× (0.72)
New York	116,776	76× (0.34)	–	0.96× (0.55)	–	0.37× (0.83)	0.47× (0.81)
Milwaukee	3,798	115× (−0.23)	–	0.97× (−0.37)	–	0.12× (−0.28)	0.32× (0.51)

Observed: gross homes added in the window. Build-out (a proxy, not legal capacity): every lot at the homes per acre that the 90th percentile of lots of its zoned (or planned) class reach in the city today. Likely: the build-out increment times the out-of-time probability of development (blocks E+C+Z+P where available). Yield: the probability times the mean homes added by developing lots of the same class and lot size in the training window. Trend: homes completed in the five years before the window, scaled to its length.

6 Discussion

What a planner gets. For any proposed change, PlanArena shows:

- its effects on 11 indicators, with ranges;
- whether zoning and the plan allow it, and how likely it is;
- what the optimizer would recommend instead;
- how the choice depends on the decision rule.

Each output has a stated test and type of evidence (Table 3), and untested indicators are labelled. For one system, this narrows the gap between claimed and demonstrated contributions of PSS and urban twins [21, 23, 24].

Design guidance.

1. **Use each layer for the question it answers.** Once existing conditions and context were known, zoning and plans added little to ranking *where* development happened in these windows. They helped name *what* it became and bound *how much* a site can hold. This is consistent with rezoning following opportunity [48], upzoning's varying short-run effects [49–51] and partial plan implementation [53, 55].
2. **Report a trend first, and likelihood-weighted projections beside capacity.** Capacity overstates near-term housing by orders of magnitude. A trend ranked districts better than build-out-based projections in all four cities, and likelihood × yield as well as the trend in three of four. Close totals can hide large errors by area.
3. **Constrain optimization by plausibility and show the cost.** Realism layers change recommendations and lower the objective; recommended sites that redevelop rarely become the recommended use.
4. **Report decisions with their rule.** No rule agreed with all the others in any district of the simulated scenario.

Limitations.

- **Impacts** are evaluated only in Manhattan and only given what was built; in the other nine cities they are unvalidated estimates from national or regional coefficients.
- **Indicators without skill or test.** Job change by block was tested and showed no skill; access, mix, green cover and runoff after a change have no observed test.
- **Calibration.** Redevelopment probabilities shift with the market cycle, so expected totals need checking against recent rates.
- **The cross-city test** uses short windows (one or two years) and city-specific outcome definitions, and Dallas's undated layers may include post-decision information.
- **Representation.** Zoning is reduced to use permissions and maximum floor-area ratios (no height, bulk, parking or bonus rules), access to straight-line distance, and uncertainty to sensitivity ranges, which are not prediction intervals.
- **Distribution.** Indicators are averages over a scope. Who gains and who loses within it (by income, tenure or race), displacement and the effects on future residents are not measured.
- **Decisions.** The optimizer is heuristic, and the votes rest on assumed utilities and one seat per interest, not on elicited preferences or representation.
- **Not studied.** Usability with planners is not evaluated, and causal effects of zoning or plans are not estimated.

Table 8: Three Manhattan rezonings: homes on development sites by 2025, observed and projected.

Rezoning (adopted)	Sites	Built	Capacity	Pro-rated	Prob. × capacity (95%)	Prob. × yield (95%)
East Harlem (2017)	127	288	4,117	3,294	241 (82–497)	91 (0–444)
Inwood (2018)	47	270	2,859	1,334	234 (0–677)	127 (0–1,033)
SoHo/NoHo (2021)	77	3	1,447	579	132 (8–296)	134 (0–801)
All three		561	8,423	5,207	607	352
Sum of absolute errors			7,862	4,646	212	471

Capacity is full build-out by the review's build year; pro-rated scales it linearly to 2025. The probability comes from a redevelopment model trained only on outcomes known by the adoption year; yield is the mean share of capacity homes that soft sites redeveloped in those training years added. Ranges are conditional on the probabilities (Supplement S5).




Figure 6: Homes on development sites after three Manhattan rezonings: capacity, pro-rated capacity, probability × capacity (with its 95% range, conditional on the probabilities) and built by 2025 (log scale).

7 Conclusion

Land-use and location decisions have multidimensional, spatially interacting and uncertain effects, yet they are decided at hearings where those effects are summarised in a few indicators and residents do not vote. PlanArena, a land-use optimizer, measures the effects of any parcel-level change on social, economic and environmental indicators, with what is permitted, planned, likely and recommended, and turns stakeholder interests into votes. It runs on official data for ten large US cities at interactive speed, and each component has a stated test, empirical where data allow. The tests also shape the design:

- once existing conditions and context are known, regulatory layers mainly inform what development becomes and how much it could hold;
- a five-year trend ranked districts better than build-out projections, and likelihood-weighted totals were far closer to what was built than capacity, partly through errors that cancel;
- recommendations change when they must be plausible, at a measured cost, and the chosen plan changes with the rule and the candidates.

Code, data manifest and results are released with the paper, so the system and its tests extend to other cities.

Data and code availability. The code, the result files behind every number, the figures and a manifest of every input (URL, retrieval date, SHA-256) are in the PlanArena repository, release `v1.1-review` [public repository URL and archived DOI to be added by the author]. The technical supplement specifies every model and test. `make reproduce` rebuilds data and results from public sources, and `planarena/tools/screenshots.py` regenerates the Studio figures. Each city's ingestion report documents coverage, crosswalks and estimated fields. Owner and mailing fields in assessor records were never requested or read. No human participants were involved.

Declaration of AI assistance. [To be confirmed by the author.] The author used Claude (Anthropic), through Claude Code, to write and test code, run analyses, and draft the text and the supplement. The author designed the study and the system, reviewed the code, results and text, read the cited sources and takes responsibility for the content. Every reference was checked against the record its DOI or ISBN resolves to. No AI system generated data or results; every number is computed by the released code.

A Digitising plans published as PDF maps

Philadelphia2035's land-use recommendations exist only as "Proposed Land Use" maps in 17 district plans covering 18 districts. Each lot is a filled vector shape. The maps are converted in six steps:

Table 9: Optimizer at district scale (12 Manhattan districts, up to ten changes): share of the best plan any tested method found (not a proven optimum).

Search	Median share of best	Districts best	Median seconds
surrogate top moves	91.0%	0	0.02
first order	94.1%	0	0.25
first order plus exact polish	95.7%	1	1.88
greedy exact	100.0%	12	36.15
simulated annealing	93.6%	0	10.65
random restarts 50	65.5%	0	1.31

Table 10: Realism layers at equal counts: plans recommended on the 2020 snapshot of every Manhattan district, and what happened by 2025.

Optimizer setting	Parcels	No precedent	Redeveloped	Eligible redev.	Into rec. use	Objective
no realism layer	116	16.4%	11.2%	1.5%	0.0%	83.7
precedent filter (default)	117	0.0%	15.4%	1.5%	0.0%	81.3
precedent filter + likelihood layer	118	0.0%	21.2%	5.0%	0.0%	43.4

In each district every setting recommends the smallest number any setting recommended there. Eligible redev.: share of the setting's eligible parcels redeveloped (the rate of a random choice). Objective: the sum over districts of the overall score minus the conversion penalty. At the full budget the settings recommended 539, 543, 118 parcels.

1. **Legend.** Swatch colours and labels are read.
2. **Colour matching.** Map colours are matched one to one to legend colours by CIELAB ΔE with a Hungarian assignment, refusing pairs with $\Delta E > 45$.
3. **Visibility.** Only shapes the rendered page shows are kept, since maps are often clipped to the district, and only the largest map frame on the spread.
4. **Registration.** A similarity transform is fitted. The rendered footprint is matched as an image to the district's parcels and outline (FFT translation, Dice score), then refined by iterative closest point [68–70].
5. **Classification.** Each parcel takes the category of the smallest shape containing its interior point.
6. **Checks.** A map is used only if the median parcel-to-shape distance is at most 10 ft, and its plan agrees with existing use clearly more often than the same map shifted 300 ft.

Results:

- **Coverage.** Maps from 15 of 17 plans passed, covering 16 districts and 83% of parcels.
- **Registration.** Median errors were 1.1–7.2 ft (median 3.2 ft).
- **Shifted-map control.** The digitised plans agree with existing use on 60%–90% of parcels, against 42%–66% for shifted maps.
- **Independent reading.** Each parcel's category was also read from the colour of the rendered page around its point, matched to the legend's rendered colours. On 451,691 parcels read both ways, the two readings agree on 99.8% (99.4%–100.0% by district). Both use the same registration, which the shifted-map control checks. A random sample of 150 parcels, with page positions and map crops, is provided for a check by eye against the PDFs.
- **Failures.** The maps of South and West Park also draw neighbouring districts and failed registration.

Earlier work addresses scanned raster maps [71–73]; vector exports allow shapes to be read directly.

B Additional results

Table 11: Test panels. Models are fitted on the training window and scored on the test window.

City	Development	Source	Train	Test	Lots	Developed	Rate
Los Angeles	new building or floor area +25%	county assessor rolls	2021–2023	2023–2025	667,844	2,215	0.33%
Dallas	new building or floor area +25%	appraisal district files	2022–2024	2024–2026	291,841	3,892	1.33%
New York	new building or floor area +25%	MapPLUTO	2021–2023	2023–2025	856,901	4,064	0.47%
Milwaukee	new building	MPROP	2021–2023	2023–2025	147,539	85	0.06%
Phoenix	change of use group	MAG land-use inventory	2022–2024	2024–2026	503,635	1,835	0.36%
San Diego	change of use group	SANDAG land-use inventory	2023–2024	2024–2025	272,281	202	0.07%
Chicago	new-construction permit	building permits	2021–2023	2023–2025	606,294	1,548	0.26%

Lots already under construction at the start of a window are left out. Floor area +25% also requires +2,000 sq ft. Change of use group: the lot changes to a built use of another of the nine groups, or gains homes.

References

[1] Richard Church and Charles ReVelle. The maximal covering location problem. *Papers of the Regional Science Association*, 32(1):101–118, 1974. doi: 10.1007/bf01942293.

[2] C.S. ReVelle and H.A. Eiselt. Location analysis: A synthesis and survey. *European Journal of Operational Research*, 165(1):1–19, 2005. doi: 10.1016/j.ejor.2003.11.032.

Table 12: Where development happens: out-of-time AUC by block set. E existing conditions, C neighbourhood context, Z zoning, P adopted plan; – where the city has no such layer.

City	E	E+C	E+C+Z	E+C+P	E+C+Z+P	Best set (any)
Los Angeles	0.863	0.889	0.894	0.891	0.894	E+C+Z
Dallas	0.897	0.917	0.921	0.919	0.922	E+C+Z+P
New York	0.892	0.914	0.919	–	–	E+C+Z
Milwaukee	0.911	0.896	0.924	–	–	E+Z
Phoenix	0.859	0.793	0.842	0.847	0.853	E+Z+P
San Diego	0.571	0.687	0.684	0.707	0.703	E+C+P
Chicago	0.824	0.888	0.891	–	–	E+C+Z

Best set: the highest AUC among all fitted combinations, including those without context.

Table 13: Transfer: AUC of a model fitted on the other cities' training windows / the city's own model, on the city's test window.

City	E	E+C	E+C+Z	E+C+Z+P
Los Angeles	0.726 / 0.863	0.822 / 0.889	0.827 / 0.894	0.828 / 0.894
Dallas	0.845 / 0.897	0.873 / 0.917	0.880 / 0.921	0.872 / 0.922
New York	0.824 / 0.892	0.871 / 0.914	0.874 / 0.919	0.865 / 0.919
Milwaukee	0.958 / 0.911	0.966 / 0.896	0.966 / 0.924	0.966 / 0.924
Chicago	0.736 / 0.824	0.805 / 0.888	0.800 / 0.891	0.814 / 0.891

Cities whose outcome is a building or a permit. A missing plan layer is coded as unknown.

Table 14: Out-of-time average precision and precision among the top 1% of lots.

City	Base rate	AP, E	AP, all	All blocks	Top 1%, E	Top 1%, all
Los Angeles	0.33%	0.132	0.143	E+C+Z+P	11.2%	12.7%
Dallas	1.33%	0.108	0.232	E+C+Z+P	11.8%	29.3%
New York	0.47%	0.073	0.122	E+C+Z	11.1%	15.1%
Milwaukee	0.06%	0.024	0.031	E+C+Z	2.3%	2.8%
Phoenix	0.36%	0.091	0.054	E+C+Z+P	9.7%	8.4%
San Diego	0.07%	0.002	0.002	E+C+Z+P	0.7%	0.6%
Chicago	0.26%	0.013	0.043	E+C+Z	2.4%	6.1%

[3] Jacek Malczewski. GIS-based multicriteria decision analysis: a survey of the literature. *International Journal of Geographical Information Science*, 20 (7):703–726, 2006. doi: 10.1080/13658810600661508.

[4] Md. Mostafizur Rahman and György Szabó. Multi-objective urban land use optimization using spatial data: A systematic review. *Sustainable Cities and Society*, 74:103214, 2021. doi: 10.1016/j.scs.2021.103214.

[5] Peter H. Verburg, Paul P. Schot, Martin J. Dijst, and A. Veldkamp. Land use change modelling: current practice and research priorities. *GeoJournal*, 61(4):309–324, 2004. doi: 10.1007/s10708-004-4946-y.

[6] Horst W. J. Rittel and Melvin M. Webber. Dilemmas in a general theory of planning. *Policy Sciences*, 4(2):155–169, 1973. doi: 10.1007/bf01405730.

[7] Katherine Levine Einstein, Maxwell Palmer, and David M. Glick. Who Participates in Local Government? Evidence from Meeting Minutes. *Perspectives on Politics*, 17(1):28–46, 2019. doi: 10.1017/s153759271800213x.

[8] Sherry R. Arnstein. A Ladder Of Citizen Participation. *Journal of the American Institute of Planners*, 35(4):216–224, 1969. doi: 10.1080/01944366908977225.

[9] Judith E. Innes and David E. Booher. Reframing public participation: strategies for the 21st century. *Planning Theory & Practice*, 5(4):419–436, 2004. doi: 10.1080/1464935042000293170.

[10] Archon Fung. Varieties of Participation in Complex Governance. *Public Administration Review*, 66(s1):66–75, 2006. doi: 10.1111/j.1540-6210.2006.00667.x.

[11] Emre Tepe and Jean-Michel Guldmann. Spatio-temporal multinomial autologistic modeling of land-use change: A parcel-level approach. *Environment and Planning B: Urban Analytics and City Science*, 47(3):473–488, 2020. doi: 10.1177/2399808318786511.

[12] John I. Carruthers and Hanxue Wei. What drives urban redevelopment activity? Evidence from machine learning and econometric analysis in three American cities. *Journal of Geographical Systems*, 26(4):565–599, 2024. doi: 10.1007/s10109-024-00451-2.

[13] Kalyanmoy Deb and Himanshu Jain. An Evolutionary Many-Objective Optimization Algorithm Using Reference-Point-Based Nondominated Sorting Approach, Part I: Solving Problems With Box Constraints. *IEEE Transactions on Evolutionary Computation*, 18(4):577–601, 2014. doi: 10.1109/tevc.2013.2281535.

[14] John F. Nash. The Bargaining Problem. *Econometrica*, 18(2):155, 1950. doi: 10.2307/1907266.

[15] Felix Brandt, Vincent Conitzer, Ulle Endriss, Jérôme Lang, and Ariel D. Procaccia, editors. *Handbook of Computational Social Choice*. Cambridge University Press, 2016. doi: 10.1017/CBO9781107446984.

[16] Somaie Abolhasani, Mohammad Taleai, and Tobia Lakes. A collective decision-making framework for simulating urban land-use planning: An application of game theory with event-driven actors. *Computers, Environment and Urban Systems*, 94:101795, 2022. doi: 10.1016/j.compenvurbsys.2022.101795.

[17] R E Klosterman. The What If? Collaborative Planning Support System. *Environment and Planning B: Planning and Design*, 26(3):393–408, 1999. doi: 10.1068/b260393.

[18] Stan Geertman and John Stillwell. Planning support science: Developments and challenges. *Environment and Planning B: Urban Analytics and City*

Science, 47(8):1326–1342, 2020. doi: 10.1177/2399808320936277.

[19] Michael Batty. Digital twins. *Environment and Planning B: Urban Analytics and City Science*, 45(5):817–820, 2018. doi: 10.1177/2399808318796416.

[20] Ville V. Lehtola, Mila Koeva, Sander Oude Elberink, Paulo Raposo, Juho-Pekka Virtanen, Faridaddin Vahdatikhaki, and Simone Borsci. Digital twin of a city: Review of technology serving city needs. *International Journal of Applied Earth Observation and Geoinformation*, 114:102915, 2022. doi: 10.1016/j.jag.2022.102915.

[21] Guido Vonk, Stan Geertman, and Paul Schot. Bottlenecks Blocking Widespread Usage of Planning Support Systems. *Environment and Planning A: Economy and Space*, 37(5):909–924, 2005. doi: 10.1068/a3712.

[22] Binyu Lei, Patrick Janssen, Jantien Stoter, and Filip Biljecki. Challenges of urban digital twins: A systematic review and a Delphi expert survey. *Automation in Construction*, 147:104716, 2023. doi: 10.1016/j.autcon.2022.104716.

[23] Shervin Azadi, Dena Kasraian, Pirouz Nourian, and Pieter van Wesemael. What Have Urban Digital Twins Contributed to Urban Planning and Decision Making? From a Systematic Literature Review Toward a Socio-Technical Research and Development Agenda. *Smart Cities*, 8(1):32, 2025. doi: 10.3390/smartcities8010032.

[24] Emil Nørager Kruse, Thomas Theis Nielsen, and Maja de Neergaard. From epistemic promises to real world practices: the ongoing becoming of 3D models and urban digital twins in municipal planning. *Computational Urban Science*, 6(1), 2026. doi: 10.1007/s43762-026-00299-w.

[25] Yu Zheng, Yuming Lin, Liang Zhao, Tinghai Wu, Depeng Jin, and Yong Li. Spatial planning of urban communities via deep reinforcement learning. *Nature Computational Science*, 3(9):748–762, 2023. doi: 10.1038/s43588-023-00503-5.

[26] Haobo Feng, Jian Hou, Jiahui Jiang, and Linfang Shi. Land Use Optimization from the Perspective of Multiple Stakeholder Groups: A Case Study in Yongsheng County, Yunnan Province, China. *Land*, 13(10):1593, 2024. doi: 10.3390/land13101593.

[27] Chuan Lin, Yilun Liu, Zhongyou Yuan, Hongmei Wang, Guang Li, Zegen Zhou, Han Wang, and Xinyue An. Harmonizing stakeholder interests in urban renewal: A novel planning approach using explainable machine learning and spatial optimization. *Land Use Policy*, 155:107588, 2025. doi: 10.1016/j.landusepol.2025.107588.

[28] Carl Steinitz. *A Framework for Geodesign: Changing Geography by Design*. Esri Press, Redlands, CA, 2012. ISBN 9781589483330.

[29] Marco te Brömmelstroet. Performance of Planning Support Systems. *Computers, Environment and Urban Systems*, 41:299–308, 2013. doi: 10.1016/j.compenvurbsys.2012.07.004.

[30] Peter Pelzer. Usefulness of planning support systems: A conceptual framework and an empirical illustration. *Transportation Research Part A: Policy and Practice*, 104:84–95, 2017. doi: 10.1016/j.tra.2016.06.019.

[31] Michael Batty. Digital twins in city planning. *Nature Computational Science*, 4(3):192–199, 2024. doi: 10.1038/s43588-024-00606-7.

[32] Gary White, Anna Zink, Lara Codecá, and Siobhán Clarke. A digital twin smart city for citizen feedback. *Cities*, 110:103064, 2021. doi: 10.1016/j.cities.2020.103064.

[33] Jaume Ferré-Bigorra, Miquel Casals, and Marta Gangolells. The adoption of urban digital twins. *Cities*, 131:103905, 2022. doi: 10.1016/j.cities.2022.103905.

[34] Tim Guangyu Wu and ChengHe Guan. Advancing Intra and Inter-City Urban Digital Twins: An Updated Review. *Journal of Planning Education and Research*, 45(4):773–789, 2025. doi: 10.1177/0739456x241260887.

[35] Junjie Luo, Pengyuan Liu, Xinya Kong, Junru Shen, Qiaoqiao Wu, and Da Xu. Urban digital twins for citizen-centric planning: A systematic review of built environment perception and public participation. *International Journal of Applied Earth Observation and Geoinformation*, 143:104746, 2025. doi: 10.1016/j.jag.2025.104746.

[36] Markus Schulze. A new monotonic, clone-independent, reversal symmetric, and condorcet-consistent single-winner election method. *Social Choice and Welfare*, 36(2):267–303, 2011. doi: 10.1007/s00355-010-0475-4.

[37] Vahid Hashemi, Mohammad Taleai, and Somaie Abolhasani. Negotiation-Aware Optimization Approach for Multi-Stakeholder Agricultural Land Reallocation: A Case Study in Iran. *Transactions in GIS*, 30(5), 2026. doi: 10.1111/tgis.70331.

[38] K C Clarke, S Hoppen, and L Gaydos. A Self-Modifying Cellular Automaton Model of Historical Urbanization in the San Francisco Bay Area. *Environment and Planning B: Planning and Design*, 24(2):247–261, 1997. doi: 10.1068/b240247.

[39] J Landis and M Zhang. The Second Generation of the California Urban Futures Model. Part 1: Model Logic and Theory. *Environment and Planning B: Planning and Design*, 25(5):657–666, 1998. doi: 10.1068/b250657.

[40] Paul Waddell. UrbanSim: Modeling Urban Development for Land Use, Transportation, and Environmental Planning. *Journal of the American Planning Association*, 68(3):297–314, 2002. doi: 10.1080/01944360208976274.

[41] P. Waddell, A. Borning, M. Noth, N. Freier, M. Becke, and G. Ulfarsson. Microsimulation of Urban Development and Location Choices: Design and Implementation of UrbanSim. *Networks and Spatial Economics*, 3(1):43–67, 2003. doi: 10.1023/a:1022049000877.

[42] Dawn C. Parker, Steven M. Manson, Marco A. Janssen, Matthew J. Hoffmann, and Peter Deadman. Multi-Agent Systems for the Simulation of Land-Use and Land-Cover Change: A Review. *Annals of the Association of American Geographers*, 93(2):314–337, 2003. doi: 10.1111/1467-8306.9302004.

[43] Oshadhi Weerasinghe, Kasun Hewage, Faran Razi, Mahmudur Fatmi, and Rehan Sadiq. Applicability of Land-Use Models for Sustainable Urban Planning: A Review. *Journal of Urban Planning and Development*, 151(3), 2025. doi: 10.1061/jupddm.upeng-5705.

[44] Stuart S. Rosenthal and Robert W. Helsley. Redevelopment and the Urban Land Price Gradient. *Journal of Urban Economics*, 35(2):182–200, 1994. doi: 10.1006/juec.1994.1012.

[45] Richard F. Dye and Daniel P. McMillen. Teardowns and land values in the Chicago metropolitan area. *Journal of Urban Economics*, 61(1):45–63, 2007. doi: 10.1016/j.jue.2006.06.003.

[46] Rachel Weber, Marc Doussard, Saurav Dev Bhatta, and Daniel Mcgrath. Tearing the City Down: Understanding Demolition Activity in Gentrifying Neighborhoods. *Journal of Urban Affairs*, 28(1):19–41, 2006. doi: 10.1111/j.0735-2166.2006.00257.x.

[47] Suzanne Lanyi Charles. Understanding the Determinants of Single-family Residential Redevelopment in the Inner-ring Suburbs of Chicago. *Urban Studies*, 50(8):1505–1522, 2013. doi: 10.1177/0042098012465908.

[48] C. J. Gabbe. Why Are Regulations Changed? A Parcel Analysis of Upzoning in Los Angeles. *Journal of Planning Education and Research*, 38(3):289–300, 2018. doi: 10.1177/0739456x17696034.

[49] Yonah Freemark. Upzoning Chicago: Impacts of a Zoning Reform on Property Values and Housing Construction. *Urban Affairs Review*, 56(3):758–789, 2020. doi: 10.1177/1078087418824672.

[50] Hongwei Dong. Exploring the Impacts of Zoning and Upzoning on Housing Development: A Quasi-experimental Analysis at the Parcel Level. *Journal of Planning Education and Research*, 44(1):403–415, 2024. doi: 10.1177/0739456x21990728.

[51] Ryan Greenaway-McGrevy and Peter C.B. Phillips. The impact of upzoning on housing construction in Auckland. *Journal of Urban Economics*, 136:

103555, 2023. doi: 10.1016/j.jue.2023.103555.

[52] Emily Talen. Do Plans Get Implemented? A Review of Evaluation in Planning. *Journal of Planning Literature*, 10(3):248–259, 1996. doi: 10.1177/088541229601000302.

[53] Lucie Laurian, Maxine Day, Philip Berke, Neil Ericksen, Michael Backhurst, Jan Crawford, and Jenny Dixon. Evaluating Plan Implementation: A Conformance-Based Methodology. *Journal of the American Planning Association*, 70(4):471–480, 2004. doi: 10.1080/01944360408976395.

[54] Samuel D. Brody and Wesley E. Highfield. Does Planning Work?: Testing the Implementation of Local Environmental Planning in Florida. *Journal of the American Planning Association*, 71(2):159–175, 2005. doi: 10.1080/01944360508976690.

[55] Philip Berke, Michael Backhurst, Maxine Day, Neil Ericksen, Lucie Laurian, Jan Crawford, and Jennifer Dixon. What Makes Plan Implementation Successful? An Evaluation of Local Plans and Implementation Practices in New Zealand. *Environment and Planning B: Planning and Design*, 33(4): 581–600, 2006. doi: 10.1068/b31166.

[56] Carolyn G. Loh. Assessing and Interpreting Non-conformance in Land-use Planning Implementation. *Planning Practice & Research*, 26(3):271–287, 2011. doi: 10.1080/02697459.2011.580111.

[57] Anna M. Hersperger, Eduardo Oliveira, Sofia Pagliarin, Gaëtan Palka, Peter Verburg, Janine Bolliger, and Simona Grădinaru. Urban land-use change: The role of strategic spatial planning. *Global Environmental Change*, 51:32–42, 2018. doi: 10.1016/j.gloenvcha.2018.05.001.

[58] Darío Domingo, Gaëtan Palka, and Anna M. Hersperger. Effect of zoning plans on urban land-use change: A multi-scenario simulation for supporting sustainable urban growth. *Sustainable Cities and Society*, 69:102833, 2021. doi: 10.1016/j.scs.2021.102833.

[59] Somaie Abolhasani, Rafael Ramirez Eudave, and Anna M. Hersperger. Toward policy-informed 3D urban land-use simulations by leveraging urban planning regulations: Case studies in Zurich and Copenhagen. *Land Use Policy*, 170:108189, 2026. doi: 10.1016/j.landusepol.2026.108189.

[60] Robert Gilmore Pontius, Wideke Boersma, Jean-Christophe Castella, Keith Clarke, Ton de Nijs, Charles Dietzel, Zengqiang Duan, Eric Fotsing, Noah Goldstein, Kasper Kok, Eric Koomen, Christopher D. Lippitt, William McConnell, Alias Mohd Sood, Bryan Pijanowski, Snehal Pithadia, Sean Sweeney, Tran Ngoc Trung, A. Tom Veldkamp, and Peter H. Verburg. Comparing the input, output, and validation maps for several models of land change. *The Annals of Regional Science*, 42(1):11–37, 2008. doi: 10.1007/s00168-007-0138-2.

[61] Robert Gilmore Pontius and Marco Millones. Death to Kappa: birth of quantity disagreement and allocation disagreement for accuracy assessment. *International Journal of Remote Sensing*, 32(15):4407–4429, 2011. doi: 10.1080/01431161.2011.552923.

[62] Benjamin Black, Maarten J. van Strien, Antoine Adde, and Adrienne Grêt-Regamey. Re-considering the status quo: Improving calibration of land use change models through validation of transition potential predictions. *Environmental Modelling & Software*, 159:105574, 2023. doi: 10.1016/j.envsoft.2022.105574.

[63] David R. Roberts, Volker Bahn, Simone Ciuti, Mark S. Boyce, Jane Elith, Gurutzeta Guillera-Arroita, Severin Hauenstein, José J. Lahoz-Monfort, Boris Schröder, Wilfried Thuiller, David I. Warton, Brendan A. Wintle, Florian Hartig, and Carsten F. Dormann. Cross-validation strategies for data with temporal, spatial, hierarchical, or phylogenetic structure. *Ecography*, 40(8):913–929, 2017. doi: 10.1111/ecog.02881.

[64] Pierre Ploton, Frédéric Mortier, Maxime Réjou-Méchain, Nicolas Barbier, Nicolas Picard, Vivien Rossi, Carsten Dormann, Guillaume Cornu, Gaëlle Viennois, Nicolas Bayol, Alexei Lyapustin, Sylvie Gourlet-Fleury, and Raphaël Pélissier. Spatial validation reveals poor predictive performance of large-scale ecological mapping models. *Nature Communications*, 11(1), 2020. doi: 10.1038/s41467-020-18321-y.

[65] Hanna Meyer and Edzer Pebesma. Predicting into unknown space? Estimating the area of applicability of spatial prediction models. *Methods in Ecology and Evolution*, 12(9):1620–1633, 2021. doi: 10.1111/2041-210x.13650.

[66] Andrea Saltelli, Ksenia Aleksankina, William Becker, Pamela Fennell, Federico Ferretti, Niels Holst, Sushan Li, and Qiongli Wu. Why so many published sensitivity analyses are false: A systematic review of sensitivity analysis practices. *Environmental Modelling & Software*, 114:29–39, 2019. doi: 10.1016/j.envsoft.2019.01.012.

[67] Hans R. Kunsch. The Jackknife and the Bootstrap for General Stationary Observations. *The Annals of Statistics*, 17(3):1217–1241, 1989. doi: 10.1214/aos/1176347265.

[68] B.S. Reddy and B.N. Chatterji. An FFT-based technique for translation, rotation, and scale-invariant image registration. *IEEE Transactions on Image Processing*, 5(8):1266–1271, 1996. doi: 10.1109/83.506761.

[69] P.J. Besl and Neil D. McKay. A method for registration of 3-D shapes. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 14(2):239–256, 1992. doi: 10.1109/34.121791.

[70] S. Umeyama. Least-squares estimation of transformation parameters between two point patterns. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(4):376–380, 1991. doi: 10.1109/34.88573.

[71] Yao-Yi Chiang, Stefan Leyk, and Craig A. Knoblock. A Survey of Digital Map Processing Techniques. *ACM Computing Surveys*, 47(1):1–44, 2014. doi: 10.1145/2557423.

[72] Jonas Luft and Jochen Schiewe. Automatic content-based georeferencing of historical topographic maps. *Transactions in GIS*, 25(6):2888–2906, 2021. doi: 10.1111/tgis.12794.

[73] Kenzo Milleville, Steven Verstockt, and Nico Van de Weghe. Automatic Georeferencing of Topographic Raster Maps. *ISPRS International Journal of Geo-Information*, 11(7):387, 2022. doi: 10.3390/ijgi11070387.