


COMPREHENSIVE EYE TEST REPORT

Patient Information

Name:	Chitta Mounika
Date of Birth:	2025-07-02
Patient ID:	2


Preliminary Test Results



Preliminary Analysis Report

Parameter	Value
HER	2.159
VER	1.325
Horizontal Squint	N/A
Vertical Squint	No

Hirschberg Test Results



Detailed Analysis Report

Measurement	Value
Left Vertical (LV)	7.07px
Left Horizontal (LH)	9.06px
Right Vertical (RV)	7.28px
Right Horizontal (RH)	8.06px
Left Iris White Spot	0.00 px
Right Iris White Spot	0.00 px
Right Vertical Distance (RVD)	N/A
Right Horizontal Distance (RHD)	N/A
Left Vertical Distance (LVD)	N/A

Left Horizontal Distance (LHD)	N/A
--------------------------------	-----

Additional Notes

Hirschberg Analysis Report
Input Image Path: hirschberg_Chitta Mounika_2_2025-07-02_2026-03-20.jpg
Reflex Light Not Detected

Gaze Test Results



9 Gaze Analysis Report

Gaze Position	Areal Ratio
gaze_1.jpg	0.791
gaze_2.jpg	0.814
gaze_3.jpg	1.743
gaze_4.jpg	0.494
gaze_5.jpg	0.912
gaze_6.jpg	1.436
gaze_7.jpg	0.747
gaze_8.jpg	0.944
gaze_9.jpg	1.337

Grade Summary Report

Image: gaze_1.jpg

Grades

L_Lateral	-4
R_Medial	-4

Distances

R_Lateral	28.46
R_Medial	79.12
R_Upper	26.40
R_Lower	33.30
L_Lateral	62.94
L_Medial	42.49
L_Upper	22.67
L_Lower	26.00

Image: gaze_2.jpg

No grade data available

Distances

R_Lateral	36.14
R_Medial	77.88
R_Upper	25.24
R_Lower	34.06
L_Lateral	49.25
L_Medial	57.58
L_Upper	17.46
L_Lower	26.08

Image: gaze_3.jpg

Grades

R_Lateral	-2
-----------	----

L_Medial	-4
----------	----

Distances

R_Lateral	51.35
R_Medial	55.36
R_Upper	18.79
R_Lower	25.02
L_Lateral	24.17
L_Medial	82.97
L_Upper	25.81
L_Lower	39.60

Image: gaze_4.jpg

Grades

L_Lateral	-4
R_Medial	-4

Distances

R_Lateral	21.59
R_Medial	83.36
R_Upper	31.76
R_Lower	35.61
L_Lateral	57.31
L_Medial	48.27
L_Upper	22.02
L_Lower	25.63

Image: gaze_5.jpg

No grade data available

Distances

R_Lateral	37.05
R_Medial	81.88
R_Upper	25.61
R_Lower	27.59

L_Lateral	49.25
L_Medial	59.41
L_Upper	12.53
L_Lower	21.02

Image: gaze_6.jpg

Grades

R_Lateral	-3
L_Medial	-4

Distances

R_Lateral	41.05
R_Medial	42.45
R_Upper	13.04
R_Lower	17.72
L_Lateral	25.00
L_Medial	66.37
L_Upper	17.80
L_Lower	23.35

Image: gaze_7.jpg

Grades

L_Lateral	-4
R_Medial	-4

Distances

R_Lateral	27.78
R_Medial	71.03
R_Upper	25.50
R_Lower	23.26
L_Lateral	52.09
L_Medial	49.09
L_Upper	17.46
L_Lower	15.52

Image: gaze_8.jpg

No grade data available

Distances

R_Lateral	36.40
R_Medial	64.07
R_Upper	19.42
R_Lower	20.62
L_Lateral	39.05
L_Medial	55.08
L_Upper	15.30
L_Lower	18.44

Image: gaze_9.jpg

Grades

R_Lateral	-3
L_Medial	-4

Distances

R_Lateral	49.82
R_Medial	46.53
R_Upper	21.84
R_Lower	11.70
L_Lateral	31.95
L_Medial	70.01
L_Upper	28.30
L_Lower	19.85

Strabismus Pattern Analysis

To determine pattern strabismus, we compare horizontal deviations across gaze directions:

Deviation is calculated for each gaze as:

$(\text{Right Lateral} - \text{Right Medial}) + (\text{Left Lateral} - \text{Left Medial})$

We average the deviations from:

- Upgaze: gaze_1.jpg, gaze_2.jpg, gaze_3.jpg
- Downgaze: gaze_7.jpg, gaze_8.jpg, gaze_9.jpg
- Primary Gaze: gaze_5.jpg

The difference between Upgaze and Downgaze helps detect patterns:

- If Up - Down ≤ -10 : A-pattern
- If Up - Down ≥ 15 : V-pattern
- If both Upgaze and Downgaze deviations are significantly greater than Primary gaze is X-pattern
- If Upgaze deviation $>$ Primary $>$ Downgaze is Y-pattern
- If Downgaze deviation $>$ Primary $>$ Upgaze is Reverse Y-pattern
- Else: No pattern detected

Calculated horizontal deviation values:

Average Upgaze Deviation: -47.70

Average Downgaze Deviation: -39.57

Primary Gaze Deviation: -54.99

Deviation Difference (Up - Down): -8.12

Pattern Result: V-pattern detected

Strabismus Pattern Analysis

To determine Strabismus pattern strabismus, we compare horizontal deviations across gaze directions:

Deviation is calculated for each gaze as:

$(\text{Right Lateral} - \text{Right Medial}) + (\text{Left Lateral} - \text{Left Medial})$

We average the deviations from:

- Upgaze (gaze_1.jpg, gaze_2.jpg, gaze_3.jpg):

Values: -30.21 -50.07 -62.81

Average: -47.70

- Downgaze (gaze_7.jpg, gaze_8.jpg, gaze_9.jpg):

Values: -40.25 -43.70 -34.77

Average: -39.57

- Primary Gaze (gaze_5.jpg):

Value: -54.99

The difference between Upgaze and Downgaze helps detect patterns:

- If Up - Down ≤ -10 : A-pattern
- If Up - Down ≥ 15 : V-pattern
- If both Upgaze and Downgaze deviations are significantly greater than Primary gaze is X-pattern
- If Upgaze deviation $>$ Primary $>$ Downgaze is Y-pattern
- If Downgaze deviation $>$ Primary $>$ Upgaze is Reverse Y-pattern
- Else: No pattern detected

Calculated Difference (Up - Down): -8.12

Final Pattern Result: V-pattern detected

Deviation Visualization

