



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.834


Outlier test n.s.



QQ plot residuals




**DHARMa nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.83


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.863


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.939


Outlier test n.s.



QQ plot residuals




**DHARMa nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.838


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.818


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.863


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.912


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.837


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.812


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.863


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.942


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.839


Outlier test n.s.



QQ plot residuals




DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated




Simulated values, red line = fitted model. p-value (two.sided) = 0.833


Outlier test n.s.



QQ plot residuals




DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated




Simulated values, red line = fitted model. p-value (two.sided) = 0.863


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.892


Outlier test n.s.



QQ plot residuals




DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated




Simulated values, red line = fitted model. p-value (two.sided) = 0.846


Outlier test n.s.



QQ plot residuals




**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**




Simulated values, red line = fitted model. p-value (two.sided) = 0.827


Outlier test n.s.



QQ plot residuals




DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated




Simulated values, red line = fitted model. p-value (two.sided) = 0.863


Outlier test n.s.



QQ plot residuals



**DHARMA nonparametric dispersion test via sd of
residuals fitted vs. simulated**



Simulated values, red line = fitted model. p-value (two.sided) = 0.948

Outlier test n.s.

