

Battery report

COMPUTER NAME	PREI-LPTP-002
SYSTEM PRODUCT NAME	Acer Aspire A514-54
BIOS	V1.34 04/21/2023
OS BUILD	26100.1.amd64fre.ge_release.240331-1435
PLATFORM ROLE	Mobile
CONNECTED STANDBY	Supported
REPORT TIME	2026-05-26 10:12:44

Installed batteries

Information about each currently installed battery

	BATTERY 1
NAME	AP18C8K
MANUFACTURER	LGC
SERIAL NUMBER	30570
CHEMISTRY	Li-I
DESIGN CAPACITY	48,004 mWh
FULL CHARGE CAPACITY	28,845 mWh
CYCLE COUNT	66

Recent usage

Power states over the last 7 days

START TIME	STATE	SOURCE	CAPACITY REMAINING	
2026-05-19 10:36:55	Active	AC	16 %	4,646 mWh
11:02:33	Connected standby	AC	57 %	16,583 mWh
11:11:05	Active	AC	70 %	20,228 mWh
11:21:33	Connected standby	AC	81 %	23,231 mWh
11:22:13	Active	AC	81 %	23,411 mWh
11:29:16	Connected standby	AC	86 %	24,874 mWh
11:40:22	Active	AC	92 %	26,561 mWh
12:31:04	Connected standby	AC	100 %	28,845 mWh
13:34:59	Active	AC	100 %	28,845 mWh
13:41:19	Connected standby	AC	100 %	28,845 mWh
13:43:43	Active	AC	100 %	28,845 mWh
13:49:31	Connected standby	AC	100 %	28,845 mWh
13:52:03	Active	AC	100 %	28,845 mWh
13:57:41	Connected standby	AC	100 %	28,845 mWh
13:58:32	Active	AC	100 %	28,845 mWh
14:09:42	Connected standby	AC	100 %	28,845 mWh

	START TIME	STATE	SOURCE	CAPACITY REMAINING	
	14:11:46	Active	AC	100 %	28,845 mWh
	14:24:05	Connected standby	AC	100 %	28,845 mWh
	14:25:02	Active	AC	100 %	28,845 mWh
	14:27:57	Connected standby	AC	100 %	28,845 mWh
	14:35:13	Active	AC	100 %	28,845 mWh
	15:39:09	Connected standby	AC	100 %	28,845 mWh
	15:58:00	Active	AC	100 %	28,845 mWh
	18:02:38	Active	Battery	97 %	27,900 mWh
	18:09:20	Connected standby	Battery	92 %	26,539 mWh
	18:09:20	Suspended		92 %	26,539 mWh
2026-05-20	09:04:15	Connected standby	Battery	90 %	26,089 mWh
	09:04:50	Active	Battery	90 %	25,909 mWh
	09:26:04	Connected standby	Battery	76 %	21,881 mWh
	09:27:35	Active	Battery	76 %	21,803 mWh
	09:54:00	Connected standby	Battery	64 %	18,574 mWh
	09:57:39	Active	Battery	62 %	18,023 mWh
	10:47:47	Connected standby	Battery	33 %	9,506 mWh
	10:50:54	Active	Battery	32 %	9,304 mWh
	11:00:29	Connected standby	Battery	27 %	7,729 mWh
	11:05:48	Active	Battery	26 %	7,493 mWh
	11:20:09	Active	AC	18 %	5,119 mWh
	11:23:24	Connected standby	AC	23 %	6,626 mWh
	11:33:10	Active	AC	37 %	10,609 mWh
	12:15:23	Connected standby	AC	75 %	21,623 mWh
	12:16:19	Active	AC	76 %	21,904 mWh
	12:26:23	Connected standby	AC	84 %	24,233 mWh
	12:30:58	Active	AC	87 %	25,144 mWh
	12:31:55	Connected standby	AC	88 %	25,290 mWh
	13:13:15	Active	AC	100 %	28,845 mWh
	13:16:15	Connected standby	AC	100 %	28,845 mWh
	13:29:01	Active	AC	100 %	28,845 mWh
	13:32:06	Connected standby	AC	100 %	28,845 mWh
	13:32:22	Active	AC	100 %	28,845 mWh
	13:35:24	Connected standby	AC	100 %	28,845 mWh
	13:36:36	Active	AC	100 %	28,845 mWh
	13:39:43	Connected standby	AC	100 %	28,845 mWh
	13:42:01	Active	AC	100 %	28,845 mWh
	13:45:10	Connected standby	AC	100 %	28,845 mWh
	13:49:46	Active	AC	100 %	28,845 mWh
	13:58:52	Connected standby	AC	100 %	28,845 mWh
	14:05:34	Active	AC	100 %	28,845 mWh
	14:10:48	Connected standby	AC	100 %	28,845 mWh
	14:11:29	Active	AC	100 %	28,845 mWh
	14:26:31	Connected standby	AC	100 %	28,845 mWh
	14:27:10	Active	AC	100 %	28,845 mWh
	14:43:05	Connected standby	AC	100 %	28,845 mWh
	14:43:39	Active	AC	100 %	28,845 mWh
	14:50:14	Connected standby	AC	100 %	28,845 mWh
	14:50:43	Active	AC	100 %	28,845 mWh

	START TIME	STATE	SOURCE	CAPACITY REMAINING	
	14:57:35	Connected standby	AC	100 %	28,845 mWh
	14:57:35	Active	AC	100 %	28,845 mWh
	15:45:01	Connected standby	AC	100 %	28,845 mWh
	15:45:59	Active	AC	100 %	28,845 mWh
	16:05:12	Connected standby	AC	100 %	28,845 mWh
	16:05:44	Active	AC	100 %	28,845 mWh
	16:30:54	Connected standby	AC	100 %	28,845 mWh
	16:30:54	Suspended		100 %	28,845 mWh
2026-05-21	09:15:12	Active	Battery	97 %	27,990 mWh
	09:18:54	Connected standby	Battery	93 %	26,764 mWh
	09:20:16	Active	Battery	92 %	26,629 mWh
	10:03:23	Connected standby	Battery	55 %	15,818 mWh
	10:06:50	Suspended		50 %	14,479 mWh
	10:10:21	Connected standby	Battery	47 %	13,489 mWh
	10:10:56	Active	Battery	46 %	13,219 mWh
	10:18:00	Connected standby	Battery	37 %	10,778 mWh
	10:19:02	Active	Battery	36 %	10,429 mWh
	10:25:04	Connected standby	Battery	29 %	8,258 mWh
	10:25:23	Suspended		28 %	8,100 mWh
	10:26:00	Connected standby	Battery	27 %	7,830 mWh
	10:26:35	Active	Battery	26 %	7,493 mWh
	10:30:03	Connected standby	Battery	21 %	6,019 mWh
	10:30:14	Active	Battery	21 %	5,940 mWh
	10:30:50	Active	AC	20 %	5,681 mWh
	10:52:31	Connected standby	AC	43 %	12,488 mWh
	10:52:54	Active	AC	43 %	12,533 mWh
	10:55:55	Connected standby	AC	48 %	13,950 mWh
	11:11:53	Active	AC	74 %	21,206 mWh
	11:38:38	Connected standby	AC	91 %	26,381 mWh
	11:40:13	Active	AC	92 %	26,584 mWh
	11:43:55	Connected standby	AC	94 %	27,011 mWh
	11:45:08	Active	AC	94 %	27,135 mWh
	12:00:14	Connected standby	AC	98 %	28,328 mWh
	12:02:41	Active	AC	99 %	28,474 mWh
	12:20:29	Connected standby	AC	100 %	28,845 mWh
	12:21:33	Active	AC	100 %	28,845 mWh
	12:29:16	Connected standby	AC	100 %	28,845 mWh
	12:29:56	Active	AC	100 %	28,845 mWh
	12:30:27	Connected standby	AC	100 %	28,845 mWh
	13:30:59	Active	AC	100 %	28,845 mWh
	13:34:02	Connected standby	AC	100 %	28,845 mWh
	13:34:02	Active	AC	100 %	28,845 mWh
	13:48:17	Connected standby	AC	100 %	28,845 mWh
	13:52:36	Active	AC	100 %	28,845 mWh
	14:01:49	Connected standby	AC	100 %	28,845 mWh
	14:01:58	Active	AC	100 %	28,845 mWh
	15:19:00	Connected standby	AC	100 %	28,845 mWh
	15:19:00	Active	AC	100 %	28,845 mWh
	15:31:28	Active	Battery	99 %	28,699 mWh


	START TIME	STATE	SOURCE	CAPACITY REMAINING	
	15:31:39	Connected standby	Battery	99 %	28,676 mWh
	15:34:31	Active	Battery	99 %	28,643 mWh
	17:34:54	Suspended		7 %	2,115 mWh
	17:35:29	Connected standby	AC	8 %	2,295 mWh
	17:36:04	Active	AC	9 %	2,543 mWh
	17:49:46	Connected standby	AC	32 %	9,135 mWh
	17:50:18	Active	AC	32 %	9,326 mWh
	18:00:17	Connected standby	AC	48 %	13,860 mWh
	18:00:17	Suspended		48 %	13,860 mWh
2026-05-22	08:50:09	Connected standby	AC	47 %	13,556 mWh
	08:50:45	Active	AC	46 %	13,264 mWh
	08:50:45	Active	Battery	46 %	13,264 mWh
	08:52:12	Connected standby	Battery	45 %	12,960 mWh
	09:10:27	Active	Battery	44 %	12,600 mWh
	09:10:57	Connected standby	Battery	43 %	12,476 mWh
	09:13:08	Active	Battery	43 %	12,263 mWh
	09:14:20	Connected standby	Battery	42 %	12,105 mWh
	09:14:42	Active	Battery	42 %	12,071 mWh
	09:39:19	Connected standby	Battery	27 %	7,886 mWh
	09:44:11	Active	Battery	27 %	7,808 mWh
	09:58:56	Connected standby	Battery	20 %	5,636 mWh
	10:13:11	Active	Battery	19 %	5,501 mWh
	10:32:55	Active	AC	10 %	2,948 mWh
	10:53:42	Connected standby	AC	45 %	12,893 mWh
	10:53:44	Active	AC	45 %	12,904 mWh
	11:07:26	Connected standby	AC	66 %	19,103 mWh
	11:12:11	Active	AC	72 %	20,880 mWh
	11:15:12	Connected standby	AC	76 %	21,926 mWh
	11:19:17	Active	AC	80 %	23,209 mWh
	11:24:29	Connected standby	AC	85 %	24,570 mWh
	11:27:14	Active	AC	87 %	25,189 mWh
	11:39:10	Connected standby	AC	94 %	27,158 mWh
	11:41:23	Active	AC	95 %	27,428 mWh
	11:55:10	Connected standby	AC	100 %	28,845 mWh
	11:56:04	Active	AC	100 %	28,845 mWh
	12:01:36	Connected standby	AC	100 %	28,845 mWh
	12:03:41	Active	AC	100 %	28,845 mWh
	12:13:41	Connected standby	AC	100 %	28,845 mWh
	12:14:52	Active	AC	100 %	28,845 mWh
	12:20:48	Connected standby	AC	100 %	28,845 mWh
	12:21:33	Active	AC	100 %	28,845 mWh
	12:30:07	Connected standby	AC	100 %	28,845 mWh
	12:54:42	Active	AC	100 %	28,845 mWh
	13:04:51	Connected standby	AC	100 %	28,845 mWh
	13:16:37	Active	AC	100 %	28,845 mWh
	13:24:10	Connected standby	AC	100 %	28,845 mWh
	13:29:38	Active	AC	100 %	28,845 mWh
	13:35:12	Connected standby	AC	100 %	28,845 mWh
	13:36:39	Active	AC	100 %	28,845 mWh

	START TIME	STATE	SOURCE	CAPACITY REMAINING	
	15:29:24	Connected standby	AC	100 %	28,845 mWh
	15:29:43	Active	AC	100 %	28,845 mWh
	15:48:20	Connected standby	AC	100 %	28,845 mWh
	15:48:30	Active	AC	100 %	28,845 mWh
	16:05:41	Connected standby	AC	100 %	28,845 mWh
	16:16:14	Active	AC	100 %	28,845 mWh
	17:47:40	Connected standby	AC	100 %	28,845 mWh
	17:47:40	Active	AC	100 %	28,845 mWh
	18:00:33	Connected standby	AC	100 %	28,845 mWh
	18:00:33	Suspended		100 %	28,845 mWh
	22:21:42	Connected standby	AC	95 %	27,405 mWh
	22:22:17	Active	AC	94 %	27,180 mWh
	22:22:17	Active	Battery	94 %	27,180 mWh
	23:31:57	Connected standby	Battery	19 %	5,513 mWh
	23:31:57	Suspended		19 %	5,513 mWh
2026-05-23	21:53:07	Connected standby	Battery	18 %	5,288 mWh
	21:53:07	Active	Battery	18 %	5,288 mWh
	21:53:07	Active	AC	18 %	5,288 mWh
	21:55:40	Connected standby	AC	22 %	6,255 mWh
	22:15:43	Active	AC	57 %	16,481 mWh
	23:29:19	Active	Battery	99 %	28,665 mWh
	23:29:21	Active	AC	100 %	28,845 mWh
2026-05-24	00:27:53	Connected standby	AC	100 %	28,845 mWh
	00:42:53	Active	AC	100 %	28,845 mWh
	01:17:17	Active	Battery	100 %	28,845 mWh
	01:19:51	Connected standby	Battery	97 %	28,046 mWh
	01:19:51	Suspended		97 %	28,046 mWh
2026-05-25	09:01:33	Connected standby	Battery	95 %	27,473 mWh
	09:02:08	Active	Battery	95 %	27,360 mWh
	09:55:12	Connected standby	Battery	66 %	19,069 mWh
	09:55:28	Active	Battery	66 %	19,001 mWh
	09:59:48	Connected standby	Battery	64 %	18,574 mWh
	10:01:01	Active	Battery	64 %	18,506 mWh
	10:14:54	Connected standby	Battery	57 %	16,425 mWh
	10:21:09	Active	Battery	57 %	16,346 mWh
	10:25:07	Connected standby	Battery	54 %	15,615 mWh
	10:29:37	Active	Battery	53 %	15,368 mWh
	10:53:20	Connected standby	Battery	40 %	11,430 mWh
	11:05:09	Connected standby	AC	39 %	11,160 mWh
	11:05:14	Active	AC	39 %	11,160 mWh
	11:56:34	Connected standby	AC	94 %	27,034 mWh
	11:59:51	Active	AC	95 %	27,383 mWh
	12:02:58	Connected standby	AC	96 %	27,664 mWh
	12:21:39	Active	AC	100 %	28,845 mWh
	12:22:12	Connected standby	AC	100 %	28,845 mWh
	12:24:47	Active	AC	100 %	28,845 mWh
	12:28:00	Connected standby	AC	100 %	28,845 mWh
	12:57:32	Active	AC	100 %	28,845 mWh
	14:29:30	Connected standby	AC	100 %	28,845 mWh

	START TIME	STATE	SOURCE	CAPACITY REMAINING	
	14:46:38	Active	AC	100 %	28,845 mWh
	14:51:20	Connected standby	AC	100 %	28,845 mWh
	14:52:32	Active	AC	100 %	28,845 mWh
	14:55:47	Connected standby	AC	100 %	28,845 mWh
	14:55:48	Active	AC	100 %	28,845 mWh
	18:03:56	Connected standby	AC	100 %	28,845 mWh
	18:03:56	Suspended		100 %	28,845 mWh
2026-05-26	09:02:38	Connected standby	AC	98 %	28,204 mWh
	09:03:13	Active	AC	97 %	28,058 mWh
	09:03:14	Active	Battery	97 %	28,058 mWh
	09:05:46	Connected standby	Battery	96 %	27,709 mWh
	09:18:12	Active	Battery	96 %	27,596 mWh
	09:31:23	Connected standby	Battery	86 %	24,694 mWh
	09:31:46	Suspended		85 %	24,638 mWh
	09:33:56	Connected standby	Battery	85 %	24,469 mWh
	09:34:31	Active	Battery	85 %	24,401 mWh
	10:00:38	Connected standby	Battery	72 %	20,734 mWh
	10:02:59	Active	Battery	72 %	20,655 mWh
	10:05:37	Connected standby	Battery	70 %	20,329 mWh
	10:06:12	Active	Battery	70 %	20,318 mWh
	10:07:29	Connected standby	Battery	70 %	20,138 mWh
	10:07:47	Active	Battery	70 %	20,115 mWh
	10:12:42	Report generated	Battery	68 %	19,665 mWh

Battery usage

Battery drains over the last 7 days



	START TIME	STATE	DURATION	ENERGY DRAINED	
2026-05-19	18:02:38	Active	0:06:42	5 %	1,361 mWh
	18:09:20	Connected standby	0:00:00	-	-
2026-05-20	09:04:15	Connected standby	0:00:35	1 %	180 mWh

	START TIME	STATE	DURATION	ENERGY DRAINED	
	09:04:50	Active	0:21:14	14 %	4,028 mWh
	09:26:04	Connected standby	0:01:30	-	78 mWh
	09:27:35	Active	0:26:25	11 %	3,229 mWh
	09:54:00	Connected standby	0:03:38	2 %	551 mWh
	09:57:39	Active	0:50:07	30 %	8,517 mWh
	10:47:47	Connected standby	0:03:07	1 %	202 mWh
	10:50:54	Active	0:09:34	5 %	1,575 mWh
	11:00:29	Connected standby	0:05:19	1 %	236 mWh
	11:05:48	Active	0:14:21	8 %	2,374 mWh
2026-05-21	09:15:12	Active	0:03:41	4 %	1,226 mWh
	09:18:54	Connected standby	0:01:21	-	135 mWh
	09:20:16	Active	0:43:07	37 %	10,811 mWh
	10:03:23	Connected standby	0:03:27	5 %	1,339 mWh
	10:10:21	Connected standby	0:00:35	1 %	270 mWh
	10:10:56	Active	0:07:04	8 %	2,441 mWh
	10:18:00	Connected standby	0:01:01	1 %	349 mWh
	10:19:02	Active	0:06:01	8 %	2,171 mWh
	10:25:04	Connected standby	0:00:19	1 %	158 mWh
	10:26:00	Connected standby	0:00:35	1 %	337 mWh
	10:26:35	Active	0:03:27	5 %	1,474 mWh
	10:30:03	Connected standby	0:00:10	-	79 mWh
	10:30:14	Active	0:00:35	1 %	259 mWh
	15:31:28	Active	0:00:10	-	23 mWh
	15:31:39	Connected standby	0:02:52	-	33 mWh
	15:34:31	Active	2:00:22	92 %	26,528 mWh
	08:50:45	Active	0:01:26	1 %	304 mWh
	08:52:12	Connected standby	0:18:14	1 %	360 mWh
	09:10:27	Active	0:00:30	-	124 mWh
	09:10:57	Connected standby	0:02:10	1 %	213 mWh
	09:13:08	Active	0:01:11	1 %	158 mWh
	09:14:20	Connected standby	0:00:21	-	34 mWh
	09:14:42	Active	0:24:37	15 %	4,185 mWh
	09:39:19	Connected standby	0:04:52	-	78 mWh
	09:44:11	Active	0:14:44	8 %	2,172 mWh
	09:58:56	Connected standby	0:14:14	-	135 mWh
	10:13:11	Active	0:19:44	9 %	2,553 mWh
	22:22:17	Active	1:09:39	75 %	21,667 mWh
	23:31:57	Connected standby	0:00:00	-	-
2026-05-23	21:53:07	Connected standby	0:00:00	-	-
	21:53:07	Active	0:00:00	-	-
	23:29:19	Active	0:00:01	-	-180 mWh
	01:17:17	Active	0:02:34	3 %	799 mWh
	01:19:51	Connected standby	0:00:00	-	-
2026-05-25	09:01:33	Connected standby	0:00:35	-	113 mWh
	09:02:08	Active	0:53:04	29 %	8,291 mWh
	09:55:12	Connected standby	0:00:15	-	68 mWh

START TIME	STATE	DURATION	ENERGY DRAINED	
09:55:28	Active	0:04:20	1 %	427 mWh
09:59:48	Connected standby	0:01:12	-	68 mWh
10:01:01	Active	0:13:53	7 %	2,081 mWh
10:14:54	Connected standby	0:06:14	-	79 mWh
10:21:09	Active	0:03:58	3 %	731 mWh
10:25:07	Connected standby	0:04:29	1 %	247 mWh
10:29:37	Active	0:23:43	14 %	3,938 mWh
10:53:20	Connected standby	0:11:48	1 %	270 mWh
09:03:14	Active	0:02:32	1 %	349 mWh
09:05:46	Connected standby	0:12:25	-	113 mWh
09:18:12	Active	0:13:11	10 %	2,902 mWh
09:31:23	Connected standby	0:00:23	-	56 mWh
09:33:56	Connected standby	0:00:35	-	68 mWh
09:34:31	Active	0:26:07	13 %	3,667 mWh
10:00:38	Connected standby	0:02:21	-	79 mWh
10:02:59	Active	0:02:37	1 %	326 mWh
10:05:37	Connected standby	0:00:34	-	11 mWh
10:06:12	Active	0:01:17	1 %	180 mWh
10:07:29	Connected standby	0:00:17	-	23 mWh
10:07:47	Active	0:04:55	2 %	450 mWh

Usage history

History of system usage on AC and battery

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2022-12-12 - 2022-12-19	20:43:31	20:23:20	18:24:00	1:17:49
2022-12-19 - 2022-12-26	17:49:13	30:48:18	19:46:47	1:07:35
2022-12-26 - 2023-01-03	12:01:45	15:14:45	14:23:08	1:22:19
2023-01-03 - 2023-01-09	13:00:11	20:52:49	11:22:06	1:42:10
2023-01-09 - 2023-01-16	6:27:17	18:34:09	9:58:07	0:29:59
2023-01-16 - 2023-01-23	20:23:34	37:19:58	13:35:59	1:50:35
2023-01-23 - 2023-01-30	26:17:07	101:53:59	18:21:42	1:42:43
2023-01-30 - 2023-02-06	30:03:13	29:08:11	17:57:08	3:48:04
2023-02-06 - 2023-02-16	27:43:44	22:21:03	16:17:13	1:27:16
2023-02-16 - 2023-02-24	2:49:18	7:05:13	1:29:56	0:05:41
2023-02-24 - 2023-03-09	2:39:35	4:34:41	-	-
2023-03-09 - 2023-03-22	0:18:41	71:03:59	0:23:50	0:02:18
2023-03-22 - 2023-03-31	2:56:44	6:37:08	0:48:03	-
2023-03-31 - 2023-04-05	4:57:24	1:42:19	2:28:00	0:33:12
2023-04-05 - 2023-04-12	-	-	-	-
2023-04-12 - 2023-07-19	-	-	-	-
2023-07-19 - 2023-09-04	2:20:39	3:47:32	2:14:17	4:58:46
2023-09-04 - 2023-09-21	-	-	-	-
2023-09-21 - 2023-09-28	403:57:02	2:08:22	0:08:14	-
2023-09-28 - 2023-10-02	7:51:18	0:31:41	1:04:19	0:04:39
2023-10-02 - 2023-10-09	28:31:53	1:28:28	20:48:02	1:26:49
2023-10-09 - 2023-10-16	36:36:39	9:11:21	16:06:46	0:42:10

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2023-10-16 - 2023-10-23	35:03:57	7:57:06	13:19:07	0:04:05
2023-10-23 - 2023-10-31	29:19:02	1:14:32	11:46:08	4:23:33
2023-10-31 - 2023-11-06	2:26:25	2:02:35	1:03:08	-
2023-11-06 - 2023-11-13	38:42:44	12:55:10	13:11:29	2:12:10
2023-11-13 - 2023-11-20	25:25:00	17:33:46	12:44:42	1:41:09
2023-11-20 - 2023-11-28	32:48:51	3:22:18	9:11:48	1:45:31
2023-11-28 - 2023-12-04	22:22:56	1:29:07	9:39:01	1:21:41
2023-12-04 - 2023-12-11	22:02:45	2:05:58	9:39:06	1:46:30
2023-12-11 - 2023-12-18	31:36:10	5:08:45	13:06:52	3:33:14
2023-12-18 - 2023-12-26	33:08:59	19:47:09	13:20:26	0:19:10
2023-12-26 - 2024-01-01	225:40:49	103:10:09	92:59:04	14:34:18
2024-01-01 - 2024-01-08	33:40:29	22:16:59	9:05:28	3:02:41
2024-01-08 - 2024-01-15	27:11:37	20:11:16	10:09:00	1:10:37
2024-01-15 - 2024-01-22	28:54:19	62:02:01	12:39:53	2:08:56
2024-01-22 - 2024-01-29	29:01:45	49:21:21	10:05:06	2:55:19
2024-01-29 - 2024-02-05	25:48:45	49:53:52	14:43:45	2:31:25
2024-02-05 - 2024-02-13	24:07:28	24:40:54	10:55:50	0:37:03
2024-02-13 - 2024-02-19	23:33:11	52:00:09	7:09:09	0:12:21
2024-02-19 - 2024-02-26	23:20:14	15:01:01	18:55:52	0:47:39
2024-02-26 - 2024-03-04	24:35:38	35:20:47	12:43:42	0:49:51
2024-03-04 - 2024-03-11	22:24:37	53:44:07	16:32:20	2:58:05
2024-03-11 - 2024-03-19	47:02:07	136:07:12	29:02:33	6:30:29
2024-03-19 - 2024-03-25	23:41:38	17:39:15	10:09:15	0:54:08
2024-03-25 - 2024-04-01	20:22:30	21:35:03	8:27:50	0:11:31
2024-04-01 - 2024-04-08	23:51:28	23:17:11	12:19:45	0:58:32
2024-04-08 - 2024-04-15	18:26:08	56:26:13	7:01:32	2:07:51
2024-04-15 - 2024-04-25	10:25:40	9:38:58	5:14:57	0:23:35
2024-04-25 - 2024-04-29	9:07:37	3:43:39	6:15:48	1:09:42
2024-04-29 - 2024-05-06	17:33:47	19:01:31	12:24:53	1:29:44
2024-05-06 - 2024-05-14	22:23:13	18:37:50	11:38:09	2:03:14
2024-05-14 - 2024-05-20	16:11:02	4:53:51	15:44:53	1:59:47
2024-05-20 - 2024-05-27	26:18:42	71:37:21	13:48:11	2:12:00
2024-05-27 - 2024-06-03	17:59:59	3:20:37	12:39:23	1:00:49
2024-06-03 - 2024-06-10	26:35:56	6:25:11	11:27:46	3:29:00
2024-06-10 - 2024-06-18	18:17:33	4:41:58	8:05:31	0:02:24
2024-06-18 - 2024-06-24	15:16:41	1:41:46	8:55:24	1:03:54
2024-06-24 - 2024-07-01	25:56:02	1:22:38	13:12:34	4:03:09
2024-07-01 - 2024-07-08	11:39:52	1:27:49	10:40:39	2:10:21
2024-07-08 - 2024-07-15	23:20:43	8:25:46	14:11:28	1:17:23
2024-07-15 - 2024-07-22	16:15:35	2:19:09	11:25:42	1:50:04
2024-07-22 - 2024-07-29	16:20:29	26:06:21	5:45:58	0:50:11
2024-07-29 - 2024-11-19	-	-	-	-
2024-11-19 - 2024-11-25	15:17:37	20:39:59	5:39:50	0:47:06
2024-11-25 - 2024-12-02	18:49:28	0:01:10	15:42:33	-
2024-12-02 - 2024-12-10	2:20:51	0:00:01	6:37:58	-
2024-12-10 - 2025-01-10	2:21:44	0:36:35	3:22:39	0:00:35
2025-01-10 - 2025-01-13	-	-	-	-
2025-01-13 - 2025-01-20	23:49:24	1:21:39	16:36:42	0:00:28

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-01-20 - 2025-01-30	7:48:07	0:01:11	1:15:00	-
2025-01-30 - 2025-02-17	-	-	-	-
2025-02-17 - 2025-02-24	12:29:21	0:03:25	15:28:32	0:30:33
2025-02-24 - 2025-03-03	61:03:09	1:50:00	56:56:16	0:32:14
2025-03-03 - 2025-03-10	9:26:55	3:15:27	37:30:55	0:01:49
2025-03-10 - 2025-03-17	8:28:59	1:35:16	33:52:54	0:01:43
2025-03-17 - 2025-03-24	6:45:52	0:29:07	38:00:39	0:01:45
2025-03-24 - 2025-03-31	7:06:01	1:28:11	35:58:10	0:01:48
2025-03-31 - 2025-04-07	8:25:11	0:11:11	26:27:55	0:00:15
2025-04-07 - 2025-04-14	7:46:37	1:04:15	33:34:15	0:02:18
2025-04-14 - 2025-04-21	2:18:21	1:59:26	17:16:03	0:38:22
2025-04-21 - 2025-04-28	4:49:18	0:04:45	30:19:11	0:01:44
2025-04-28 - 2025-05-05	10:49:45	0:01:38	25:36:28	-
2025-05-05 - 2025-05-13	5:46:49	0:38:16	28:29:25	-
2025-05-13 - 2025-05-19	8:58:06	0:39:30	50:31:20	0:40:06
2025-05-19 - 2025-05-27	8:33:27	0:29:43	30:05:56	0:00:35
2025-05-27 - 2025-06-02	3:16:21	0:01:12	26:25:35	0:17:14
2025-06-02 - 2025-06-10	17:00:38	0:41:43	85:29:35	0:19:37
2025-06-10 - 2025-06-16	-	-	-	-
2025-06-16 - 2025-06-23	6:41:43	0:53:24	29:54:58	0:30:02
2025-06-23 - 2025-06-30	12:51:20	0:06:16	28:26:57	0:01:36
2025-06-30 - 2025-07-07	3:07:39	0:08:07	17:19:49	0:00:35
2025-07-07 - 2025-07-14	11:45:02	0:00:33	28:50:38	0:01:11
2025-07-14 - 2025-07-21	12:35:45	0:01:45	23:18:00	0:00:35
2025-07-21 - 2025-07-30	3:52:57	0:01:10	25:26:44	0:01:10
2025-07-30 - 2025-08-04	34:55:29	0:04:04	98:52:09	0:02:57
2025-08-04 - 2025-08-11	6:17:24	0:01:10	36:51:08	0:01:10
2025-08-11 - 2025-08-18	4:50:57	0:01:09	37:18:48	0:01:45
2025-08-18 - 2025-08-26	11:40:18	0:07:10	29:02:05	0:00:35
2025-08-26 - 2025-09-01	23:37:34	0:16:13	82:16:41	0:03:31
2025-09-01 - 2025-09-08	34:26:38	0:16:47	107:05:42	0:05:55
2025-09-08 - 2025-09-15	49:07:47	1:02:11	132:53:56	0:07:29
2025-09-15 - 2025-09-22	10:17:48	0:03:18	22:53:11	-
2025-09-22 - 2025-09-29	64:07:33	1:07:15	174:52:58	0:07:29
2025-09-29 - 2025-10-06	75:29:00	23:41:02	197:21:59	0:08:05
2025-10-06 - 2025-10-13	1:02:49	-	7:32:41	-
2025-10-13 - 2025-10-20	5:27:46	0:00:35	8:41:46	0:00:35
2025-10-20 - 2025-10-27	4:55:00	1:11:33	8:42:54	0:01:09
2025-10-27 - 2025-11-18	1:12:00	0:01:10	-	-
2025-11-18 - 2025-11-28	18:16:35	0:00:31	4:49:52	-
2025-11-28 - 2025-12-04	0:01:08	0:20:08	-	-
2025-12-04 - 2025-12-19	0:02:07	1:21:36	1:48:34	0:00:35
2025-12-19 - 2026-01-21	0:24:42	1:21:54	2:50:47	-
2026-01-21 - 2026-01-26	15:01:51	3:07:30	12:24:59	0:01:14
2026-01-26 - 2026-02-02	17:26:22	0:25:22	28:14:30	0:01:10
2026-02-02 - 2026-02-09	10:13:04	4:01:49	20:55:52	8:30:40
2026-02-09 - 2026-02-16	14:18:19	6:39:39	22:25:12	13:12:17
2026-02-16 - 2026-02-23	10:56:12	13:59:19	17:44:39	8:35:06

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2026-02-23 - 2026-03-02	15:02:34	6:11:14	22:53:45	4:49:19
2026-03-02 - 2026-03-09	22:35:14	7:56:49	20:08:07	2:37:59
2026-03-09 - 2026-03-16	6:11:35	2:21:50	5:24:16	4:12:02
2026-03-16 - 2026-03-23	9:22:52	3:22:41	16:05:13	4:40:58
2026-03-23 - 2026-03-30	1:55:56	0:42:37	3:57:44	0:40:35
2026-03-30 - 2026-04-06	5:59:36	0:57:36	15:18:06	5:00:43
2026-04-06 - 2026-04-13	10:59:47	2:24:41	21:33:38	5:43:00
2026-04-13 - 2026-04-20	18:17:43	592622:46:34	19:11:49	5:16:17
2026-04-20 - 2026-04-27	20:05:05	4:55:05	38:53:05	13:15:28
2026-04-27 - 2026-05-04	12:51:55	2:45:34	25:16:50	7:02:29
2026-05-04 - 2026-05-11	16:47:52	1:46:58	34:50:48	15:23:44
2026-05-11 - 2026-05-18	18:40:03	3:21:47	26:23:13	5:58:58
2026-05-18	1:49:22	0:41:48	5:33:38	1:15:47
2026-05-19	1:44:33	0:11:38	5:26:23	1:58:54
2026-05-20	2:01:39	0:14:02	3:42:07	1:28:13
2026-05-21	3:04:24	0:10:16	3:55:49	1:29:16
2026-05-22	2:11:49	0:39:46	6:14:15	1:13:58
2026-05-23	0:00:01	-	1:46:42	0:19:59
2026-05-24	0:02:34	-	1:02:16	0:15:00
2026-05-25	1:38:58	0:24:27	5:46:07	1:12:22

Battery capacity history

Charge capacity history of the system's batteries

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2022-12-12 - 2022-12-19	48,724 mWh	48,004 mWh
2022-12-19 - 2022-12-26	48,724 mWh	48,004 mWh
2022-12-26 - 2023-01-03	48,724 mWh	48,004 mWh
2023-01-03 - 2023-01-09	48,724 mWh	48,004 mWh
2023-01-09 - 2023-01-16	48,724 mWh	48,004 mWh
2023-01-16 - 2023-01-23	48,724 mWh	48,004 mWh
2023-01-23 - 2023-01-30	48,724 mWh	48,004 mWh
2023-01-30 - 2023-02-06	48,724 mWh	48,004 mWh
2023-02-06 - 2023-02-16	48,724 mWh	48,004 mWh
2023-02-16 - 2023-02-24	48,724 mWh	48,004 mWh
2023-02-24 - 2023-03-09	48,724 mWh	48,004 mWh
2023-03-09 - 2023-03-22	47,532 mWh	48,004 mWh
2023-03-22 - 2023-03-31	47,531 mWh	48,004 mWh
2023-03-31 - 2023-04-05	47,531 mWh	48,004 mWh
2023-04-05 - 2023-04-12	-	-
2023-04-12 - 2023-07-19	-	-
2023-07-19 - 2023-09-04	47,531 mWh	48,004 mWh
2023-09-04 - 2023-09-21	47,531 mWh	48,004 mWh
2023-09-21 - 2023-09-28	47,531 mWh	48,004 mWh
2023-09-28 - 2023-10-02	47,531 mWh	48,004 mWh
2023-10-02 - 2023-10-09	47,531 mWh	48,004 mWh
2023-10-09 - 2023-10-16	46,663 mWh	48,004 mWh

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2023-10-16 - 2023-10-23	45,135 mWh	48,004 mWh
2023-10-23 - 2023-10-31	45,135 mWh	48,004 mWh
2023-10-31 - 2023-11-06	45,135 mWh	48,004 mWh
2023-11-06 - 2023-11-13	45,191 mWh	48,004 mWh
2023-11-13 - 2023-11-20	45,349 mWh	48,004 mWh
2023-11-20 - 2023-11-28	45,349 mWh	48,004 mWh
2023-11-28 - 2023-12-04	45,349 mWh	48,004 mWh
2023-12-04 - 2023-12-11	45,349 mWh	48,004 mWh
2023-12-11 - 2023-12-18	45,349 mWh	48,004 mWh
2023-12-18 - 2023-12-26	45,349 mWh	48,004 mWh
2023-12-26 - 2024-01-01	45,140 mWh	48,004 mWh
2024-01-01 - 2024-01-08	43,493 mWh	48,004 mWh
2024-01-08 - 2024-01-15	43,493 mWh	48,004 mWh
2024-01-15 - 2024-01-22	43,493 mWh	48,004 mWh
2024-01-22 - 2024-01-29	43,493 mWh	48,004 mWh
2024-01-29 - 2024-02-05	43,493 mWh	48,004 mWh
2024-02-05 - 2024-02-13	43,493 mWh	48,004 mWh
2024-02-13 - 2024-02-19	43,493 mWh	48,004 mWh
2024-02-19 - 2024-02-26	43,546 mWh	48,004 mWh
2024-02-26 - 2024-03-04	44,415 mWh	48,004 mWh
2024-03-04 - 2024-03-11	44,415 mWh	48,004 mWh
2024-03-11 - 2024-03-19	44,450 mWh	48,004 mWh
2024-03-19 - 2024-03-25	44,646 mWh	48,004 mWh
2024-03-25 - 2024-04-01	43,892 mWh	48,004 mWh
2024-04-01 - 2024-04-08	43,931 mWh	48,004 mWh
2024-04-08 - 2024-04-15	43,931 mWh	48,004 mWh
2024-04-15 - 2024-04-25	43,931 mWh	48,004 mWh
2024-04-25 - 2024-04-29	43,931 mWh	48,004 mWh
2024-04-29 - 2024-05-06	44,470 mWh	48,004 mWh
2024-05-06 - 2024-05-14	44,471 mWh	48,004 mWh
2024-05-14 - 2024-05-20	44,471 mWh	48,004 mWh
2024-05-20 - 2024-05-27	44,471 mWh	48,004 mWh
2024-05-27 - 2024-06-03	44,471 mWh	48,004 mWh
2024-06-03 - 2024-06-10	44,471 mWh	48,004 mWh
2024-06-10 - 2024-06-18	44,471 mWh	48,004 mWh
2024-06-18 - 2024-06-24	44,471 mWh	48,004 mWh
2024-06-24 - 2024-07-01	44,471 mWh	48,004 mWh
2024-07-01 - 2024-07-08	43,839 mWh	48,004 mWh
2024-07-08 - 2024-07-15	42,806 mWh	48,004 mWh
2024-07-15 - 2024-07-22	42,806 mWh	48,004 mWh
2024-07-22 - 2024-07-29	42,806 mWh	48,004 mWh
2024-07-29 - 2024-11-19	-	-
2024-11-19 - 2024-11-25	42,806 mWh	48,004 mWh
2024-11-25 - 2024-12-02	42,806 mWh	48,004 mWh
2024-12-02 - 2024-12-10	42,806 mWh	48,004 mWh
2024-12-10 - 2025-01-10	42,806 mWh	48,004 mWh
2025-01-10 - 2025-01-13	-	-
2025-01-13 - 2025-01-20	42,898 mWh	48,004 mWh
2025-01-20 - 2025-01-30	43,020 mWh	48,004 mWh

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2025-01-30 - 2025-02-17	43,020 mWh	48,004 mWh
2025-02-17 - 2025-02-24	43,020 mWh	48,004 mWh
2025-02-24 - 2025-03-03	42,948 mWh	48,004 mWh
2025-03-03 - 2025-03-10	43,875 mWh	48,004 mWh
2025-03-10 - 2025-03-17	43,875 mWh	48,004 mWh
2025-03-17 - 2025-03-24	43,875 mWh	48,004 mWh
2025-03-24 - 2025-03-31	43,573 mWh	48,004 mWh
2025-03-31 - 2025-04-07	43,313 mWh	48,004 mWh
2025-04-07 - 2025-04-14	43,313 mWh	48,004 mWh
2025-04-14 - 2025-04-21	43,313 mWh	48,004 mWh
2025-04-21 - 2025-04-28	43,313 mWh	48,004 mWh
2025-04-28 - 2025-05-05	42,670 mWh	48,004 mWh
2025-05-05 - 2025-05-13	42,041 mWh	48,004 mWh
2025-05-13 - 2025-05-19	42,041 mWh	48,004 mWh
2025-05-19 - 2025-05-27	41,202 mWh	48,004 mWh
2025-05-27 - 2025-06-02	38,678 mWh	48,004 mWh
2025-06-02 - 2025-06-10	39,309 mWh	48,004 mWh
2025-06-10 - 2025-06-16	-	-
2025-06-16 - 2025-06-23	38,678 mWh	48,004 mWh
2025-06-23 - 2025-06-30	38,678 mWh	48,004 mWh
2025-06-30 - 2025-07-07	38,678 mWh	48,004 mWh
2025-07-07 - 2025-07-14	38,678 mWh	48,004 mWh
2025-07-14 - 2025-07-21	38,678 mWh	48,004 mWh
2025-07-21 - 2025-07-30	38,678 mWh	48,004 mWh
2025-07-30 - 2025-08-04	38,678 mWh	48,004 mWh
2025-08-04 - 2025-08-11	38,678 mWh	48,004 mWh
2025-08-11 - 2025-08-18	38,678 mWh	48,004 mWh
2025-08-18 - 2025-08-26	39,423 mWh	48,004 mWh
2025-08-26 - 2025-09-01	39,359 mWh	48,004 mWh
2025-09-01 - 2025-09-08	39,564 mWh	48,004 mWh
2025-09-08 - 2025-09-15	39,713 mWh	48,004 mWh
2025-09-15 - 2025-09-22	38,756 mWh	48,004 mWh
2025-09-22 - 2025-09-29	39,454 mWh	48,004 mWh
2025-09-29 - 2025-10-06	39,314 mWh	48,004 mWh
2025-10-06 - 2025-10-13	38,250 mWh	48,004 mWh
2025-10-13 - 2025-10-20	38,250 mWh	48,004 mWh
2025-10-20 - 2025-10-27	38,250 mWh	48,004 mWh
2025-10-27 - 2025-11-18	38,250 mWh	48,004 mWh
2025-11-18 - 2025-11-28	38,250 mWh	48,004 mWh
2025-11-28 - 2025-12-04	38,250 mWh	48,004 mWh
2025-12-04 - 2025-12-19	38,250 mWh	48,004 mWh
2025-12-19 - 2026-01-21	38,250 mWh	48,004 mWh
2026-01-21 - 2026-01-26	38,245 mWh	48,004 mWh
2026-01-26 - 2026-02-02	36,556 mWh	48,004 mWh
2026-02-02 - 2026-02-09	35,310 mWh	48,004 mWh
2026-02-09 - 2026-02-16	33,559 mWh	48,004 mWh
2026-02-16 - 2026-02-23	33,797 mWh	48,004 mWh
2026-02-23 - 2026-03-02	35,336 mWh	48,004 mWh
2026-03-02 - 2026-03-09	35,336 mWh	48,004 mWh

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2026-03-09 - 2026-03-16	35,336 mWh	48,004 mWh
2026-03-16 - 2026-03-23	35,336 mWh	48,004 mWh
2026-03-23 - 2026-03-30	32,873 mWh	48,004 mWh
2026-03-30 - 2026-04-06	29,282 mWh	48,004 mWh
2026-04-06 - 2026-04-13	28,845 mWh	48,004 mWh
2026-04-13 - 2026-04-20	28,845 mWh	48,004 mWh
2026-04-20 - 2026-04-27	28,845 mWh	48,004 mWh
2026-04-27 - 2026-05-04	28,845 mWh	48,004 mWh
2026-05-04 - 2026-05-11	28,845 mWh	48,004 mWh
2026-05-11 - 2026-05-18	28,845 mWh	48,004 mWh
2026-05-18	28,845 mWh	48,004 mWh
2026-05-19	28,845 mWh	48,004 mWh
2026-05-20	28,845 mWh	48,004 mWh
2026-05-21	28,845 mWh	48,004 mWh
2026-05-22	28,845 mWh	48,004 mWh
2026-05-23	28,845 mWh	48,004 mWh
2026-05-24	28,845 mWh	48,004 mWh
2026-05-25	28,845 mWh	48,004 mWh

Battery life estimates

Battery life estimates based on observed drains

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2022-12-12 - 2022-12-19	8:26:09	97:54:47 16 % / 16 h	8:18:41	96:27:59 17 % / 16 h
2022-12-19 - 2022-12-26	8:01:39	119:15:17 13 % / 16 h	7:54:32	117:29:33 14 % / 16 h
2022-12-26 - 2023-01-03	8:14:22	149:20:39 11 % / 16 h	8:07:03	147:08:14 11 % / 16 h
2023-01-03 - 2023-01-09	7:32:09	145:40:17 11 % / 16 h	7:25:28	143:31:08 11 % / 16 h
2023-01-09 - 2023-01-16	8:00:04	139:50:23 11 % / 16 h	7:52:59	137:46:24 12 % / 16 h
2023-01-16 - 2023-01-23	8:49:35	88:02:25 18 % / 16 h	8:41:46	86:44:21 18 % / 16 h
2023-01-23 - 2023-01-30	7:50:23	247:30:20 6 % / 16 h	7:43:26	243:50:53 7 % / 16 h
2023-01-30 - 2023-02-06	6:08:44	70:48:43 23 % / 16 h	6:03:17	69:45:56 23 % / 16 h
2023-02-06 - 2023-02-16	7:08:51	67:07:26 24 % / 16 h	7:02:31	66:07:56 24 % / 16 h
2023-02-16 - 2023-02-24	3:51:44	75:25:36 21 % / 16 h	3:48:19	74:18:44 22 % / 16 h
2023-02-24 - 2023-03-09	7:26:29	153:43:45 10 % / 16 h	7:19:53	151:27:27 11 % / 16 h
2023-03-09 - 2023-03-22	2:05:54	3192:44:53 1 % / 16 h	2:07:09	3224:27:09 - / 16 h
2023-03-22 - 2023-03-31	9:48:25	144:10:50 11 % / 16 h	9:54:16	145:36:56 11 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2023-03-31 - 2023-04-05	7:44:31	100:03:58 16 % / 16 h	7:49:08	101:03:42 16 % / 16 h
2023-04-05 - 2023-04-12	-	-	-	-
2023-04-12 - 2023-07-19	-	-	-	-
2023-07-19 - 2023-09-04	5:10:30	118:35:03 13 % / 16 h	5:13:35	119:45:51 13 % / 16 h
2023-09-04 - 2023-09-21	-	-	-	-
2023-09-21 - 2023-09-28	4662:29:59	89:30:56 18 % / 16 h	4708:53:53	90:24:23 18 % / 16 h
2023-09-28 - 2023-10-02	6:55:37	34:48:40 46 % / 16 h	6:59:45	35:09:28 46 % / 16 h
2023-10-02 - 2023-10-09	5:06:44	105:32:41 15 % / 16 h	5:09:47	106:35:42 15 % / 16 h
2023-10-09 - 2023-10-16	5:23:49	140:43:35 11 % / 16 h	5:33:08	144:46:15 11 % / 16 h
2023-10-16 - 2023-10-23	5:45:09	108:04:09 15 % / 16 h	6:07:05	114:56:19 14 % / 16 h
2023-10-23 - 2023-10-31	5:31:05	53:33:02 30 % / 16 h	5:52:08	56:57:17 28 % / 16 h
2023-10-31 - 2023-11-06	6:40:26	73:07:37 22 % / 16 h	7:05:53	77:46:31 21 % / 16 h
2023-11-06 - 2023-11-13	5:48:30	108:24:00 15 % / 16 h	6:10:11	115:08:51 14 % / 16 h
2023-11-13 - 2023-11-20	6:13:40	187:50:34 9 % / 16 h	6:35:33	198:50:25 8 % / 16 h
2023-11-20 - 2023-11-28	5:48:26	95:01:44 17 % / 16 h	6:08:50	100:35:33 16 % / 16 h
2023-11-28 - 2023-12-04	5:27:38	17:18:06 92 % / 16 h	5:46:49	18:18:53 87 % / 16 h
2023-12-04 - 2023-12-11	5:33:15	73:37:59 22 % / 16 h	5:52:45	77:56:38 21 % / 16 h
2023-12-11 - 2023-12-18	5:32:05	113:56:40 14 % / 16 h	5:51:32	120:36:55 13 % / 16 h
2023-12-18 - 2023-12-26	5:22:43	112:01:56 14 % / 16 h	5:41:37	118:35:29 13 % / 16 h
2023-12-26 - 2024-01-01	5:31:08	126:01:35 13 % / 16 h	5:52:08	134:01:20 12 % / 16 h
2024-01-01 - 2024-01-08	6:30:56	159:13:03 10 % / 16 h	7:11:28	175:43:52 9 % / 16 h
2024-01-08 - 2024-01-15	5:09:04	116:54:51 14 % / 16 h	5:41:07	129:02:25 12 % / 16 h
2024-01-15 - 2024-01-22	4:39:02	177:45:32 9 % / 16 h	5:07:59	196:11:45 8 % / 16 h
2024-01-22 - 2024-01-29	4:55:54	214:29:30 7 % / 16 h	5:26:36	236:44:18 7 % / 16 h
2024-01-29 - 2024-02-05	5:03:57	194:29:51 8 % / 16 h	5:35:29	214:40:13 7 % / 16 h
2024-02-05 - 2024-02-13	5:55:44	166:15:01 10 % / 16 h	6:32:38	183:29:37 9 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2024-02-13 - 2024-02-19	5:30:51	175:59:51 9 % / 16 h	6:05:10	194:15:05 8 % / 16 h
2024-02-19 - 2024-02-26	5:05:46	110:33:14 14 % / 16 h	5:37:04	121:52:19 13 % / 16 h
2024-02-26 - 2024-03-04	5:01:55	286:00:36 6 % / 16 h	5:26:18	309:07:17 5 % / 16 h
2024-03-04 - 2024-03-11	5:07:15	247:31:36 6 % / 16 h	5:32:05	267:31:42 6 % / 16 h
2024-03-11 - 2024-03-19	5:18:23	378:08:05 4 % / 16 h	5:43:51	408:22:06 4 % / 16 h
2024-03-19 - 2024-03-25	5:32:26	231:16:32 7 % / 16 h	5:57:26	248:40:15 6 % / 16 h
2024-03-25 - 2024-04-01	6:02:10	117:50:49 14 % / 16 h	6:36:06	128:53:14 12 % / 16 h
2024-04-01 - 2024-04-08	5:47:01	94:01:30 17 % / 16 h	6:19:12	102:44:33 16 % / 16 h
2024-04-08 - 2024-04-15	5:24:14	385:20:54 4 % / 16 h	5:54:17	421:04:31 4 % / 16 h
2024-04-15 - 2024-04-25	5:29:32	99:24:57 16 % / 16 h	6:00:06	108:37:59 15 % / 16 h
2024-04-25 - 2024-04-29	4:43:25	112:00:21 14 % / 16 h	5:09:41	122:23:25 13 % / 16 h
2024-04-29 - 2024-05-06	5:47:38	120:19:55 13 % / 16 h	6:15:16	129:53:40 12 % / 16 h
2024-05-06 - 2024-05-14	5:21:31	63:41:35 25 % / 16 h	5:47:03	68:45:11 23 % / 16 h
2024-05-14 - 2024-05-20	5:11:55	27:50:38 57 % / 16 h	5:36:42	30:03:22 53 % / 16 h
2024-05-20 - 2024-05-27	5:22:51	260:35:04 6 % / 16 h	5:48:30	281:17:11 6 % / 16 h
2024-05-27 - 2024-06-03	5:16:30	51:37:47 31 % / 16 h	5:41:39	55:43:53 29 % / 16 h
2024-06-03 - 2024-06-10	5:24:14	54:09:45 30 % / 16 h	5:49:59	58:27:56 27 % / 16 h
2024-06-10 - 2024-06-18	5:36:53	33:00:37 48 % / 16 h	6:03:39	35:37:58 45 % / 16 h
2024-06-18 - 2024-06-24	5:10:27	22:56:25 70 % / 16 h	5:35:07	24:45:46 65 % / 16 h
2024-06-24 - 2024-07-01	5:47:29	18:12:23 88 % / 16 h	6:15:06	19:39:10 81 % / 16 h
2024-07-01 - 2024-07-08	5:21:03	32:20:25 49 % / 16 h	5:51:33	35:24:46 45 % / 16 h
2024-07-08 - 2024-07-15	5:22:08	64:08:51 25 % / 16 h	6:01:15	71:56:14 22 % / 16 h
2024-07-15 - 2024-07-22	5:39:46	26:06:39 61 % / 16 h	6:21:02	29:16:54 55 % / 16 h
2024-07-22 - 2024-07-29	5:20:25	208:12:51 8 % / 16 h	5:59:20	233:29:53 7 % / 16 h
2024-07-29 - 2024-11-19	-	-	-	-
2024-11-19 - 2024-11-25	7:11:56	140:41:16 11 % / 16 h	8:04:23	157:46:18 10 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2024-11-25 - 2024-12-02	7:19:09	4:07:13 388 % / 16 h	8:12:29	4:37:15 346 % / 16 h
2024-12-02 - 2024-12-10	4:52:03	-	5:27:31	-
2024-12-10 - 2025-01-10	7:13:53	110:07:32 15 % / 16 h	8:06:34	123:29:54 13 % / 16 h
2025-01-10 - 2025-01-13	-	-	-	-
2025-01-13 - 2025-01-20	6:59:14	136:42:51 12 % / 16 h	7:49:08	152:59:13 10 % / 16 h
2025-01-20 - 2025-01-30	11:08:25	3:26:06 466 % / 16 h	12:25:52	3:49:58 417 % / 16 h
2025-01-30 - 2025-02-17	-	-	-	-
2025-02-17 - 2025-02-24	6:28:55	19:45:21 81 % / 16 h	7:13:58	22:02:41 73 % / 16 h
2025-02-24 - 2025-03-03	6:07:17	-	6:50:32	-
2025-03-03 - 2025-03-10	4:46:43	46:21:30 35 % / 16 h	5:13:42	50:43:15 32 % / 16 h
2025-03-10 - 2025-03-17	4:22:38	28:26:44 56 % / 16 h	4:47:21	31:07:22 51 % / 16 h
2025-03-17 - 2025-03-24	4:34:14	12:53:18 124 % / 16 h	5:00:02	14:06:04 113 % / 16 h
2025-03-24 - 2025-03-31	4:09:58	21:14:51 75 % / 16 h	4:35:23	23:24:29 68 % / 16 h
2025-03-31 - 2025-04-07	4:02:50	8:32:34 187 % / 16 h	4:29:09	9:28:05 169 % / 16 h
2025-04-07 - 2025-04-14	5:36:59	57:15:37 28 % / 16 h	6:13:29	63:27:43 25 % / 16 h
2025-04-14 - 2025-04-21	3:50:53	62:47:40 25 % / 16 h	4:15:53	69:35:43 23 % / 16 h
2025-04-21 - 2025-04-28	4:03:30	33:56:59 47 % / 16 h	4:29:53	37:37:36 43 % / 16 h
2025-04-28 - 2025-05-05	5:52:55	3:20:16 479 % / 16 h	6:37:02	3:45:18 426 % / 16 h
2025-05-05 - 2025-05-13	3:31:21	33:03:41 48 % / 16 h	4:01:20	37:45:02 42 % / 16 h
2025-05-13 - 2025-05-19	3:26:45	19:48:42 81 % / 16 h	3:56:04	22:37:18 71 % / 16 h
2025-05-19 - 2025-05-27	3:55:06	19:44:07 81 % / 16 h	4:33:55	22:59:36 70 % / 16 h
2025-05-27 - 2025-06-02	3:34:38	2:59:12 536 % / 16 h	4:26:24	3:42:24 432 % / 16 h
2025-06-02 - 2025-06-10	3:38:30	14:44:00 109 % / 16 h	4:26:51	17:59:33 89 % / 16 h
2025-06-10 - 2025-06-16	-	-	-	-
2025-06-16 - 2025-06-23	3:34:43	35:38:06 45 % / 16 h	4:26:29	44:13:38 36 % / 16 h
2025-06-23 - 2025-06-30	4:16:41	8:58:37 178 % / 16 h	5:18:35	11:08:30 144 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-06-30 - 2025-07-07	3:16:27	17:09:17 93 % / 16 h	4:03:49	21:17:29 75 % / 16 h
2025-07-07 - 2025-07-14	5:07:33	1:12:51 1318 % / 16 h	6:21:43	1:30:25 1062 % / 16 h
2025-07-14 - 2025-07-21	4:35:26	9:58:59 160 % / 16 h	5:41:51	12:23:25 129 % / 16 h
2025-07-21 - 2025-07-30	3:37:30	32:41:55 49 % / 16 h	4:29:57	40:34:59 39 % / 16 h
2025-07-30 - 2025-08-04	4:31:26	3:34:52 447 % / 16 h	5:36:53	4:26:41 360 % / 16 h
2025-08-04 - 2025-08-11	3:49:48	1:21:53 1172 % / 16 h	4:45:13	1:41:38 945 % / 16 h
2025-08-11 - 2025-08-18	3:21:28	3:39:06 438 % / 16 h	4:10:02	4:31:56 353 % / 16 h
2025-08-18 - 2025-08-26	5:24:23	17:18:43 92 % / 16 h	6:35:00	21:04:48 76 % / 16 h
2025-08-26 - 2025-09-01	4:39:29	14:58:58 107 % / 16 h	5:40:52	18:16:25 88 % / 16 h
2025-09-01 - 2025-09-08	4:31:57	11:17:34 142 % / 16 h	5:29:58	13:42:06 117 % / 16 h
2025-09-08 - 2025-09-15	4:38:04	22:10:32 72 % / 16 h	5:36:08	26:48:19 60 % / 16 h
2025-09-15 - 2025-09-22	3:43:09	12:36:46 127 % / 16 h	4:36:25	15:37:21 102 % / 16 h
2025-09-22 - 2025-09-29	4:15:27	20:09:20 79 % / 16 h	5:10:49	24:31:24 65 % / 16 h
2025-09-29 - 2025-10-06	3:57:29	263:41:43 6 % / 16 h	4:49:59	321:58:58 5 % / 16 h
2025-10-06 - 2025-10-13	2:32:14	-	3:11:03	-
2025-10-13 - 2025-10-20	4:04:00	1:13:23 1308 % / 16 h	5:06:14	1:32:06 1042 % / 16 h
2025-10-20 - 2025-10-27	5:45:59	66:29:29 24 % / 16 h	7:14:13	83:26:49 19 % / 16 h
2025-10-27 - 2025-11-18	5:29:27	2:00:16 798 % / 16 h	6:53:28	2:30:57 636 % / 16 h
2025-11-18 - 2025-11-28	17:30:52	1:49:47 874 % / 16 h	21:58:50	2:17:47 697 % / 16 h
2025-11-28 - 2025-12-04	2:47:22	19:00:53 84 % / 16 h	3:30:03	23:51:49 67 % / 16 h
2025-12-04 - 2025-12-19	1:52:26	57:06:07 28 % / 16 h	2:21:07	71:39:48 22 % / 16 h
2025-12-19 - 2026-01-21	3:08:12	84:29:03 19 % / 16 h	3:56:11	106:01:41 15 % / 16 h
2026-01-21 - 2026-01-26	4:10:34	48:18:31 33 % / 16 h	5:14:31	60:38:08 26 % / 16 h
2026-01-26 - 2026-02-02	3:52:08	-	5:04:49	-
2026-02-02 - 2026-02-09	2:49:35	24:47:48 65 % / 16 h	3:50:33	33:42:40 47 % / 16 h
2026-02-09 - 2026-02-16	2:55:26	26:41:47 60 % / 16 h	4:10:57	38:11:16 42 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2026-02-16 - 2026-02-23	2:45:51	77:40:55 21 % / 16 h	3:55:34	110:20:12 15 % / 16 h
2026-02-23 - 2026-03-02	3:45:28	30:16:07 53 % / 16 h	5:06:18	41:07:12 39 % / 16 h
2026-03-02 - 2026-03-09	3:48:52	27:22:20 58 % / 16 h	5:10:55	37:11:07 43 % / 16 h
2026-03-09 - 2026-03-16	1:55:24	11:46:11 136 % / 16 h	2:36:47	15:59:21 100 % / 16 h
2026-03-16 - 2026-03-23	3:21:19	14:13:01 113 % / 16 h	4:33:29	19:18:50 83 % / 16 h
2026-03-23 - 2026-03-30	1:41:48	24:58:19 64 % / 16 h	2:28:40	36:27:59 44 % / 16 h
2026-03-30 - 2026-04-06	2:26:17	7:23:30 216 % / 16 h	3:59:48	12:07:03 132 % / 16 h
2026-04-06 - 2026-04-13	2:19:50	13:59:32 114 % / 16 h	3:52:43	23:17:10 69 % / 16 h
2026-04-13 - 2026-04-20	3:00:25	1019805:26:21 - / 16 h	5:00:15	895928:01:53 - / 16 h
2026-04-20 - 2026-04-27	2:25:01	20:28:24 78 % / 16 h	4:01:21	34:04:19 47 % / 16 h
2026-04-27 - 2026-05-04	2:24:03	14:27:50 111 % / 16 h	3:59:44	24:04:16 66 % / 16 h
2026-05-04 - 2026-05-11	2:03:23	10:57:35 146 % / 16 h	3:25:20	18:14:22 88 % / 16 h
2026-05-11 - 2026-05-18	2:50:59	11:23:04 141 % / 16 h	4:44:33	18:56:46 84 % / 16 h
2026-05-18	2:35:47	9:45:52 164 % / 16 h	4:19:15	16:15:00 98 % / 16 h
2026-05-19	2:34:46	12:07:54 132 % / 16 h	4:17:34	20:11:22 79 % / 16 h
2026-05-20	2:57:54	5:24:36 296 % / 16 h	4:56:05	9:00:13 178 % / 16 h
2026-05-21	1:58:22	1:49:40 875 % / 16 h	3:17:00	3:02:32 526 % / 16 h
2026-05-22	2:02:00	23:18:51 69 % / 16 h	3:23:03	38:47:59 41 % / 16 h
2026-05-23	-	-	-	-
2026-05-24	1:32:39	-	2:34:12	-
2026-05-25	3:04:33	13:54:37 115 % / 16 h	5:07:08	23:08:59 69 % / 16 h

Current estimate of battery life based on all observed drains since OS install

Since OS install	4:00:53	30113:38:10 - / 16 h	6:40:53	50115:16:15 - / 16 h
------------------	---------	-------------------------	---------	-------------------------