Table S.1. Results for both full and response-time-only models for *Employment detail* according to whether the measures were non-corrected, baseline-corrected, or baseline- and position-corrected, and the type of supervised learning model and hovers threshold.

hovers	perso	nalization	classification		full model		response-time only model			
threshold			supervised learning	accuracy	sensitivity	specificity	accuracy	sensitivity	specificity	
250ms	uncorrected		logit regression	0.6045	0.6326	0.5737	0.6171	0.6358	0.6028	
			classification tree	0.6097	0.2951	0.8828	0.5880	0.4175	0.7520	
			tree-based random forest	0.5953	0.4964	0.6810	0.6061	0.3753	0.8127	
			tree-based gradient boosting	0.5934	0.3487	0.8190	0.5716	0.4231	0.7127	
			support vector machines	0.5935	0.5086	0.6680	0.5790	0.4964	0.6521	
			neural network	0.5229	0.3873	0.6731	0.5190	0.1502	0.8615	
	corrected	baseline	logit regression	0.6298	0.6448	0.6169	0.6389	0.6420	0.6406	
			classification tree	0.6335	0.6244	0.6412	0.6407	0.6430	0.6376	
			tree-based random forest	0.5990	0.5196	0.6658	0.5972	0.4739	0.7132	
			tree-based gradient boosting	0.6389	0.5664	0.7079	0.6353	0.5813	0.6871	
			support vector machines	0.6153	0.5853	0.6406	0.6025	0.5296	0.6677	
			neural network	0.5755	0.7010	0.4663	0.6172	0.7487	0.4971	
		baseline and position	logit regression	0.6044	0.6074	0.6058	0.6135	0.6102	0.6171	
			classification tree	0.6498	0.7256	0.5772	0.6480	0.5722	0.7065	

			tree-based random forest	0.5990	0.5319	0.6610	0.6188	0.4685	0.7591
			tree-based gradient boosting	0.6406	0.6189	0.6607	0.6354	0.5795	0.6844
			support vector machines	0.6262	0.6110	0.6403	0.6261	0.5315	0.7093
			neural network	0.5954	0.7660	0.4425	0.6207	0.7158	0.5345
500ms	uncorrected		logit regression	0.6008	0.6192	0.5817	0.6171	0.6358	0.6028
			classification tree	0.6097	0.2951	0.8828	0.5880	0.4175	0.7520
			tree-based random forest	0.5989	0.4970	0.6866	0.6061	0.3753	0.8127
			tree-based gradient boosting	0.5826	0.4426	0.7110	0.5716	0.4231	0.7127
			support vector machines	0.6026	0.5349	0.6605	0.5790	0.4964	0.6521
			neural network	0.5480	0.4147	0.6718	0.5190	0.1502	0.8615
	corrected	baseline	logit regression	0.6062	0.6241	0.5910	0.6389	0.6420	0.6406
			classification tree	0.6353	0.5371	0.7314	0.6407	0.6430	0.6376
			tree-based random forest	0.6154	0.5196	0.6945	0.5972	0.4739	0.7132
			tree-based gradient boosting	0.6225	0.5769	0.6585	0.6353	0.5813	0.6871
			support vector machines	0.6153	0.5772	0.6508	0.6025	0.5296	0.6677

			neural network	0.5901	0.7268	0.4673	0.6172	0.7487	0.4971
		baseline and position	logit regression	0.5899	0.6041	0.5801	0.6135	0.6102	0.6171
			classification tree	0.6407	0.7089	0.5772	0.6480	0.5722	0.7065
			tree-based random forest	0.6117	0.5592	0.6570	0.6188	0.4685	0.7591
			tree-based gradient boosting	0.6406	0.5959	0.6811	0.6354	0.5795	0.6844
			support vector machines	0.6154	0.5778	0.6542	0.6261	0.5315	0.7093
			neural network	0.6191	0.7617	0.4916	0.6207	0.7158	0.5345
2000ms	uncorrected		logit regression	0.6045	0.6326	0.5737	0.6171	0.6358	0.6028
			classification tree	0.6097	0.2951	0.8828	0.5880	0.4175	0.7520
			tree-based random forest	0.5807	0.4735	0.6726	0.6061	0.3753	0.8127
			tree-based gradient boosting	0.5625	0.4005	0.7174	0.5716	0.4231	0.7127
			support vector machines	0.6027	0.4986	0.6949	0.5790	0.4964	0.6521
			neural network	0.5516	0.3297	0.7368	0.5190	0.1502	0.8615
	corrected	baseline	logit regression	0.6298	0.6448	0.6169	0.6389	0.6420	0.6406
			classification tree	0.6189	0.5836	0.6569	0.6407	0.6430	0.6376

			tree-based random forest	0.6134	0.5516	0.6664	0.5972	0.4739	0.7132
			tree-based gradient boosting	0.6587	0.5629	0.7416	0.6353	0.5813	0.6871
			support vector machines	0.6153	0.5755	0.6498	0.6025	0.5296	0.6677
			neural network	0.5628	0.6866	0.4513	0.6172	0.7487	0.4971
		baseline and position	logit regression	0.6172	0.6073	0.6287	0.6135	0.6102	0.6171
			classification tree	0.6498	0.7256	0.5772	0.6480	0.5722	0.7065
			tree-based random forest	0.6098	0.5423	0.6692	0.6188	0.4685	0.7591
			tree-based gradient boosting	0.6262	0.5781	0.6710	0.6354	0.5795	0.6844
			support vector machines	0.6099	0.5818	0.6331	0.6261	0.5315	0.7093
			neural network	0.6008	0.7490	0.4617	0.6207	0.7158	0.5345
3000ms	uncorrected		logit regression	0.6045	0.6326	0.5737	0.6171	0.6358	0.6028
			classification tree	0.6079	0.3028	0.8725	0.5880	0.4175	0.7520
			tree-based random forest	0.5988	0.5057	0.6801	0.6061	0.3753	0.8127
			tree-based gradient boosting	0.6044	0.5495	0.6484	0.5716	0.4231	0.7127
			support vector machines	0.5681	0.5037	0.6225	0.5790	0.4964	0.6521
			neural network	0.5316	0.2061	0.8271	0.5190	0.1502	0.8615

corrected	baseline	logit regression	0.6225	0.6315	0.6169	0.6389	0.6420	0.640
		classification tree	0.6335	0.6244	0.6412	0.6407	0.6430	0.6376
		tree-based random forest	0.6007	0.5244	0.6606	0.5972	0.4739	0.7132
		tree-based gradient boosting	0.6498	0.5693	0.7340	0.6353	0.5813	0.6871
		support vector machines	0.6369	0.5595	0.7089	0.6025	0.5296	0.6677
		neural network	0.5683	0.7395	0.4146	0.6172	0.7487	0.4971
	baseline and position	logit regression	0.6081	0.5960	0.6211	0.6135	0.6102	0.6171
		classification tree	0.6498	0.7256	0.5772	0.6480	0.5722	0.7065
		tree-based random forest	0.6261	0.5657	0.6783	0.6188	0.4685	0.7591
		tree-based gradient boosting	0.6316	0.5963	0.6631	0.6354	0.5795	0.6844
		support vector machines	0.6152	0.5722	0.6516	0.6261	0.5315	0.7093
		neural network	0.6009	0.7654	0.4512	0.6207	0.7158	0.5345

Table S.2. Results for both full and response-time-only models for *Employee level* according to whether the measures were non-corrected, baseline-corrected, or baseline- and position-corrected, and the type of supervised learning model and hovers threshold.

hovers	personalization		classification		full model		response-time-only model			
threshold			supervised learning	accuracy	sensitivity	specificity	accuracy	sensitivity	specificity	
250ms	uncorrected		logit regression	0.5070	0.5420	0.4724	0.5250	0.5469	0.4969	
			classification tree	0.5089	0.5108	0.5013	0.5449	0.4664	0.6085	
			tree-based random forest	0.5247	0.4596	0.5857	0.5107	0.3772	0.6374	
			tree-based gradient boosting	0.5508	0.4794	0.6102	0.5569	0.4420	0.6533	
			support vector machines	0.5390	0.3611	0.7100	0.4913	0.2600	0.7227	
			neural network	0.4931	0.2824	0.7185	0.5287	0.3347	0.7174	
	corrected	baseline	logit regression	0.5210	0.5220	0.5173	0.5230	0.5077	0.5305	
			classification tree	0.4849	0.4831	0.4937	0.5528	0.7168	0.3919	
			tree-based random forest	0.5168	0.5053	0.5213	0.4949	0.4425	0.5449	
			tree-based gradient boosting	0.5068	0.5190	0.4954	0.5170	0.4730	0.5589	
			support vector machines	0.4951	0.2928	0.7073	0.4671	0.2972	0.6339	
			neural network	0.5367	0.6401	0.4341	0.5329	0.5764	0.4767	

		baseline and	logit regression	0.5071	0.3359	0.7018	0.5230	0.5077	0.5305
		position	classification tree	0.5709	0.5275	0.6184	0.4412	0.3847	0.5295
			tree-based random forest	0.5790	0.5541	0.6000	0.4671	0.4674	0.4629
			tree-based gradient boosting	0.5829	0.5482	0.6196	0.4851	0.4767	0.4811
			support vector machines	0.5209	0.2045	0.8262	0.4932	0.3284	0.6659
			neural network	0.5350	0.6290	0.4317	0.5328	0.5498	0.5166
500ms	uncorrected		logit regression	0.5030	0.5343	0.4669	0.5250	0.5469	0.4969
			classification tree	0.5429	0.4895	0.5845	0.5449	0.4664	0.6085
			tree-based random forest	0.5406	0.4620	0.6150	0.5107	0.3772	0.6374
			tree-based gradient boosting	0.5308	0.4769	0.6072	0.5569	0.4420	0.6533
			support vector machines	0.5010	0.3336	0.6672	0.4913	0.2600	0.7227
			neural network	0.5251	0.3289	0.7364	0.5287	0.3347	0.7174
	corrected	baseline	logit regression	0.5228	0.5107	0.5335	0.5230	0.5077	0.5305
			classification tree	0.5169	0.5267	0.4923	0.5528	0.7168	0.3919

			tree-based random forest	0.5209	0.4888	0.5501	0.4949	0.4425	0.5449
			tree-based gradient boosting	0.4869	0.4896	0.4819	0.5170	0.4730	0.5589
			support vector machines	0.5031	0.2970	0.7159	0.4671	0.2972	0.6339
			neural network	0.5448	0.6398	0.4353	0.5329	0.5764	0.4767
		baseline and	logit regression	0.5010	0.3318	0.6944	0.5230	0.5077	0.5305
		position	classification tree	0.5729	0.5780	0.5692	0.4412	0.3847	0.5295
			tree-based random forest	0.5749	0.5465	0.5951	0.4671	0.4674	0.4629
			tree-based gradient boosting	0.5649	0.5282	0.6041	0.4851	0.4767	0.4811
			support vector machines	0.4890	0.1900	0.7890	0.4932	0.3284	0.6659
			neural network	0.5091	0.5674	0.4564	0.5328	0.5498	0.5166
2000ms	uncorrected		logit regression	0.5250	0.5674	0.4947	0.5250	0.5469	0.4969
			classification tree	0.5089	0.4738	0.5299	0.5449	0.4664	0.6085
			tree-based random forest	0.5406	0.4800	0.5968	0.5107	0.3772	0.6374
			tree-based gradient boosting	0.5547	0.4683	0.6313	0.5569	0.4420	0.6533

			support vector machines	0.5131	0.3165	0.7139	0.4913	0.2600	0.7227
			neural network	0.5111	0.3076	0.7073	0.5287	0.3347	0.7174
	corrected	baseline	logit regression	0.5170	0.4827	0.5491	0.5230	0.5077	0.5305
			classification tree	0.5169	0.6152	0.4253	0.5528	0.7168	0.3919
			tree-based random forest	0.4989	0.4553	0.5354	0.4949	0.4425	0.5449
			tree-based gradient boosting	0.5209	0.5034	0.5395	0.5170	0.4730	0.5589
			support vector machines	0.4989	0.3401	0.6621	0.4671	0.2972	0.6339
			neural network	0.4931	0.2825	0.7185	0.5329	0.5764	0.4767
		baseline and	logit regression	0.4871	0.3149	0.6833	0.5230	0.5077	0.5305
		position	classification tree	0.5729	0.5423	0.6059	0.4412	0.3847	0.5295
			tree-based random forest	0.5509	0.4957	0.5968	0.4671	0.4674	0.4629
			tree-based gradient boosting	0.5809	0.5134	0.6475	0.4851	0.4767	0.4811
			support vector machines	0.4970	0.2135	0.7736	0.4932	0.3284	0.6659
			neural network	0.5211	0.5725	0.4627	0.5328	0.5498	0.5166
3000ms	uncorrected		logit regression	0.4970	0.5394	0.4478	0.5250	0.5469	0.4969

		classification tree	0.5429	0.4577	0.6162	0.5449	0.4664	0.6085
		tree-based random forest	0.5347	0.4612	0.6039	0.5107	0.3772	0.6374
		tree-based gradient boosting	0.5548	0.4695	0.6303	0.5569	0.4420	0.6533
		support vector machines	0.5489	0.2248	0.8699	0.4913	0.2600	0.7227
		neural network	0.5191	0.2703	0.7615	0.5287	0.3347	0.7174
corrected	baseline	logit regression	0.5269	0.5194	0.5319	0.5230	0.5077	0.5305
1		classification tree	0.5107	0.4831	0.5622	0.5528	0.7168	0.3919
		tree-based random forest	0.5148	0.4730	0.5463	0.4949	0.4425	0.5449
		tree-based gradient boosting	0.5009	0.5011	0.5044	0.5170	0.4730	0.5589
		support vector machines	0.5047	0.2718	0.7332	0.4671	0.2972	0.6339
		neural network	0.5670	0.7015	0.4340	0.5329	0.5764	0.4767
	and position	logit regression	0.4751	0.3062	0.6680	0.5230	0.5077	0.5305
		classification tree	0.5709	0.5275	0.6184	0.4412	0.3847	0.5295
		tree-based random forest	0.5748	0.5286	0.6078	0.4671	0.4674	0.4629

tree-based gradient boosting	0.5909	0.5258	0.6527	0.4851	0.4767	0.4811
support vector machines	0.5709	0.2823	0.8435	0.4932	0.3284	0.6659
neural network	0.5190	0.6677	0.3780	0.5328	0.5498	0.5166

Table S.3. Results for both full and response-time-only models for *Education level* according to whether the measures were non-corrected, baseline-corrected, or baseline- and position-corrected, and the type of supervised learning model and hovers threshold.

hovers threshold	personalization	classification		full model		response-time-only model			
		supervised learning	accuracy	sensitivity	specificity	accuracy	sensitivity	specificity	
250ms	uncorrected	logit regression	0.5273	0.7110	0.3465	0.5074	0.5451	0.4835	
		classification tree	0.5127	0.5775	0.4277	0.5477	0.6799	0.4041	
		tree-based random forest	0.5526	0.5688	0.5261	0.4930	0.5132	0.4771	
		tree-based gradient boosting	0.5273	0.5842	0.4633	0.5641	0.6502	0.4783	
		support vector machines	0.5492	0.6039	0.4921	0.5128	0.5896	0.4725	
		neural network	0.4907	0.6491	0.3315	0.4857	0.8727	0.1524	
	corrected baseline	logit regression	0.5257	0.6443	0.4258	0.4965	0.5819	0.4413	
		classification tree	0.5092	0.6939	0.3454	0.5241	0.5806	0.4767	
		tree-based random forest	0.5403	0.6340	0.4506	0.5639	0.5489	0.5831	
		tree-based gradient boosting	0.5149	0.5685	0.4596	0.5551	0.5870	0.5277	
		support vector machines	0.4762	0.4482	0.5612	0.4981	0.7166	0.3349	
		neural network	0.5805	0.7053	0.4436	0.5514	0.6866	0.4033	

		baseline and	logit regression	0.4820	0.5666	0.4259	0.4946	0.6117	0.4095
		position	classification tree	0.5765	0.7013	0.4673	0.4397	0.5899	0.3335
			tree-based random forest	0.5895	0.6233	0.5512	0.4927	0.5154	0.4756
			tree-based gradient boosting	0.5748	0.6683	0.4851	0.4872	0.5282	0.4698
			support vector machines	0.4634	0.4145	0.5644	0.4580	0.6596	0.2999
			neural network	0.5222	0.5927	0.4249	0.4856	0.6451	0.3401
500ms	uncorrected		logit regression	0.5273	0.7110	0.3464	0.5074	0.5451	0.4835
			classification tree	0.5054	0.5658	0.4212	0.5477	0.6799	0.4041
			tree-based random forest	0.5545	0.5268	0.5753	0.4930	0.5132	0.4771
			tree-based gradient boosting	0.5255	0.5367	0.5085	0.5641	0.6502	0.4783
			support vector machines	0.5402	0.5799	0.5078	0.5128	0.5896	0.4725
			neural network	0.5181	0.6187	0.4495	0.4857	0.8727	0.1524
	corrected	baseline	logit regression	0.5129	0.6040	0.4385	0.4965	0.5819	0.4413
			classification tree	0.5020	0.6796	0.3467	0.5241	0.5806	0.4767

		tree-based random forest	0.5513	0.6397	0.4668	0.5639	0.5489	0.5831
		tree-based gradient boosting	0.5076	0.5482	0.4678	0.5551	0.5870	0.5277
		support vector machines	0.4874	0.6958	0.2997	0.4981	0.7166	0.3349
		neural network	0.5587	0.6877	0.4124	0.5514	0.6866	0.4033
	baseline and position	logit regression	0.5273	0.7110	0.3464	0.4946	0.6117	0.4095
		classification tree	0.5054	0.5658	0.4212	0.4397	0.5899	0.3335
		tree-based random forest	0.5545	0.5268	0.5753	0.4927	0.5154	0.4756
		tree-based gradient boosting	0.5729	0.6706	0.4893	0.4872	0.5282	0.4698
		support vector machines	0.4781	0.4266	0.5902	0.4580	0.6596	0.2999
		neural network	0.4819	0.5460	0.4312	0.4856	0.6451	0.3401
2000ms	uncorrected	logit regression	0.5219	0.7033	0.3433	0.5074	0.5451	0.4835
		classification tree	0.5109	0.5941	0.4116	0.5477	0.6799	0.4041
		tree-based random forest	0.5509	0.5327	0.5598	0.4930	0.5132	0.4771
		tree-based gradient boosting	0.5346	0.5753	0.4912	0.5641	0.6502	0.4783

			support vector machines	0.5622	0.6041	0.5204	0.5128	0.5896	0.4725
			neural network	0.4561	0.7634	0.2046	0.4857	0.8727	0.1524
	corrected	baseline	logit regression	0.5111	0.5959	0.4419	0.4965	0.5819	0.4413
			classification tree	0.5018	0.6434	0.3984	0.5241	0.5806	0.4767
			tree-based random forest	0.5184	0.6019	0.4407	0.5639	0.5489	0.5831
			tree-based gradient boosting	0.5148	0.5789	0.4560	0.5551	0.5870	0.5277
			support vector machines	0.5383	0.4023	0.6934	0.4981	0.7166	0.3349
			neural network	0.5332	0.6135	0.4264	0.5514	0.6866	0.4033
		baseline and position	logit regression	0.4838	0.5666	0.4288	0.4946	0.6117	0.4095
			classification tree	0.5765	0.7013	0.4673	0.4397	0.5899	0.3335
			tree-based random forest	0.5786	0.6178	0.5529	0.4927	0.5154	0.4756
			tree-based gradient boosting	0.5510	0.6152	0.5077	0.4872	0.5282	0.4698
			support vector machines	0.4891	0.4717	0.5551	0.4580	0.6596	0.2999
			neural network	0.4600	0.5636	0.3567	0.4856	0.6451	0.3401
3000ms	uncorrected		logit regression	0.5368	0.6390	0.4332	0.5074	0.5451	0.4835

		classification tree	0.5072	0.5477	0.4503	0.5477	0.6799
		tree-based random forest	0.5637	0.6491	0.4682	0.4930	0.5132
		tree-based gradient boosting	0.5419	0.5915	0.4919	0.5641	0.6502
		support vector machines	0.5585	0.5480	0.5704	0.5128	0.5896
		neural network	0.4616	0.5553	0.4645	0.4857	0.8727
corrected	baseline	logit regression	0.5075	0.6413	0.3907	0.4965	0.5819
		classification tree	0.4821	0.5145	0.4824	0.5241	0.5806
		tree-based random forest	0.5110	0.5790	0.4430	0.5639	0.5489
		tree-based gradient boosting	0.5384	0.5842	0.5014	0.5551	0.5870
		support vector machines	0.5111	0.4861	0.5566	0.4981	0.7166
		neural network	0.5332	0.6862	0.3669	0.5514	0.6866
	baseline and position	logit regression	0.4672	0.5688	0.3935	0.4946	0.6117
		classification tree	0.5656	0.6895	0.4578	0.4397	0.5899
		tree-based random forest	0.5623	0.6019	0.5261	0.4927	0.5154

tree-based gradient boosting	0.5694	0.6386	0.5185	0.4872	0.5282	0.4698
support vector machines	0.5238	0.3277	0.7242	0.4580	0.6596	0.2999
neural network	0.5058	0.6306	0.3746	0.4856	0.6451	0.3401