```
DESCRIPTIVES
    /VARIABLES= Level_4 Level_6
    /STATISTICS=STDDEV RANGE VARIANCE SKEWNESS.
```

Descriptives

	N	Std. Deviation	Variance	Skewness	Std. Error of Skewness	Range	
Level_4	19	29.68		880.678	-.501	.524	100.00
Level_6	19	28.97		839.006	-.797	.524	100.00
Valid (listwise)	19						
Missing (listwise)	0						

```
FREQUENCIES
        /VARIABLES= Level_4 Level_6
        /FORMAT=AVALUE TABLE
        /STATISTICS=MEAN MODE MEDIAN
        /HISTOGRAM=NORMAL
        /PIECHART= NOMISSING
        /BARCHART=.
```

Statistics

		Level_4	Level_6
N	Valid	19	19
	Missing	0	0
Mean		46.58	62.37
Mode		45.00	70.00
Median		.	70

Level_4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	2	10.5%	10.5%	10.5%
	10	1	5.3%	5.3%	15.8%
	25	1	5.3%	5.3%	21.1%
	30	3	15.8%	15.8%	36.8%
	40	2	10.5%	10.5%	47.4%
	45	1	5.3%	5.3%	52.6%
	60	2	10.5%	10.5%	63.2%
	70	3	15.8%	15.8%	78.9%
	75	1	5.3%	5.3%	84.2%
	80	2	10.5%	10.5%	94.7%
	90	1	5.3%	5.3%	100.0%
Total		19	100.0%		


HISTOGRAM
Mean
46.57
Std Dev
29.632
N
14
0
1
2
3
4
5
0
20
40
60
80
100
120


30
25
40
15
60
7



Valid	00	1	5.3%	5.3%	5.3%
	0	1	5.3%	5.3%	10.5%
	20	1	5.3%	5.3%	15.8%
	30	1	5.3%	5.3%	21.1%
	40	1	5.3%	5.3%	26.3%
	60	1	5.3%	5.3%	31.6%
	65	2	10.5%	10.5%	42.1%
	70	3	15.8%	15.8%	57.9%
	75	1	5.3%	5.3%	63.2%
	80	2	10.5%	10.5%	73.7%
	85	2	10.5%	10.5%	84.2%
	90	2	10.5%	10.5%	94.7%
	200	1	5.3%	5.3%	100.0%
Total		19	100.0%		


HISTOGRAM
Ma
62. 368
6
5
4
3
2
1
0
0
20
40
60
80
200






```
T-TEST /VARIABLES= Overall_Points
        /GROUPS=Level_Code(0,1) /MISSING=ANALYSIS
        /CRITERIA=CI(0.95).
```

		N	Mean	Std. Deviation	S.E. Mean	
Overall_Points	0	9	62.37		2897	6.60
	1	9	46.58		2988	6.88

		Levene's Test for Equality of Variances		t-test for Equality of Means					
									95% Confidence Interval of the Difference
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	Lower Upper
Overall_Points	Equal variances assumed	.818	.677	1.666	36.000	.106	15.79	9.52	-3.51 35.09
	Equal variances not assumed			1.666	35.959	.106	15.79	9.52	-3.51 35.09