$\label{thm:cond} $$\operatorname{FILE="C:\Users\setminusUser\setminusOneDrive\setminusDesktop\setminusUsability Testing\setminusCW2\setminus within group\setminusWithin Group.sav".}$

SAVE OUTFILE="C:\Users\User\OneDrive\Desktop\Usability Testing\CW2\within group\Within Group.sav".

FREQUENCIES

/VARIABLES= Guides Policies /FORMAT=AVALUE TABLE /STATISTICS=MEAN MODE MEDIAN /HISTOGRAM=NORMAL /PIECHART= NOMISSING /BARCHART=.

St


		Guides	Policies
N	Valid	38	38
	Missing	1	1
Mean		195.11	167.66
Median		202.50	169.50
Mode		220	160

Œ


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	71	1	2.6%	2.6%	2.6%
	129	1	2.6%	2.6%	5.3%
	140	1	2.6%	2.6%	7.9%
	148	1	2.6%	2.6%	10.5%
	158	1	2.6%	2.6%	13.2%
	159	1	2.6%	2.6%	15.8%
	169	1	2.6%	2.6%	18.4%
	172	1	2.6%	2.6%	21.1%
	173	1	2.6%	2.6%	23.7%
	174	1	2.6%	2.6%	26.3%
	180	2	5.1%	5.3%	31.6%
	185	3	7.7%	7.9%	39.5%
	186	1	2.6%	2.6%	42.1%
	198	1	2.6%	2.6%	44.7%
	200	2	5.1%	5.3%	50.0%
	205	1	2.6%	2.6%	52.6%
	209	2	5.1%	5.3%	57.9%
	210	2	5.1%	5.3%	63.2%
	217	1	2.6%	2.6%	65.8%
	220	6	15.4%	15.8%	81.6%
	222	1	2.6%	2.6%	84.2%
	230	3	7.7%	7.9%	92.1%
	238	1	2.6%	2.6%	94.7%
	245	1	2.6%	2.6%	97.4%
	247	1	2.6%	2.6%	100.0%
Missing		1	2.6%		
Total		39	100.0%		

HISTOGRAM


Guides



Guides



Bar Chart




Guides

Pie

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	128	1	2.6%	2.6%	2.6%
	134	1	2.6%	2.6%	5.3%
	138	1	2.6%	2.6%	7.9%
	148	1	2.6%	2.6%	10.5%
	150	1	2.6%	2.6%	13.2%
	153	1	2.6%	2.6%	15.8%
	154	1	2.6%	2.6%	18.4%
	156	1	2.6%	2.6%	21.1%
	157	1	2.6%	2.6%	23.7%
	160	5	12.8%	13.2%	36.8%
	163	3	7.7%	7.9%	44.7%
	168	1	2.6%	2.6%	47.4%
	169	1	2.6%	2.6%	50.0%
	170	3	7.7%	7.9%	57.9%
	172	1	2.6%	2.6%	60.5%
	173	1	2.6%	2.6%	63.2%
	175	1	2.6%	2.6%	65.8%
	176	2	5.1%	5.3%	71.1%
	178	2	5.1%	5.3%	76.3%
	179	1	2.6%	2.6%	78.9%
	180	2	5.1%	5.3%	84.2%


		Frequency	Percent	Valid Percent	Cumulative Percent
	185	1	2.6%	2.6%	86.8%
	186	1	2.6%	2.6%	89.5%
	187	1	2.6%	2.6%	92.1%
	190	1	2.6%	2.6%	94.7%
	197	1	2.6%	2.6%	97.4%
	205	1	2.6%	2.6%	100.0%
Missing		1	2.6%		
Total		39	100.0%		

HISTOGRAM




Policies

Policies



Bar Chart



Policies

DESCRIPTIVES

/VARIABLES= Guides Policies /STATISTICS=STDDEV RANGE VARIANCE SKEWNESS.

	N	Std Dev	Variance	Skewness	S.E. Skew	Range
Guides	38	35.75	1277.93	-1.26	.38	176.00
Policies	38	16.41	269.31	22	.38	77.00
Valid N (listwise)	39					
Missing N (listwise)	1					

T-TEST

PAIRS = Guides WITH Policies (PAIRED)
/MISSING=ANALYSIS
/CRITERIA=CI(0.95).

P**665**

		N	Mean	Std. Deviation	S.E. Mean
Pair 1	Guides	38	195.11	35.75	5.80
	Policies	38	167.66	16.41	2.66

Pisks

		N	Correlation	Sig.
Pair 1	Guides & Policies	38	.341	.036

Piste

				Paired Dif	ferences				
			Std.	S.E.	95% Confidence Interval of the Difference				Sig. (2-
		Mean	Deviation	Mean	Lower	Upper	t	df	tailed)
Pair 1	Guides - Policies	27.45	33.87	5.50	16.31	38.58	4.99	37	.000