


## Laboratorio 6

Repositorio: [https://github.com/Pasita24/3479A321\\_2022479621](https://github.com/Pasita24/3479A321_2022479621)

### Actividad 1 y 2

Se realizo la creación de una nueva Branch y migración desde la rama de desarrollo a través de GitHub desktop.



### Actividad N°3

Se agrego unas líneas de código dentro de home.dart para ver si se implemento correctamente en debug console

```
Connecting to VM Service at ws://127.0.0.1:53118/rk1HFW_MDPg~/ws
Connected to the VM Service.

#0 packages/flutter_aplication_laboratorio/main.dart 14:11 build
#1 packages/flutter/src/widgets/framework.dart 5799:22 build

💡 Logger is working!

create state
flutter_apli... > MyHomePage > createState
1 import 'package:flutter/material.dart';
2 import 'package:flutter_svg/svg.dart';
3 import 'package:logger/logger.dart';
4 import 'package:flutter_aplication_laboratorio/Pages/ListContent.dart';
5 import 'package:flutter_aplication_laboratorio/Pages/AboutUsScreen.dart';
6
7 class MyHomePage extends StatefulWidget {
8   const MyHomePage({super.key, required this.title});
9
10  final String title;
11
12  @override
13  State<MyHomePage> createState() {  Don't put any logic in 'createState
14    print('create state');  Don't invoke 'print' in production code.
15    return MyHomePageState();
16  }
17 }
```

## Actividad N°4

Se agrego una variable \$mounted. Además de agregar nuevos métodos pedidos dentro de la clase \_myhomepagestate y verificamos los cambios en el terminal

```
class _MyHomePageState extends State<MyHomePage> {
  MyHomePageState() {
    Logger().i('Constructor ejecutado - mounted: $mounted');
  }
  int _counter = 0;
  @override
  void initState() {
    super.initState();
    Logger().i('initState ejecutado');
  }
  @override
  void didChangeDependencies() {
    super.didChangeDependencies();
    Logger().i('didChangeDependencies ejecutado');
  }
  void _incrementCounter() {
    ...
  }
}
```

| Linea                                  | Columna                                                       | Evento                |
|----------------------------------------|---------------------------------------------------------------|-----------------------|
| #0                                     | packages/flutter_aplication_laboratorio/Pages/home.dart 21:5  | new                   |
| #1                                     | packages/flutter_aplication_laboratorio/Pages/home.dart 15:12 | createState           |
| Constructor ejecutado - mounted: false |                                                               |                       |
| #0                                     | packages/flutter_aplication_laboratorio/Pages/home.dart 27:5  | initState             |
| #1                                     | packages/flutter/src/widgets/framework.dart 5860:55           | [_firstBuild]         |
| initState ejecutado                    |                                                               |                       |
| #0                                     | packages/flutter_aplication_laboratorio/Pages/home.dart 33:5  | didChangeDependencies |
| #1                                     | packages/flutter/src/widgets/framework.dart 5878:5            | [_firstBuild]         |
| didChangeDependencies ejecutado        |                                                               |                       |

## Actividad N°5

Verificamos que el programa navega correctamente por lo nuevos métodos correspondiente


```
Connecting to VM Service at ws://127.0.0.1:60296/wDyG8Opj7w=/ws
Connected to the VM Service.
```

| Linea                                  | Columna                                                        | Evento                |
|----------------------------------------|----------------------------------------------------------------|-----------------------|
| #0                                     | packages/flutter_aplication_laboratorio/main.dart 14:11        | build                 |
| #1                                     | packages/flutter/src/widgets/framework.dart 5799:22            | build                 |
| Logger is working!                     |                                                                |                       |
| create state                           |                                                                |                       |
| #0                                     | packages/flutter_aplication_laboratorio/Pages/home.dart 21:5   | new                   |
| #1                                     | packages/flutter_aplication_laboratorio/Pages/home.dart 15:12  | createState           |
| Constructor ejecutado - mounted: false |                                                                |                       |
| #0                                     | packages/flutter_aplication_laboratorio/Pages/home.dart 27:5   | initState             |
| #1                                     | packages/flutter/src/widgets/framework.dart 5860:55            | [_firstBuild]         |
| initState ejecutado                    |                                                                |                       |
| #0                                     | packages/flutter_aplication_laboratorio/Pages/home.dart 33:5   | didChangeDependencies |
| #1                                     | packages/flutter/src/widgets/framework.dart 5878:5             | [_firstBuild]         |
| didChangeDependencies ejecutado        |                                                                |                       |
| #0                                     | packages/flutter_aplication_laboratorio/Pages/home.dart 113:11 | build                 |
| #1                                     | packages/flutter/src/widgets/framework.dart 5841:27            | build                 |
| Home screen loaded                     |                                                                |                       |

## Actividad N°6

Implementamos provider a nuestro código como se muestra en el punto a, además se agrego una nueva clase para manejar correctamente los métodos de increment, decrement y rest.

```
PS C:\Users\benja\Documents\3479A321_2022479621\flutter_application_1> flutter pub add provider
Resolving dependencies...
Downloading packages...
  async 2.12.0 (2.13.0 available)
  fake_async 1.3.2 (1.3.3 available)
  flutter_svg 2.0.17 (2.1.0 available)
  http 1.3.0 (1.4.0 available)
  leak_tracker 10.0.8 (11.0.1 available)
  leak_tracker_flutter_testing 3.0.9 (3.0.10 available)
  leak_tracker_testing 3.0.1 (3.0.2 available)
  lints 5.1.1 (6.0.0 available)
  material_color_utilities 0.11.1 (0.12.0 available)
  meta 1.16.0 (1.17.0 available)
+ nested 1.0.0
+ provider 6.1.5
  test_api 0.7.4 (0.7.6 available)
  vector_math 2.1.4 (2.2.0 available)
  vm_service 14.3.1 (15.0.1 available)
Changed 2 dependencies!
13 packages have newer versions incompatible with dependency constraints.
Try `flutter pub outdated` for more information.
```



The screenshot shows an IDE with the Explorer panel on the left and the app\_data.dart file open in the editor. The Explorer panel shows the project structure with folders like .dart\_tool, .vscode, android, build, flutter\_applica..., .dart\_tool, .idea, android, Assets, build, ios, lib, Pages, AboutUsScreen..., home.dart, ListContent.dart, Provider, app\_data..., and main.dart. The app\_data.dart file is highlighted under the Provider folder. The editor shows the following Dart code:

```
1 import 'package:flutter/material.dart';
2
3 class AppData extends ChangeNotifier {
4   int _counter = 0;
5
6   int get counter => _counter;
7
8   void increment() {
9     _counter++;
10    notifyListeners();
11  }
12
13   void decrement() {
14     _counter--;
15     notifyListeners();
16  }
17
18   void reset() {
19     _counter = 0;
20     notifyListeners();
21  }
22 }
```

## Actividad N°7

Ahora creamos una variable global, para manejar correctamente el contador, con la variable `appData.counter` y agregamos en la pantalla de `listContent`

```
1 void main() {  
2   runApp(  
3     ChangeNotifierProvider(create: (_) => AppData(), child: const MyApp()),  
4   );  
5 }
```

b)

```
1 Text(  
2   'Contador: ${appData.counter}',  
3   style: Theme.of(context).textTheme.headlineMedium,  
4 ),  
5 const SizedBox(height: 16),  
6 Row(  
7   mainAxisAlignment: MainAxisAlignment.center,  
8   children: [  
9     ElevatedButton(  
10      onPressed: () => appData.increment(),  
11      child: const Icon(Icons.add),  
12    ),  
13    const SizedBox(width: 8),  
14    ElevatedButton(  
15      onPressed: () => appData.decrement(),  
16      child: const Icon(Icons.remove),  
17    ),  
18    const SizedBox(width: 8),  
19    ElevatedButton(  
20      onPressed: () => appData.reset(),  
21      child: const Icon(Icons.refresh),  
22    ),  
23  ],  
24 ),
```

c)

```
1 Consumer<AppData>(  
2   builder: (context, appData, child) {  
3     return Text(  
4       'Contador Global: ${appData.counter}',  
5       style: const TextStyle(  
6         fontSize: 18,  
7         fontWeight: FontWeight.bold,  
8       ),  
9     );  
10  },  
11 ),
```

BIENVENIDO, INVITADO

CONTADOR GLOBAL: 2

REINICIAR CONTADOR

## Actividad N°8 y 9

Ahora modificamos la clases de AboutUsScreen para implementar los nuevos botones y nombre de usuario, además se modifico la clase app\_data.dart para implementar notifyListneers que verifica el estado de todos lo widgets que utilizan estas funciones y además de deshabilitar o habilitar la función de reiniciar.

