## Question 1

| Input | Process | Output |
|---|---|---|
| **Component name** | Clean component name | Component name |
| **Unit price (R)** | Convert price to decimal | Unit price |
| **Quantity** | Convert quantity to integer | Quantity |
| | Calculate total = price × quantity | Total cost (R) |
| | Determine purchase category | Purchase category |

<untitled> *

```python
# Name: Learner Name
# Date: 21 October 2026
# Purpose: Calculate computer hardware purchase costs

component_name = input("Enter component name: ").strip()
unit_price = float(input("Enter unit price (R): "))
quantity = int(input("Enter quantity: "))

total_cost = unit_price * quantity

if total_cost >= 2000:
    category = "Bulk Purchase"
else:
    category = "Normal Purchase"

print("\n--- PURCHASE SUMMARY ---")
print("Component:", component_name.title())
print(f"Unit price: R{unit_price:.2f}")
print("Quantity:", quantity)
print(f"Total cost: R{total_cost:.2f}")
print("Category:", category)

```

| Component | Price | Quantity | Expected total | Category | Expected outputs | Actual outputs |
|---|---|---|---|---|---|---|
| **Keyboard** | R250.00 | 2 | R500.00 | Normal Purchase | Component: Keyboard<br>Unit price: R250.00<br>Quantity: 2<br>Total cost: R500.00 | Component: Keyboard<br>Unit price: R250.00<br>Quantity: 2<br>Total cost: R500.00 |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | | | | Category: Normal Purchase | Category: Normal Purchase |
| **RAM** | R750.00 | 3 | R2,250.00 | Bulk Purchase | Component: Ram<br>Unit price: R750.00<br>Quantity: 3<br>Total cost: R2250.00<br>Category: Bulk Purchase | Component: Ram<br>Unit price: R750.00<br>Quantity: 3<br>Total cost: R2250.00<br>Category: Bulk Purchase |
| **SSD** | R1,200.00 | 2 | R2,400.00 | Bulk Purchase | Component: Ssd<br>Unit price: R1200.00<br>Quantity: 2<br>Total cost: R2400.00<br>Category: Bulk Purchase | Component: Ssd<br>Unit price: R1200.00<br>Quantity: 2<br>Total cost: R2400.00<br>Category: Bulk Purchase |

## Question 2

2.1. The input would remain a string. Multiplying a string by an integer repeats the text instead of calculating the price, producing an incorrect result or causing an error in later calculations. (2)

2.2. Model answer: The result is 106 because multiplication is performed before addition:

100 + (3 * 2) = 106. If the intention were to multiply the sum by 2, brackets would be required. (3)