

UNIVERSITY OF COLOMBO, SRI LANKA



UNIVERSITY OF COLOMBO SCHOOL OF COMPUTING

BACHELOR OF SCIENCE IN COMPUTER SCIENCE

Second Year Examination - Semester II - 2019

SCS2213 - Electronic and Physical Computing - (Part B)

TWO (2) HOURS (For both parts A & B)

To be completed by the	candidate
Examination Index No:	

Important Instructions to candidates:

- 1. The medium of instructions and questions is **English**.
- 2. Write your answers in English.
- 3. If a page or a part of this question paper is not printed, please inform the supervisor immediately.
- 4. Note that questions appear on both sides of the paper. If a page is not printed, please inform the supervisor immediately.
- 5. Write your index number on each and every page of the Question paper.
- 6. This part of the paper has **02** questions in **8** pages.
- 7. Answer **ALL** questions. All questions carry equal marks (25 marks).
- 8. This paper consists of two parts, Part A (Question No 1 and Question No 2) and Part B (Question No 3 and Question No 4) and submit separately.
- 9. Any electronic device capable of storing and retrieving text including electronic dictionaries and mobile phones are **not allowed**.
- 10. Non-Programmable calculators are allowed.

	niner's use nly
Question No	Marks
3	
4	
Total	

Part B	
Question 3	
(a) Draw a diagram of Arduino UNO boar to the components.	rd and name the following components by placing arrows pointing
 A. ATMega328P microcontroller B. USB Port C. Analog inputs D. External voltage supply E. Interrupt pin INT1 	
	[5 marks]

Index No:

	Index	x No:
Write down three c	lifferences between a Microcontroller and a Microprocessor.	[6 marks
		·
·		
What is the nurnose	of Program Counter in the processor?	
With 15 the purpose	of Frogram Counter in the processor:	[4 marks]
		•

		Index No:	**********
Arduino program Ω function, Write	structure consists of two main functions (methodown the main purpose of each of these function	ds) known as setup () fu	nction and loo
V	down the main purpose of each of these function	ns.	[4 marks
raw the circuit di	agram and write down the Arduino sketch to bli	nk an LED.	
			[6 marks]

	·
-	
	·
	·

	advantages of Li-Fi technolog	y.	[:
ite down the elec	ctronic components required to	o establish a Li-Fi network.	ΓS
rite down the elec	ctronic components required to	o establish a Li-Fi network.	[5
rite down the elec	ctronic components required to	o establish a Li-Fi network.	[5
rite down the elec	ctronic components required to		[5
ite down the elec	ctronic components required to		
rite down the elec	ctronic components required to		[5

Index No:

In the smart house	disabled persons	s can give voi	ice commande	ds, and the	y can do the	ir works. W
down five function	s you can automat	e by the voice	z commanus	•		[5 ma
		•				
					·	
	•					

Index No:

	·		·		[5
		·			
			•		
angos, and they mocess where labour	nanually pack the ers pick the mang	tation in Sooriyaw m into boxes. The os and put them on	company decide to a conveyor be	ed to autom lt. You are re	ate the peauired to
angos, and they mocess where labour robot system which and to operate the	nanually pack the rers pick the mang h detects mangoes robot arm. Write	m into boxes. The	e company decid to a conveyor be to 15cm away fro	ed to autom lt. You are re m the robot	ate the pequired to arm and
angos, and they mocess where labour robot system which	nanually pack the rers pick the mang h detects mangoes robot arm. Write	m into boxes. The os and put them on s when mangos are	e company decid to a conveyor be to 15cm away fro	ed to autom lt. You are re m the robot	ate the pequired to arm and
angos, and they mocess where labour robot system which gnal to operate the	nanually pack the rers pick the mang h detects mangoes robot arm. Write	m into boxes. The os and put them on s when mangos are	e company decid to a conveyor be to 15cm away fro	ed to autom lt. You are re m the robot	ate the pequired to arm and ents you r
angos, and they mocess where labour robot system which gnal to operate the	nanually pack the rers pick the mang h detects mangoes robot arm. Write	m into boxes. The os and put them on s when mangos are	e company decid to a conveyor be to 15cm away fro	ed to autom lt. You are re m the robot	ate the pequired to arm and ents you r
angos, and they mocess where labour robot system which and to operate the	nanually pack the rers pick the mang h detects mangoes robot arm. Write	m into boxes. The os and put them on s when mangos are	e company decid to a conveyor be to 15cm away fro	ed to autom lt. You are re m the robot	ate the pequired to arm and ents you r
angos, and they mocess where labour robot system which gnal to operate the	nanually pack the rers pick the mang h detects mangoes robot arm. Write n.	m into boxes. The os and put them on s when mangos are down the sensors	e company decid to a conveyor be to 15cm away fro	ed to autom lt. You are re m the robot	ate the pequired to arm and ents you r
angos, and they mocess where labour robot system which gnal to operate the	nanually pack the rers pick the mang h detects mangoes robot arm. Write	m into boxes. The os and put them on s when mangos are down the sensors	e company decid to a conveyor be e 15cm away fro and other electro	ed to autom lt. You are re m the robot	ate the pequired to arm and ents you r