

Question **1**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:41:27

The first electronic special-purpose computer was called _____.

- ☒ a. ABC
- ☐ b. Pascal
- ☐ c. Pascaline
- ☐ d. ENIAC

[Clear my choice](#)

Question **2**

Answer saved

Marked out of
2.00

🚩 Flag question

Which language is common in the business environment?

- ☐ a. C
- ☐ b. FORTRAN
- ☒ c. COBOL
- ☐ d. C++

[Clear my choice](#)

Next page

Question **3**

Answer saved

Marked out of
2.00

Flag question

Time left 1:40:36

In the system development process, writing the program is part of the _____ phase.

- ☐ a. testing
- ☐ b. analysis
- ☐ c. design
- ☒ d. implementation

[Clear my choice](#)

Question **4**

Answer saved

Marked out of
2.00

Flag question

Assume a new Excess system uses 17 bits to represent the exponent section. What is the bias value in this system?

- ☐ a. 16
- ☒ b. 65535
- ☐ c. 17
- ☐ d. 65536

[Clear my choice](#)

Question **5**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:40:09

Java is _____ language.

- ☒ a. an object-oriented
- ☐ b. a declarative
- ☐ c. a procedural
- ☐ d. a functional

Clear my choice

Question **6**

Answer saved

Marked out of
2.00

🚩 Flag question

A program becomes a _____ when it is selected by the operating system and brought to the hold state.

- ☐ a. process
- ☒ b. job
- ☐ c. deadlock
- ☐ d. partition

Clear my choice

Question **7**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:39:58

Which of the following is a binary operator?

- ☐ a. select
- ☐ b. add
- ☐ c. update
- ☒ d. difference

Clear my choice

Question **8**

Answer saved

Marked out of
2.00

🚩 Flag question

The _____ layer of the TCP/IP protocol suite provides services for end users.

- ☒ a. application
- ☐ b. physical
- ☐ c. transport
- ☐ d. data-link

Clear my choice

Question **9**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:39:51

The base of the decimal number system is _____.

- ☒ a. 10
- ☐ b. 8
- ☐ c. 16
- ☐ d. 2

[Clear my choice](#)

Question **10**

Answer saved

Marked out of
2.00

🚩 Flag question

The TCP/IP model has _____ layers.

- ☐ a. seven
- ☐ b. eight
- ☐ c. six
- ☒ d. five

[Clear my choice](#)

Question **11**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:39:39

The index of an indexed file has _____ fields.

- ☒ a. two
- ☐ b. any number of
- ☐ c. four
- ☐ d. three

[Clear my choice](#)

Question **12**

Answer saved

Marked out of
2.00

🚩 Remove flag

If the transaction file key is 20 and the first master file key is 25, then we _____.

- ☒ a. add the new record to the new master file
- ☐ b. revise the contents of the old master file
- ☐ c. write the old master file record to the new master file
- ☐ d. delete the data

[Clear my choice](#)

Question **13**

Answer saved

Marked out of 2.00

Flag question

Time left 1:39:24

How many symbols can be represented by a bit pattern with ten bits?

- ☒ a. 1024
- ☐ b. 128
- ☐ c. 512
- ☐ d. 256

Clear my choice

Question **14**

Answer saved

Marked out of 2.00

Flag question

The three steps in the running of a program on a computer are performed in the specific order _____.

- ☐ a. fetch, execute, and decode
- ☒ b. fetch, decode, and execute
- ☐ c. decode, execute, and fetch
- ☐ d. decode, fetch, and execute

Clear my choice

Question **15**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:39:06

Which of the following representations is erroneous?

- ☐ a. 221
- ☐ b. (346)8
- ☒ c. (EEG)16
- ☐ d. (111)2

[Clear my choice](#)

Question **16**

Answer saved

Marked out of
2.00

🚩 Flag question

An empty linked list consists of _____.

- ☐ a. a node
- ☐ b. data and a link
- ☐ c. two nodes
- ☒ d. a null head pointer

[Clear my choice](#)

Question **17**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:38:47

What is the basic algorithm that arranges data according to its value?

- ☐ a. Searching
- ☐ b. Recursion
- ☐ c. Inquiry
- ☒ d. Sorting

[Clear my choice](#)

Question **18**

Answer saved

Marked out of
2.00

🚩 Remove flag

If we are adding two numbers, one of which has an exponent value of 7 and the other an exponent value of 9, we need to shift the decimal point of the smaller number _____.

- ☐ a. one place to the left
- ☒ b. two places to the left
- ☐ c. one place to the right
- ☐ d. two places to the right

[Clear my choice](#)

Question **19**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:38:26

Which of the following is a measure of how tightly two modules are bound to each other?

- ☒ a. Coupling
- ☐ b. Interoperability
- ☐ c. Cohesion
- ☐ d. Modularity

[Clear my choice](#)

Question **20**

Answer saved

Marked out of
2.00

🚩 Flag question

Which of the following is a popular object-oriented language?

- ☐ a. COBOL
- ☐ b. LISP
- ☐ c. FORTRAN
- ☒ d. Java

[Clear my choice](#)

Question **21**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:38:11

To flip all the bits of a bit pattern, make a mask of all 1s and then _____ the bit pattern and the mask.

- ☒ a. XOR
- ☐ b. NOT
- ☐ c. OR
- ☐ d. AND

Clear my choice

Question **22**

Answer saved

Marked out of
2.00

🚩 Remove flag

If the transaction file key is 20 with a delete code and the master file key is 20, then we _____.

- ☐ a. add the transaction to the new master file
- ☒ b. delete the data
- ☐ c. write the old master file record to the new master file
- ☐ d. revise the contents of the old master file

Clear my choice

Question **23**

Answer saved

Marked out of
2.00

Remove flag

Time left 1:37:52

In _____ sort, the smallest item moves to the beginning of the unsorted list. There is no one-to-one swapping.

- ☐ a. selection
- ☐ b. insertion
- ☐ c. every
- ☒ d. bubble

Clear my choice

Question **24**

Answer saved

Marked out of
2.00

Flag question

What is multi-programming with swapping?

- ☐ a. Paging
- ☐ b. Partitioning
- ☐ c. Queuing
- ☒ d. Demand paging

Clear my choice

Question **25**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:37:30

In a linked list, each element contains _____.

- ☒ a. data and a link
- ☐ b. neither data nor a link
- ☐ c. only data
- ☐ d. only a link

[Clear my choice](#)

Question **26**

Answer saved

Marked out of
2.00

🚩 Remove flag

When a fractional part is normalized, the computer stores the _____.

- ☒ a. the sign, exponent, and mantissa
- ☐ b. only the exponent
- ☐ c. only the sign
- ☐ d. only the mantissa

[Clear my choice](#)

Question **27**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:37:12

In a three-level DBMS architecture, the _____ level determines where data is actually stored on the storage devices.

- ☐ a. conceptual
- ☐ b. physical
- ☐ c. external
- ☒ d. internal

[Clear my choice](#)

Question **28**

Answer saved

Marked out of
2.00

🚩 Flag question

The _____ model is the basis for today's computers.

- ☒ a. von Neumann
- ☐ b. Leibnitz
- ☐ c. Pascal
- ☐ d. Charles Babbage

[Clear my choice](#)

Question **29**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:36:52

Which of the following representations is erroneous?

- ☒ a. (349)8
- ☐ b. 256
- ☐ c. (10111)2
- ☐ d. (3AB)16

[Clear my choice](#)

Question **30**

Answer saved

Marked out of
2.00

🚩 Remove flag

The _____ construct uses a set of actions one after another.

- ☐ a. flow
- ☐ b. repetition
- ☒ c. sequence
- ☐ d. decision

[Clear my choice](#)

Question **31**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:36:30

In the system development process, structure charts are tools used in the _____ phase.

- ☐ a. implementation
- ☐ b. analysis
- ☐ c. testing
- ☒ d. design

[Clear my choice](#)

Question **32**

Answer saved

Marked out of
2.00

🚩 Flag question

A byte consists of _____ bits.

- ☒ a. 8
- ☐ b. 16
- ☐ c. 2
- ☐ d. 4

[Clear my choice](#)

Question **33**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:36:08

The data in _____ is erased if the computer is powered down.

- ☒ a. RAM
- ☐ b. a tape drive
- ☐ c. a CD-ROM
- ☐ d. ROM

[Clear my choice](#)

Question **34**

Answer saved

Marked out of
2.00

🚩 Flag question

What is the breaking up of a large project into smaller parts?

- ☐ a. Incrementing
- ☒ b. Modularization
- ☐ c. Obsolescence
- ☐ d. Coupling

[Clear my choice](#)

Question **35**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:35:51

For an 8-bit allocation, the smallest decimal number that can be represented in two's complement form is _____.

- ☒ a. -128
- ☐ b. -256
- ☐ c. -127
- ☐ d. -8

[Clear my choice](#)

Question **36**

Answer saved

Marked out of
2.00

🚩 Flag question

What supervises the activity of each component in a computer system?

- ☒ a. An operating system
- ☐ b. Hardware
- ☐ c. An application program
- ☐ d. A queue

[Clear my choice](#)

Question **37**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:35:32

The _____ manager is responsible for archiving and backup.

- ☐ a. process
- ☐ b. device
- ☐ c. memory
- ☒ d. file

Clear my choice

Question **38**

Answer saved

Marked out of
2.00

🚩 Flag question

A _____ program can be either an application or an applet.

- ☐ a. C++
- ☒ b. Java
- ☐ c. C
- ☐ d. FORTRAN

Clear my choice

Question **39**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:35:12

The data model and the schema of a DBMS are often defined at the _____ level.

- ☐ a. external
- ☐ b. physical
- ☐ c. internal
- ☒ d. conceptual

[Clear my choice](#)

Question **40**

Answer saved

Marked out of
2.00

🚩 Flag question

The first computing machine to use the idea of storage and programming was called _____.

- ☐ a. the Babbage machine
- ☐ b. the Madeline
- ☒ c. the Jacquard loom
- ☐ d. EDVAC

[Clear my choice](#)

Question **41**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:34:53

After a sequential file is updated, the _____ file contains the most current data.

- ☐ a. old master
- ☐ b. transaction
- ☐ c. error report
- ☒ d. new master

[Clear my choice](#)

Question **42**

Answer saved

Marked out of
2.00

🚩 Flag question

An array that consists of just rows and columns is a _____ array.

- ☒ a. two-dimensional
- ☐ b. three-dimensional
- ☐ c. multidimensional
- ☐ d. one-dimensional

[Clear my choice](#)

Question **43**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:34:34

When converting a decimal integer to base b , we repeatedly _____ b .

- ☒ a. divide by
- ☐ b. subtract from
- ☐ c. multiply by
- ☐ d. add to

[Clear my choice](#)

Question **44**

Answer saved

Marked out of
2.00

🚩 Flag question

What is the basic algorithm that adds a list of numbers?

- ☐ a. Product
- ☒ b. Summation
- ☐ c. Smallest
- ☐ d. Largest

[Clear my choice](#)

Question **45**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:34:16

The _____ layer of the TCP/IP protocol suite is responsible for node-to-node delivery of a frame between two adjacent nodes.

- ☒ a. data-link
- ☐ b. network
- ☐ c. transport
- ☐ d. session

[Clear my choice](#)

Question **46**

Answer saved

Marked out of
2.00

🚩 Remove flag

The _____ is a computer subsystem that performs operations on data.

- ☒ a. CPU
- ☐ b. bus subsystem
- ☐ c. memory
- ☐ d. I/O hardware

[Clear my choice](#)

Question **47**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:33:57

The _____ layer of the TCP/IP protocol suite transmits a bit stream over a physical medium.

- ☐ a. data-link
- ☐ b. transport
- ☒ c. physical
- ☐ d. network

Clear my choice

Question **48**

Answer saved

Marked out of
2.00

🚩 Flag question

To un-set (force to 0) all the bits of a bit pattern, make a mask of all 0s and then _____ the bit pattern and the mask.

- ☐ a. NOT
- ☒ b. AND
- ☐ c. OR
- ☐ d. XOR

Clear my choice

Question **49**

Answer saved

Marked out of
2.00

🚩 Flag question

Time left 1:33:34

A unary operator is applied to _____ relation(s) and creates an output of _____ relation(s).

- ☐ a. one, two
- ☒ b. one, one
- ☐ c. two, one
- ☐ d. two, two

Clear my choice

Question **50**

Answer saved

Marked out of
2.00

🚩 Flag question

Given a linked list called children, the pointer variable children identifies _____ element of the linked list.

- ☐ a. any
- ☐ b. the last
- ☒ c. the first
- ☐ d. the second

Clear my choice