



42/184/M

DT88/2009 542/178/178 DAM / 2002 I AMPIRAN KEPUTUSAN KEPALA DINAS



KDH MINIMAL 20 % 21.100,00 M2 LUAS 1.787.10 M2 = 8,47 % 8,47

KDB MAKSIMAL 50 %

2,911,00 M2 · 13,80 % 16.401,90 M2= 77,73 % 21,100,00 M2 = 100,00 % 8,47

DIAJUKAN OLEH

PT. MITRA HARUN GASINDO

DISAHKAN OLEH

BERDASARKAN / MEMPERHATIKAN :


R. SOEBLANTORO W.


RENCANA TAPAK REVISI KE-1


'STASIUN PENGISIAN BULK ELPIJI (SPBE)'

DESA BENDUNGAN
RECAMATAN CIAWI
KABUPATEN BOGOR


SKALA	JUMLAH LEMBAR	NO. LEMBAR		
1:500	1	1		













SIDE VIEW - A




SIDE VIEW - B

REV	REFERENC	E DOCU	MENT		-
-					
				-	
REV	ING NUMBER			СНК'О	APP





NO	DESCRIPTION	QTY	UNIT
1	PIPE 4" A-53 SCH,80 SMLS ASME B,36 10		M
2	PIPE 3" A-53 SCH 80 SMLS ASME B 36 10		M
3	PIPE 2" A-53 SCH.80 SMLS ASME B.36,10		M
4	PIPE 1-1/2" A-53 SCH.80 SMLS ASME B 36 10		М
5	PIPE NEPPLE 1/2° A-53 SCH.80 SMLS ASME B 36 10		М
6	ELL 90° LR 4" A-234 GR.WPB SCH.80 SMLS ASME B 16 9	1	EΑ
7	ELL 90° LR 2" A-234 GR WPB SCH.80 SMLS ASME B 16 9	6	EA
8	ELL 90" LR 1-1/2" A-234 GR.WPB SCH.80 SMLS ASME B 16.9	16	EA
10	TEE.RED 4X3" A-234 GR.WPB SCH 80 SMLS ASME B,16.9	2	EA
11	TEE RED 3X2" A-234 GR.WPB SCH.80 SMLS ASME B.16.9	4	EA
12	TEE 3X3" ST A-234 GR.WPB SCH 80 SMLS ASME B 16 9	2	£Α
13	TEE: 1-1/2X1-1/2* SW A-234 GR, WPB SCH 80 SMLS ASME B.16 9	8	EΑ
1.1	THREOOLET NPT #3000 ASTM A53 1/2"	24	EA
15	FLANGE 4" WN #300 RF A105 GR B ASME 16.5	3	EA
16	FLANGE 3" WN #300 RF A105 GR B ASME 16.5	6	EA
17	FLANGE 2" WN #300 RF A105 GR B ASME 16 5	12	EA
18	FLANGE 1-1/2" SO #300 RF A105 GR.B. ASME 16.5	В	FA
19	BLIND FLANGE 4" #300 RF A105 GR B ASME 16 5	1	EA
20	BLIND FLANGE 3" #300 RF A105 GR.B ASME 18.5	2	EA
21	HALF COUPLING SW#3000 ASTM A53X3/4"	2	EA
22	BALL VALVE 1-1/2" NPT #800	8	EA
23	BALL VALVE 3/4" NPT #800	2	EA
24	BALL VALVE 1/2" NPT #800	24	EA
25	4" SPIRAL WOUND GASKET 32TB 5thk #300 ASME B.16 20	2	EA
26	3" SPIRAL WOUND GASKET 32TB 5thk #300 ASME B 16.20	6	EA
27	2" SPIRAL WOUND GASKET 32TB 5thk #300 ASME B 16 20	6	EA
28	1-1/2" SPIRAL WOUND GASKET 32TB 5thk #300 ASME 8 16 20	8	EA
29	BOLT & NUT A193GR.B7/194GR 2H #300 S.BOLT		
30	BOLT & NUT A193GR B7/194GR 2H #300 S BOLT		



GNATURE SHALL BE COMPLETED IN ACCORDANCE WITH DISIPLINE QC PROCEDURES

PROJECT NAME

SPBE PIPE LINE LPG

ISOMETRIC PIPING LPG 002

7/0-XXX ISO-K024-PG-2010 NTS A1 6

marremen

DPAWING NUMBER

SCALE SIZE REV

