

https://motorcycle.honda.ca/ - Section 508

Scan completed: 9/18/2018 3:15:34 PM

Group

All issues

7

- Section 508

Section 508 guidelines for web applications as described at the [US Access Board web site](#).

- 1194.22(a)

A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).

- a.1 All IMG elements are required to contain either the ALT or LONGDESC attribute.

The ALT or LONGDESC attribute is used by user agents to supply information about an image when images cannot be shown.

- IMG element contains no ALT attribute.

- <https://motorcycle.honda.ca/>

- Line 241, column 123, img element, SRC = "//assets.pinterest.com/images/pidgets/pinit_fg_en_rect_white_20.png"
- Line 417, column 25, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...SD_GoldwingFinance_Tout_B_EN.jpg"
- Line 429, column 25, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...MC_homepage_Tout_CRF450L_EN.jpg"
- Line 445, column 25, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...dBottomLeft/Tout-HondaRacing.jpg"
- Line 457, column 25, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...lf-Page-Tout_721x260_EN_REV1.jpg"

- Non-decorative IMG element contains empty ALT attribute.

- <https://motorcycle.honda.ca/>

- Line 261, column 29, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...ategoryHomeTout/Gold-Wing_EN.jpg"
- Line 263, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...orcycle.honda.ca_Homepage_EN.jpg"
- Line 264, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...C-Homepage-Header_Cruiser_EN.jpg"
- Line 265, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...delCategoryHomeTout/Sport_EN.jpg"
- Line 266, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...t/CB1000R_NakedHeader_EN_new.jpg"
- Line 267, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...rollover-adventure_EN_Mar22.jpg"
- Line 268, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...SD-0526_DirtBikeHeroImage_EN.jpg"
- Line 269, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...lCategoryHomeTout/Scooter_EN.jpg"
- Line 276, column 41, img element, SRC = "https://motorcycle.honda.ca/images/models/M/M...ng?crop=auto&width=118&height=74"
- Line 286, column 41, img element, SRC = "https://motorcycle.honda.ca/images/models/M/M...ng?crop=auto&width=118&height=74"
- Line 296, column 41, img element, SRC = "https://motorcycle.honda.ca/images/models/M/M...ng?crop=auto&width=118&height=74"
- Line 306, column 41, img element, SRC = "https://motorcycle.honda.ca/images/models/M/M...ng?crop=auto&width=118&height=74"
- Line 316, column 41, img element, SRC = "https://motorcycle.honda.ca/images/models/M/M...ng?crop=auto&width=118&height=74"
- Line 326, column 41, img element, SRC = "https://motorcycle.honda.ca/images/models/M/M...ng?crop=auto&width=118&height=74"
- Line 336, column 41, img element, SRC = "https://motorcycle.honda.ca/images/models/M/M...ng?crop=auto&width=118&height=74"
- Line 395, column 29, img element, SRC = "/_Global/img/global/promo_tag_large.png"
- Line 470, column 33, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47.../DualLeft/financial_services.png"
- Line 482, column 33, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...0d42146f88b/DualRight/safety.png"
- Line 634, column 17, img element, SRC = "/_Global/img/homepage/icon_like.png"

- IMG element inside anchor with no text has empty ALT attribute.

- <https://motorcycle.honda.ca/>

- Line 238, column 71, img element, SRC = "/_Global/img/global/icon_mail.png"
- Line 350, column 41, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...7-MiSD-0527_MKCA_MiniTout_EN.jpg"
- Line 358, column 41, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47..._FallEx_Mini-Touts_321x68_EN.jpg"
- Line 366, column 41, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...da.ca_CRF450L_Tout_321x68_EN.jpg"

- All IMG elements have valid ALT attributes.

- <https://motorcycle.honda.ca/>

- a.2 All APPLET elements are required to contain both element content and the ALT ...

APPLET elements provide functionality that is not available to all users. Either the element content or the ALT attribute are used to describe the purpose of the applet, depending on the user agent.

- No APPLET elements found.

- <https://motorcycle.honda.ca/>

- a.3 When EMBED elements are used, the NOEMBED element or ARIA attributes are requ...

EMBED elements present functionality that is not available to all users. The NOEMBED element can be used to provide a deion. ARIA attributes can be use as an alternative of NOEMBED element for providing deion.

- Page does not have EMBED elements.

- <https://motorcycle.honda.ca/>
 - a.4 All OBJECT elements are required to contain element content.

OBJECT elements typically use technologies that are not available to all users. The element content is used to describe the purpose of the object/applet.

 - Page does not have OBJECT elements.
 - <https://motorcycle.honda.ca/>
 - a.5 All SVG elements require a 'Title' or 'Desc' element, or an 'Aria' attribute ...

SVG elements requires title or desc child elements or ARIA attributes which describe purpose of element.

 - Page doesn't have SVG elements.
 - <https://motorcycle.honda.ca/>
 - a.6 All IFRAME elements that contain non-text content should use a 'Title' elemen...
 - Page does not have IFRAME elements which contains non-text content.
 - <https://motorcycle.honda.ca/>
 - a.7 All FIGURE elements require a 'figcaption' tag that describes the purpose of ...

Figcaption contains describe the purpose of the figure or any other element which is inside figure element.

 - No Figure elements found.
 - <https://motorcycle.honda.ca/>
- o x1194.22(d)

Documents shall be organized so they are readable without requiring an associated style sheet.

 - d.2 Ensure Color and background color may be specified at any level in the cascad...

Users with vision loss or cognitive challenges often require specific foreground (text) and background color combinations. For instance, many people with low vision find it much easier to see a Web page that has white text on a black background, so they may have set their user agent to create this contrast. If the author specifies that the text must be black, then it may override the settings of the user agent and render a page that has black text (specified by the author) on black background (that was set in the user agent). This principle also works in reverse. If the Webmaster forces the background to be white, then the white background specified by the author would be the same color as the white text (which was set in the user agent) rendering the page unusable to the user. Therefore, if the author specifies a foreground (text) color then they should also specify a background color which has sufficient contrast (link) with the foreground and vice versa.

 - Element specifies background color but not specify foreground (text) color
 - <https://motorcycle.honda.ca/>
 - Line 51, column 5, body element
 - Line 53, column 9, div element
 - Line 54, column 9, SCRIPT element
 - Line 66, column 9, noscript element
 - Line 67, column 13, iframe element, SRC = "https://www.googletagmanager.com/ns.html?id=G...preview=env-29>m_cookies_win=x"
 - Line 70, column 9, SCRIPT element
 - Line 85, column 9, DIV element
 - Line 86, column 9, DIV element
 - Line 88, column 1, HEADER element
 - Line 89, column 5, DIV element
 - Line 90, column 17, a element, HREF = "/"
 - Line 91, column 21, img element, SRC = "/_Global/img/global/logo.png"
 - Line 95, column 9, DIV element
 - Line 96, column 13, DIV element
 - Line 98, column 17, DIV element
 - Line 104, column 13, UL element
 - Line 105, column 17, LI element
 - Line 108, column 17, LI element
 - Line 111, column 17, LI element
 - Line 114, column 17, LI element
 - Line 117, column 17, LI element
 - Line 120, column 17, LI element
 - Line 123, column 17, LI element
 - Line 129, column 13, UL element
 - Line 130, column 21, LI element
 - Line 133, column 21, LI element
 - Line 136, column 21, LI element
 - Line 139, column 21, LI element
 - Line 142, column 21, LI element
 - Line 145, column 21, LI element
 - Line 148, column 21, LI element
 - Line 154, column 3, DIV element
 - Line 155, column 5, DIV element
 - Line 156, column 9, DIV element
 - Line 160, column 9, DIV element
 - Line 161, column 13, DIV element
 - Line 165, column 13, DIV element
 - Line 177, column 1, DIV element
 - Line 258, column 13, DIV element
 - Line 261, column 29, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...ategoryHomeTout/Gold-Wing_EN.jpg"
 - Line 263, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...orcycle.honda.ca_Homepage_EN.jpg"
 - Line 264, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...C-Homepage-Header_Cruiser_EN.jpg"
 - Line 265, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...delCategoryHomeTout/Sport_EN.jpg"
 - Line 266, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...t/CB1000R_NakedHeader_EN_new.jpg"

- Line 267, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...rollover-adventure_EN_Mar22.jpg"
 - Line 268, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...SD-0526_DirtBikeHeroImage_EN.jpg"
 - Line 269, column 21, img element, SRC = "/Content/motorcycle.honda.ca/f5526616-8803-47...lCategoryHomeTout/Scooter_EN.jpg"
 - Line 271, column 13, ul element
 - Line 272, column 21, LI element
 - Line 273, column 25, a element, HREF = "/category/touring"
 - (322 more)
 - ⦿ d.1 Organize documents so they may be read without style sheets.

Organize documents so they may be read without style sheets. For example, when an HTML document is rendered without associated style sheets, it must still be possible to read the page.

 - ⦿ Page uses an external style sheet. Verify that the page can be read without it.
 - <https://motorcycle.honda.ca/>
 - ⦿ d.3 Making the DOM order match the visual order.
 - ⦿ Elements displayed with absolute positioning may be out of logical DOM order
 - <https://motorcycle.honda.ca/>
 - Line 96, column 13, DIV element
 - Line 98, column 17, DIV element
 - Line 165, column 13, DIV element
 - Line 180, column 1, DIV element
 - Line 184, column 13, DIV element
 - Line 198, column 17, UL element
 - Line 235, column 9, div element
 - Line 236, column 13, ul element
 - Line 271, column 13, ul element
 - Line 279, column 29, DIV element
 - Line 289, column 29, DIV element
 - Line 299, column 29, DIV element
 - Line 309, column 29, DIV element
 - Line 319, column 29, DIV element
 - Line 329, column 29, DIV element
 - Line 339, column 29, DIV element
 - Line 343, column 13, DIV element
 - Line 354, column 37, a element, HREF = "/model/touring/gold_wing"
 - Line 362, column 37, a element, HREF = "/special-offers"
 - Line 370, column 37, a element, HREF = "Hero"
 - Line 384, column 13, DIV element
 - Line 434, column 21, SPAN element
 - Line 500, column 1, DIV element
 - Line 575, column 5, DIV element
 - Line 679, column 29, DIV element
 - Line 698, column 1, DIV element
 - Line 712, column 25, DIV element
 - Line 719, column 25, DIV element
 - Line 727, column 25, DIV element
 - Line 737, column 25, DIV element
 - Line 800, column 1, DIV element
 - ✓ Page does not use absolute positioning
 - <https://motorcycle.honda.ca/>
 - ✗ 1194.22(i)

Frames shall be titled with text that facilitates frame identification and navigation

 - ✗ 1.1 All IFRAME elements are required to contain element content.

IFRAME elements provide functionality that is not available to all users. The element content should describe the purpose of the IFRAME.

 - ✗ IFRAME element does not have element content.
 - <https://motorcycle.honda.ca/>
 - Line 67, column 13, iframe element, SRC = "https://www.googletagmanager.com/ns.html?id=G...preview=env-29>m_cookies_win=x"
 - ✗ 1.2 All FRAME elements are required to contain the title attribute.
 - ✗ FRAME element does not contain a TITLE attribute.
 - <https://motorcycle.honda.ca/>
 - Line 67, column 13, iframe element, SRC = "https://www.googletagmanager.com/ns.html?id=G...preview=env-29>m_cookies_win=x"
 - 1.3 All FRAMESET elements will be checked for the NOFRAMES element.

Pages with frames are not available to all users. The NOFRAMES element should used to provide an alternative.

 - ☐ Page does not have FRAMESET elements.
 - <https://motorcycle.honda.ca/>
 - ✗ 1194.22(l)

When pages utilize ing languages to display content, or to create interface elements, the information provided by the shall be identified with functional text that can be read by assistive technology.

 - ✗ 1.3 Ensure that all anchor elements that use JavaScript in the link target descri...
 - ✗ All A link elements not contains text which describe purpose of link.
 - <https://motorcycle.honda.ca/>
 - Line 503, column 9, a element, HREF = "javascript:void(0);"
 - Line 577, column 13, a element, HREF = "javascript:void(0);"
 - Line 700, column 9, a element, HREF = "javascript:void(0);"
 - Line 802, column 9, a element, HREF = "javascript:void(0);"
 - ✓ All A link elements contains text which describe purpose of link.
 - <https://motorcycle.honda.ca/>
 - ⦿ 1.1 Verify information provided by scripts shall be identified with functional te...
 - ⦿ Verify that script is invocable or have textual representation
 - <https://motorcycle.honda.ca/>

- ☒ 1.2 When SCRIPT elements are used, the NOSCRIPT element is required in the page.
 - ☒ Both SCRIPT and NOSCRIPT elements are present.
 - <https://motorcycle.honda.ca/>
 - o ☒ 1194.22(n)

When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.

 - ☒ n.2 All INPUT elements are required to contain the ALT or TITLE attribute, or use...

All visible INPUT elements must have a label, either by using a linked or containing LABEL element, or by using the ALT or TITLE attribute. Buttons are considered to be self-labeling.

 - ☒ INPUT element does not use an ALT attribute, TITLE attribute or linked LABEL.
 - <https://motorcycle.honda.ca/>
 - Line 99, column 21, input element, NAME = "Search"
 - Line 186, column 17, input element, TYPE = "text"
 - Line 382, column 13, input element, TYPE = "text"
 - Line 513, column 21, input element, TYPE = "text"
 - Line 521, column 21, input element, TYPE = "text"
 - Line 678, column 29, input element, TYPE = "text"
 - Line 711, column 25, input element, TYPE = "text"
 - Line 718, column 25, INPUT element, TYPE = "text"
 - Line 726, column 25, input element, TYPE = "text"
 - Line 732, column 21, INPUT element, TYPE = "text"
 - Line 736, column 25, input element, TYPE = "text"
 - Line 749, column 25, input element, TYPE = "text"
 - Line 756, column 25, input element, TYPE = "text"
 - ☒ All INPUT elements are labelled.
 - <https://motorcycle.honda.ca/>
 - ☒ n.3 Associate labels explicitly with their controls (SELECT elements).

All SELECT elements must have a label, either by using a linked or containing LABEL element, or by using the TITLE or ALT attribute.

 - ☒ A SELECT element with no associated label was found.
 - <https://motorcycle.honda.ca/>
 - Line 162, column 17, select element
 - Line 528, column 21, select element
 - Line 608, column 25, select element
 - Line 611, column 25, select element
 - Line 761, column 25, select element
 - Line 993, column 29, select element
 - ☒ n.6 Identify all INPUT elements that uses the 'placeholder' attribute instead of ...

The placeholder attribute represents a short hint (a word or short phrase) intended to aid the user with data entry. A hint could be a sample value or a brief deion of the expected format. The placeholder text gets removed as the form is being filled out and forms needs to be usable even when placeholder text is not there.

 - ☒ INPUT element contains placeholder attribute.
 - <https://motorcycle.honda.ca/>
 - Line 99, column 21, input element, NAME = "Search"
 - Line 186, column 17, input element, TYPE = "text"
 - Line 382, column 13, input element, TYPE = "text"
 - Line 678, column 29, input element, TYPE = "text"
 - Line 711, column 25, input element, TYPE = "text"
 - Line 718, column 25, INPUT element, TYPE = "text"
 - Line 726, column 25, input element, TYPE = "text"
 - Line 732, column 21, INPUT element, TYPE = "text"
 - Line 736, column 25, input element, TYPE = "text"
 - Line 749, column 25, input element, TYPE = "text"
 - Line 756, column 25, input element, TYPE = "text"
 - ☒ INPUT element doesn't contains placeholder attribute.
 - <https://motorcycle.honda.ca/>
 - ☒ n.5 Ensure that all LABEL 'FOR' attributes match another control.
 - ☒ LABEL element 'FOR' attribute has unique ID's and matches all controls.
 - <https://motorcycle.honda.ca/>
 - ☒ n.1 Identify all LABEL elements used within FORM elements.

Until user agents support explicit associations between labels and form controls, for all form controls with implicitly associated labels, ensure that the label is properly positioned.

 - ☒ Page does not contain FORM elements.
 - <https://motorcycle.honda.ca/>
 - ☒ n.4 Associate labels explicitly with their controls (TEXTAREA elements).

All TEXTAREA elements must have a label, either by using a linked or containing LABEL element, or by using the TITLE or ALT attribute.

 - ☒ No TEXTAREA elements were found.
 - <https://motorcycle.honda.ca/>
 - ☒ n.7 Ensure that all elements that have a 'Role' attribute value of 'application',...
 - ☒ No elements have role=application on page.
 - <https://motorcycle.honda.ca/>
 - ☒ n.8 Ensure that elements with the 'Required' attribute has a linked LABEL content...
 - ☒ No elements have required attribute.
 - <https://motorcycle.honda.ca/>
 - ☒ n.9 Ensure that elements that have the 'Role' attribute value of 'checkbox' or 'r'...
 - ☒ No elements have role attribute with value of checkbox or radio.
 - <https://motorcycle.honda.ca/>
 - o ☒ 1194.22(c)

Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.

- **c.1** Ensure that all information conveyed with color is also available without color...
This check identifies pages that potentially require color for visual checking.
 - **Page references an external style-sheet. Visual check required.**
<https://motorcycle.honda.ca/>
 - **1194.22(j)**
Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.
 - **j.2** Until user agents allow users to control blinking, avoid causing content to b...
▪ Page may contain elements that cause blinking.
▪ <https://motorcycle.honda.ca/>
 - **j.1** Pages are required not to contain the BLINK element.
▪ Page does not contain a BLINK element.
▪ <https://motorcycle.honda.ca/>
 - **1194.22(k)**
A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.
 - **k.1** Check for a 'Text Only Version' link that provides equivalent access to a page.
If a Text Only Equivalent of a page is provided it must be updated every time the primary content changes. This checkpoint typically gets marked N/A because there are sufficient techniques for making complex web content accessible. This checkpoint may need to be customized.
 - Verify if text only version is necessary for page
▪ <https://motorcycle.honda.ca/>
 - **1194.22(o)**
A method shall be provided that permits users to skip repetitive navigation links.
 - **o.1** Pages should contain a bookmark link to skip navigation.
This checkpoint may require customization.
 - Page has no skip navigation link, but has no significant content.
▪ <https://motorcycle.honda.ca/>
 - **1194.22(p)**
When a timed response is required, the user shall be ed and given sufficient time to indicate more time is required
 - **p.2** Allow users to complete an activity without any time limit.
The objective of this technique is to provide users with all the time they need to complete an activity. This technique involves providing a specified activity which does not require timed interaction. Users are allowed as much time as they need to interact with the activity.
 - Verify purpose of timeout. Usability test to ensure that user can complete activity without time limit
▪ <https://motorcycle.honda.ca/>
 - Line 26, column 9, script element, SRC = "/Scripts/jquery-1.11.1.js"
 - Line 28, column 9, script element, SRC = "/Scripts/modernizr-2.8.3.js"
 - Line 30, column 9, script element, SRC = "/_Global/js/vendor/selectivizr-min.js"
 - Line 31, column 1, script element, SRC = "/Scripts/moment.js"
 - Line 32, column 1, script element, SRC = "/Scripts/moment-with-locales.js"
 - Line 33, column 1, script element, SRC = "/_Global/js/vendor/knockout-3.2.0.js"
 - Line 34, column 1, script element, SRC = "/_Global/js/vendor/knockout.validation.js"
 - Line 35, column 1, script element, SRC = "/Scripts/chosen/chosen.jquery.js"
 - Line 36, column 1, script element, SRC = "/Scripts/typeahead/typeahead.jquery.js"
 - Line 37, column 1, script element, SRC = "/Scripts/handlebars-v3.0.3.js"
 - Line 43, column 9, script element, SRC = "//apis.google.com/js/platform.js"
 - Line 1101, column 5, script element, SRC = "/_Global/js/vendor/respond.min.js"
 - Line 1132, column 9, script element, SRC = "/Scripts/jquery-sortable.js"
 - Line 1133, column 1, script element, SRC = "/Scripts/jquery.validate.js"
 - Line 1134, column 1, script element, SRC = "/Scripts/jquery.validate.unobtrusive.js"
 - Line 1135, column 1, script element, SRC = "/Scripts/lodash.compat.js"
 - Line 1136, column 1, script element, SRC = "/_Global/js/vendor/jquery.cookie.js"
 - Line 1137, column 1, script element, SRC = "/_Global/js/functions.js"
 - Line 1138, column 1, script element, SRC = "/_Global/js/social-share.js"
 - Line 1140, column 9, script element, SRC = "//maps.googleapis.com/maps/api/js?v=3.30&key=...NSHSJR5Iz309wiIuRa4xKkuyouLnQ5BA"
 - Line 1141, column 9, script element, SRC = "//cdnjs.cloudflare.com/ajax/libs/jquery-ajaxt...0.1/jquery.xdomainrequest.min.js"
 - Line 1142, column 9, script element, SRC = "/_Global/js/CompareModels/add-to-compare.js"
 - Line 1143, column 1, script element, SRC = "/_Global/js/CompareModels/compare-models.js"
 - Line 1145, column 9, script element, SRC = "/_Global/js/es6/commons.js"
 - Line 1146, column 9, script element, SRC = "/_Global/js/es6/App.js"
 - Line 1149, column 5, script element, SRC = "/_Global/js/es6/findDealer.js"
 - Line 1152, column 9, script element, SRC = "/_Global/js/placeholder-polyfill.js"
 - Line 1155, column 9, script element, SRC = "/_Global/js/vendor/modernizr.customTouch.js"
 - **p.1** Pages are required not to use the META element with the HTTP-EQUIV attribute ...
Until user agents provide the ability to stop the refresh, do not create periodically auto-refreshing pages.
 - Page does not contain the META element.
▪ <https://motorcycle.honda.ca/>
 - **1194.22(e)**
Redundant text links shall be provided for each active region of a server-side image map.
 - **e.2** No INPUT element should contain the USEMAP attribute.
▪ No INPUT element contains an USEMAP attribute.
▪ <https://motorcycle.honda.ca/>
 - **e.1** Locate any IMG element that contains the ISMAP attribute.
If you must use a server-side image map, provide redundant text links for each active region. You should use client-side image maps where possible.

- Page does not use server-side maps.
 - <https://motorcycle.honda.ca/>
 - o ✓ 1194.22(f)

Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.

 - ✓ f.2 No IMG element should contain the ISMAP attribute.
 - ✓ No IMG element contains an ISMAP attribute.
 - <https://motorcycle.honda.ca/>
 - ✓ f.3 No INPUT element should contain the ISMAP attribute.
 - ✓ No INPUT element contains an ISMAP attribute.
 - <https://motorcycle.honda.ca/>
 - f.1 All AREA elements are required to have the ALT attribute.

Client-side image maps present functionality that is not available to all users. The ALT attribute can be used for AREA elements to provide a text equivalent.

 - Page has no AREA elements.
 - <https://motorcycle.honda.ca/>
 - o 1194.22(b)

Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.

 - b.1 Identify all OBJECT Elements that have a multimedia MIME type as the type att...

For any time-based multimedia presentation (e.g., a movie or animation), synchronize equivalent alternatives (e.g., captions or auditory deions of the visual track) with the presentation.

 - Page does not contain OBJECT elements using known multimedia MIME type as type attribute value.
 - <https://motorcycle.honda.ca/>
 - b.2 Identify all OBJECT Elements that have a DATA attribute value with a multimed...
 - Page does not contain OBJECT elements using known multimedia file extensions.
 - <https://motorcycle.honda.ca/>
 - b.3 Identify all EMBED elements that have a SRC attribute value with a multimedia...
 - Page does not contain EMBED elements using a known multimedia file extension.
 - <https://motorcycle.honda.ca/>
 - b.4 Identify all links that have an HREF attribute value with a multimedia file e...

For any time-based multimedia presentation (e.g., a movie or animation), synchronize equivalent alternatives (e.g., captions or auditory deions of the visual track) with the presentation.

 - Page does not contain links referring to any known multimedia file extension.
 - <https://motorcycle.honda.ca/>
 - b.5 Identify all VIDEO or AUDIO elements that have a 'Track' child element with a...
 - Page does not contain video or Audio elements.
 - <https://motorcycle.honda.ca/>
 - b.6 Identify all IFRAME elements that have a SRC attribute value with an external...
 - Page does not contain IFRAME elements with external known webpage's video.
 - <https://motorcycle.honda.ca/>
 - o 1194.22(g)

Row and column headers shall be identified for data tables.

 - g.1 For data tables, identify row and column headers.

This check identifies data tables that do not have any TH elements. Data tables are recognised as having a border attribute greater than 0. Tables with no border require a visual check, unless they contain input, image or child table elements, or cells with long text, indicating they are most likely layout tables.

 - Page contains no tables.
 - <https://motorcycle.honda.ca/>
 - o 1194.22(h)

Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.

 - h.1 For data tables that have two or more logical levels of row or column headers...

Describe the table structure using the SUMMARY attribute or ARIA attributes. Identify structural groups of rows using THEAD, TFOOT, TBODY, COLGROUP and COL. Label table elements with the "scope", "headers", and "axis" attributes to assist user agents.

 - Page does not contain complex data tables.
 - <https://motorcycle.honda.ca/>
 - o 1194.22(m)

When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).

 - m.1 All pages that have links to files that require a special reader or plug-in a...

This checkpoint may require customization.

 - Page does not contain links to files known to require a special reader.
 - <https://motorcycle.honda.ca/>