OCI Cloud Guard Enablement – Implementation Report

Objective

Cloud Guard was enabled to establish continuous security monitoring across the tenancy, providing threat detection, configuration risk visibility, and automated security posture assessment.

Scope

Cloud Guard was enabled at the tenancy level to monitor all existing compartments and resources. Oracle-managed configuration and activity detector recipes were selected to ensure baseline security monitoring.

IAM Policy Configuration

Required IAM policies were created to allow the Cloud Guard service to read tenancy resources, access compartments, keys, vaults, and manage required Cloud Guard configurations.

Enablement Details

Cloud Guard was enabled in the MCIT Dedicated Region (Doha) reporting region. All existing resources are now being monitored, and the dashboard will begin displaying security scores after sufficient activity data is collected.

Post■Enablement Status

Immediately after enablement, the dashboard shows 'Not enough data' for security and risk scores. This is expected behavior until Cloud Guard collects sufficient telemetry from monitored resources.

Next Steps

1. Configure responder recipes for automated remediation where required. 2. Integrate Cloud Guard alerts with the Notifications service. 3. Finalize tagging strategy and enable defined tags across resources. 4. Periodically review findings and security posture improvements.

Evidence – Cloud Guard Enablement Screenshots

Cloud | Search resources, services, and Marketplace | MCIT Dedicated Region (Doha)

Enable Cloud Guard

Help

1 **Cloud Guard policy**
2 Basic information

To proceed, a tenancy administrator must create the following policy to allow Cloud Guard to manage resources. Additionally, in order to use all the features of Cloud guard, users are required to have a minimum set of required privileges.

Policy name: CloudGuardPolicies

Policy statements

allow service cloudguard to manage cloudevents-rules in tenancy where target.rule.type='managed'	Added
allow service cloudguard to read vaults in tenancy	Added
allow service cloudguard to read keys in tenancy	Added
allow service cloudguard to read compartments in tenancy	Added
allow service cloudguard to read tenancies in tenancy	Added

Next Cancel

https://docs.cloud.oracle.com/iaas/cloud-guard/using/part-start.htm#cg-access-enable

Copyright © 2026, Oracle and/or its affiliates. All rights reserved.

Cloud | Search resources, services, and Marketplace | MCIT Dedicated Region (Doha)

Enable Cloud Guard

Help

1 Cloud Guard policy
2 **Basic information**

Select a region

MCIT Dedicated Region (Doha)

Compartments to monitor

- All
  All existing resources will be monitored by Cloud guard.
- Select compartments
  Search compartments
- None

Configuration detector recipe *Optional*

Previous Enable Cancel

None

Configuration detector recipe *Optional*

OCI Configuration Detector Recipe (Oracle managed)

Activity detector recipe *Optional*

OCI Activity Detector Recipe (Oracle managed)

Previous Enable Cancel

Cloud

Search resources, services, and Marketplace

MCIT Dedicated Region (Doha)

Cloud Guard

- Overview
- Recipes
- Alerts
- Configuration
- Queries
- Threat monitoring
- Resources

Overview

Security score rating

Not enough data

Risk score

Not enough data

Security recommendations

No recommendations at this tim

Problems snapshot

Problems

Grouped by

Compartment